

Section **A** for the entry of
AIR MINISTR

FORM 1090.

REGIS

Kept at Broadstone
in the County of Dorset

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
,, Ground ,, Sea L

1600
BROADSTONE
1931-37

1600
FOR OFFICIAL USE.
TALL ORGANIZATION.
31. Station
N° 1600

780304

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.01	Tr	.15	Tr	.09	—	.02	.08	.01	—	—	I
2	.23	.05	—	.45	—	.01	—	.03	.57	.01	.01	.14	2
3	.23	—	.67	.05	—	—	—	.01	.55	—	.54	.33	3
4	—	—	.04	—	.03	Tr	.30	—	.09	.01	.24	—	4
5	—	.16	—	.13	.01	.56	.18	—	—	—	.08	.08	5
6	—	.19	—	.20	.09	.11	.12	—	Tr	.46	.18	.21	6
7	—	—	—	—	.20	.34	.06	.77	—	.01	.34	.01	7
8	.04	.22	—	.10	.01	.37	.01	.01	—	—	.10	.18	8
9	—	.18	Tr	.03	—	.04	.04	—	—	—	.75	Tr	9
10	—	.09	.01	—	Tr	.21	.07	Tr	—	—	.31	—	10
II	.11	.43	—	—	Tr	.03	—	—	.01	—	.23	—	II
12	—	.01	—	—	Tr	Tr	.17	—	.06	Tr	—	—	12
13	.01	—	—	—	—	Tr	.02	.02	—	.03	—	—	13
14	—	.10	—	—	Tr	.24	1.68	.10	.01	—	.01	—	14
15	Tr	.01	—	.01	.10	—	—	.14	.01	—	—	.04	15
16	Tr	Tr	—	.06	.17	.20	Tr	.01	.07	—	—	—	16
17	.01	.14	—	.06	Tr	—	.40	—	.07	—	Tr	—	17
18	.03	Tr	.02	.08	—	.06	.06	1.12	—	—	.46	—	18
19	.09	—	Tr	.07	—	.16	.03	.04	—	—	Tr	Tr	19
20	Tr	.08	.19	Tr	—	—	.01	.28	—	Tr	.01	—	20
21	.07	Tr	—	—	.32	—	—	—	—	—	.01	—	21
22	.29	—	.04	.13	—	—	—	—	—	—	.01	—	22
23	.38	Tr	—	.08	.54	—	—	—	—	—	.32	Tr	23
24	.03	Tr	Tr	.26	.27	.30	.42	.59	—	—	—	—	24
25	.07	Tr	—	.31	.24	—	.23	—	—	—	.16	Tr	25
26	—	.02	—	.10	Tr	—	.47	—	—	—	.21	Tr	26
27	.18	.36	—	Tr	.94	—	.15	—	—	—	.04	—	27
28	.06	.08	.01	Tr	.17	—	—	—	—	—	Tr	.16	28
29	.05	X	.06	—	.02	—	.09	.03	—	.01	.11	—	29
30	—	X	.06	Tr	Tr	—	.01	.06	.01	—	.05	—	30
31	.44	X	—	X	.13	X	Tr	.04	X	—	X	.05	31
TOTAL	2.32	2.13	1.10	2.27	3.24	2.72	4.40	3.27	1.53	0.54	4.17	1.20	28.89
*Days with or in. or more.	17	16	9	17	15	14	19	16	11	7	21	9	171
*Days with .04 in. or more.	13	12	6	15	11	12	14	9	7	1	16	8	124

40-9999

*See Instruction 2 (f) on other side.

(Signed) E. N. Nunn

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Station
N° 1600

Kept at *Broadstone*
in the County of *Dorset*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft *0* in.
,, Ground ,, Sea Level *160* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.01	Tr	.15	Tr	.09	—	.02	.08	.01	—	—	I
2	.23	.05	—	.45	—	.01	—	.03	.57	.01	.01	.14	2
3	.23	—	.67	.05	—	—	—	.01	.55	—	.54	.33	3
4	—	—	.04	—	.03	Tr	.30	—	.09	.01	.24	—	4
5	—	.16	—	.13	.01	.56	.18	—	—	—	.08	.08	5
6	—	.19	—	.20	.09	.11	~~.18~~	—	Tr	.46	.18	.21	6
7	—	—	—	—	.20	.34	.06	.77	—	.01	.34	.01	7
8	.04	.22	—	.10	.01	.37	.01	.01	—	—	.10	.18	8
9	—	.18	Tr	.03	—	.04	.04	—	—	—	.75	Tr	9
10	—	.09	.01	—	Tr	.21	.07	Tr	—	—	.31	—	10
II	.11	.43	—	—	Tr	.03	—	—	.01	—	.23	—	II
12	—	.01	—	—	Tr	Tr	.17	—	.06	Tr	—	—	12
13	.01	—	—	—	—	Tr	.02	.02	—	.03	—	—	13
14	—	.10	—	—	Tr	.24	1.68	.10	.01	—	.01	—	14
15	Tr	.01	—	.01	.10	—	—	.14	.01	—	—	.04	15
16	Tr	Tr	—	.06	.17	.20	Tr	.01	.07	—	—	—	16
17	.01	.14	—	.06	Tr	—	.40	—	.07	—	Tr	—	17
18	.03	Tr	.02	.08	—	.06	.06	1.12	—	—	.46	—	18
19	.09	—	Tr	.07	—	.16	.03	.04	—	—	Tr	Tr	19
20	Tr	.08	.19	Tr	—	—	.01	.28	—	Tr	.01	—	20
21	.07	Tr	—	—	.32	—	—	—	—	—	.01	—	21
22	.29	—	.04	.13	—	—	—	—	—	—	.01	—	22
23	.38	Tr	—	.08	.54	—	—	—	—	—	.32	Tr	23
24	.03	Tr	Tr	.26	.27	.30	.42	.59	—	—	—	—	24
25	.07	Tr	—	.31	.24	—	.23	—	—	—	.16	Tr	25
26	—	.02	—	.10	Tr	—	.47	—	—	—	.21	Tr	26
27	.18	.36	—	Tr	.94	—	.15	—	—	—	.04	—	27
28	.06	.08	.01	Tr	.17	—	—	—	—	—	Tr	.16	28
29	.05	×	.06	—	.02	—	.09	.03	—	.01	.11	—	29
30	—	×	.06	Tr	Tr	—	.01	.06	.01	—	.05	—	30
31	.44	×	—	×	.13	×	Tr	.04	×	—	×	.05	31
TOTAL	2.32	2.13	1.10	2.27	3.24	2.72	4.40	3.27	1.53	0.54	4.17	1.20	YEAR'S TOTAL 28.89
* Days with or in. or more.	17	16	9	17	15	14	19	16	11	7	21	9	171
* Days with or in. or more.	13	12	6	15	11	12	14	9	7	1	16	8	124

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Broadstone
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level ft.

1600
719614/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18	-	-	.15	.43	-	-	.03	Tr	.01	.01	-	1
2	.01	-	-	.19	.10	-	-	.03	Tr	-	.03	.39	2
3	-	-	-	.17	Tr	.37	-	-	.56	.06	-	.01	3
4	Tr	-	-	-	-	.29	-	Tr	-	-	.06	-	4
5	.41	-	-	-	-	Tr	.01	-	.10	-	-	-	5
6	.46	-	Tr	.12	Tr	-	.01	Tr	.33	-	-	-	6
7	-	-	.01	.07	.01	-	-	Tr	.17	.34	-	-	7
8	-	-	.42	.02	.17	-	-	-	.48	.24	-	-	8
9	.34	.02	-	.11	.07	-	-	-	-	.08	.02	-	9
10	.18	.07	.05	.40	.06	.01	-	-	Tr	.16	.17	-	10
11	.07	-	-	.03	.01	Tr	.41	Tr	.05	.07	-	.07	11
12	.65	-	-	-	.07	-	-	-	.06	.15	.01	Tr	12
13	.10	-	-	.13	.09	-	.05	-	Tr	.84	-	.04	13
14	.07	-	-	.12	.07	-	-	.01	-	.01	.04	.02	14
15	.03	-	-	.03	.31	-	-	Tr	-	.03	.06	.03	15
16	.22	-	-	.14	.32	.12	.45	-	Tr	-	-	.01	16
17	.45	-	-	.04	-	-	Tr	-	.01	.07	-	-	17
18	.03	-	-	-	.13	-	Tr	-	.01	-	.09	-	18
19	.01	-	-	.01	-	-	-	-	.03	.33	-	-	19
20	Tr	-	-	Tr	.39	-	.03	.21	-	1.12	.27	.01	20
21	.02	-	.02	Tr	.24	-	-	.02	-	.33	-	.10	21
22	.01	-	.17	.01	.04	.02	.01	.13	.58	.22	.45	Tr	22
23	.01	-	-	Tr	.06	-	.38	-	.05	.69	.10	.11	23
24	-	.02	-	-	.03	-	.52	-	.09	.06	.01	Tr	24
25	-	-	-	.03	-	-	.70	-	.01	.38	.02	.01	25
26	-	-	.13	.05	-	-	.16	-	-	.06	.02	-	26
27	-	-	.37	.43	.28	.10	.01	-	-	.20	Tr	.02	27
28	-	-	.09	.06	.04	-	.13	-	-	-	-	.06	28
29	-	-	.46	.17	.13	.26	Tr	.24	.59	.40	.20	.05	29
30	-	X	.05	.25	.02	1.27	.05	-	.52	Tr	.73	.31	30
31	-	X	.02	X	Tr	X	Tr	-	X	-	X	.14	31
TOTAL	325	0.11	1.79	273	3.07	2.44	2.92	0.67	3.64	5.85	2.29	1.38	YEAR'S TOTAL 30.14
* Days with "or in. or more.	18	3	11	22	22	8	14	7	16	22	17	16	176
* Days with ".04 in. or more.	11	1	8	16	18	6	9	3	12	19	10	9	122

40-9999

* See Instruction 2 (f) on other side.

(Signed) E. Nimmno

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 1600.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

79614/26

Kept at Broadstone
in the County of Dorset.Diameter of Funnel of Gauge 8.4 in.Height of top of Gauge above Ground 1 ft 0 in.,, Ground ,, Sea Level 160 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.35	.72	.06	-	.01	-	-	-	-	Tn	.01	.25	1
2	.51	-	.70	-	.21	-	-	-	-	-	-	-	2
3	.01	.11	.42	-	Tn	-	-	-	-	-	-	-	3
4	.16	.03	.03	-	.14	-	-	-	-	-	-	-	4
5	.12	-	.37	-	.06	-	-	-	-	-	-	-	5
6	-	.24	.03	-	.22	-	-	-	-	.05	.03	-	6
7	.03	.01	.01	-	.11	-	.01	-	-	.14	Tn	.01	7
8	.01	.01	.02	-	.03	-	.23	-	-	.02	-	-	8
9	-	-	-	-	.03	Tn	.28	Tn	-	.09	.01	-	9
10	.01	Tn	-	-	.01	-	.16	.01	-	.14	.01	-	10
11	.26	-	-	-	Tn	.35	.02	.02	.01	Tn	-	-	11
12	-	-	-	.06	.01	-	-	-	.71	-	-	.04	12
13	.05	-	-	-	.01	.01	.44	.10	.02	.10	.07	-	13
14	Tn	-	Tn	-	-	-	.04	Tn	-	.24	.37	-	14
15	.44	-	.30	-	-	-	.04	.37	-	.12	Tn	-	15
16	-	Tn	.89	-	-	-	Tn	-	.02	.03	-	-	16
17	Tn	.15	.29	-	-	.08	Tn	.06	.09	-	Tn	-	17
18	.13	-	.16	-	-	.04	-	-	-	-	.02	-	18
19	Tn	.01	.07	Tn	-	.0-	-	.03	.42	-	.32	.03	19
20	-	.07	Tn	Tn	-	-	-	-	.02	-	.01	Tn	20
21	-	.02	-	-	.15	.05	-	.29	Tn	.06	.01	-	21
22	-	-	-	-	Tn	-	-	.14	.11	.11	Tn	-	22
23	-	.05	-	.45	-	.13	-	-	.25	.14	-	-	23
24	-	1.90	-	.37	-	Tn	-	-	Tn	.02	.07	-	24
25	-	.47	-	.34	Tn	-	-	-	.09	Tn	-	.12	25
26	-	.64	-	.10	.04	-	-	-	Tn	.12	-	.02	26
27	-	.01	-	-	.38	-	.05	-	.01	Tn	.01	.60	27
28	Tn	-	-	.32	-	-	.44	-	Tn	-	-	.02	28
29	.11	X	Tn	Tn	Tn	-	.01	-	.01	-	-	Tn	29
30	.07	X	.04	-	-	-	.01	-	.08	-	-	.08	30
31	.22	X	.09	X	-	X	-	-	X	Tn	X	-	31
TOTAL	2.48	4.44	3.48	1.64	1.41	0.66	1.73	1.02	1.84	1.38	0.94	1.17	YEAR'S TOTAL 22.19
*Days with .01 in. or more.	15	15	15	6	14	6	12	8	13	14	12	9	139
*Days with .04 in. or more.	11	9	11	6	8	5	8	5	7	11	4	5	90

40-9999

*See Instruction 2 (f) on other side.

(Signed)

E. Minnis

P.T.O.

Section **A** for the entry of Daily Observations.

Station No. 1600

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1934.

Kept at Broadstone

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 160 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	-	-	-	-	-	-	.55	-	.06	.02	.70		1
2	.51	-	.11	-	.04	.05	-	T ₁	.92	.15	.01	.44		2
3	.03	.01	-	-	-	-	-	-	-	.33	T ₁	.21		3
4	.12	-	.14	.01	.17	-	-	-	-	.13	T ₁	.33		4
5	-	-	.01	-	-	-	-	.75	-	.01	.33	.49		5
6	.03	-	.40	.02	.19	-	-	.01	-	.31	-	.58		6
7	.04	-	-	.01	-	.04	-	.18	-	.12	-	.46		7
8	-	-	-	-	.23	-	-	T ₁	.02	-	.69	.05		8
9	.01	-	.16	-	-	-	-	-	.03	-	.73	.50		9
10	.00	T ₁	.25	.34	-	-	-	.02	-	-	.23	.09		10
11	.74	-	.49	.25	-	-	.04	.27	-	-	-	.42		11
12	.06	.01	.05	T ₁	-	-	.09	.31	-	-	-	.41		12
13	.28	-	.12	.14	-	-	-	-	-	-	.11	.10		13
14	.05	-	.34	.02	-	-	-	-	-	.03	.04	.40		14
15	.03	-	.03	.01	.08	-	-	-	-	.05	.11	.43		15
16	.18	-	.35	-	.09	-	-	-	-	-	T ₁	.25		16
17	.11	-	T ₁	.20	T ₁	-	T ₁	-	.06	.05	-	.36		17
18	.14	-	.13	.10	-	-	-	-	.13	-	-	.41		18
19	-	-	.34	.03	-	.01	-	T ₁	.10	T ₁	-	.15		19
20	-	-	.05	.09	-	-	.13	.03	.04	.01	-	-		20
21	-	-	.03	.16	-	.18	-	.14	.01	.13	-	T ₁		21
22	-	-	.01	-	-	-	.06	.47	.21	.05	-	.21		22
23	-	T ₁	-	.27	-	.78	-	.06	.02	.01	-	.02		23
24	-	.03	.05	.02	-	.05	T ₁	.03	.18	T ₁	-	.01		24
25	.41	T ₁	-	.07	.01	-	T ₁	-	-	.07	T ₁	.88		25
26	.01	-	-	.07	-	.35	-	-	.13	T ₁	.01	.08		26
27	T ₁	-	-	-	-	.06	-	-	.01	.01	-	.33		27
28	-	-	-	.01	-	.06	-	.60	-	T ₁	T ₁	.62		28
29	-	-	-	-	-	-	T ₁	.14	.23	T ₁	.01	.01		29
30	.05	X	-	-	-	-	T ₁	.04	.16	T ₁	T ₁	.30		30
31	-	X	-	X	-	X	.02	.01	X	-	X	.02		31
TOTAL	2.87	0.05	3.06	1.82	0.81	1.58	0.34	3.61	2.25	1.52	2.29	9.26	29.46	
*Days with ".01 in. or more.	19	3	18	18	7	9	5	16	15	16	11	29	166	
*Days with ".04 in. or more.	13	0	14	10	6	8	4	11	10	11	7	25	119	

† Spare column, no entries required.

(Signed)

E. N. N. N.

P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 1935 .

Kept at Broadstone
in the County of Dorset

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft.....0 in.
,, Ground ,, Sea Level 160 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	-	<u>.34</u>	-	.03	.12	.11	-	.15	.26	.19	.27	1
2	-	.02	-	-	-	T ₂	T ₂	-	T ₂	.36	.03	.01	2
3	-	T ₂	.07	-	-	.07	T ₂	-	.10	<u>1.89</u>	.21	-	3
4	.02	.15	-	.18	.01	.04	-	-	.12	.24	.11	.16	4
5	T ₂	.29	.02	.06	-	.08	-	-	.31	.05	.03	.01	5
6	-	.03	T ₂	.23	-	<u>1.38</u>	-	-	-	.04	.14	.01	6
7	-	-	-	.37	T ₂	.04	-	-	-	.07	.36	.16	7
8	-	-	-	.28	-	-	.01	-	.10	.58	.81	.04	8
9	.29	-	T ₂	<u>.58</u>	-	.99	-	-	.08	.80	.69	-	9
10	.11	-	.31	.17	-	.05	-	-	-	-	.08	.01	10
11	<u>.26</u>	T ₂	.07	.02	-	.21	-	-	.01	-	.72	T ₂	11
12	.06	.02	-	-	-	.29	-	.02	.07	-	.49	-	12
13	.11	.13	-	.27	.02	.17	-	-	.02	.02	.09	-	13
14	T ₂	T ₂	-	.23	.01	.20	-	-	T ₂	.03	.29	.30	14
15	-	.15	-	.53	<u>.28</u>	.11	-	-	.15	.06	.39	.02	15
16	-	.09	.08	.10	.01	.07	-	-	.42	T ₂	<u>2.25</u>	T ₂	16
17	-	T ₂	-	.03	.06	.30	-	.04	.02	-	.16	-	17
18	-	T ₂	-	.33	T ₂	T ₂	.08	.01	<u>.46</u>	.04	.01	.02	18
19	-	.01	-	.09	.18	.04	<u>.31</u>	-	.15	.04	.37	-	19
20	-	.54	-	.10	.01	.03	.09	-	.06	-	.52	-	20
21	T ₂	.53	-	.03	-	T ₂	.02	-	T ₂	.01	-	-	21
22	-	.06	.01	T ₂	-	-	T ₂	.09	.05	-	-	-	22
23	T ₂	T ₂	.09	.50	.03	-	-	.50	.01	.45	-	.15	23
24	.03	<u>.78</u>	.01	-	.16	-	-	<u>1.10</u>	.38	.26	-	.37	24
25	.15	.03	-	.11	.01	.07	-	-	.04	-	.01	.39	25
26	-	.27	-	-	.01	.01	-	.20	-	T ₂	-	<u>.88</u>	26
27	-	.38	-	-	-	-	-	.01	.09	-	.04	.64	27
28	-	.07	-	-	T ₂	-	-	.04	.21	-	.01	.24	28
29	-	x	-	-	.11	-	-	.03	.33	.02	T ₂	.59	29
30	.01	x	-	.07	T ₂	T ₂	-	<u>1.10</u>	.06	.35	.37	.48	30
31	-	x	-	x	-	x	-	.01	x	1.06	x	.39	31
TOTAL	1.05	3.55	1.00	4.28	0.93	4.27	0.62	3.15	3.39	6.63	8.37	5.14	YEAR'S TOTAL 42.38
Days with or in. or more.	10	17	9	20	14	19	6	12	23	20	24	20	194
Days with .04 in. or more.	6	12	6	17	5	17	4	7	19	16	19	14	142

Section

A

for the entry of Daily Observations.

Station No.

1600

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at

Bromstone

in the County of

Dorset

Diameter of Funnel of Gauge

5

in.

Height of top of Gauge above Ground

1

ft.

in.

,, Ground

,, Sea Level

160

ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.16	.08	.02	.35	-	.06	.11	-	T ₂	-	.05	.02		1
2	.08	.02	-	.01	-	.04	.02	.03	-	-	.01	.01		2
3	-	-	-	.42	-	-	.04	T ₂	.44	-	.51	-		3
4	T ₂	-	.18	T ₂	-	.01	T ₂	-	.18	-	.17	.01		4
5	.33	-	.06	-	.11	-	T ₂	.03	.27	-	T ₂	.06		5
6	.23	-	.01	-	-	.02	T ₂	.02	.19	-	.35	-		6
7	.06	-	.11	-	-	-	.28	-	T ₂	-	.34	.03		7
8	.44	-	.32	-	-	-	.05	-	-	-	.28	.02		8
9	.47	-	.22	-	-	-	.71	-	.36	-	.02	-		9
10	.36	.05	-	-	-	.02	.24	-	.01	-	T ₂	T ₂		10
11	.30	.31	-	-	-	.04	.22	T ₂	.06	-	1.13	-		11
12	.01	-	-	.08	.26	.36	.28	T ₂	.17	-	.08	-		12
13	.02	-	-	-	-	.08	.12	-	-	.03	.06	.79		13
14	-	.04	-	T ₂	-	-	.52	-	-	.02	.01	.53		14
15	T ₂	.05	-	-	T ₂	.01	.01	-	.06	-	.05	.50		15
16	.11	.23	-	-	.07	-	.07	-	T ₂	-	.07	.03		16
17	T ₂	.81	-	T ₂	T ₂	-	.04	-	.01	.03	.07	.75		17
18	.08	.11	-	-	-	.60	.32	-	-	T ₂	.01	.39		18
19	.41	.02	.01	.01	-	.05	.01	.05	-	.09	-	-		19
20	.26	.21	.22	.15	-	.01	.05	.81	T ₂	-	-	-		20
21	.01	.12	.01	.39	-	.09	.49	-	.02	T ₂	-	-		21
22	.16	.58	.39	T ₂	T ₂	-	.13	-	T ₂	.01	-	.04		22
23	.08	T ₂	.29	.12	.05	-	.22	-	-	.10	-	-		23
24	.28	.04	.02	T ₂	.06	-	.01	-	.02	.30	T ₂	-		24
25	.08	-	.38	.17	-	.02	T ₂	-	-	.12	-	-		25
26	.12	.13	.27	.02	-	.33	.03	-	.06	.12	T ₂	-		26
27	.45	.13	.07	-	-	-	.10	-	.24	.11	-	-		27
28	.84	T ₂	.46	-	-	-	.09	-	-	-	-	.22		28
29	.01	.01	.04	-	-	T ₂	.04	-	-	.05	.05	.01		29
30	.12	×	.01	-	T ₂	.17	-	-	-	.13	T ₂	-		30
31	.08	×	.52	×	.14	×	.22	-	×	.54	×	.53		31
TOTAL	5.55	2.94	3.61	1.72	0.69	1.91	4.42	0.13	2.90	1.65	3.26	3.94	32.72	✓
* Days with .01 in. or more.	26	17	20	10	6	16	26	4	15	13	17	16	186	✓
* Days with .04 in. or more.	22	14	14	7	6	10	21	1	11	9	13	9	137	✓

Section **A** for the entry of Daily ObservationsStation No. **1600**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at **Broadstone**in the County of **Dorset**Diameter of Funnel of Gauge.....**5**.....in.Height of top of Gauge above Ground...**1**...ft..**0**.....in.,, Ground ,, Sea Level ...**160**.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following


Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	'58	'09	tr	'19	—	—						<u>1'18</u>		1
2	tr	<u>1'07</u>	tr	'07	—	—						'05		2
3	'02	'27	—	'03	—	—						—		3
4	'06	'76	—	—	—	—						'28		4
5	'28	'01	'04	'01	—	—						—		5
6	'08	'25	'35	'09	'04	—						—		6
7	—	'79	tr	'08	—	—						<u>1'18</u>		7
8	—	'01	—	'01	'41	—						'05		8
9	—	'02	tr	'21	'15	'06						'06		9
10	'04	'03	'84	'12	tr	'21						'44		10
11	'06	—	tr	'02	'56	'01						'01		11
12	'52	'38	'23	'09	'10	'13						'29		12
13	'10	'02	'77	'15	—	tr						'18		13
14	'02	'01	'14	'13	—	—						'03		14
15	'26	'20	'47	'36	—	—						'05		15
16	'02	'09	'22	'16	—	'03						tr		16
17	<u>'72</u>	'02	tr	—	—	tr						—		17
18	'22	'08	—	—	—	—						'19		18
19	'15	'05	'01	'21	—	'01						'13		19
20	'35	'04	'16	'19	tr	—						'21		20
21	'40	'36	'06	'01	'03	—						'21		21
22	'24	'02	'02	—	'31	'01						'14		22
23	'24	'16	'01	—	'33	—						'03		23
24	'30	'77	'04	—	'11	—						'05		24
25	'64	'24	'42	—	'55	—						'10		25
26	tr	'27	'02	—	'18	—						'04		26
27	'01	'22	tr	'09	tr	—						—		27
28	'30	'13	—	tr	—	—						—		28
29	'05	X	—	—	—	—						—		29
30	'25	X	—	—	—	tr						—		30 ^{imp.}
31	'21	X	—	X	—	X			X		X	—		31
TOTAL	6'12	6'36	3'80	2'22	2'77	0'46						4'90	Year's Total	28
* Days with .01 in. or more.	26	27	16	19	11	7						21		
* Days with .04 in. or more.	22	19	12	14	10	3						18		

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Robert Nimmo [P.T.O.]

Kept at
in the County of
Diameter of Funnel
Height of top of Gauge
,, Ground

WYNFORD HOUSE

1931-40

THE MORN

780305 DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.11	.01	.32	tr	tr	.01	.03	.24	.02	—	—	1
2	.36	.08	—	.48	—	.01	—	tr	.76	.02	.03	.22	2
3	.21	tr	.68	tr	—	—	.04	.01	.28	tr	1.63	.10	3
4	.04	—	.07	—	.06	tr	.56	.03	.24	.14	.22	.01	4
5	—	.44	tr	.20	—	.55	.01	.49	tr	.01	.12	.29	5
6	—	.12	—	.06	.08	.18	—	.01	tr	.47	.33	.61	6
7	—	tr	—	—	.30	.32	.29	.50	—	.04	.44	.20	7
8	.02	.56	—	.19	—	.44	.03	.08	—	tr	.05	.19	8
9	.01	.37	tr	tr	—	.13	.03	tr	—	—	.81	.01	9
10	—	.01	.01	—	.05	.24	.03	.04	.02	—	.59	—	10
11	.18	.49	—	—	.01	.18	tr	—	.11	—	.17	—	11
12	.02	.04	—	—	tr	.01	.23	.04	.19	.18	.01	—	12
13	tr	.05	.04	—	.01	tr	.22	.03	—	—	—	—	13
14	.01	.08	tr	—	.02	.65	1.28	.11	.06	—	.15	—	14
15	tr	.07	—	.08	.33	—	.01	.17	tr	—	.01	.02	15
16	.01	.16	—	.06	.12	1.03	.01	.30	.08	—	—	—	16
17	.01	.28	—	.20	.01	.20	.46	.01	.17	—	—	—	17
18	.07	.01	.04	.08	—	.26	.09	2.28	—	—	.76	—	18
19	.13	tr	.02	.08	—	.15	.03	.14	.04	—	.15	—	19
20	.01	.36	.32	.02	—	—	—	.41	—	tr	.04	—	20
21	.46	.01	.01	—	.16	—	—	.01	—	—	—	—	21
22	.58	.08	.03	.15	.09	—	—	.02	—	—	—	—	22
23	.53	.03	—	.13	.87	.02	—	.01	—	—	.63	—	23
24	.10	tr	—	.89	.31	.05	.62	.52	—	—	.05	—	24
25	.16	.06	—	.40	.02	—	.09	—	—	—	.39	.01	25
26	.01	.02	—	.20	—	—	.47	—	—	—	.48	.02	26
27	.41	.49	—	.01	.78	—	.25	—	—	.01	.01	.01	27
28	.05	.09	.07	.03	.18	—	—	.02	—	.04	.01	.05	28
29	.06	X	.16	—	.03	—	.11	.10	tr	.02	.05	.01	29
30	.01	X	.01	tr	.10	—	tr	.03	.18	—	—	—	30
31	.83	X	—	X	.13	X	.01	—	X	—	X	.29	31
TOTAL	4.28	4.01	1.47	3.58	3.66	4.42	4.88	5.39	2.37	.95	7.13	2.04	YEAR'S TOTAL 44.18
*Days with ".01 in. or more.	24	23	13	18	20	16	22	24	12	10	23	15	220
*Days with ".04 in. or more.	15	18	7	15	14	12	13	13	11	5	18	8	149

Section

A

for

At

FOR OFFICIAL USE.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at

in the County of

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 410 ft.

Station no. 1601.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.11	.01	.32	tr	tr	.01	.03	.24	.02	—	—	I
2	.36	.08	—	.48	—	.01	—	tr	.76	.02	.03	.22	2
3	.21	tr	.68	tr	—	—	.04	.01	.28	tr	1.63	.10	3
4	.04	—	.07	—	.06	tr	.56	.03	.24	.14	.22	.01	4
5	—	.44	tr	.20	—	.55	.01	.49	tr	.01	.12	.29	5
6	—	.12	—	.06	.08	.18	—	.01	tr	.47	.33	.61	6
7	—	tr	—	—	.30	.32	.29	.50	—	.04	.44	.20	7
8	.02	.56	—	.19	—	.44	.03	.08	—	tr	.05	.19	8
9	.01	.37	tr	tr	—	.13	.03	tr	—	—	.81	.01	9
10	—	.01	.01	—	.05	.24	.03	.04	.02	—	.59	—	10
11	.18	.49	—	—	.01	.18	tr	—	.11	—	.17	—	11
12	.02	.04	—	—	tr	.01	.23	.04	.19	.18	.01	—	12
13	tr	.05	.04	—	.01	tr	.22	.03	—	—	—	—	13
14	.01	.08	tr	—	.02	.65	1.28	.11	.06	—	.15	—	14
15	tr	.07	—	.08	.33	—	.01	.17	tr	—	.01	.02	15
16	.01	.16	—	.06	.12	1.03	.01	.30	.08	—	—	—	16
17	.01	.28	—	.20	.01	.20	.46	.01	.17	—	—	—	17
18	.07	.01	.04	.08	—	.26	.09	2.28	—	—	.76	—	18
19	.13	tr	.02	.08	—	.15	.03	.14	.04	—	.15	—	19
20	.01	.36	.32	.02	—	—	—	.41	—	tr	.04	—	20
21	.46	.01	.01	—	.16	—	—	.01	—	—	—	—	21
22	.58	.08	.03	.15	.09	—	—	.02	—	—	—	—	22
23	.53	.03	—	.13	.87	.02	—	.01	—	—	.63	—	23
24	.10	tr	—	.89	.31	.05	.62	.52	—	—	.05	—	24
25	.16	.06	—	.40	.02	—	.09	—	—	—	.39	.01	25
26	.01	.02	—	.20	—	—	.47	—	—	—	.48	.02	26
27	.41	.49	—	.01	.78	—	.25	—	—	.01	.01	.01	27
28	.05	.09	.07	.03	.18	—	—	.02	—	.04	.01	.05	28
29	.06	X	.16	—	.03	—	.11	.10	tr	.02	.05	.01	29
30	.01	X	.01	tr	.10	—	tr	.03	.18	—	—	—	30
31	.83	X	—	X	.13	X	.01	—	X	—	X	.29	31
TOTAL	4.28	4.01	1.47	3.58	3.66	4.42	4.88	5.39	2.37	.95	7.13	2.04	44.18
*Days with or more.	24	23	13	18	20	16	22	24	12	10	23	15	220
*Days with or more.	15	18	7	15	14	12	13	13	11	5	18	8	149

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section **A**

for the entry of Daily Observations.

Station No. 1601

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at **WYNFORD HOUSE,**
in the County of **MAIDEN NEWTON,**
DORCHESTER.
Diameter of Funnel of Gauge **5** in. **DORSET**
Height of top of Gauge above Ground **1** ft. **0** in.
Ground Sea Level **410** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05			.21	.07			.17	.01	.03	.12	.01	1
2	.01			.20	.13			.11	.14	.01	.01	.52	2
3	.01			.02	.02	.40	.01		.57	.11	.01	.02	3
4	.04					.48		.11	tr		.29		4
5	.28		.01					.01	.42				5
6	.71		.01	.16					.49	.02			6
7	.02		.03	.15	.03				.47	1.31			7
8			.89	.08	.15		.02		.47	.22			8
9	.74	.01		.34	.04			.01	tr	.03			9
10	.53	.01		.49	.06			.01	.03	.15	.03		10
11				.07	.03	.03		.01	.05	.19	.01	.06	11
12	1.14			.03	.57				.03	.21	.01	.05	12
13	.03			.15	.07		.25		.01	.71		.07	13
14	.13			.11	.10					.01	.34	.01	14
15	.14			.04	.31		tr	.01		.08	.10	.07	15
16	.20			.16	tr		.17					.02	16
17	.12			.03			tr		.03	.09	tr		17
18	.17				.44				.13		.15		18
19	.01				.19				.05	.67			19
20			.03	.03	1.81		.04	.10		.94	.26	.09	20
21	.04		.13	.20	.01		.01	.01	.10	.40	.05	.23	21
22	.01		.06	.01	.04		.04	.05	.83	.44	.40	.01	22
23		.01		.05	.11		.47		.04	.86	.20	.07	23
24					.02	tr	.73		.17	.19	.02	.01	24
25			.18	.05			.07		.04	.35	.04	.02	25
26			.25	.07			.45			.15	.04		26
27			.49	1.14	.26		.18			.51	tr	.11	27
28			.03	.16	.08		.41					.12	28
29			.78	.07	.61	.63	.02	.49	.63	.46	.22	.44	29
30		×	.03	.04		2.32	.13	.02	.65	.04	.83	.16	30
31		×	.02	×	.02	×	.02		×	.05	×	.71	31
TOTAL	4.38	.03	2.94	4.06	5.17	3.86	3.02	1.11	5.36	8.23	3.13	2.80	YEAR'S TOTAL 44.09
*Days with .01 in. or more.	19	3	14	25	23	5	16	13	21	26	19	20	264
*Days with .04 in. or more.	13	0	7	19	16	4	11	6	16	21	13	13	139

40-9999

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1601

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Wyndford House

in the County of Dorset

Diameter of Funnel of Gauge $4\frac{3}{4}$ in.

Height of top of Gauge above Ground ft. 10 in.

Ground Sea Level 400 ft.

February 1-7th High

5 or More inches High on Year?

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.54	.78	.13	.03	.02	.07					.11	.34		1
2	.92	.01	1.15		.43							.01		2
3	.07	.14	.46		.04						.01			3
4	.39	.10	.11		.28									4
5	.13	.02	.48		.02						.04			5
6		.56			.29					.20	.02			6
7	.06	.05	.09		.19		.01			.56	.02	.01		7
8	.02	.03	.05		.04		.49			.01				8
9		.03			.24		.72	.02		.19	.03			9
10		.46			.01		.09			.37	.09			10
11	.14			.01		.01	.08	.04		.01				11
12	.02			.08	.02		.13		.84					12
13	.01				.06	.01	.71	.24		.31	.05			13
14	.01						.04	.06		.28	.60			14
15	.74		.34				.16	.09		.20	.01			15
16		.01	1.05			.11		.02	.04	.19				16
17	.03	.15	.47			.05		.13	.31					17
18	.09		.33			.18					.02			18
19	.05		.19					.02	.29		.19	.04		19
20		.04		.01		.05		.01	.05					20
21		.01			.08	.06		.22	.02	.06	.01			21
22				.04		.09		.57	.33	.02				22
23		.46		1.11		.34			.24	.19				23
24		1.96		.86		.01			.05	.06				24
25		.84		.45		.06			.23			.25		25
26		.70		.39	.16				.11	.04		.03		26
27		.01		.01	.29		.05		.03	.28		.63		27
28				.35			.66			.12		.06		28
29	.17	X		.01	.01				.01			.07		29
30	.02	X	.09				.10		.23			.06		30
31	.29	X	.09	X		X			X	.01	X			31
TOTAL	3.70	6.36	5.02	3.35	2.18	1.04	3.24	1.42	2.78	3.10	1.20	1.50	3.49	
*Days with .01 in. or more.	18	19	14	12	16	12	12	11	15	18	13	10	17	
*Days with .04 in. or more.	12	12	14	7	11	9	11	7	11	14	6	7	12	

† Spare column, no entries required.

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1601

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Wyndford House
in the County of Dorset.

Rec. rainfall as 15

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
Ground Sea Level 410 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	/	.01	/	/	.01	/	1.01	.04	/	.07	1.74		1
2	.45	/	.29	/	/	/	/	.01	1.45	.06	.04	.42		2
3	.22	.04	.01	/	/	/	/	/	TR	.52	/	.48		3
4	.13	/	.40	.22	.38	/	/	.03	/	.10	/	.34		4
5	.02	/	.02	/	.06	/	/	1.41	/	.16	.02	.53		5
6	.16	/	.35	.04	.33	/	/	.01	.02	.68	.09	.95		6
7	.13	/	/	/	/	/	/	.11	/	.46	.03	.96		7
8	/	/	/	/	.29	Tr	/	.03	.04	.02	.81	.16		8
9	.06	/	.23	/	/	/	/	.01	TR	.01	.50	.11		9
10	.31	.01	.34	.46	/	/	/	.05	/	/	.06	.06		10
11	.63	/	.22	.42	/	/	.03	.33	/	/	/	1.04		11
12	.05	.02	.02	.01	/	/	/	.20	/	/	/	.29		12
13	.51	/	.01	.45	/	/	/	TR	/	.01	.15	.67		13
14	.24	/	.37	.05	/	/	/	/	/	.02	.11	.46		14
15	.05	/	.04	.03	.16	/	/	/	/	.21	.12	.48		15
16	.36	/	.44	.03	.03	/	/	/	/	/	/	.21		16
17	.15	/	.02	.20	.24	/	/	/	.24	.08	/	.70		17
18	.17	/	.36	.20	/	/	/	/	.04	/	/	.36		18
19	/	/	.12	.06	/	.04	/	.05	.22	TR	/	.22		19
20	/	.01	.03	.37	/	/	.01	/	TR	.04	.01	TR		20
21	/	/	.02	.06	/	.33	/	.03	.06	.49	/	.15		21
22	.02	/	.05	/	/	TR	/	.16	.41	/	TR	.90		22
23	.01	.02	.02	.42	/	.71	/	/	.11	.04	/	.15		23
24	/	.08	.06	.02	/	.04	.11	.37	.28	.04	/	.06		24
25	.65	.02	/	.43	/	.01	.02	/	TR	.29	/	1.32		25
26	.01	/	.02	.31	/	.30	.01	/	.25	/	.05	.26		26
27	/	TR	/	/	/	.11	/	/	.01	.02	.01	.63		27
28	/	TR	/	.04	/	.03	TR	1.08	.07	.02	/	.83		28
29	/	X	/	/	/	/	.02	.12	.39	.02	.02	.05		29
30	.04	X	/	/	/	/	.04	/	.43	.01	/	.43		30
31	.01	X	/	X	TR	X	/	.04	X	.03	X	.02		31
TOTAL	4.47	.20	3.45	3.82	1.49	1.58	.24	5.05	4.06	3.34	2.09	14.98	44.77	
* Days with .01 in. or more.	23	7	20	19	2	9	2	18	16	22	15	30	196	
* Days with .04 in. or more.	8	2	13	18	5	6	2	12	14	13	10	29	140	

† Spare column, no entries required.

40-9999

* See Instruction 2 (f) on other side.

(Signed)

Wyndford
By his attorney J. P. Deane

P.T.O.

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

383/22/35

Station No.

1601

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Wyndford House

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

Ground Sea Level 410 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	TR.	.01	.65			.38	.17		.34	.07	.13	.15		1
2		TR.				TR.	TR.			.68	.12	.04		2
3		.01	.09		.06	.17			.34	.56	.48	.01		3
4		.20	.02	.13	.03	.13			.29	.26	.14	.18		4
5	.02	.47	.05	.03		.17			.27	.04	.04	.02		5
6		.02		.50		1.92				.02	.17	.11		6
7				.57		.02				.42	.14	.06		7
8			.01	.47					.17	.08	.55	.10		8
9	.01		TR.	.61		.16			.02	.87	.94	.01		9
10	.07		.32	.06		.02					.03	.04		10
11	.31	.02	.04	.03		.34			.04	.02	.80	.01		11
12	.12	.07				.35		TR.	.21		.47			12
13	.07	.21		.53	TR.	.13			TR.	.03	.07	TR.		13
14	TR.	.04		.34	.03	.02			.05	.04	1.23	.68		14
15		.14		1.18	.16	.05			.17	.02	.69	.13		15
16		.05	.04	.06		.05			.44	.02	1.74	TR.		16
17		.02		.14	1.14	.39	TR.	.03	.01	.02	.12			17
18		.04		.43	.02	.09	.06		.67	.06	TR.	.12		18
19		.14		.07	.32	.12	.36		.24	.27	.47	TR.		19
20	TR.	.37		.31	.17	.05	.04		.01	.01	.34			20
21		.53	.06	.06		TR.	.05		.12	.01				21
22		.07	.07	.06			TR.	.13	.06	.01				22
23	TR.	.08	.20	.01	.06			.12	.12	.50		.34		23
24	.07	.50	.03		.05			.55	.80	.22		.43		24
25	.24	.32		.07	.04	.02		TR.				.79		25
26		.58			TR.	.05		.34	.15	TR.	.01	1.08		26
27		.32					TR.	.02	.24	.06	.28	.62		27
28	.01	.11			.03			.28	.06	TR.	.05	.15		28
29		X			.04	TR.		.63	.31	.02	.04	.53		29
30	.04	X		.01	.38	.01		1.24	.04	.68	.44	.84		30
31		X		X	.01	X		.05	X	1.45	X	.64		31
TOTAL	.96	4.32	1.58	5.67	2.57	4.64	.68	3.39	5.17	6.44	9.19	7.05	51.96	
* Days with .01 in. or more.	10	23	12	21	15	21	5	10	24	26	24	23	214	
* Days with .04 in. or more.	7	18	9	17	10	16	5	8	21	16	22	19	168	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

(Sd.) Wyndford

P.T.O.

Section

A

for the entry of Daily Observations

Station No.

1601

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at WYNFORD HOUSE

in the County of DORSET

Diameter of Funnel of Gauge... 5" in.

Height of top of Gauge above Ground... 1 ft. 0 in.

,, Ground ,, Sea Level... 4.10 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.55	.10	.02	.59	--	.59	.35	.01	TR.	--	.19	.95		1
2	.10	.01	TR.	.07	--	.05	.42	.05	.01	--	.03	.01		2
3	--	--	--	.54	--	TR.	.13	.01	.63	--	.42	.01		3
4	.04	--	.49	.01	--	.23	.03	--	.44	--	.12	.07		4
5	.39	--	.03	--	.01	.01	--	.10	.18	--	.01	.09		5
6	.25	--	.04	--	--	.04	.04	.07	.42	--	.41	TR.		6
7	.09	--	.44	--	--	--	.42	--	--	--	.12	.10		7
8	.71	--	.65	--	--	--	.24	--	.01	--	.28	.10		8
9	.54	--	.67	--	--	--	.23	.01	.14	--	.18	TR.		9
10	.20	.20	--	--	--	--	.12	--	.01	--	.11	--		10
11	.35	.03	--	--	--	.05	.02	TR.	.31	--	1.24	--		11
12	TR.	AA	AA	.08	TR.	.27	.74	--	.19	--	.09	.02		12
13	.04	--	--	.10	.11	.04	.16	.02	.01	.96	.29	.76		13
14	--	.04	.35	TR.	--	.07	.41	--	.11	.02	.03	.83		14
15	.02	.03	--	--	.31	TR.	.03	--	.13	--	.18	.42		15
16	.04	.35	--	.11	.36	--	.23	--	TR.	--	.26	.24		16
17	--	1.20	--	.01	.02	--	.51	--	.02	--	.05	.74		17
18	.15	.11	.03	--	--	.10	.76	--	--	.02	--	.40		18
19	.53	.15	.04	.21	--	.79	.03	.13	--	.04	--	--		19
20	.12	.28	.39	.30	--	--	.23	TR.	.41	--	--	.01		20
21	TR.	.32	--	.39	--	.30	.01	TR.	.03	--	--	--		21
22	.31	.34	.70	.01	--	.02	.44	--	--	.01	--	.03		22
23	.10	.02	.033	.24	.07	--	.25	--	TR.	.12	--	--		23
24	.26	.04	.03	.01	.13	--	--	--	.04	.36	--	.01		24
25	.12	.01	.40	.20	--	--	TR.	--	.05	.49	--	--		25
26	.43	.26	.27	.02	--	--	.03	--	.03	.17	--	--		26
27	.42	.40	.18	--	--	--	.26	--	.04	.16	--	--		27
28	1.09	.01	.96	--	--	--	.34	--	.02	.02	.02	.40		28
29	.05	.11	.09	--	--	.03	.01	--	--	.17	.05	.03		29
30	.28	✕	TR.	--	TR.	.14	TR.	--	--	.26	--	.01		30
31	.14	✕	.67	✕	.24	✕	.22	--	✕	.40	✕	.68		31
TOTAL	7.06	4.10	6.48	2.89	1.14	2.73	7.56	.40	3.23	3.20	4.08	5.91	48.78	
* Days with .01 in. or more.	21	20	19	16	7	15	27	8	21	14	9	21	155	
* Days with .04 in. or more.	24	14	14	11	5	12	20	4	13	10	15	13	155	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Form 1093.

AIR MINISTRY.
METEOROLOGICAL OFFICE.
BRITISH RAINFALL ORGANIZATION.

KINGSWAY, LONDON, W.C.2,

or

METEOROLOGICAL OFFICE,
10, ROTHESAY PLACE, EDINBURGH.

RAINFALL IN 1937.

NOTE.—Records taken in millimetres should be entered on Form 1094

At *Weymouth*

In the County of *Dorset*

Rain Gauge { Diameter of Funnel *5* in.
Height { Above Ground *1* ft. *0* in.
of Top { Above Sea Level *410* ft.

PLEASE
FILL IN.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date.	Number of Days with ".01 in. or more ".04 in. or more
JAN.	<i>6.21</i>	<i>.85</i>	<i>12th</i>	<i>26 24</i>
FEB.	<i>7.39</i>	<i>.95</i>	<i>2nd</i>	<i>25 22</i>
MAR.	<i>5.17</i>	<i>.77</i>	<i>13th</i>	<i>23 16</i>
APR.	<i>3.37</i>	<i>.72</i>	<i>15th</i>	<i>19 15</i>
MAY	<i>4.36</i>	<i>.70</i>	<i>8th</i>	<i>12 12</i>
JUNE	<i>1.22</i>	<i>.38</i>	<i>10th</i>	<i>13 4</i>
JULY	<i>4.20</i>	<i>1.61</i>	<i>15th</i>	<i>17 11</i>
AUG.	<i>1.19</i>	<i>.40</i>	<i>13th</i>	<i>6 4</i>
SEPT.	<i>3.32</i>	<i>.93</i>	<i>16th</i>	<i>16 13</i>
OCT.	<i>6.55</i>	<i>2.43</i>	<i>22nd</i>	<i>14 13</i>
NOV.	<i>3.00</i>	<i>.69</i>	<i>2nd</i>	<i>12 9</i>
DEC.	<i>4.48</i>	<i>.82</i>	<i>1st</i>	<i>23 18</i>
Total	<i>50.91</i>			<i>206 161</i>

Signature *Arthur B. ...*

Titles *Admiral The ...*

[Please fill in the other side also.]

Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....


Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

Section



for the entry of Daily Observations

Station No. 1601

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at WYNFORD HOUSE, MAIDEN NEWTON

in the County of DORSET

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft...0...in.

,, Ground ,, Sea Level ...410...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.04	-	-	-	.22	.11	-	-	.76	-	.04		1
2	-	.01	-	.04	TR	-	.02	-	-	.19	.14	.16		2
3	-	-	-	-	.14	TR	.04	-	-	1.08	.43	.01		3
4	.02	-	-	TR	.01	.01	.14	1.58	-	.15	.01	.36		4
5	-	-	-	-	-	-	.08	.02	.01	.20	.01	.02		5
6	.08	-	-	-	-	.09	.50	-	.18	.15	.13	.05		6
7	.37	-	-	-	-	.18	.48	.03	.03	.08	.04	.10		7
8	.24	.02	-	-	-	.10	.04	.20	.01	.45	-	.05		8
9	.15	.10	-	-	-	TR	-	-	-	.03	-	1.04		9
10	.07	.03	-	-	-	.01	.06	.12	-	.01	-	.69		10
11	.20	.01	-	-	-	-	.01	.02	-	TR	.48	.63		11
12	.55	-	-	-	.34	-	.01	-	-	.39	.08	.01		12
13	.37	-	-	-	.02	-	.02	.01	-	.09	.64	.64		13
14	.72	-	-	-	.06	-	.62	-	-	-	.02	.01		14
15	.34	.01	.01	-	.11	-	.45	.03	-	.49	.66	.50		15
16	.40	.01	.04	-	.01	-	-	.11	-	.15	.10	.02		16
17	-	.15	.04	-	.29	-	-	-	.44	.14	.05	-		17
18	.18	-	-	-	.05	.08	-	.03	.42	.07	.46	TR		18
19	.01	-	-	-	-	-	-	.17	.49	-	.76	-		19
20	-	-	-	-	-	-	-	.01	.02	-	.44	-		20
21	.03	-	-	-	-	-	-	.17	.08	-	.26	.23		21
22	.03	-	-	.06	-	.05	-	.69	-	.19	.52	.09		22
23	.04	-	-	.01	-	-	-	.02	.02	.01	.03	.01		23
24	.02	-	.26	-	.04	-	.02	.12	.16	-	.58	TR		24
25	.14	.25	.05	-	.30	-	.40	-	.01	.01	1.46	.06		25
26	.45	.42	TR	-	.56	.02	TR	-	-	.05	-	.38		26
27	.15	.02	-	-	.11	.33	.79	.15	TR	.02	.77	-		27
28	.09	.13	-	-	.12	.06	TR	.63	.19	-	-	.01		28
29	.03	X	.01	-	.44	-	-	-	.54	.40	.44	.11		29
30	.07	X	-	-	.05	.19	.14	-	.97	.01	.15	.04		30
31	.36	X	-	X	.35	X	.01	-	X	.48	X	.36		31
TOTAL	5.11	1.30	0.41	.11	3.06	1.34	3.94	4.11	3.57	5.60	8.06	5.62	Year's Total 42.17	
* Days with .01 in. or more.	25	13	6	3	17	12	19	18	15	24	24	25	201	✓
* Days with .04 in. or more.	19	6	4	2	14	9	13	8	9	18	20	18	140	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

M. J. M. W. R.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1601

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Wyndford House, Maiden Newton*in the County of *Dorset*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....*1*.....ft.....*0*.....in.,, Ground ,, Sea Level*410*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	.09	.02	.04	-	.04	.31	.18	-	.02	.15		1
2	-	-	.01	.55	.02	-	.02	.45	.65	-	.22	.09		2
3	.75	-	.14	.57	-	-	-	.14	.02	-	.15	.27		3
4	.03	-	.64	.13	.51	-	.25	.16	.04	1.10	.04	.18		4
5	-	.01	.07	.18	.05	-	.28	.17	-	.46	1.14	.02		5
6	.54	-	.08	.01	-	-	1.03	.14	-	.02	.69	-		6
7	.02	.89	.03	-	-	-	.05	.02	-	-	.65	1.61		7
8	.08	.33	.10	-	T.R.	-	.20	.02	-	1.02	.66	.33		8
9	.12	.01	.06	-	-	-	-	.23	-	.22	.25	.40		9
10	.20	-	.01	-	-	.01	-	.37	.08	.60	.03	.21		10
11	-	.04	.19	-	T.R.	-	T.R.	-	.01	.73	.02	.02		11
12	-	.03	.01	T.R.	-	-	-	-	T.R.	.17	.09	-		12
13	.02	-	-	.16	T.R.	.02	.38	-	.11	1.67	.08	.08		13
14	.85	-	.01	.05	.02	.05	.24	-	.01	.27	.48	.13		14
15	.34	.01	.01	.02	.15	2.03	.42	-	-	.29	.69	.04		15
16	.17	-	T.R.	.17	.04	.02	.22	-	-	.02	.30	.01		16
17	.62	.05	-	-	.07	-	.41	-	-	.04	.15	-		17
18	.08	.03	.04	-	-	.25	.65	-	-	T.R.	.65	.01		18
19	.54	.01	-	-	-	T.R.	.02	.48	-	-	.01	.06		19
20	.57	-	-	-	-	.40	.14	1.35	-	-	-	.02		20
21	.04	.40	.05	.02	-	.10	.39	-	-	-	-	-		21
22	.51	.34	.09	.01	-	.35	.32	-	.02	-	1.07	-		22
23	-	-	-	.29	-	.08	.04	-	-	-	1.84	-		23
24	.60	.01	.02	.03	-	.44	.30	-	-	.01	-	-		24
25	.75	.07	.02	.25	-	-	.04	.05	-	.08	.44	.01		25
26	.09	.08	T.R.	.01	-	-	-	.14 .25	-	.38	.45	-		26
27	-	.79	.07	.01	-	.01	.09	.03	-	.02	.24	T.R.		27
28	-	.18	.04	.04	-	.05	.66	-	-	.01	.54	.24		28
29	.01	X	.01	.09	-	.02	.42	-	-	.23	.09	-		29
30	-	X	.01	.28	-	.10	T.R.	.06	-	.25	.06	-		30
31	-	X	-	X	-	X	.04	.32	X	.89	X	.02		31
TOTAL	6.95	3.28	1.80	2.89	.90	3.88	6.65	4.54 4.48	1.13	8.53	11.05	3.90	55.44 50	✓
* Days with .01 in. or more.	22	17	23	20	8	15	24	17	9	21	27	20	223	✓
* Days with .04 in. or more.	17	10	13	12	6	9	22	15	5	17	23	13	162	✓

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

P.T.O.

Section



for the entry of Daily Observations

Station No. 1601

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at Wynford House, Maiden Newton

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 410 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.01	-	.01	.02	-	-	-	-	-	.14	-		1
2	-	.24	-	.38	-	-	.04	-	-	-	.64	.10		2
3	.04	.84	.01	.01	-	-	-	-	-	.21	.95	.42		3
4	.02	.10	-	-	-	-	.12	-	-	44 ~~.21~~	.29	.04		4
5	-	.03	-	-	-	-	-	-	-	.10	.67	.36		5
6	.54	.90	-	-	-	-	-	-	-	.37	.05	.13		6
7	.17	.02	-	.01	-	-	-	-	-	.04	-	-		7
8	.01	-	-	-	-	-	-	TR	TR	.74	.27	.35		8
9	-	-	-	.06	-	-	.42	.06	.04	.16	.87	.25		9
10	-	-	-	-	-	-	1.13	.14	.01	.02	.11	.09		10
11	-	.01	.02	.02	-	-	.30	-	-	-	1.27	.01		11
12	-	-	.38	.03	-	.01	.32	-	.64	-	.10	-		12
13	-	TR	.76	-	-	-	.07	TR	.05	18 ~~.18~~	1.26	.08		13
14	-	.02	.16	.07	.72	-	.03	-	.29	.50	.02	1.15		14
15	-	.03	-	.04	.59	.01	.27	-	.28	.42	1.07	.03		15
16	.01	.80	.50	.14	-	.01	.12	-	.10	1.28	.71	.07		16
17	-	.80	.56	-	-	-	.07	-	.02	-	.57	-		17
18	.02	.40	.50	.40	-	-	.14	-	.04	.01	.04	.12		18
19	-	.05	.07	28 ~~.08~~	-	-	.40	-	1.01	.12	.47	-		19
20	-	.02	.03	.04	-	-	-	.03	.07	.16	.03	.02		20
21	-	.02	TR	-	.34	.38	.01	TR	.02	-	.87	-		21
22	-	.01	.16	-	-	TR	-	-	.20	-	.02	-		22
23	-	.05	.38	.10	-	.03	-	-	.03	.01	.05	-		23
24	-	TR	.01	.01	-	-	.26	-	.01	-	.01	.02		24
25	.08	-	.11	.03	-	TR	TR	-	-	-	.01	-		25
26	1.47	1.01	.03	-	.14	-	.01	-	-	TR	-	-		26
27	.33	.24	TR	.02	.37	-	.03	TR	-	-	.01	-		27
28	.42	.20	-	-	.02	.10	-	-	-	.02	.05	-		28
29	.15	.24	.39	.64	-	-	-	-	-	.15	.35	-		29
30	.13	~~.03~~	.03	.04	.03	-	-	-	-	.74	-	.13		30
31	.05	~~.03~~	.11	~~.03~~	-	~~.03~~	-	-	~~.03~~	.75	~~.03~~	.49		31
TOTAL	3.44	6.04	4.21	2.33	2.22	.54	3.24	.23	2.81	6.42	10.50	4.21	46.89	
* Days with .01 in. or more.	14	22	18	19	8	6	17	3	15	20	25	19	186	
* Days with .04 in. or more.	10	13	12	11	6	2	13	2	10	16	19	15	128	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

P.T.O.

REGIST

Kept at THE CHANTRY
in the County of DOR

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
Ground Sea Lev

THE MORNING MEASURE

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

1602
COPY FOR OFFICIAL USE.
ALL ORGANIZATION.
31 .

1602
NETHERBURY
THE CHANTRY
1931-40

720305 AY.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	08	-	17	03	-	03	-	37	01	-	-	1
2	21	05	-	82	-	01	-	-	44	-	-	17	2
3	13	-	59	-	-	-	-	-	18	-	1.76	06	3
4	04	-	05	-	06	-	50	24	19	05	19	-	4
5	-	32	-	10	-	74	04	11	-	-	33	20	5
6	-	07	-	03	03	16	-	01	-	36	34	42	6
7	-	-	-	-	36	24	-	37	-	06	49	15	7
8	-	47	-	23	-	47	02	11	-	01	09	10	8
9	-	23	-	-	-	08	03	-	-	-	61	-	9
10	03	01	-	-	03	13	-	03	02	-	66	-	10
11	12	43	-	-	-	14	01	01	08	-	39	-	11
12	01	06	-	-	-	-	12	-	14	02	-	-	12
13	-	01	01	-	01	-	51	05	-	-	-	-	13
14	01	04	-	-	01	35	95	03	11	-	12	-	14
15	-	07	-	06	12	-	-	08	-	-	02	02	15
16	-	19	-	05	21	92	02	08	11	-	-	-	16
17	02	16	-	14	-	03	29	-	15	-	02	-	17
18	06	01	03	05	-	13	04	1.58	-	-	43	-	18
19	07	-	03	07	-	-	06	12	10	-	09	-	19
20	-	22	24	01	-	-	-	42	-	-	06	-	20
21	42	02	01	-	14	-	-	-	-	-	-	-	21
22	67	05	-	04	09	-	-	-	-	-	-	-	22
23	45	01	-	07	82	02	02	11	01	-	67	-	23
24	09	-	-	75	14	-	65	45	-	-	03	-	24
25	14	03	-	27	01	-	09	-	-	-	37	-	25
26	-	02	-	22	-	-	36	-	-	-	61	02	26
27	35	38	-	-	1.05	-	22	-	-	01	02	-	27
28	04	06	04	01	05	-	-	04	-	01	-	04	28
29	04	X	10	-	07	-	07	10	-	03	13	-	29
30	02	X	01	-	03	-	02	01	05	-	-	-	30
31	75	X	-	X	02	X	01	-	X	-	X	26	31
TOTAL	3.67	2.99	1.11	3.09	3.28	3.42	4.06	3.95	1.95	.56	7.43	1.44	36.95
*Days with ".01 in. or more.	20	23	10	17	19	13	21	19	13	9	21	10	195
*Days with ".04 in. or more.	15	16	5	14	11	10	13	14	11	3	17	8	137

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931 .

Kept at THE CHANTRY NETHERBURY
in the County of DORSET

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	08	-	17	03	-	03	-	37	01	-	-	1
2	21	05	-	82	-	01	-	-	44	-	-	17	2
3	13	-	59	-	-	-	-	-	18	-	1.76	06	3
4	04	-	05	-	06	-	50	24	19	05	19	-	4
5	-	32	-	10	-	74	04	11	-	-	33	20	5
6	-	07	-	03	03	16	-	01	-	36	34	42	6
7	-	-	-	-	36	24	-	37	-	06	49	15	7
8	-	47	-	23	-	47	02	11	-	01	09	10	8
9	-	23	-	-	-	08	03	-	-	-	61	-	9
10	03	01	-	-	03	13	-	03	02	-	66	-	10
11	12	43	-	-	-	14	01	01	08	-	39	-	11
12	01	06	-	-	-	-	12	-	14	02	-	-	12
13	-	01	01	-	01	-	51	05	-	-	-	-	13
14	01	04	-	-	01	35	95	03	11	-	12	-	14
15	-	07	-	06	12	-	-	08	-	-	02	02	15
16	-	19	-	05	21	92	02	08	11	-	-	-	16
17	02	16	-	14	-	03	29	-	15	-	02	-	17
18	06	01	03	05	-	13	04	1.58	-	-	43	-	18
19	07	-	03	07	-	-	06	12	10	-	09	-	19
20	-	22	24	01	-	-	-	42	-	-	06	-	20
21	42	02	01	-	14	-	-	-	-	-	-	-	21
22	67	05	-	04	09	-	-	-	-	-	-	-	22
23	45	01	-	07	82	02	02	11	01	-	67	-	23
24	09	-	-	75	14	-	65	45	-	-	03	-	24
25	14	03	-	27	01	-	09	-	-	-	37	-	25
26	-	02	-	22	-	-	36	-	-	-	61	02	26
27	35	38	-	-	1.05	-	22	-	-	01	02	-	27
28	04	06	04	01	05	-	-	04	-	01	-	04	28
29	04	X	10	-	07	-	07	10	-	03	13	-	29
30	02	X	01	-	03	-	02	01	05	-	-	-	30
31	75	X	-	X	02	X	01	-	X	-	X	26	31
TOTAL	3.67	2.99	1.11	3.09	3.28	3.42	4.06	3.95	1.95	.56	7.43	1.44	YEAR'S TOTAL 36.95
*Days with ".01 in. or more.	20	23	10	17	19	13	21	19	13	9	21	10	195
*Days with ".04 in. or more.	15	16	5	14	11	10	13	14	11	3	17	8	137

Section

A

for the entry of Daily Observations.

Station No.

1602

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at THE CHANTRY NETHERBURY
in the County of DORSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	-	-	17	07	05	-	28	-	05	07	-	1
2	01	-	-	13	14	-	-	13	16	-	-	27	2
3	-	-	-	-	02	23	02	-	30	12	02	01	3
4	03	-	-	-	-	28	-	09	-	-	35	-	4
5	27	-	-	-	-	-	-	-	23	-	-	-	5
6	45	-	04	14	-	-	01	-	47	03	-	-	6
7	01	-	03	12	23	-	-	-	52	1'08	-	-	7
8	-	-	77	02	15	-	-	-	19	06	-	-	8
9	99	03	-	17	06	-	-	-	-	02	-	-	9
10	27	01	-	24	05	-	-	-	02	11	-	-	10
11	03	-	-	06	03	-	01	-	05	23	-	08	11
12	90	-	-	02	42	01	-	02	02	42	-	07	12
13	11	-	-	17	04	-	29	01	-	63	-	11	13
14	21	-	-	25	11	-	-	-	-	02	20	-	14
15	07	-	-	06	31	-	-	-	-	08	16	03	15
16	17	-	-	13	-	-	58	-	-	01	-	02	16
17	08	-	-	02	-	-	01	-	01	07	-	-	17
18	05	-	-	-	41	-	-	-	17	05	17	-	18
19	-	-	-	01	23	-	-	-	05	30	-	-	19
20	-	-	01	05	1'84	-	05	27	01	81	21	03	20
21	04	-	14	07	02	-	-	03	19	26	04	13	21
22	-	-	06	02	01	-	09	03	70	62	30	-	22
23	-	-	-	-	17	-	28	-	01	99	06	07	23
24	-	-	-	-	01	-	71	-	11	15	02	-	24
25	-	-	18	07	-	-	06	-	19	19	04	01	25
26	-	-	15	06	-	-	28	-	-	12	03	-	26
27	-	-	58	61	26	-	20	-	-	56	-	08	27
28	-	-	-	12	12	-	18	-	-	-	-	16	28
29	-	-	58	06	1'07	50	-	54	45	48	17	47	29
30	01	X	-	02	01	1'61	57	01	76	08	1'08	16	30
31	-	X	X	X	01	X	08	-	X	03	X	56	31
TOTAL	3'74	04	2'54	2'84	5'79	2'68	3'42	1'41	4'61	7'57	2'92	2'26	39'82
*Days with "or in. or more.	18	2	10	24	24	6	16	10	20	27	15	16	188
*Days with "04 in. or more.	13	0	8	18	17	5	11	5	15	22	12	11	137

Section

A

for the entry of Daily Observations.

Station No. 1602

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *The Observatory, Bournemouth*
in the County of *Dorset*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *-* in.
,, Ground ,, Sea Level *150* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.59	.43	.11	-	.05	-	-	-	.01	-	.06	.19		1
2	.49	-	.98	-	.31	-	-	-	-	-	-	-		2
3	.16	.11	.29	-	.03	-	-	-	-	-	-	-		3
4	.17	.04	.04	-	.32	-	-	-	-	-	-	-		4
5	.07	.03	.46	-	.01	-	-	-	-	-	.04	-		5
6	-	.57	-	-	.30	-	.02	-	-	.12	.01	-		6
7	-	.05	.01	-	.10	-	.04	-	-	.34	-	-		7
8	-	.01	.03	-	.03	-	.30	-	-	.02	-	-		8
9	-	.02	-	-	.30	-	.37	.01	-	.19	.01	-		9
10	-	.20	-	-	-	.02	.13	-	-	.39	.12	-		10
11	.11	-	-	-	-	.08	.06	.32	-	.01	-	-		11
12	.01	-	-	.11	.05	-	.29	-	.80	-	-	-		12
13	-	-	-	-	.04	.02	.22	.62	-	.11	.03	-		13
14	-	-	-	-	-	-	.14	.05	-	.36	.55	-		14
15	.63	-	.21	-	-	-	.10	.01	-	.06	-	-		15
16	-	-	1.08	-	-	.03	-	.02	.03	.12	-	-		16
17	.03	.17	.29	-	-	.08	-	-	.25	-	-	-		17
18	.04	-	.43	-	-	.11	.01	.01	-	-	.03	-		18
19	.03	-	.14	-	-	-	-	.01	.30	-	.17	.02		19
20	-	.03	-	.01	-	.05	-	.01	-	-	-	.01		20
21	-	.03	-	-	.08	.02	-	.14	.02	.08	.01	-		21
22	-	-	-	.07	-	.70	-	.23	.37	.01	-	-		22
23	-	.39	-	.86	-	.23	-	-	.10	.18	-	-		23
24	-	.32	-	.65	-	-	-	-	.04	.03	-	-		24
25	-	.78	-	.29	-	.57	-	-	.12	-	-	.17		25
26	-	.61	-	.22	.16	.08	-	-	.05	.03	-	.01		26
27	-	.01	-	.01	.32	-	.03	-	.02	.27	-	.34		27
28	-	-	-	.29	.06	-	.26	-	-	.11	-	.02		28
29	.14	X	-	-	.01	-	-	-	-	-	-	.05		29
30	.01	X	.06	-	-	-	.07	-	.14	-	-	.08		30
31	.32	X	.16	X	-	X	-	-	X	.02	X	-		31
TOTAL	2.80	4.80	4.29	2.51	2.17	1.99	2.04	1.43	2.25	2.45	1.03	.89	Year's Total	28.65
*Days with or in. or more.	14	17	14	9	16	12	14	11	13	18	10	9		157
*Days with .04 in. or more.	10	11	12	7	12	8	11	5	9	12	5	5		107

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

H. H. H. H.

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 1602

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Chantry Netherbury

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	07	-	04	-	-	-	-	1'03	10	-	15	1'65		1
2	26	-	13	-	-	-	-	-	1'24	03	07	29		2
3	06	02	-	-	-	-	-	-	-	44	-	30		3
4	08	-	35	45	26	-	-	-	01	05	-	38		4
5	-	-	02	-	06	-	-	1'24	-	14	06	57		5
6	10	-	35	02	23	-	-	01	01	61	22	78		6
7	06	-	-	-	-	-	-	10	-	20	01	82		7
8	-	-	-	-	30	-	-	-	-	02	45	20		8
9	05	-	18	06	-	-	-	-	08	-	38	14		9
10	28	01	16	32	-	-	-	08	-	-	08	20		10
11	54	-	11	28	-	-	05	11	-	-	-	60		11
12	03	-	02	-	-	-	-	23	-	-	-	51		12
13	35	-	-	29	-	-	-	-	-	-	08	43		13
14	33	-	34	04	-	-	-	-	-	02	18	48		14
15	08	-	04	02	09	-	-	-	-	14	22	35		15
16	15	-	37	02	03	-	-	-	-	-	-	19		16
17	10	-	-	03	08	-	-	-	39	06	-	54		17
18	05	-	28	19	-	01	-	-	22	-	-	30		18
19	-	-	10	04	-	01	-	03	09	01	-	22		19
20	-	-	06	17	-	23	-	-	-	04	01	-		20
21	-	-	03	04	-	-	-	04	02	48	-	09		21
22	-	-	06	-	-	-	-	49	36	-	-	59		22
23	-	01	03	26	-	24	03	08	34	10	-	27		23
24	-	11	08	02	-	04	05	02	23	09	-	07		24
25	47	03	-	35	-	27	-	-	-	21	-	1'08		25
26	-	-	08	36	-	11	-	-	23	-	05	07		26
27	-	-	-	04	-	02	-	01	-	08	01	60		27
28	-	-	-	19	-	-	-	73	24	01	01	85		28
29	-	-	-	-	-	-	-	05	19	03	-	06		29
30	03	X	-	-	-	-	02	01	25	01	-	47		30
31	-	X	-	X	-	X	-	03	X	01	X	01		31
TOTAL	3'09	18	2'83	3'19	1'05	93	15	4'29	4'00	2'78	1'98	13'11	37'58	Year's Total
*Days with "or in. or more.	18	5	20	20	7	8	4	17	16	21	15	30	181	
*Days with "04 in. or more.	16	1	16	15	6	5	2	11	13	13	11	29	138	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

H. L. L. L. L.

[P. T. O.]

Section

A

for the entry of Daily Observations.

Station No. 1602

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *The Observatory, Ketterbury*
in the County of *Dorset*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
Ground Sea Level *150* ft.

Dorp

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	.55	-	-	.26	.14	-	.28	.14	.17	.19		1
2	-	-	.07	-	-	.12	-	-	.10	.61	.14	.09		2
3	-	.01	-	-	.06	.22	-	-	.72	.52	.38	-		3
4	-	.18	-	.10	.01	.32	-	-	.18	.16	.04	.81		4
5	.04	.45	.03	.04	-	.09	-	-	.23	.03	.05	.01		5
6	-	.04	-	.38	-	1.44	-	-	-	.05	.22	.14		6
7	-	-	-	.52	-	.06	-	-	-	.44	.04	.03		7
8	-	-	-	.47	-	-	-	-	.18	.07	.49	.07		8
9	-	-	-	.52	-	.20	-	-	.02	.72	.99	-		9
10	.04	-	5.45	.09	-	.01	-	-	-	-	-	.03		10
11	.31	.01	.01	-	-	.44	-	-	.01	-	.62	.01		11
12	.11	.19	-	-	-	.31	-	-	.15	-	.23	-		12
13	.07	.14	-	.32	.02	.12	-	-	-	.01	.11	-		13
14	-	.03	-	.25	.01	-	-	-	.09	.03	.87	.52		14
15	-	.09	-	.84	.07	.13	-	-	.18	-	.37	.16		15
16	-	.06	.01	.30	-	.15	-	-	.84	.02	1.57	-		16
17	-	.01	-	.03	.80	.29	-	-	.01	-	.15	-		17
18	-	.03	-	.26	.04	.04	.14	.18	.44	.02	-	.06		18
19	-	.06	-	.05	.21	.07	.19	-	.12	.26	.30	-		19
20	-	.33	-	.16	-	.04	.21	-	-	-	.28	-		20
21	-	.52	.03	.05	-	-	.04	-	.11	.01	-	-		21
22	-	.11	.03	-	-	-	-	.15	.01	-	.01	-		22
23	-	.01	.12	.04	-	-	-	.16	.17	.44	-	.27		23
24	.04	.53	.05	-	.04	-	-	.63	.48	.19	-	.31		24
25	.35	.33	-	.07	.06	-	-	-	.51	-	-	.30		25
26	-	.56	-	-	.03	.01	-	.24	.12	-	.02	1.02		26
27	-	.22	-	-	-	-	-	-	.28	.06	.15	.66		27
28	-	.07	-	-	-	-	-	.12	.08	-	.04	.05		28
29	-	X	-	-	.03	-	-	.21	.13	.01	.02	.50		29
30	.05	X	-	-	.03	-	-	.98	.07	.29	.48	.84		30
31	-	X	-	X	-	X	-	.02	X	.93	X	.63		31
TOTAL	1.01	3.98	1.35	4.49	1.41	4.32	.72	2.69	5.00	5.01	7.74	6.70	44.42	
* Days with .01 in. or more.	8	22	10	18	13	19	5	9	24	21	24	21	194	
* Days with .04 in. or more.	8	16	5	10	12	16	17	28	24	20	22	17	155	X

Section



for the entry of Daily Observations

Station No. 1602

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at The Chantry Netherbury

in the County of Dorset

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level 150.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	17	04	01	56	-	44	34	-	-	-	06	04		1
2	-	-	-	03	-	02	42	08	03	-	06	-		2
3	-	-	-	57	-	04	12	-	49	-	49	01		3
4	07	-	25	-	-	21	03	-	23	-	09	09		4
5	60	-	03	-	-	-	02	09	26	-	09	08		5
6	14	-	02	-	-	06	07	01	23	-	55	-		6
7	12	-	39	-	-	-	28	-	-	-	26	06		7
8	65	-	65	-	-	-	27	-	-	-	24	04		8
9	63	-	29	-	-	-	14	-	16	-	03	-		9
10	09	27	-	-	-	-	08	-	02	-	07	-		10
11	28	04	-	-	-	05	-	-	25	-	1'06	-		11
12	-	-	-	01	-	20	47	-	15	-	16	04		12
13	04	-	-	-	-	-	12	01	-	05	26	76		13
14	-	03	-	-	-	01	44	-	12	-	04	60		14
15	01	03	-	-	33	-	07	-	67	-	07	37		15
16	01	20	-	03	36	-	15	-	-	-	08	17		16
17	06	94	-	-	11	-	39	-	-	04	01	44		17
18	05	26	01	-	-	38	69	-	-	05	-	17		18
19	39	-	04	18	-	24	08	06	-	-	-	-		19
20	12	35	15	11	-	05	05	-	20	-	-	-		20
21	-	16	02	36	-	01	-	-	-	-	-	-		21
22	23	43	79	-	-	-	35	-	-	-	-	02		22
23	09	01	06	24	04	-	18	-	-	05	-	-		23
24	15	04	04	-	12	-	-	-	03	40	-	-		24
25	12	-	24	21	-	-	07	-	06	30	01	-		25
26	34	17	12	03	-	-	02	-	02	10	-	-		26
27	54	22	19	-	-	-	45	-	03	24	-	-		27
28	89	-	77	-	-	-	25	-	-	01	-	38		28
29	06	10	06	-	-	13	-	-	-	16	07	04		29
30	20	~~X~~	-	-	-	02	01	-	-	44	-	-		30
31	12	~~X~~	53	~~X~~	28	~~X~~	10	-	~~X~~	27	~~X~~	65		31
TOTAL	6.17	3.29	4.66	2.30	1.24	1.86	5.66	.25	2.95	2.11	3.70	3.96	38.15	✓
* Days with .01 in. or more.	26	16	20	11	6	14	27	5	16	12	19	17	189	✓
* Days with .04 in. or more.	24	13	15	8	6	10	23	3	11	11	16	15	155	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) H. J. L. [P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 1602

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Lhantry, Netherbury
in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.11	.02	.01	.09	-	-	-	-	.08	.01	.16	.86		1
2	.02	.77	-	.25	-	-	-	-	.04	-	-	.30		2
3	.04	.21	.21	.02	-	-	.02	-	-	-	-	-		3
4	.15	.85	-	-	-	-	-	-	-	-	-	.32		4
5	.15	-	.01	-	-	-	.54	-	-	-	-	-		5
6	.15	.31	.25	.25	.06	-	.39	-	-	.05	-	-		6
7	-	.73	-	.07	.02	-	-	-	.02	.01	-	.79	S	7
8	-	.01	-	.01	.41	-	.06	-	-	-	.12	.24	S	8
9	-	-	.02	.14	.12	-	.14	-	.58	-	-	-		9
10	.41	-	.56	.23	.26	.29	-	.01	-	-	-	.28		10
11	.06	-	.32	.10	.25	-	.54	-	-	-	-	-		11
12	.83	.26	.01	.08	-	.36	.04	.31	.19	-	-	.36		12
13	.02	.06	.96	.10	-	-	-	.42	.02	-	-	.02		13
14	-	.04	.20	.02	-	.01	-	-	.07	-	-	.04		14
15	.37	.18	.09	.58	-	-	1.37	-	.33	-	-	.23		15
16	.08	.15	.44	.09	-	.02	.14	.31	1.09	-	-	-		16
17	.65	.13	.48	-	-	-	.02	.04	.57	-	.37	-		17
18	.05	.05	.08	-	-	.04	-	-	.02	-	.12	.36		18
19	.05	.06	.04	.15	.20	-	-	-	-	-	.01	.05		19
20	.23	.13	.07	.23	.01	-	-	-	-	-	-	.90		20
21	.64	.43	.20	.08	.28	-	.05	-	.09	-	.56	.30		21
22	.20	-	.20	-	.63	.74	.20	-	.19	1.28	.64	.10		22
23	.33	.20	-	-	.25	-	-	-	-	.31	.12	.03		23
24	.43	.73	.01	-	-	-	-	-	.06	.95	-	-		24
25	.14	.68	.31	-	.51	-	-	-	.02	.36	-	.02		25
26	-	.34	.01	-	.35	-	-	-	-	.05	.01	-		26
27	.02	.32	-	.03	-	-	-	-	-	.48	-	-		27
28	.67	.02	-	-	-	-	-	-	-	.23	-	-		28
29	.08	X	-	-	-	.03	-	-	-	.85	.12	-		29
30	.48	X	-	-	-	.06	-	-	-	.10	.30	-		30
31	.21	X	-	X	-	X	-	-	X	.37	X	-		31
TOTAL	6.57	6.68	4.48	2.52	3.35	1.58	3.51	1.09	3.37	5.05	2.53	5.20	45.98	✓
* Days with .01 in. or more.	26	23	21	18	13	8	12	5	15	13	11	17	182	✓
* Days with .04 in. or more.	23	20	15	14	11	5	10	4	11	11	9	13	146	✓

† Spare column, no entries required.

(Signed)

H. Kitson

[P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 1602

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *The Chantry, Netherbury*in the County of *Dorset*

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level 150.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.04	-	-	-	.20	-	-	-	.83	.02	.07		1
2	.01	-	-	.04	-	-	.05	-	-	.20	.16	.10		2
3	-	-	-	-	.11	-	.03	-	-	.93	.34	-		3
4	.01	-	-	-	-	.01	.05	.51	-	.06	-	.23		4
5	-	-	-	-	-	.01	.06	.03	.03	.21	.01	.02		5
6	.04	-	-	-	-	.07	.26	-	.08	.12	.06	.03		6
7	.19	-	-	-	-	.15	.54	-	.06	.09	.04	.06		7
8	.19	.02	-	-	-	.11	.09	.06	.01	.45	-	.03		8
9	.21	.07	-	-	-	.01	-	.06	-	.01	-	1.01		9
10	.08	.04	-	-	-	-	.04	.05	-	-	-	.36		10
11	.16	-	-	-	-	-	.01	.02	-	-	.55	.55		11
12	.54	-	-	-	.27	-	.02	-	-	.26	.05	-		12
13	.27	-	-	-	.05	-	.01	-	-	.04	.41	.56		13
14	.62	-	-	-	.04	-	.85	-	-	-	-	-		14
15	.22	.01	-	-	.06	-	.39	.05	-	.26	.02	.71		15
16	.37	.01	-	-	.02	-	-	.05	-	.08	.09	-		16
17	-	.16	.04	-	.25	-	-	-	.14	.17	.04	-		17
18	.16	-	-	-	.06	.07	-	.01	.17	.06	.33	-		18
19	-	-	-	-	-	-	-	.08	.45	-	.65	-		19
20	-	-	-	-	-	-	-	-	.01	-	.50	-		20
21	-	-	-	-	-	-	-	.06	.02	-	.25	.305		21
22	.03	-	-	.12	-	.18	-	.46	.05	.25	.54	.08		22
23	.01	-	-	.02	-	-	-	-	.14	-	.05	-		23
24	-	-	.18	-	-	-	-	-	-	-	.28	-		24
25	.13	.47	-	-	.33	-	.47	-	-	.04	1.37	.095		25
26	.47	.37	-	-	.52	-	-	-	-	.15	-	.21		26
27	.04	.01	-	-	.11	.25	.86	.29	-	.24	.50	-		27
28	.08	.09	.01	-	.22	.06	-	.78	.14	-	-	.02		28
29	.04	X	-	-	.33	-	-	-	.42	.34	.57	.07		29
30	.06	X	-	-	.03	.34	.09	-	.40	-	.10	.04		30
31	.41	X	-	X	.22	X	-	-	X	.32	X	.42		31
TOTAL	4.36	1.29	.23	.18	2.62	1.46	3.82	2.51	2.12	5.11	6.93	4.96	Year's Total	
* Days with .01 in. or more.	23	11	3	3	15	12	16	14	14	21	23	20	175	
* Days with .04 in. or more.	19	7	2	2	13	8	12	11	10	20	20	16	140	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) *A. R. Wilson* [P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 1602

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939.

Kept at The Chamber, Netherbury

in the County of Dorset

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft.....in.

Ground Sea Level...150.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	.07	.01	.03	-	.13	.18	.11	-	.04	.07		1
2	-	-	-	.48	-	-	.01	.40	.98	-	.16	.08		2
3	.85	-	.08	.60	-	-	-	.13	.30	-	.21	.33		3
4	.02	-	.53	.08	.34	-	.23	.10	-	.77	.04	.15		4
5	-	-	.04	.15	.01	-	.20	.21	-	.52	1.03	-		5
6	.53	-	.04	.10	-	-	.79	.07	-	-	.38	-		6
7	.01	1.11	-	-	-	-	.01	.01	-	-	.67	.91		7
8	.07	.36	.08	-	.02	-	.12	.09	-	.74	.36	.23		8
9	.06	.01	.04	-	-	-	-	.18	-	.24	.07	.14		9
10	.16	-	-	-	-	.02	-	.25	.04	.07	.11	.16		10
11	-	.04	.15	-	-	-	-	-	-	.45	.02	.01		11
12	-	.02	-	-	-	.03	-	-	-	-	.03	-		12
13	-	-	-	.09	-	.02	.32	-	.13	1.26	.11	-		13
14	.80	-	-	.01	.02	.04	.35	-	.02	.24	.37	.07		14
15	.36	-	.01	.02	.12	1.68	.30	-	-	.18	.53	.06		15
16	.36	-	-	.11	.06	-	-	-	-	-	.21	-		16
17	.38	.02	-	-	.11	-	.37	-	-	-	.08	-		17
18	.07	-	.04	-	.01	.28	.66	-	-	-	.54	.02		18
19	.58	.03	-	-	-	-	.14	.01	-	-	-	.04		19
20	.48	-	-	-	-	.23	.12	.66	-	-	-	-		20
21	.05	.45	.11	.01	-	.05	.32	-	.02	-	-	-		21
22	.53	.28	.06	-	-	.31	.32	-	.03	-	.68	-		22
23	-	-	-	.17	-	-	.07	-	-	-	1.31	.01		23
24	.49	-	.09	.02	-	.48	.33	-	-	-	-	-		24
25	1.25	.09	-	.06	-	-	.14	.05	-	.17	.23	-		25
26	.10	.09	-	.5	-	-	-	.25	-	.20	.38	-		26
27	-	.32	.08	-	-	-	.04	.02	-	-	.11	-		27
28	-	.12	.03	.24	-	.10	.64	-	-	-	.40	.22		28
29	-	X	-	.14	-	.01	.25	-	-	.41	.11	-		29
30	-	X	-	.35	-	.02	-	.02	-	.14	.04	-		30
31	-	X	-	X	-	X	-	.18	X	.44	X	-		31
TOTAL	7.17	2.94	1.45	2.64	.72	3.27	5.86	2.81	1.63	5.86	8.25	2.50	Year's Total	45.09 ✓
* Days with .01 in. or more.	20	13	15	17	9	13	22	17	8	14	26	15		189 ✓
* Days with .04 in. or more.	17	9	13	12	4	8	20	13	5	14	24	12		151 ✓

† Spare column, no entries required.

(Signed)

H. R. Wilson

P.T.O.

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 1602

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at the Chantry, Betherbury

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.01	-	-	.01	-	-	-	-	-	.11	-		1
2	-	.10	-	.30	.03	-	.01	-	-	-	.67	.08		2
3	.10	.59	-	-	-	-	.19	-	-	.16	.77	.27		3
4	.01	.15	-	-	-	-	-	-	-	.35	.18	.05		4
5	-	.02	-	-	-	-	-	-	-	.10	1.02	.24		5
6	.43	.82	-	-	-	-	.18	-	-	.36	.08	.14		6
7	.15	-	-	-	-	-	-	-	-	.06	-	.04		7
8	-	-	-	-	-	-	-	-	-	.69	.24	.19		8
9	-	-	-	-	-	-	.28	.05	.03	.15	.59	.17		9
10	-	-	-	-	-	-	.76	.05	-	.06	.12	.12		10
11	-	-	.08	.01	-	-	.11	-	-	-	1.19	.03		11
12	-	-	.22	.01	-	-	.16	-	.43	-	.04	-		12
13	-	-	.69	-	-	-	.04	-	.04	.18	1.93	.09		13
14	-	.02	.15	.06	.78	-	.01	-	.32	.35	-	1.11		14
15	-	.03	-	.04	.40	-	.17	-	.23	.15	.70	.03		15
16	-	.73	.54	.04	-	-	.11	-	.11	.96	.58	.04		16
17	-	.05	.40	-	-	-	-	-	-	-	.35	-		17
18	.13 ^s	.37	.30	.49	-	-	.21	-	.01	.05	.04	.06		18
19	-	.05	.06	.18	-	-	.04	-	.70	-	.31	-		19
20	-	.01	.04	.02	-	-	-	.03	.07	.11	.07	-		20
21	-	-	-	-	.20	-	.17	-	-	-	.70	-		21
22	-	-	.08	-	-	-	-	-	.11	-	-	-		22
23	-	.02	.45	.14	-	.42	-	-	.01	.01	.05	.01		23
24	-	-	.01	-	-	.07	.26	-	-	-	-	-		24
25	.11	-	.08	.04	-	-	-	-	-	-	-	-		25
26	1.32	.92	.02	.01	.15	-	-	-	-	-	-	-		26
27	.33	.13	-	-	.23	-	-	.01	-	-	.01	-		27
28	.18	.05	-	-	-	-	-	-	-	-	-	-		28
29	.09	.18	.32	.50	-	.05	-	-	-	.15	-	.24		29
30	.18	X	.04	.04	.02	-	-	-	-	.75	-	.11		30
31	.01	X	.12	X	-	X	-	-	X	.76	X	.44		31
TOTAL	3.04	4.25	3.50	1.88	1.82	.54	2.70	.14	2.06	5.40	9.80	3.46	Year's Total	38.59
* Days with .01 in. or more.	12	18	17	14	8	3	15	4	11	18	21	19		160
* Days with .04 in. or more.	10	12	15	10	5	3	13	2	8	17	20	16		131
	3.04	7.29	10.79	10	14.49	15.03	17.73	17.87	19.93	25.33	35.13	38.59		38.59

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

H. R. Fulton

[P.D.O.]

Section **A** for the entry of Data in the
AIR MINISTRY.

FORM 1090.

REGISTER

Kept at **BRIMBLEY COOMBE**
in the County of **DORSET**.

Diameter of Funnel of Gauge.....5
Height of top of Gauge above Ground.....
Ground Sea Level

THE MORNING MEASURE

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

3.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.97	.40	.08		.02	.01			T.R.		.08	.26	1
2	.54		1.05		.26				T.R.				2
3	.09	.11	.32										3
4	.21	.02	.01		.40								4
5	.06	.12	.39									T.R.	5
6		.62			.28		.01			.09		T.R.	6
7		.07			.05								7
8		.01	.02		.02	T.R.	.30			.39			8
9		.02			.29		.25			.32			9
10					.03	.12		T.R.		.46	.02		10
11	.10				.03		.46	Thunderstorm. 1.11.		.02			11
12	.4						.14		1.00.				12
13				.11		.11	.44	Thunderstorm. 1.10.		.05	.02		13
14	Fog. T.R.						.02	Thunderstorm. .59		.46	.66		14
15	.72		.15				.32	T.R.		.13		.02	15
16			.97			T.R.			.02	.11			16
17	Sun. T.R.	Sun. .20	.30			T.R.		T.R.	.28				17
18	.05		.31			.08		T.R.			.03		18
19	.02		.70			.11		.03	.16		.24		19
20						T.R.		.02	.01		.24		20
21		.05				T.R.		Thunderstorm. 1.14	.01	.13			21
22						Thunderstorm. 1.40		.29	.29				22
23				.82		.29			.30	.19			23
24		3.44 1.72				T.R.			.04				24
25		.95		.96		.50			.15		.01	.24	25
26		.56		.20		.15							26
27		.02		T.R.	.62				.32	.34			27
28				.25	.14		.21					.38	28
29	.10				.06								29
30	.4	X	.15				.11		.15	T.R.		.13	30
31	.24	X	.18	X		X			X		X		31
TOTAL	3.00	4.96	6.33	2.34	2.20	2.77	2.36	2.28	2.73	2.70	1.06	.08	31.71.
*Days with or in. or more.	11	14	13	5	12	9	9	7	12	14	7	5	118
*Days with or in. or more.	10	10	11	5	8	8	8	5	9	12	3	4	95

40-9999

*See Instruction 2 (f) on other side.

(Signed)

MB Audrey Peto

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at **BRIMBLEY COOMBE FARM**
in the County of **DORSET** **STOKE ABBOTT**

Diameter of Funnel of Gauge **5** in.
Height of top of Gauge above Ground **1** ft. **-** in.
Ground Sea Level **550** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.87	.49	.08		.02	.01			T.R.		.08	.26	1
2	.51		1.05		.26				T.R.				2
3	.09	.11	.32										3
4	.21	.02	.01		.40								4
5	.06	.12	.39									T.R.	5
6		.62			.28		.01			.09		T.R.	6
7		.07			.05								7
8		.01	.02		.07	T.R.	.30			.39			8
9		.02			.29		.35			.32			9
10					.03	.12		T.R.		.46	.02		10
11	.10				.03		.46	Thunderstorm. 1.11.		.02			11
12	T						.14		1.00.				12
13				.11		.11	.44	Thunderstorm. .10		.05	.02		13
14	Fog. T.R.						.02	Thunderstorm. .59		.46	.66		14
15	.72		.15				.32	T.R.		.13		.02	15
16			.97			T.R.			.02	.11			16
17	Snow T.R.	Snow .20	.30			T.R.		T.R.	.28				17
18	.05		.51			.08		T.R.			.03		18
19	.02		.20			.11		.03	.16		.24		19
20						T.R.		.02	.01		.25		20
21		.05				T.R.		.14	.01	.13			21
22						Thunderstorm 1.40		.29	.29				22
23				.82		.29			.30	.19			23
24		1.72				T.R.			.04				24
25		.95		.96		.50			.15		.01	.24	25
26		.56		.20		.15							26
27		.02		T.R.	.62				.32	.34			27
28				.25	.14		.21					.38	28
29	.10				.06								29
30	.10	X	.15				.11		.15	T.R.		.13	30
31	.24	X	.18	X		X			X		X		31
TOTAL	3.00	4.96	6.33	2.34	2.20	2.77	2.36	2.28	2.73	2.70	1.06	.08	YEAR'S TOTAL 31.71.
*Days with or in. or more.	11	14	13	5	12	9	9	7	12	14	7	5	118
*Days with .04 in. or more.	10	10	11	5	8	5	8	5	9	12	3	4	93

Section

A

for the entry of Daily Observations.

Station No. 1603/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at BRIMBLEY COOMBE FARM.
in the County of DORSET.Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						.06		.90		.01	.16	1.36	1
2			.14	.35					1.49	.04		.24	2
3	.32	R						.25		.51			3
4				.03	.34				.08			.50	4
5	.10		.29		.08			1.42		.46		.54	5
6	.08		.38		.26					.61	.29	.78	6
7	.08							.12	.03	.16		.83	7
8		R			.32						.51	.20	8
9			.19						.03	.04	.38	.06	9
10	.38			.30				.03			.13	.15	10
11	.68		.24	.28			.04						11
12	.02						Thunder .25	.18				.99	12
13	.34												13
14	.44		.41								.24	.92	14
15					.13					.14		.44	15
16	.32		.41	.35	.03								16
17		Fog	.28	.11	.10							.79	17
18				.22			TR		.61	.08		.35	18
19			.10			.04						.22	19
20			.09	.19									20
21						.25		.09		.52			21
22			.10					.16	.40			.79	22
23			.04	.22		.21			.15	.05		.23	23
24		R	.08			.09	.01		.35				24
25	.44		.39			.02	TR			.30		1.35	25
26		Snow	.11	.34		.20						.12	26
27						.12				.08			27
28			.15						.70	.03	.10	1.34	28
29								1.01				.05	29
30		X					TR			.04		.57	30
31		X		X	TR	X	.02	.04	X		X	.02	31
TOTAL	3.25	.68	2.89	2.93	1.26	.99	.32	4.20	3.84	3.50	1.81	12.84	38.09
* Days with ".01 in. or more	11		14	14	7	8	4	14	16	21	9	30	151
* Days with ".04 in. or more	10				6	7	2						

40-9999

*See Instruction 2 (f) on other side.

(Signed)

A. M. Peto

P. O.

Section

A

for the entry of Daily Observations.

Station No. 160315

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bramley Coombe Farm, Stoke Abbott.

in the County of Dorset.

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	TR		.42	.01		.29	.13		.39	X	.20	.20		1
2		.05			.10	.04			.02	1.20	.19	.19		2
3		.25	.05		.01	.28			X	.13	X			3
4		.37		.09		X			.50	X	.46	.65		4
5	.05	.03	.03	.03		.48			.25	.10	.05			5
6			.02	.15		1.73				.04	.19	.16		6
7				.65		.32				.44	.09	.03		7
8				.36					.20	.07	.40	.15		8
9		Snow TR.		.59		.13				.71	.86			9
10	.05		X	.15		.04						.05		10
11	X	X	Snow .42	.01		.47		.03	X		.55			11
12	X	.21				.34			.21		.17			12
13	.35	.11		.47		.13				.01	.09			13
14		.05		X	.05	.01			X	.02	.92	.57		14
15		.08		1.24	TR	.13			.24		X	.17		15
16		.02		.09	.10	.21			.78	.03	1.07			16
17		.03		X	.68	.31	.01	.18	.42		.17			17
18		.05		.36	.20	.01	.09			X		.10		18
19		.12		X	.04	Fog .13	.10		.08	.30	.44			19
20		Snow .32		X .22		Fog .05	.15				.31			20
21		.55	.05	X		Fog .01	.03		.08					21
22		.09		.16				.20	X	.01				22
23				.14	.05			.18	.20	X				23
24	X	Lightning .46		.12	.10			.66	.45	.69				24
25	X .41	Snow .36	.05	.10	.08	Fog		TR			.02	1.24		25
26		.50				Fog		.3	.24			1.09		26
27		.15				.03		Thunder .01	.26	.05	.15			27
28	Snow .05	Hail .26						Thunder .29	.14		.04	2.14		28
29					.03			.91	.16	.05	X			29
30	.05	X			.02			.02	.05	X	.44			30
31		X		X	Fog .01	X			X	X	X			31
TOTAL	96	4.06	1.23	4.82	1.47			(2.78)	4.98	6.81	7.23	Year's Total		
* Days with .01 in. or more.	98	25	10	21	13	21	6	10	22	21	23	20	197	(44.66)
* Days with .04 in. or more.	9	14	7	17	8	17	4	7	19	15	21	18	159	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Audrey Peto

[P.T.O.]

Kept at **Chalmington**
in the County of **Dorset**
Diameter of Funnel of Gauge..
Height of top of Gauge above
" Ground "
THE MORNING MEAS

1604/5
CHALMINGTON
1939, 40

780304

PREVIOUS DAY

This is done

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

1939

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.11		.07			.48	.09					1
2				.49			.04	.41	.61		.15	.11		2
3	.80		.12	.61				.12			.08	.38		3
4			.64	.11	.42	.18	.18	.21		.89	.13	.15		4
5			.05	.19	.08			.18		.31	.93			5
6	.50		.08				1.15	.11			.81			6
7		.63					.05				.61	1.05		7
8	.08	.31	.13					.13		.64	.44	.52		8
9			.10					.16		.21	.09	.33		9
10	.20							.13	.24	.13		.10		10
11		.07	.15							.37				11
12							.52				.09			12
13							.03		.08	1.53	.08	.05		13
14	1.00			.14			.26			.22	.37	.16		14
15	.33				.14	1.50	.53		.05	.33	.41			15
16	.23			.12	.07	.08	.46				.28			16
17	.57	.03			.13		.41				.11			17
18	.22		.08			.31	.39				.45			18
19	.52			.18		.13	.06	.30						19
20	.46					.11	.21	.65				.15		20
21	.08	.61	.06			.05	.23							21
22	.41	.49	.10			.55	.26				.54			22
23							.13				1.63			23
24	.48					.44	.42							24
25	1.23	.09					.18	.04		.13	.21			25
26	.24	.05						.12		.32	.31			26
27		.91	.09	.11			.14				.09			27
28		.16	.04	.13		.07	.61				.36			28
29							.46			.33	.11			29
30		~~X~~		.47				.06		.21	.08			30
31		~~X~~		~~X~~		~~X~~	.05	.21	~~X~~	.87	~~X~~			31
TOTAL	7.29	3.05	1.94	2.55	.91	3.29	6.77	3.31	1.05	6.49	8.36	3.00	Year's Total	47.81
* Days with .01 in. or more.	16	10	13	10	6	10	22	15	5	14	23	10		154
* Days with .01 in. or more.	~~16~~	~~9~~	~~13~~	~~10~~	~~6~~	~~10~~	~~22~~	~~15~~	~~5~~	~~14~~	~~23~~	~~10~~		~~153~~

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

np. late

"4"

Section

A

for the entry of Daily Observations

Station No.

1604/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Chalvington

in the County of Dorset

Diameter of Funnel of Gauge.....5" in.

Height of top of Gauge above Ground.....8" in.

" Ground " Sea Level 468 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

1939

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.11		.09			.48	.09					1
2				.49			.04	.41	.61		.15	.11		2
3	.80		.12	.61				.12			.08	.38		3
4			.64	.11	.42	.18	.18	.21		.89	.13	.15		4
5			.05	.19	.08			.18		.31	.93			5
6	.50		.08				1.15	.11			.81			6
7		.63					.05				.61	1.05		7
8	.08	.31	.13					.13		.64	.44	.52		8
9			.10					.16		.21	.09	.33		9
10	.20							.13	.24	.13		.10		10
11		.09	.15							.37				11
12							.52				.09			12
13							.03		.08	1.53	.08	.05		13
14	1.00			.14			.26			.22	.37	.16		14
15	.33				.14	1.50	.53		.05	.33	.41			15
16	.23			.12	.09	.08	.46				.28			16
17	.57	.03			.13		.41				.11			17
18	.22		.08			.31	.39				.45			18
19	.52			.18		.13	.06	.30						19
20	.46					.11	.21	.65				.15		20
21	.08	.61	.06			.05	.23							21
22	.41	.49	.10			.55	.26				.54			22
23							.13				1.63			23
24	.48					.44	.42							24
25	1.23	.09					.18	.04		.13	.21			25
26	.24	.05						.12		.32	.31			26
27		.31	.09	.11			.14				.09			27
28		.16	.04	.13		.09	.61				.36			28
29							.46			.33	.11			29
30		X		.47				.06		.21	.08			30
31		X		X		X	.05	.21	X	.89	X			31
TOTAL	7.29	3.05	1.94	2.55	.91	3.29	6.77	3.31	1.05	6.49	8.36	3.00	Year's Total	47.81
* Days with .01 in. or more.	16	10	13	10	6	10	22	15	5	14	23	10		154
* Days with .1 in. or more.	16	9	13	10	6	10	22	15	5	14	23	10		153

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 16074/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 193

Kept at Chalmonington

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 8 ft.

Ground Sea Level 468 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											.17	~~.10~~		1
2		.31		.26							.47			2
3	.03	.93								.37	1.02	.31		3
4		.12					.25			.35	.25	.07		4
5										.21	.67	.33		5
6	.34	.71								.47	.08	.21		6
7	.15	.06												7
8							.21			.76	.27	.19		8
9							.25			.21	.95	.31		9
10							1.16		.04		.11	.42		10
11							.29				1.12			11
12			.62				.31		.51		.07			12
13			.85								1.50			13
14			.23		.76			.03	.43	.78		1.31		14
15					.91				.21	.41	1.05	.05		15
16	.83	.43	.47						.17	1.23	.61			16
17			.45				.26				.63			17
18		.95	.53	.61			.27				.06			18
19			.07	.22			.11	.02	.75		.47			19
20									.05	.17	.08			20
21					.57						.73			21
22			.11			.41			.16		.06			22
23		.16	.38	.18			.31							23
24														24
25														25
26	.91	.89			.19									26
27		.21			.27									27
28					.05					.05				28
29		.47	.33	.53								.27		29
30	.21	~~X~~		.27						.61		.11		30
31		~~X~~		~~X~~		~~X~~			~~X~~	.93	~~X~~			31
TOTAL	2.17	5.24	3.96	2.07	2.69	.41	3.42	.05	2.32	6.55	10.37	3.28	Year's Total 42.03	Print
* Days with .01 in. or more.	6	11	10	6	6	1	10	2	8	13	20	11	104	WH
* Days with .04 in. or more.	8	11	10	6	6	1	10	-	8	13	20	11	101	"d"

* See Instruction 3 (f) on other side.

† Spare column: no entries required.

(Signed) W. THORNYCROFT ESQ. [p. 10.]

Kept at Farns, Beam
in the County of Bosset

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
Ground Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this
year in the space on the right of this page
Please

Date	Jan.	Feb.	March	Apr
31	in.	in.	in.	in.
1	-	.10	-	.1
2	.24	.04	-	.7
3	.10	-	.61	-
4	.05	-	.08	-
5	-	.28	-	.08
6	-	.06	-	.06
7	.01	-	-	.35
8	-	.46	-	.22
9	-	.27	-	.01
10	-	.02	-	.03
11	.11	.45	-	.01
12	.01	.03	-	-
13	-	.01	.02	.01
14	.01	.04	-	.02
15	-	.08	-	.05
16	-	.18	-	.04
17	.01	.19	-	.16
18	.06	.01	.04	.08
19	.09	-	.03	.07
20	.01	.21	.27	.01
21	.43	-	.01	-
22	.72	.03	-	.03
23	.52	.01	-	.07
24	.10	-	-	.84
25	.11	.05	-	.25
26	-	.02	-	.19
27	.31	.35	-	.01
28	.05	.06	.04	.02
29	.04	X	.14	-
30	.01	X	.02	.01
31	.74	X	-	X

TOTAL	3.73	2.95	1.26	3.14	3.22	3.83	4.15	3.90	2.01	.59	8.56	1.58	38.92
*Days with or in. or more.	21	22	10	20	19	16	25	19	15	9	22	11	209
*Days with or in. or more.	15	15	6	14	12	12	13	14	10	3	17	7	138

1605 — 351190

BELMINSTER — EAST STREET

1931 — 1940

780305

1605
COPY FOR OFFICIAL USE.
INFALL ORGANIZATION.
1931 .
4/1/31.
only known as
na (Hammer Lodge)

S DAY.
of the following
f. 400
Jan. following

Oct.	Nov.	Dec.	Date
in.	in.	in.	
.01	-	-	1
-	-	.24	2
-	.204	.07	3
.06	.24	.01	4
-	.44	.23	5
.37	.34	.47	6
.06	.46	.14	7
.01	.08	.11	8
-	.74	-	9
-	.78	-	10
-	.54	-	11
.01	-	-	12
.01	-	-	13
-	.17	-	14
-	.03	.01	15
-	-	-	16
-	.01	-	17
-	.45	-	18
-	.13	-	19
-	.06	-	20
-	-	-	21
-	.01	-	22
-	.76	-	23
-	.02	-	24
-	.47	-	25
-	.65	-	26
-	.03	-	27
.03	-	.03	28
.03	.11	.02	29
-	-	-	30
-	X	.25	31



for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931

Kept at Farrs, Beaminstor

in the County of Horseshoe

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....-.....in.

Ground Sea Level 183 ft.

moved 26/1/31.

Footnote:- Formerly known as
Beamister (Hampton Lodge)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.10	-	.17	.02	-	.02	-	.41	.01	-	-	1
2	.24	.04	-	.77	-	.01	-	-	.48	-	-	.24	2
3	.10	-	.61	-	-	-	.01	-	.19	-	.2.04	.07	3
4	.05	-	.08	-	.08	-	.52	.25	.24	.06	.24	.01	4
5	-	.28	-	.08	-	.63	.06	.10	-	-	.44	.23	5
6	-	.06	-	.06	.04	.18	-	.03	-	.37	.34	.47	6
7	.01	-	-	-	.35	.25	.01	.34	-	.06	.46	.14	7
8	-	.46	-	.22	-	.54	.02	.09	-	.01	.08	.11	8
9	-	.27	-	.01	-	.06	.02	-	-	-	.74	-	9
10	-	.02	-	-	.03	.13	.03	.01	.02	-	.78	-	10
11	.11	.45	-	-	.01	.14	.01	-	.07	-	.54	-	11
12	.01	.03	-	-	-	-	.11	.03	.12	.01	-	-	12
13	-	.01	.02	-	.01	.01	.57	.06	-	.01	-	-	13
14	.01	.04	-	-	.02	.67	1.01	.06	.12	-	.17	-	14
15	-	.08	-	.05	.18	-	-	.10	.02	-	.03	.01	15
16	-	.18	-	.04	.21	.08	.01	.06	.08	-	-	-	16
17	.01	.19	-	.16	-	.04	.17	-	.17	-	.01	-	17
18	.06	.01	.04	.08	-	.10	.04	1.60	.01	-	.45	-	18
19	.09	-	.03	.07	-	.06	.01	.06	.02	-	.13	-	19
20	.01	.21	.27	.01	-	-	-	.39	-	-	.06	-	20
21	.43	-	.01	-	.16	-	-	-	-	-	-	-	21
22	.72	.03	-	.03	.09	-	-	-	-	-	.01	-	22
23	.52	.01	-	.07	.77	.01	.02	.15	.02	-	.76	-	23
24	.10	-	-	.84	.13	.02	.68	.45	-	-	.02	-	24
25	.11	.05	-	.25	-	-	.10	-	-	-	.47	-	25
26	-	.02	-	.19	-	-	.41	-	-	-	.65	-	26
27	.31	.35	-	.01	.97	-	.15	-	-	-	.03	-	27
28	.05	.06	.04	.02	.07	-	.01	.03	-	.03	-	.03	28
29	.04	X	.14	-	.05	-	.06	.08	-	.03	.11	.02	29
30	.01	X	.02	.01	.02	-	.09	.01	.04	-	-	-	30
31	.74	X	-	X	.01	X	.01	-	X	-	X	.25	31
TOTAL	3.73	2.95	1.26	3.14	3.22	3.83	4.15	3.90	2.01	.59	8.56	1.58	38.92
*Days with or in. or more.	21	22	10	20	19	16	25	19	15	9	22	11	209
*Days with or in. or more.	15	15	6	14	12	12	13	14	10	3	17	7	138

40-9999

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Farns, Beaumont,
in the County of Worce
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
Ground Sea Level 183 ft.

Station No 1605
400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
<u>32</u>	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	-	-	.17	.06	.02	.01	.18	-	.03	.08	.01	1
2	.01	-	-	.15	.19	-	-	.09	.20	-	.01	.20	2
3	.01	-	-	.01	.02	.25	.01	.01	.27	.17	.01	.01	3
4	.03	-	-	-	-	.32	-	.10	-	-	.43	-	4
5	.30	-	.01	-	-	-	-	.01	.25	-	-	-	5
6	.45	-	.02	.13	-	-	.01	-	.54	.02	-	-	6
7	.01	-	.02	.14	.24	-	-	-	.50	<u>1.17</u>	-	-	7
8	-	-	<u>.76</u>	.02	.13	-	-	-	.26	.06	-	-	8
* melted snow 9	<u>1.17</u>	* .03	-	.20	.04	-	-	-	.01	.02	-	-	9
10	.33	* .01	-	.32	.06	-	-	-	.02	.12	-	-	10
11	.03	-	-	.06	.02	.01	.02	-	.06	.27	-	.06	11
12	.94	-	-	-	.50	.01	-	-	.02	.38	-	.05	12
13	.08	-	-	.24	.04	-	.29	.03	-	.66	-	.11	13
14	.28	-	-	.18	.10	-	-	.01	-	.02	.21	.01	14
15	.07	-	-	.03	.30	-	-	-	-	.08	.13	.03	15
16	.16	-	-	.19	.01	-	.19	-	-	.01	-	.02	16
17	.08	-	-	.03	-	-	.01	-	-	.07	-	-	17
18	.06	-	-	-	.46	-	-	-	.25	-	.16	-	18
19	-	-	-	.01	.25	-	-	-	.04	.37	-	-	19
20	-	-	-	.02	<u>1.63</u>	-	-	.27	-	.84	.23	.04	20
21	.02	-	.16	.07	.01	-	-	.02	.18	.29	.02	.15	21
22	-	-	.07	.01	-	-	.03	.01	.74	.69	.34	.01	22
23	-	-	-	-	.11	-	.29	-	.01	.84	.07	.08	23
24	-	-	-	-	.01	-	<u>.81</u>	-	.12	.19	.01	-	24
25	-	-	.17	.06	-	-	.05	-	.17	.20	.03	.02	25
26	-	-	.19	.07	-	-	.18	-	-	.12	.02	-	26
27	-	-	.60	<u>.75</u>	.28	-	.14	-	-	.52	-	.07	27
28	-	-	.01	.13	.10	-	.21	-	-	-	-	.17	28
29	-	-	.63	.09	.90	.59	-	.61	.56	.39	.23	.48	29
30	-	×	.02	.03	.01	<u>1.84</u>	.63	.02	.88	.05	<u>1.40</u>	.22	30
31	.01	×	.06	×	-	×	.10	-	×	.03	×	.59	31
99 TOTAL	4.09	.04	2.72	3.11	5.47	3.04	2.98	1.36	5.08	7.61	3.38	2.33	YEAR'S TOTAL 41.21
* Days with .01 in. or more.	19	2	13	24	23	7	16	12	19	26	16	19	196
* Days with .04 in. or more.	12	-	8	16	17	4	10	5	15	20	10	12	129

✓ kg -
OFFICI



Station No.

1605

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1933.

24
400.

Horset

5

L

Ground Sea Level 183 ft.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

2

† Spare column, no entries required

(Signed)

P.T.Q

40-9999

*See Instruction 2 (f) on other side.

Section

A

for the entry of Daily Observations.

Station No.

1605.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 4090.

REGISTER OF RAINFALL IN 1934.

Kept at *Farris, Beaminster*

in the County of *Dorset*

Diameter of Funnel of Gauge *5* in.

Height of top of Gauge above Ground *1* ft *-* in.

Ground Sea Level *183* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
<i>34</i>	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	-	.03	-	-	-	-	1.00	.11	.01	.09	1.41		1
2	.26	-	.16	-	-	-	-	-	1.31	.03	.06	.32		2
3	.08	.03	-	-	-	-	-	.01	-	.40	-	.31		3
4	.07	-	.31	.35	.34	-	-	.02	-	.14	-	.39		4
5	-	-	.01	.01	.07	-	-	1.22	.01	.01	.09	.59		5
6	.11	-	.36	.04	.25	-	-	-	.02	.58	.24	.84		6
7	.07	-	-	-	-	-	-	.11	-	.18	.02	.94		7
8	-	-	-	-	.34	-	-	-	-	.01	.40	.21		8
9	.06	-	.16	.07	.01	-	-	-	.07	-	.47	.13		9
10	.35	.01	.18	.39	-	-	-	.09	-	-	.10	.37		10
11	.63	-	.17	.29	-	-	.04	.14	-	-	.01	.58		11
12	.03	-	.03	.01	-	-	.02	.14	-	-	-	.54		12
13	.40	-	-	.35	-	-	-	-	-	-	.08	.43		13
14	.39	-	.35	.03	-	-	-	-	-	.01	.08	.55		14
15	.08	-	.04	.01	.11	-	-	-	-	.17	.28	.29		15
16	.16	-	.41	.01	.03	-	-	-	-	-	-	.17		16
17	.10	-	-	.03	.13	-	-	-	.39	.06	-	.61		17
18	.06	-	.25	.23	-	-	-	-	.19	-	-	.38		18
19	-	-	.12	.04	-	.05	-	.04	.05	-	-	.21		19
20	-	-	.08	.17	-	-	-	-	-	.03	-	-		20
21	.01	-	.02	.05	-	.28	-	.04	.01	.56	-	.11		21
22	-	-	.06	.01	-	.22	-	.38	.39	-	-	.54		22
23	-	.01	.03	.26	-	.03	.02	.03	.41	.09	-	.22		23
24	-	.13	.09	.02	-	-	.11	.01	.27	.08	-	.05		24
25	.49	.04	.01	.41	-	-	-	-	-	.23	-	1.20		25
26	-	-	.08	.30	-	.25	-	-	.28	-	.04	.06		26
27	-	-	.01	.05	-	.08	-	-	.01	.04	.02	.52		27
28	-	-	-	.51	-	.01	-	.79	.22	-	-	.99		28
29	-	X	-	-	-	-	-	.04	.18	.10	.01	.07		29
30	.05	X	-	-	-	-	.02	.02	.25	.01	-	.49		30
31	-	X	-	X	-	X	.03	.07	X	-	X	.01		31
99 TOTAL	3.46	.22	2.96	3.64	1.28	.92	.24	4.15	4.17	2.74	2.02	13.83	30.63	1934
* Days with .01 in. or more.	19	5	22	23	8	4	6	17	17	19	15	30	188	
* Days with .04 in. or more.	17	2	15	15	6	5	2	12	13	12	11	29	139	

Section **A** for the entry of Daily Observations.Station No. 1605

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Farrow, Beaminster,in the County of DorsetDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground...1.....ft.....in.,, Ground ,, Sea Level...18.3.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
<u>35</u>	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.01	.62	-	-	.41	.17	-	.27	.11	.15	.14		1
2	-	-	.01	-	-	.09	-	-	.03	.53	.14	.05		2
3	-	.01	.06	-	.05	.23	-	-	.80	.60	.58	.02		3
4	-	.17	-	.12	-	.34	-	-	.29	.15	.05	.71		4
5	.02	.40	.02	.05	-	.15	-	-	.20	.02	.05	.01		5
6	-	.04	-	.39	-	<u>1.68</u>	-	-	-	.02	.20	.10		6
7	-	.01	-	.51	-	.09	-	-	-	.44	.04	.03		7
8	-	-	-	.43	-	-	-	.01	.15	.12	.50	.11		8
9	-	.01	-	.65	-	.16	-	-	.02	.77	1.11	-		9
10	.04	-	.55	.15	-	.01	-	-	-	-	-	.03		10
11	<u>.33</u>	.01	.02	.02	-	.47	-	-	.01	-	.66	.02		11
12	.13	.15	-	-	-	.32	-	.01	.16	-	.31	-		12
13	.07	.18	-	.47	-	.11	-	-	-	.03	.07	-		13
14	.01	.02	-	.24	.07	.01	-	-	.08	.02	1.02	.58		14
15	-	.10	-	<u>.91</u>	.06	.11	-	-	.17	-	.37	.15		15
16	-	.05	.02	.24	-	.14	-	-	<u>.95</u>	.01	<u>1.69</u>	.01		16
17	-	-	-	.03	<u>.98</u>	.25	-	.15	-	-	.14	-		17
18	-	.03	-	.27	.04	-	.16	.01	.45	.03	-	.06		18
19	-	.07	-	.04	.17	.06	<u>.19</u>	-	.09	.24	.29	-		19
20	-	.39	-	.19	.04	.04	.10	-	.02	.01	.28	-		20
21	-	.52	.03	.06	-	.01	.05	-	.10	.01	-	-		21
22	-	.14	.07	.01	-	-	-	.17	.02	-	-	-		22
23	-	-	.11	.07	.04	-	-	.16	.19	.38	-	.25		23
24	.04	.56	.04	-	.08	-	-	.61	.49	.17	-	.34		24
25	.24	.37	-	.08	.05	-	-	-	-	.01	-	.33		25
26	-	<u>.58</u>	-	-	-	.02	-	.28	.14	-	.01	<u>1.05</u>		26
27	-	.24	-	-	-	-	-	.02	.29	.04	.17	.67		27
28	.01	.06	-	-	-	-	-	.38	.09	-	.05	.05		28
29	-	X	-	-	.03	-	-	.09	.15	-	.02	.53		29
30	.04	X	-	-	.05	.01	-	<u>.92</u>	.05	.20	.47	.87		30
31	-	X	-	X	.01	X	-	.01	X	<u>1.09</u>	X	.68		31
99													Year's Total	
TOTAL	.93	4.12	1.55	4.93	1.67	4.71	.67	2.82	5.21	5.00	8.37	6.79	46.77	✓
* Days with .01 in. or more.	10	23	11	20	13	21	5	13	24	22	23	23	208	✓
* Days with .04 in. or more.	7	16	6	18	11	16	5	8	19	13	21	17	156	✓

Section

A

for the entry of Daily Observations.

Station No. 1605

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1000.

REGISTER OF RAINFALL IN 1936.

Kept at East street, Beaminster

in the County of Dorset

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft....in.

,, Ground ,, Sea Level 183.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
36	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	13	04	-	61	-	43	29	-	-	-	05	03		1
2	-	-	-	03	-	01	43	06	02	-	05	-		2
3	-	-	-	59	-	07	15	01	56	-	45	01		3
4	03	-	32	-	-	25	02	-	20	-	09	05		4
5	61	-	01	-	-	-	-	06	30	-	05	09		5
6	11	-	02	-	-	05	11	01	25	-	56	-		6
7	05	-	38	-	-	-	39	-	-	-	42	07		7
8	71	-	68	-	-	-	23	-	-	-	29	05		8
9	63	-	28	-	-	-	23	-	12	-	01	-		9
10	10	35	-	-	-	-	09	-	13	-	07	-		10
11	23	03	-	-	-	05	03	01	11	-	108	-		11
12	01	-	-	01	-	19	43	-	24	-	17	03		12
13	03	-	-	-	-	01	09	-	-	05	28	94		13
14	-	03	-	-	-	01	41	-	19	-	04	74		14
15	01	03	-	-	42	01	05	-	43	-	05	49		15
16	02	21	-	04	37	-	15	-	-	-	07	13		16
17	01	103	-	-	08	-	42	-	-	02	01	70		17
18	11	17	01	-	-	10	78	-	-	04	-	16		18
19	41	16	04	10	-	78	04	09	-	-	-	-		19
20	13	27	19	13	-	25	04	-	23	-	-	-		20
21	-	19	03	34	-	01	-	-	-	-	-	-		21
22	17	43	72	01	-	-	34	-	-	-	-	02		22
23	10	01	02	20	01	-	28	-	-	04	-	-		23
24	14	03	02	01	12	-	01	-	04	34	-	-		24
25	12	-	29	21	-	-	11	-	06	29	01	-		25
26	35	14	14	05	-	-	01	-	02	11	-	-		26
27	49	28	18	-	-	-	58	-	08	24	-	-		27
28	94	-	77	-	-	-	18	-	-	-	-	42		28
29	05	11	06	-	-	09	-	-	-	16	07	06		29
30	21	X	01	-	01	06	01	-	-	39	-	-		30
31	17	X	49	X	22	X	14	-	X	25	X	60		31
99														
TOTAL	6.07	3.51	4.66	2.33	1.23	2.37	6.04	2.24	2.98	1.93	3.82	4.59	39.77	✓✓✓
* Days with .01 in. or more.	27	17	20	13	7	16	28	6	16	11	19	17	197	✓✓
* Days with .04 in. or more.	21	12	13	9	5	11	23	3	14	10	16	13	150	✓✓

40-9099.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

W. A. Stebbins

[P.T.O.]

18 71



Rugby Boys Sch

~~Tennor~~

1605 35T190

Beaminster

~~98~~ 07

780305

781105

41-50

1705

51-62

13

1930-60

Section

A

for the entry of Daily Observations.

Station No. 1605

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at ... Beaminsters, East Street

in the County of Dorsetshire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.12	.02	.01	.09	-	-	-	-	.03	.02	.17	.83		1
2	.01	.85	-	.24	-	-	-	-	.07	-	-	.40		2
3	.02	.24	.21	.03	-	-	.02	-	-	-	-	-		3
4	.14	.94	-	-	-	-	-	-	-	-	-	.32		4
5	.15	-	.02	-	-	-	.43	-	-	-	-	-		5
6	.16	.24	.24	.27	.04	-	.46	-	-	.05	-	-		6
7	-	.70	.01	.09	.03	.01	-	-	.01	.02	-	.66		7
8	-	.02	-	-	.27	-	.01	-	-	-	.11	.31		8
9	-	-	.02	.16	.21	-	.21	-	.53	-	-	-		9
10	.36	.01	.60	.20	-	.21	-	.03	-	-	-	.33		10
11	.06	-	.31	.08	.42	.02	.54	-	-	-	-	-		11
12	.91	.22	.04	.07	-	.39	.05	.24	.18	-	-	.50		12
13	.01	.05	.85	.08	-	-	-	.40	.04	-	-	-		13
14	-	.03	.20	.03	-	.02	-	.03	.08	-	-	.05		14
15	.40	.17	.07	.53	-	-	1.33	-	.32	-	-	.20		15
16	.08	.19	.55	.09	-	.02	.06	.35	1.11	-	-	-		16
17	.74	.09	.53	-	-	-	.04	.02	.54	-	.26	-		17
18	.11	.05	.07	-	-	.03	-	-	.03	-	.12	.33		18
19	.04	.06	.02	.15	.07	-	-	-	-	-	.02	.04		19
20	.39	.08	.07	.24	.14	-	-	-	-	-	-	.77		20
21	.66	.46	.25	.08	.29	-	.03	-	.08	-	.48	.34		21
22	.19	-	.22	-	.70	.60	.21	-	.15	1.41	.74	.14		22
23	.36	.21	-	-	.26	-	-	-	-	.25	.07	.02		23
24	.48	.69	.01	-	-	-	-	-	.08	.92	-	-		24
25	.22	.72	.37	-	.43	-	-	-	.02	.27	-	.03		25
26	-	.44	.01	-	.42	-	-	-	-	.03	-	.02		26
27	.01	.33	-	.03	-	-	-	-	-	.51	-	-		27
28	.42	.06	-	-	-	-	-	-	-	.20	-	-		28
29	.01	X	-	-	-	.01	-	-	-	.73	.11	-		29
30	.47	X	-	-	-	.05	-	-	-	.09	.31	-		30
31	.19	X	-	X	-	X	-	-	X	.30	X	-		31
99													Year's Total	
TOTAL	6.7	6.87	4.68	2.46	3.28	1.36	3.39	1.07	2.30	4.80	2.39	5.29	45.60	✓
* Days with .01 in. or more.	26	24	22	17	12	10	12	6	15	13	10	17	184	✓
* Days with .04 in. or more.	21	20	15	14	12	4	9	3	11	10	9	14	141	✓

Section

for the entry of Daily Observations

Station No. 1605

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Beaminstrey East Street

in the County of Dorsetshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

Ground Sea Level.....183.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
38	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	0.6	—	—	—	26	02	—	—	82	01	04		1
2	—	—	—	03	—	—	01	—	—	19	17	11		2
3	—	—	—	—	13	—	—	—	—	99	33	—		3
4	02	—	—	—	—	02	07	55	—	09	—	25		4
5	—	—	—	—	—	01	06	03	02	19	01	—		5
6	04	—	—	—	—	09	25	—	05	12	05	03		6
7	18	—	—	—	—	14	62	—	04	13	05	04		7
8	17	02	—	—	—	11	09	12	—	50	—	02		8
9	18	07	—	—	—	—	—	05	—	—	—	1.12		9
10	09	04	—	—	—	—	03	03	—	—	—	46		10
11	16	—	—	—	—	—	—	03	—	—	62	49		11
12	56	—	—	—	33	—	02	—	—	27	04	—		12
13	22	—	—	—	05	—	—	—	—	03	45	64		13
14	74	—	—	—	03	—	77	—	—	—	—	—		14
15	25	02	—	—	08	—	40	02	—	24	02	90		15
16	41	02	01	—	—	—	—	03	—	06	05	—		16
17	—	18	03	—	05	—	—	—	13	14	04	—		17
18	17	—	—	—	04	08	—	01	18	04	39	—		18
19	—	—	—	—	—	—	—	08	37	—	62	—		19
20	—	—	—	—	—	—	—	—	—	—	50	—		20
21	—	—	—	—	—	—	—	—	02	—	20	34		21
22	02	—	—	13	—	10	—	49	—	13	50	09		22
23	01	—	—	03	—	—	—	01	03	—	04	—		23
24	—	—	19	—	—	—	01	02	11	—	28	—		24
25	12	63	—	—	34	—	46	—	—	05	1.49	06		25
26	43	45	—	—	65	—	01	—	—	10	—	20		26
27	06	01	—	—	17	27	97	26	—	26	56	—		27
28	05	08	—	—	31	08	—	70	16	—	—	01		28
29	03	X	—	—	42	—	—	—	43	31	60	05		29
30	09	X	—	—	03	34	06	—	37	—	11	05		30
31	38	X	—	X	25	X	—	—	X	32	X	35		31
99													Year's Total	
TOTAL	4.38	4.48	2.3	1.9	2.88	1.50	3.85	2.43	1.91	5.01	7.13	5.25	36.24	✓
* Days with .01 in. or more.	22	11	3	3	14	11	16	15	12	20	28	19	169	✓
* Days with .04 in. or more.	18	7	1	1	12	9	10	7	9	19	20	16	129	✓

† Spare column, no entries required

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

Section

for the entry of Daily Observations

Station No. 1605

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Beaminster, East Street
in the County of Dorsetshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

„ Ground „ Sea Level.....183.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
39E	.21 in.	.49 in.	1.15 in.	2.15 in.	3.65 in.	4.00 in.	3.40 in.	3.35 in.	2.15 in.	.87 in.	.23 in.	.12 in.	†	
1	.01	—	.07	.02	.03	—	.10	.05	.13	—	.03	.09		1
2	—	—	—	.44	—	—	.02	.40	.83	—	.16	.10		2
3	.81	—	.07	.66	—	—	—	.16	—	—	.23	.42		3
4	.02	—	.63	.11	.38	—	.25	.08	✓	.52	.05	.15		4
5	—	—	.04	.15	.01	—	.25	—	✓	.48	1.13	—		5
6	.51	—	.08	.04	—	—	.94	.07	—	—	.42	—		6
7	—	1.00	.01	—	—	—	.02	.01	—	—	.73	1.05		7
8	.09	.43	.07	—	.01	—	.11	.16	—	.80	.42	.25		8
9	.06	—	.05	—	—	—	—	.13	—	.20	.06	.19		9
10	.16	—	✓	—	—	.02	—	.24	.03	.16	.20	.15		10
11	—	.04	.13	—	—	—	—	—	—	.62	.01	—		11
12	—	—	—	—	—	.05	✓	—	—	—	.02	—		12
13	—	—	—	.11	—	.02	.37	—	.13	.86	.10	—		13
14	.94	—	—	.01	.02	.02	.34	—	.01	.28	.46	.10		14
15	.39	—	—	.02	.09	✓	1.66	.36	—	.21	.46	.03		15
16	.34	—	.01	.13	.05	.01	.05	—	—	—	.28	—		16
17	.38	.02	—	—	.10	.02	.28	—	—	—	.09	—		17
18	.11	—	.04	—	—	.27	.55	—	—	—	.60	.01		18
19	.55	.03	—	—	—	—	.19	.05	—	—	—	.05		19
20	.47	—	—	—	—	.41	.21	✓	.85	—	—	.01		20
21	.02	.54	.08	.01	.01	.02	.12	—	.02	—	—	—		21
22	.58	.34	.08	.20	—	.40	.41	—	.03	—	.57	—		22
23	—	—	—	.02	—	—	.13	—	—	—	1.46	—		23
24	.46	—	.07	.03	—	.39	.33	—	—	—	—	—		24
25	1.25	.13	—	—	—	—	.27	.02	—	.09	.24	—		25
26	.09	.08	—	—	—	—	—	.19	—	.22	.42	.01		26
27	—	.37	.09	—	—	—	.04	.01	—	—	.08	—		27
28	—	.10	.03	.17	—	.05	.66	—	—	—	.42	.16		28
29	—	✕	—	.14	—	.03	.27	—	—	.38	.12	—		29
30	—	✕	—	.46	—	.01	—	.04	—	.07	.04	—		30
31	—	✕	—	✕	—	✕	—	.21	✕	.40	✕	—		31
99 TOTAL	7.24	3.08	1.55	2.72	.70	3.38	6.27	2.67	1.18	5.29	8.80	2.77	45.65	✓
* Days with .01 in. or more.	19	11	16	17	9	15	23	16	7	14	26	15	188	✓
* Days with .04 in. or more.	16	8	13	11	4	7	20	13	3	14	23	11	144	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

351190

1605

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Beaminster East Street
in the County of Dorsetshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft.....0.....in.

,, Ground ,, Sea Level 18.3.....ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
40 E	.21 in.	.49 in.	1.15 in.	1.80 in.	3.65 in.	4.35 in.	4.05 in.	3.65 in.	2.05 in.	8.7 in.	2.3 in.	.12 in.	†	
1	.01	.01	-	-	.01	-	-	-	-	-	.10	-		1
2	-	.08	-	.27	.01	-	-	-	-	-	.70	.09		2
3	.06	.52	-	-	-	-	-	-	-	.21	.80	.36		3
4	-	.20	.04	-	-	-	.17	-	-	.34	.16	.04		4
5	-	.02	-	-	-	-	-	-	-	.11	.99	.25		5
6	.35	.81	-	-	-	-	.23	-	-	.44	.08	.12		6
7	.13	-	-	-	-	-	-	-	-	.03	-	-		7
8	-	-	-	-	-	-	.04	-	-	.77	.28	.18		8
9	-	-	-	-	-	-	.26	.08	.03	.09	.67	.19		9
10	-	-	-	-	-	-	.81	.01	.01	.10	.14	.09		10
11	-	.01	.06	.02	-	-	.19	-	-	-	1.17	-		11
12	-	-	.23	.01	-	.01	.18	-	.53	-	.08	-		12
13	-	-	.59	-	-	-	.03	-	.01	.09	1.60	.06		13
14	-	.01	.23	.06	.79	-	-	-	.33	.51	-	1.32		14
15	-	.03	-	.04	.38	-	.21	-	.22	.16	.80	.03		15
16	-	1.05	.48	.03	-	.03	.11	-	.09	1.00	.55	.04		16
17	-	.04	.41	-	-	-	-	-	-	-	.38	-		17
18	.08	.34	.30	.30	-	-	.22	-	.03	.04	.02	-		18
19	-	.05	.06	.17	-	-	.04	-	.68	-	.36	-		19
20	-	-	.03	.02	-	-	-	.01	.03	.11	.09	-		20
21	-	-	-	-	.20	-	.08	-	-	-	.75	-		21
22	-	-	.07	-	-	.43	-	-	.10	-	-	-		22
23	-	.04	.45	.12	-	-	-	-	-	-	.06	.01		23
24	-	-	.03	-	-	.02	.27	-	-	-	-	-		24
25	.09	-	.03	.03	-	-	-	-	-	-	-	-		25
26	1.27	1.04	.01	-	.15	-	-	-	-	-	-	-		26
27	.31	.14	-	-	.25	-	.03	-	-	-	.01	-		27
28	.14	.04	-	-	-	-	-	-	-	-	-	-		28
29	.09	.25	.36	.50	-	.06	-	-	-	.15	-	.27		29
30	.09	X	.04	.05	.03	-	-	-	-	.72	-	.08		30
31	.06	X	.12	X	-	X	-	-	X	.84	X	.39		31
99 TOTAL	2.68	4.68	3.54	1.62	1.82	.55	2.87	.10	2.06	5.71	9.79	3.52	38.94	✓✓
* Days with .01 in. or more.	12	18	18	13	8	5	15	3	11	17	21	17	158	✓✓
* Days with .04 in. or more.	11	13	14	8	5	2	13	1	6	16	19	15	123	✓

† Spare column, no entries required.

(Signed)

W. A. Stibby

[P.T.O.]

* See Instruction 3 (f) on other side.

Section **A** for the entry of
AIR MINIST
FORM 1090.

REGI

Kept at **Cerne Abbas**
in the County of **Dor**

Diameter of Funnel of Gauge
Height of top of Gauge above Gro
,, Ground ,, Sea

Station No. **1605/2**
NFALL ORGANIZATION.
1935.

1605/2
CERNE ABBAS
1935-40

780304

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			↑			0.25	0.18		0.41	0.27	0.16	0.33		1
2			0.47			0.17			0.03	0.57	0.07	0.06		2
3		0.02	0.16		0.02	0.27			0.41	0.83	0.48			3
4		0.18		0.23		0.15			0.20	0.59	0.22	0.13		4
5		0.49	0.07	0.09		0.10			0.22	0.02	0.04	0.03		5
6		0.04		0.37		2.02					0.10	0.10		6
7				0.50		0.02				0.38	0.16	0.07		7
8				0.45					0.09	0.20	0.43	0.12		8
9				0.97		0.21				1.05	1.00			9
10	0.07		0.53	0.04		0.05					0.09	0.04		10
11	0.18		0.06			0.40			0.01	0.03	0.78			11
12	0.09	0.09				0.27			0.17		0.40			12
13	0.15	0.16		0.28	0.03	0.12			0.01	0.03	0.09			13
14		0.02		0.25	0.01	0.09			0.05	0.03	1.43	0.34		14
15		0.08		1.05	0.16	0.23			0.18	0.01	0.63			15
16		0.03	0.06	0.10		0.02			0.75	0.01	1.75	0.17		16
17				0.01	0.94	0.29		0.15	0.02		0.20			17
18		0.06		0.37	0.07		0.12		0.54	0.04		0.07		18
19		0.09		0.02	0.22	0.06	0.39		0.25	0.30	0.39			19
20		0.58		0.32	0.10	0.01	0.20				0.35			20
21		0.63	0.02	0.15			0.02		0.06	0.01				21
22		0.11	0.04	0.02				0.18	0.04					22
23			0.16	0.07	0.08			0.13	0.06	0.45		0.28		23
24	0.04	0.54	0.01		0.10			0.53	0.63	0.21		0.41		24
25	0.21	0.08		0.14	0.02							0.71		25
26		0.56				0.03		0.32	0.09		0.01	0.92		26
27		0.27						0.03	0.19	0.04	0.13	0.84		27
28		0.05			0.04			0.16	0.06		0.03	0.09		28
29					0.07			0.31	0.35	0.03		0.73		29
30	0.04	×		0.04				0.98	0.05	0.60	0.59	0.87		30
31		×		×	0.01	×		0.06	×	1.55	×	0.53		31
TOTAL	0.78	4.08	1.58	5.47	1.87	4.76	0.91	2.85	4.87	7.25	9.53	6.84	50.79	Year's Total.
* Days with .01 in. or more.	7	19	10	20	14	19	5	10	24	22	23	20	193	
* Days with .04 in. or more.	7	16	8	17	9	15	4	9	20	14	21	19	159	

40-9999

* See Instruction 2 (f) on other side.

X CAPT. G. JENSEN

† Spare column, no entries required

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

1605/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ~~X~~ Cerne Abbas (LONG STREET) ~~X~~

in the County of Dorset

Dorset 13

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 375 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			↑			0.25	0.18		0.41	0.27	0.16	0.33		1
2			0.47			0.17			0.03	0.57	0.07	0.06		2
3		0.02	0.16		0.02	0.27			0.41	0.83	0.48			3
4		0.18		0.23		0.15			0.20	0.59	0.22	0.13		4
5		0.49	0.07	0.09		0.10			0.22	0.02	0.04	0.03		5
6		0.04		0.37		2.02					0.10	0.10		6
7				0.50		0.02				0.38	0.16	0.07		7
8				0.45					0.09	0.20	0.43	0.12		8
9				0.97		0.21				1.05	1.00			9
10	0.07		0.53	0.04		0.05					0.09	0.04		10
11	0.18		0.06			0.40			0.01	0.03	0.78			11
12	0.09	0.09				0.27			0.17		0.40			12
13	0.15	0.16		0.28	0.03	0.12			0.01	0.03	0.09			13
14		0.02		0.25	0.01	0.09			0.05	0.03	1.43	0.34		14
15		0.08		1.05	0.16	0.23			0.18	0.01	0.63			15
16		0.03	0.06	0.10		0.02			0.75	0.01	1.75	0.17		16
17				0.01	0.94	0.29		0.15	0.02		0.20			17
18		0.06		0.37	0.07		0.12		0.54	0.04		0.07		18
19		0.09		0.02	0.22	0.06	0.39		0.25	0.30	0.39			19
20		0.58		0.32	0.10	0.01	0.20				0.35			20
21		0.63	0.02	0.15			0.02		0.06	0.01				21
22		0.11	0.04	0.02				0.18	0.04					22
23			0.16	0.07	0.08			0.13	0.06	0.45		0.28		23
24	0.04	0.54	0.01		0.10			0.53	0.63	0.21		0.41		24
25	0.21	0.08		0.14	0.02							0.71		25
26		0.56				0.03		0.32	0.09		0.01	0.92		26
27		0.27						0.03	0.19	0.04	0.13	0.84		27
28		0.05			0.04			0.16	0.06		0.03	0.09		28
29					0.07			0.31	0.35	0.03		0.73		29
30	0.04	X		0.04				0.98	0.05	0.60	0.59	0.87		30
31		X		X	0.01	X		0.06	X	1.55	X	0.53		31
TOTAL	0.78	4.08	1.58	5.47	1.87	4.76	0.91	2.85	4.87	7.25	9.53	6.84	50.79	Year's Total.
* Days with .01 in. or more.	7	19	10	20	14	19	5	10	24	22	23	20	193	
* Days with .04 in. or more.	7	16	8	17	9	15	4	9	20	14	21	19	159	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 1605/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Cerne Abbas

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

Ground Sea Level 375 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.43	.10	.02	.58		.51	.22	.04			.07	.03		1
2		.01		.06		.06	.89	.02	.02		.03			2
3				.49		.01	.04	.01	.42		.41	.03		3
4			.28	.01		.01			.44		.10	.08		4
5	.59		.04		.02			.06	.17			.08		5
6	.19		.03			.03	.04	.05	.53		.45			6
7	.15		.27				.52				.29	.05		7
8	.92		.69				.23				.53	.06		8
9	.61		.57				.20		.20		.01			9
10	.53	.25				.04	.19				.13			10
11	.27	.01				.06	.05		.19		1.16			11
12				.23		.32	.43		.08		.17	.02		12
13	.06					.02	.26	.01		.04	.18	.89		13
14		.03				.06	.44		.04	.01	.01	.96		14
15	.02	.03					.01		.20		.07	.62		15
16	.04	.30		.02	.31		.17		.02		.20	.24		16
17		1.38		.01	.03		.44		.02	.03	.06	1.10		17
18	.14	.18				.49	.88			.02		.38		18
19	.67	.09	.02	.19		.07		.11						19
20	.09	.31	.20	.14		.20	.02		.50			.01		20
21	.02	.20	.13	.43		.04	.07							21
22	.26	.30	.73				.46			.02		.03		22
23	.07	.03	.01	.23	.07		.35			.13				23
24	.25	.08	.04	.01	.03				.04	.41				24
25	.14		.43	.18					.12	.27	.02			25
26	.39	.19	.16	.03			.02		.02	.11				26
27	.41	.47	.19				.24		.02	.15		.01		27
28	1.10		1.01				.15					.50		28
29	.04	.10	.06			.69	.01			.13	.03	.04		29
30	.18	~~X~~			.01	.09	.02			.37				30
31	.16	~~X~~	.51	~~X~~	.03	~~X~~	.26		~~X~~	.34	~~X~~	.75		31
TOTAL	7.73	4.06	5.39	2.61	0.50	2.70	6.61	0.30	3.03	2.03	3.92	5.88	Year's Total 44.76	
* Days with .01 in. or more.	25	18	19	14	7	16	26	7	17	13	18	19	199	
* Days with .04 in. or more.	23	13	15	9	2	12	21	4	12	9	13	13	146	

Section



for the entry of Daily Observations.

Station No. 1605/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at ...Cerne Abbas.....

in the County of ...Dorset.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1.....ft.....in.

,, Ground ,, Sea Level 37.5.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21	.05		.32				.07	.07	.01	.14	1.40		1
2	.02	1.28	.07	.24					.29			.63		2
3	.04	.33	.07	.05	.01		.04							3
4	.25	1.13										.30		4
5	.18		.07				.39							5
6	.17	.29	.29	.19	.08		.19			.10				6
7		.83	.02	.11					.01	.05		.81		7
8		.02			.65		.02				.24	.58		8
9		.02	.09	.29	.15		.15		.58			.04		9
10	.18		1.19	.35	.39	.34						.63		10
11	.03		.40	.09	.36	.25	.44							11
12	.93	.29	.16	.10			.02	.45	.31			.37		12
13	.16	.04	.87	.15				.35	.13			.05		13
14	.02	.04	.20	.01		.01		.01	.09			.08		14
15	.35	.29	.10	.50			2.22		.16			.14		15
16	.12	.10	.82	.10		.03	.02	.48	1.06		.02			16
17	.87	.07	.66				.02	.02	.16		.48			17
18	.08	.12	.03								.11	.20		18
19	.06	.06	.06	.32	.08	.02					.01	.11		19
20	.49	.03	.15	.26								.49		20
21	.74	.43	.30	.05	.41		.05		.03		.69	.30		21
22	.30		.11	.59	.15	.24			.09	2.03	.63	.24		22
23	.35	.26			.06					.35	.05	.03		23
24	.53	.77							.06	1.26		.01		24
25	.19	.55	.51		.79				.01	.47		.03		25
26		.62	.03		.48					.07		.04		26
27	.03	.36		.06						.76				27
28	.46	.15								.25				28
29	.09	X				.03				.09	.07			29
30	.09	X				.03				.06	.21			30
31	.21	X		X		X			X	.33	X			31
TOTAL	7.15	8.13	6.20	3.19	4.05	0.86	3.80	1.31	3.05	5.83	2.65	6.48	Year's Total	52.70
* Days with .01 in. or more.	27	24	21	17	12	8	12	5	14	13	11	20		184
* Days with .04 in. or more.	23	21	18	16	11	3	8	3	11	12	8	17		152

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Jensen [P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No.

1605/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ... Cumie Abbas in the County of ... Domb Diameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground...1...ft.....in.,, Ground ,, Sea Level ...375.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.05				.31	.64			.71		.13		1
2	.01			.02						.18	.11	.14		2
3					.16		.05			1.19	.36			3
4	.01						.03	.77		.08		.49		4
5	.06						.14		.01	.18				5
6						.15	.57		.07	.24	.09	.13		6
7	.18					.12	.37		.03	.16	.02	.07		7
8	.22					.03	.07	.03		.56		.03		8
9	.13	.09								.01		1.05		9
10	.06	.01					.03	.16			.01	.61		10
11	.20										.39	.46		11
12	.61				.34		.01			.35	.08			12
13	.30									.09	.81	.68		13
14	.88				.05		.38				.01			14
15	.39				.10		.41	.06		.31	.06	.47		15
16	.58		.03							.10	.07	.04		16
17		.21	.03						.36	.22	.06	.02		17
18	.22				.06	.07		.21	.17	.04	.54			18
19								.17	.40		.86			19
20	.01							.01	.02		.32			20
21	.01								.10		.15	.22		21
22	.02			.19		.03		.41		.03	.42	.03		22
23	.01			.02					.03		.02			23
24			.20				.01	.04	.18		.42			24
25	.16	.33	.04		.28		.21			.03	1.84	.07		25
26	.47	.48			.44	.03				.03	.01	.27		26
27	.10	.01			.06	.38	.82	.15		.18	.72			27
28	.08	.10			.23	.15		.65	.08		.01	.01		28
29	.01				.41				.38	.24	.41	.10		29
30	.08	~~X~~			.02	.23	.10		.73	.01	.09	.02		30
31	.37	~~X~~		~~X~~	.33	~~X~~			~~X~~	.47	~~X~~	.40		31
TOTAL	5.17	1.28	0.30	0.23	2.48	1.50	3.84	2.66	2.56	5.41	7.88	5.44	38.75	✓
* Days with .01 in. or more.	25	8	4	3	12	10	15	11	13	22	25	21	169	✓
* Days with .04 in. or more.	18	6	2	1	11	7	11	9	9	17	19	16	126	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 1605/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Cerne Abbas

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 8 in.

Ground Sea Level 37.5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02		.14	.04	.08		.02	.16	.35		.01	.12		1
2				.43	.02		.01	.45	.81		.06	.09		2
3	.65		.08	.59				.12	.01		.12	.26		3
4	.03		.61	.14	.38		.16	.25		.86	.11	.14		4
5			.03	.18	.10		.32	.04		.55	1.38	.03		5
6	.60		.06				1.52	.12			.55			6
7	.01	.49					.05			.15	.82	1.06		7
8	.06	.34	.14				.18	.09		.69	.37	.50		8
9	.09		.05					.16		.19	.12	.48		9
10	.22					.01		.26	.19	.52	.01	.10		10
11		.05	.23							.45	.01			11
12				.03		.01					.03			12
13		.02		.13		.03	.47		.08	1.73	.07	.11		13
14	1.08			.01	.04	.02	.25		.08	.26	.60	.11		14
15	.46		.04		.08	1.39	.47		.01	.14	.51	.02		15
16	.24			.14	.08	.02	.27				.20			16
17	.56	.02			.08	.12	.44			.11	.05			17
18	.15	.01	.04			.19	.34				.56	.03		18
19	.54						.03	.56				.11		19
20	.39					.10	.33	.34				.01		20
21	.07	.46	.10	.01		.05	.11	.12						21
22	.46	.40	.11	.01		.73	.36		.03		.52			22
23				.21		.01	.12				1.50			23
24	.67			.03		.46	.20	.02		.02				24
25	1.42	.13		.03			.24	.12		.13	.61			25
26	.04	.06		.02				.25		.19	.38			26
27		.65	.08	.03			.08			.02	.12			27
28		.14	.02	.11		.12	.54				.38	.32		28
29				.09		.01	.39			.25	.09			29
30		X		.53				.02		.24	.07			30
31		X		X		X	.01	.15	X	.59	X			31
TOTAL	7.76	2.77	1.73	2.76	0.86	3.27	6.91	3.23	1.56	7.09	9.25	3.49	Year's Total	✓
* Days with .01 in. or more.	20	12	14	19	8	15	24	17	8	18	26	16	197	✓
* Days with .04 in. or more.	17	9	12	11	7	8	20	15	5	16	22	12	154	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

Section



for the entry of Daily Observations

Station No. 160572

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at ... Cerne Abbas

in the County of ... Dorset

Diameter of Funnel of Gauge ... 5 in.

Height of top of Gauge above Ground ... 8 in.

,, Ground ,, Sea Level ... 375 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					.06						.12			1
2		.24			~~.06~~		.04				.82	.05		2
3	.04	.67		.29						.26	.91	.27		3
4	.01	.04					.31			.32	.25	.05		4
5		.03					.11			.12	.72	.44		5
6	.41	.73								.49	.09	.16		6
7	.15	.05								.09		.03		7
8							.28			.67	.32	.40		8
9							.35	.04	.03	.19	.86	.17		9
10							1.36		.05	.01	.14	.18		10
11			.04	.02			.13				1.22	.02		11
12		.01	.34				.34		.56		.05			12
13			.78				.12		.03	.36	1.36	.13		13
14		.01	.20	.08	.23		.14		.37	.57	.06	1.16		14
15		.01		.05	1.14		.40		.20	.34	.91	.06		15
16		1.49	.52	.05			.05		.16	1.76	.76	.07		16
17		.03	.50				.02		.01		.97			17
18	.04	.46	.41	.38			.39	.02	.10	.13	.02	.14		18
19		.05	.06	.29			.20		.80		.59			19
20			.01	.02			.02		.04	.40	.10			20
21		.01			.45		.04		.04		.89			21
22		.02	.11	.08		.43			.14		.02			22
23		.03	.29	.09							.04			23
24			.02				.25							24
25	.07		.07	.04										25
26	1.30	.91			.16		.02							26
27	.37	.42			.27		.04							27
28	.38	.32												28
29	.20	.21	.33	1.06		.04				.07		.35		29
30	.21	~~.01~~		.04						.72		.21		30
31	.04	~~.01~~	.06	~~.01~~		~~.01~~			~~.01~~	.81	~~.01~~	.37		31
TOTAL	3.22	5.79	3.74	2.49	2.31	0.47	4.61	0.06	2.53	7.25	11.22	4.26	Year's Total 47.95	Pr - f
* Days with .01 in. or more.	12	20	15	13	6	2	20	2	13	17	22	18	160	W
* Days with .01 in. or more.	11	12	13	11	6	2	17	1	10	16	20	16	135	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [Signature] [P.T.O.]

BM
S

1605/3

* The following register of months &c., is NOT required if data values are given on the other side.

RAINFALL IN 19

At PlushIn the County of Dorset

Rain Gauge { Diameter of Funnel.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.

Month	Total Depth inches	Greatest Fall in 24 hours inches	Number of Days with 0.1 in. or more	0.4 in. or more
JAN.	3.71			
FEB.	.95			
MAR.	.18			
APRIL	.20			
MAY	2.01			
JUNE	.66			
JULY	4.01			
AUG.	2.55			
SEPT.	1.91			
OCT.	2.49			
NOV.	4.56			
DEC.	3.71			
TOTAL	26.94			

1605/3
CERNE ABBAS PLUSH MANOR
1938-40
780305

Nearest Parish Church at.....

Nature of objects nearest to gauge.....

Height of objects.....

Distances ...

Directions from gauge ...

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



A



B



C



D



E

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Signature

Copied from the Proceedings of the
Dorset Natural History Society

18 JULY 1940

* See Instruction 3 (f) below.

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 14 would show that the reading on the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

S.O. Code No. 40-9999

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At PlushIn the County of Dorset

Rain Gauge { Diameter of Funnel.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Date	Number of Days with 0.1 in. or more	0.4 in. or more
JAN.	3.71				
FEB.	.95				
MAR.	.18				
APRIL	.20				
MAY	2.01				
JUNE	.66				
JULY	4.01				
AUG.	2.55				
SEPT.	1.91				
OCT.	2.49				
NOV.	4.56				
DEC.	3.71				
TOTAL	26.94				

Signature

* See Instruction 3 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W. A. Graham

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge

Height of objects

Distances ...

Directions from gauge ...

If gauge has been moved during the year state —

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



A

B

C

D

E

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

*Copied from the Proceedings of the
Dorset Natural History Society*

18 JULY 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W.H.&S. 668/91

S.O. Code No. 40-9999

Section

A

for the entry of Daily Observations

50284236

Station No.

1605/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Plush, Piddletrenthide

in the County of Dorset

Diameter of Funnel of Gauge.....5" in.

Height of top of Gauge above Ground....2 ft. 6 in.

Ground Sea Level 500 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.27	.09		.05		.13	.13	.14			.07		1
2		.67		.43				.40	.66		.26	.13		2
3			.15	.44				.14			.11	.21		3
4			.34	.09			.24	.48	.32	.50				4
5			.04	.17	.45		.34	.05		.24	.95			5
6		.51					.87	.06			.77			6
7	.29	.22									.76	.86		7
8	.16						.12			.58	.22			8
9								.32		.25		.14		9
10								.06	.14	.34	.12			10
11		.24								.71				11
12			.28			.02								12
13				.09			.49			1.73				13
14		.78					.80			.22	.40	.22		14
15		.32			.10	1.11	.48			.08	.20			15
16		.16		.10	.08	.52					.42			16
17	.05	.21				.15				.15	.38			17
18		.48				.19	.89							18
19								.21						19
20		.32				.09	.46	.95						20
21	.31		.11	.18			.08							21
22	.35	.38		.09		.42	.32		.08					22
23		.90									1.19			23
24		.50				.46	.32	.11						24
25	.08	.12	.10				.20				.22			25
26				.03			.05	.17	.42	.24	.38			26
27	.41		.08	.05			.15		.25	.05				27
28	.24		.04	.10		.14	.58				.39			28
29							.28		.48	.18				29
30				.48										30
31										.69				31
TOTAL	1.89	6.75	1.13	2.25	0.68	1.58	6.65	3.02	1.28	6.96	6.77	1.73	39.12	n.p.
* Days with .01 in. or more.	8	15	9	12	4	8	19	12	5	14	15	6	127	late
* Days with .04 in. or more.	8	15	9	11	4	7	19	12	5	14	15	6	125	17/100

Section



for the entry of Daily Observations

Station No. 160573

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Plush
in the County of Dorset
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground...2...ft...6.....in.
„ Ground „ Sea Level ...500.....ft.

np 1939
San Feb adjusted, Nov 17, Dec 29-bleed
from nearby stas.
Every cent 1/4/41
Observer agrees
502842/36

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				.15							.11			1
2														2
3		(1.00) 1.66								.17	1.40	.27		3
4										.18	.26	.05		4
5		.11					.21				.76	.18		5
6		.48								.23	.08	.22		6
7		.17								.55				7
8										.23				8
9											.93	.08		9
10							2.08					.07		10
11							.13				.89			11
12							.19		.40					12
13											.96			13
14			.95						.41	.66		1.18		14
15		.50			.94		.58			.25	.77			15
16			.75							1.29	.72	.08		16
17			.37						.28		(.33) .02			17
18		.50		.43			.82 ✓		.71		.07	.09		18
19		.42					.28				.26			19
20										.65				20
21					.44						.55			21
22									.27					22
23			.27	.42		.43					.25	.05		23
24							.26							24
25														25
26	2.5	.64			.47									26
27		.20												27
28		.27												28
29			.20	1.14										29
30	.06	X		(.07) .97						.44				30
31	(.66)	X		X		X			X	.51	X			31
TOTAL	2.76 2.10	4.29 4.93		2.21 3.17	1.85	0.43	4.53	—	2.07	5.16	8.75 8.03	2.89 2.24	37.41	37.41
* Days with .01 in. or more.														37.46
* Days with .04 in. or more.														

† Spare column, no entries required.

(Signed)

W. Graham

[P.T.O.]

* See Instruction 3 (f) on other side.

REGIST

Kept at Minterne
in the County of Dorset

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
Ground Sea Level

THE MORNING MEASURE

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

COPY FOR OFFICIAL USE.
FALL ORGANIZATION.

31. Donner 13

1605/5
MINTERNE
1931 — 40

780305

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							.02	.01	.25	.03	—	—	1
2							—	.01	.67	TRACE	.04	.27	2
3							.03	.02	.24	TRACE	1.68	.13	3
4							.41	.05	.20	.05	.16	.02	4
5							.04	.17	—	—	.07	.17	5
6							—	.06	—	.33	.26	.29	6
7							.23	.31	—	.07	.44	.20	7
8							.02	.14	—	TRACE	.09	.12	8
9							.03	TRACE	—	TRACE	.68	TRACE	9
10							.04	.18	.01	—	.52	—	10
11							.04	.01	.04	—	.58	—	11
12							.33	.01	.08	.01	TRACE	—	12
13							.21	.12	—	TRACE	—	TRACE	13
14							1.27	.12	.04	—	.13	—	14
15						—	.01	.45	TRACE	—	—	.40	15
16						.66	.02	.12	.08	—	—	—	16
17						.01	.22	—	.21	—	TRACE	—	17
18						.19	.07	1.70	—	—	.66	—	18
19						.02	.13	.05	TRACE	—	.05	—	19
20						—	—	.43	—	TRACE	TRACE	.01	20
21						—	—	TRACE	—	—	TRACE	—	21
22						—	—	TRACE	—	TRACE	TRACE	—	22
23						.02	—	.02	TRACE	—	.66	—	23
24						.33	.46	.41	—	—	.01	—	24
25						—	.23	—	—	—	.23	—	25
26						—	.43	—	—	—	.30	.01	26
27						—	.26	—	—	TRACE	.01	TRACE	27
28						—	—	—	—	—	TRACE	.19	28
29						—	.15	.06	TRACE	.08	.08	—	29
30		X				—	.04	.07	.15	TRACE	—	—	30
31		X		X		X	.01	—	X	—	X	.13	31
TOTAL						1.23	4.70	4.52	1.97	.57	6.65	1.64	YEAR'S TOTAL
*Days with or in. or more.						6	24	22	11	6	19	12	
*Days with or in. or more.						3	17	16	10	4	17	9	

40-9999

*See Instruction 2 (f) on other side.

X Col The Lord Digby

DSO.MC. X

Rude Minterne

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Hinterne
in the County of Dorset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 800 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·02	·01	·25	·03	—	—	1
2							—	·01	·67	TRACE	·04	·27	2
3							·03	·02	·24	TRACE	1·68	·13	3
4							·41	·05	·20	·05	·16	·02	4
5							·04	·17	—	—	·07	·17	5
6							—	·06	—	·33	·26	·29	6
7							·23	·31	—	·07	·44	·20	7
8							·02	·14	—	TRACE	·09	·12	8
9							·03	TRACE	—	TRACE	·68	TRACE	9
10							·04	·18	·01	—	·52	—	10
11							·04	·01	·04	—	·58	—	11
12							·33	·01	·08	·01	TRACE	—	12
13							·21	·12	—	TRACE	—	TRACE	13
14							1·27	·12	·04	—	·13	—	14
15						—	·01	·45	TRACE	—	—	·10	15
16						·66	·02	·12	·08	—	—	—	16
17						·01	·22	—	·21	—	TRACE	—	17
18						·19	·07	1·70	—	—	·66	—	18
19						·02	·13	·05	TRACE	—	·05	—	19
20						—	—	·43	—	TRACE	TRACE	·01	20
21						—	—	TRACE	—	—	TRACE	—	21
22						—	—	TRACE	—	TRACE	TRACE	—	22
23						·02	—	·02	TRACE	—	·66	—	23
24						·33	·46	·41	—	—	·01	—	24
25						—	·23	—	—	—	·23	—	25
26						—	·43	—	—	—	·30	·01	26
27						—	·26	—	—	TRACE	·01	TRACE	27
28						—	—	—	—	—	TRACE	·19	28
29						—	·15	·06	TRACE	·08	·08	—	29
30		X				—	·04	·07	·15	TRACE	—	—	30
31		X		X		X	·01	—	X	—	X	·13	31
TOTAL						1·23	4·70	4·52	1·97	·57	6·65	1·64	YEAR'S TOTAL
*Days with ·01 in. or more.						6	24	22	11	6	19	12	
*Days with ·04 in. or more.						3	17	16	10	4	17	9	

40-9999

*See Instruction 2 (f) on other side.

X Col The Lord Digby (Signed) R. H. Smith
N DSO MC. X Little Hinterne

[P.T.O.]

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at MINSTERNE
in the County of DORSET
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 8.02 ft.

Cmp 1931.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

O.K. print.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.09	—	—	.20	.37	.01	TRACE	.14	TRACE	.08	.01	TRACE	I
2	.01	—	—	.16	.22	.04	TRACE	.05	.14	.01	.01	.37	2
3	.01	—	—	.08	.02	.36	.01	—	.45	.14	TRACE	.01	3
4	.03	—	—	—	—	.30	TRACE	.01	—	—	.34	—	4
5	.46	—	.01	—	—	—	—	—	.17	—	—	—	5
6	.48	—	.01	.15	.01	—	TRACE	—	.40	.01	—	—	6
7	TRACE	—	.01	.13	.02	—	—	TRACE	.33	(1.01)	—	—	7
8	—	—	.55	.02	.06	—	.03	TRACE	.32	.12	—	—	8
9	.85	(.02)	—	.30	.13	—	—	—	.01	.06	TRACE	—	9
10	.27	.01	TRACE	.35	.04	.05	—	—	.02	.32	.01	—	10
11	.05	—	TRACE	.09	—	.06	.05	.01	.07	.08	—	.06	11
12	(.92)	.01	—	.11	.34	.01	—	—	.02	.27	.02	.06	12
13	.12	—	—	.18	.08	—	.17	.01	.01	.74	TRACE	.06	13
14	.22	—	—	.23	.05	—	TRACE	—	—	.01	.34	.01	14
15	.07	TRACE	—	.08	.30	—	—	—	—	.06	.04	.05	15
16	.42	—	—	.20	.07	—	.48	—	—	—	—	.02	16
17	.03	—	—	.04	TRACE	—	.01	—	TRACE	.05	—	TRACE	17
18	.04	—	—	—	.28	—	—	—	.26	—	.11	—	18
19	.01	—	—	.02	.10	—	—	.15	.04	.47	TRACE	TRACE	19
20	—	—	.02	.03	(.93)	—	.05	—	.01	.87	.22	.01	20
21	.01	—	.18	.10	.05	—	—	.03	.12	.33	.03	.09	21
22	—	—	.07	.01	.01	—	.03	.01	(.66)	.47	.43	TRACE	22
23	—	TRACE	—	TRACE	.10	.01	.30	—	.05	.71	.17	.06	23
24	—	—	—	—	.02	TRACE	(.55)	—	.13	.15	.01	TRACE	24
25	—	—	.02	.17	—	—	.06	—	.22	.40	.04	.01	25
26	—	—	.24	.13	.28	—	.12	—	—	.10	.01	TRACE	26
27	—	—	.40	(.60)	TRACE	—	.12	—	—	.31	TRACE	.08	27
28	—	—	.01	.16	.54	.05	.22	—	—	—	—	.04	28
29	—	—	(.68)	.09	.06	.41	.02	(.57)	.60	.54	.16	.30	29
30	.02	X	.01	.16	.02	(2.10)	.10	—	.54	.04	(.75)	.16	30
31	—	X	.04	X	—	X	.09	—	X	.02	X	(.51)	31
TOTAL	4.11	.04	2.25	3.77	4.10	3.39	2.41	.98	4.57	7.37	2.70	1.90	37.59
*Days with or in. or more.	7.19	3	7.14	4.25	8.24	3.11	8.7	8.9	8.21	4.26	7.17	8.17	8.1203
*Days with .04 in. or more.	12	—	7	21	18	8	12	4	16	22	10	12	142

40-9999

*See Instruction 2 (f) on other side.

(Signed) A. J. Smith
X Col. The Lord Wilsby X

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1605/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at MINTERNE

in the County of DORSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

Ground Sea Level 800 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.35	.68	.12	.02	.05	.02	—	—	.01	TRACE	.03	.24		1
2	.80	—	.89	—	.30	.01	—	—	—	—	—	TRACE		2
3	.03	.08	.32	—	TRACE	—	—	—	—	—	TRACE	—		3
4	.29	.03	.04	—	.20	—	—	—	—	—	—	—		4
5	.16	.03	.47	—	.04	—	—	—	—	—	.02	TRACE		5
6	—	.36	.01	—	.35	—	.01	—	—	.25	.02	—		6
7	.05	.02	.03	—	.15	—	.01	—	—	.30	.01	.02		7
8	.01	.02	.03	—	.07	—	.50	—	—	.01	—	—		8
9	—	.02	—	—	.15	TRACE	.49	.01	—	.22	.01	—		9
10	TRACE	.16	—	—	TRACE	.01	.08	.02	—	.33	.02	—		10
11	.17	—	—	TRACE	—	.18	.04	.05	—	TRACE	—	—		11
12	.02	—	—	.10	.01	—	.14	—	.91	—	—	.01		12
13	TRACE	—	—	—	.02	.02	.37	.12	—	.29	.02	—		13
14	.01	—	—	—	—	—	.02	.07	—	.10	.46	TRACE		14
15	.93	—	.33	—	—	.52	.28	.07	—	.06	.01	—		15
16	—	TRACE	1.01	—	—	.08	—	.01	.05	.07	—	—		16
17	.03	.15	.33	—	TRACE	.15	TRACE	.04	.19	—	.01	—		17
18	.03	TRACE	.51	—	—	.18	—	—	—	—	TRACE	—		18
19	.01	TRACE	.17	—	.01	.01	—	.02	.27	—	.14	.01		19
20	—	.11	.01	.01	.05	.02	—	.01	.13	—	TRACE	—		20
21	—	TRACE	—	—	—	.14	—	.10	.01	.03	.01	—		21
22	—	—	—	.01	—	.25	—	.30	.21	.01	TRACE	—		22
23	—	.30	—	.25	—	.29	—	—	.31	.15	—	—		23
24	—	1.54	—	.28	—	.02	TRACE	—	.07	.05	—	—		24
25	—	.62	—	.41	—	.24	—	—	.07	TRACE	TRACE	.14		25
26	—	.59	—	.10	.19	—	—	—	.36	.06	—	.01		26
27	—	.01	—	—	.67	TRACE	.01	—	.02	.25	—	.64		27
28	—	—	—	.25	.01	—	.29	—	—	.02	—	.01		28
29	.09	X	—	—	—	—	—	—	TRACE	—	—	.02		29
30	.01	X	.12	—	—	—	.08	—	.11	—	—	.09		30
31	.26	X	.16	X	TRACE	X	—	—	X	.04	X	—		31
TOTAL	3.25	4.72	4.55	1.43	2.27	2.14	2.32	.82	2.72	2.24	.76	1.19	28.41	
*Days with or in. or more.	178	166	164	93	154	162	134	125	143	174	1210	106	64	
*Days with .04 in. or more.	9	10	12	6	11	9	9	7	11	13	2	4	103	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

A. L. Smith

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1605/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hinternein the County of DorsetDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in.,, Ground ,, Sea Level 80.0 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	TRACE	TRACE	—	—	—	—	.78	.04	—	.29	.87		1
2	.25	—	.14	—	—	—	—	.01	.98	.03	.08	.26		2
3	.10	.02	—	—	—	—	—	—	—	.53	—	.31		3
4	.12	—	.14	.04	.28	—	—	.01	—	.05	TRACE	.39		4
5	.01	—	.01	—	.04	—	—	1.01	—	.04	.03	.51		5
6	.12	—	.33	.02	.26	—	—	TRACE	.01	.43	.13	.63		6
7	.09	—	—	—	—	.02	—	.16	—	.20	.02	.73		7
8	—	—	—	—	.24	—	—	.02	.05	.01	.72	.15		8
9	.03	—	.25	TRACE	—	—	—	TRACE	TRACE	.02	.61	.19		9
10	.29	TRACE	.33	.47	—	—	—	.04	—	—	.09	.13		10
11	.76	—	.38	.27	—	—	.08	.07	—	—	—	.38		11
12	.02	TRACE	.01	—	—	—	1.54	.12	—	—	—	.29		12
13	.42	—	—	.33	—	—	—	—	—	—	.18	.41		13
14	.24	—	.33	.01	—	—	—	—	—	.03	.01	.44		14
15	.10	—	.06	TRACE	.25	—	—	—	—	.18	.18	.27		15
16	.16	—	.46	—	—	—	—	—	—	—	.01	.15		16
17	.12	—	TRACE	.20	.05	—	—	—	.18	.07	.01	.32		17
18	.10	—	.26	.23	—	.01	—	—	.01	—	—	.19		18
19	—	—	.15	.03	TRACE	.05	—	.05	.17	TRACE	—	.24		19
20	—	—	.04	.17	—	—	.08	—	—	.01	—	—		20
21	—	—	.01	.09	—	.18	—	.02	.01	.47	—	.07		21
22	TRACE	—	.08	—	—	—	—	.13	.25	—	—	.41		22
23	—	.01	.01	.36	—	.51	—	.14	.06	.03	TRACE	.14		23
24	—	.08	.07	.01	—	.02	.06	—	.17	.02	—	.03		24
25	.54	TRACE	—	.28	—	TRACE	TRACE	—	TRACE	.30	—	.86		25
26	TRACE	TRACE	.03	.29	—	.27	.01	—	.23	—	.05	.20		26
27	.01	TRACE	—	.04	—	.21	—	TRACE	TRACE	.05	TRACE	.44		27
28	—	.01	—	.01	—	.17	TRACE	.61	.06	.01	—	.71		28
29	—	—	—	—	—	—	TRACE	.02	.42	.03	.01	.02		29
30	.06	X	—	—	—	—	TRACE	.27	.25	TRACE	.01	.44		30
31	TRACE	X	—	X	—	X	.02	.10	X	TRACE	X	.01		31
TOTAL	3.55	.12	3.09	2.85	1.12	1.44	1.79	3.56	2.89	2.51	2.43	10.19	35.54	
*Days with ".01 in. or more.	520	84	519	517	6	98	68	178	158	198	168	368	58	178
*Days with ".04 in. or more.	15	1	14	12	6	6	4	12	12	10	9	27	128	

† Spare column, no entries required.

(Signed)

A. G. Smith

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1605/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at MINTERNE.....

in the County of DORSET.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft.....in.

,, Ground ,, Sea Level ...800.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	TRACE	TRACE	.39	—	—	.21	.16	—	.35	.23	.17	.30		1
2	—	TRACE	—	—	—	.01	TRACE	—	.06	.39	.07	.04		2
3	—	.01	.20	—	.01	.27	—	TRACE	.43	.70	.44	TRACE		3
4	.01	.20	—	.18	TRACE	.15	—	—	.30	.20	.24	.20		4
5	TRACE	.43	.06	.10	—	.06	—	—	.21	.02	.06	.03		5
6	—	.01	TRACE	.32	—	1.66	—	—	—	—	.07	.10		6
7	—	—	—	.42	TRACE	.03	—	—	—	.36	.17	.08		7
8	—	—	TRACE	.40	—	TRACE	—	—	.09	.16	.35	.11		8
9	TRACE	TRACE	—	.74	—	.19	—	—	—	.92	.86	—		9
10	.04	—	.48	.09	—	.02	—	—	—	—	.16	.03		10
11	.20	TRACE	.02	.04	—	.40	—	—	.01	TRACE	.60	.01		11
12	.11	.12	—	—	—	.25	—	TRACE	.10	—	.28	—		12
13	.14	.11	—	.19	.03	.12	—	—	.01	.02	.06	TRACE		13
14	TRACE	.01	—	.20	.01	.04	—	—	.06	.03	1.35	.30		14
15	—	.05	—	.77	.19	.22	—	—	.19	.01	.53	.12		15
16	—	.05	.06	.19	—	.07	—	—	.73	—	1.48	TRACE		16
17	TRACE	TRACE	—	.02	.63	.24	TRACE	.16	.05	—	.17	—		17
18	—	.02	—	.32	.04	.01	.18	—	.43	.05	—	.05		18
19	—	.03	—	.01	.27	.04	.27	—	.20	.24	.27	TRACE		19
20	TRACE	.43	—	.27	.07	.01	.04	—	TRACE	—	.36	—		20
21	TRACE	.58	.04	.10	—	TRACE	.01	—	.09	.02	TRACE	—		21
22	—	.11	.06	.01	—	—	TRACE	.16	.02	—	—	—		22
23	TRACE	.03	.13	TRACE	.06	—	—	.15	.05	.37	—	.25		23
24	.03	.54	.01	—	.11	—	—	.61	.47	.21	—	.33		24
25	.22	.07	TRACE	.13	.01	.03	—	—	—	—	—	.61		25
26	—	.46	—	—	TRACE	.01	—	.39	.06	TRACE	.02	.78		26
27	—	.22	—	—	—	TRACE	TRACE	.02	.15	.03	.10	.75		27
28	.01	.04	—	—	—	—	TRACE	.06	.10	TRACE	.05	.08		28
29	—	X	—	—	.07	—	—	.09	.33	.03	.03	.63		29
30	.04	X	—	.04	—	.01	—	.81	.05	.38	.69	.71		30
31	—	X	—	X	TRACE	X	—	.02	X	1.38	X	.40		31
TOTAL	.80	3.52	1.44	4.54	1.50	4.05	.66	2.47	4.54	5.75	8.58	5.91	43.76	Year's Total
* Days with .01 in. or more.	39	820	210	320	412	822	25	210	324	720	224	321	44	197
* Days with .04 in. or more.	6	14	8	17	8	14	4	8	21	13	22	18	153	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

A. G. Smith

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 1605/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Minterne.....

in the County of Dorset.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft.....9.....in.

,, Ground ,, Sea Level 64.0.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.41	.15	.02	.31	-	.50	.26	.01	Trace	-	.05	.03		1
2	Trace	.02	Trace	.09	-	.03	.46	.06	Trace	-	.03	-		2
3	-	-	-	.53	-	.01	.05	.01	.47	-	.53	.05		3
4	Trace	-	.29	.01	-	.02	Trace	-	.41	-	.15	.15		4
5	.32	-	.09	-	.03	-	.01	.05	.08	-	-	-		5
6	.13	-	.01	-	-	.03	.03	.05	.51	Trace	.37	-		6
7	.09	-	.17	-	-	-	.43	-	.01	Trace	.44	.05		7
8	.65	-	.58	-	-	-	.21	-	-	-	.43	.03		8
9	.75	-	.46	-	-	-	.14	-	.13	Trace	-	-		9
10	.13	.20	-	-	-	-	.18	-	.02	-	.01	-		10
11	.22	.01	-	Trace	-	.02	.01	-	.15	-	1.15	.03		11
12	Trace	-	-	.20	Trace	.05	.30	Trace	.11	Trace	.16	-		12
13	.06	-	-	Trace	-	.29	.22	.01	.01	.04	.18	.95		13
14	-	.01	-	-	-	.01	.43	-	.04	.04	-	1.05		14
15	.02	.03	-	-	Trace	.01	.01	Trace	.17	-	.05	.54		15
16	.06	.27	Trace	.01	.34	.01	.11	-	.06	-	.18	.20		16
17	-	1.06	-	.02	.03	-	.34	-	.01	.06	.06	.95		17
18	.16	.12	Trace	-	-	1.12	.76	-	Trace	.06	-	.49		18
19	.54	.07	.01	.11	-	.05	.01	.09	-	-	-	-		19
20	.11	.30	.20	.17	-	.08	.02	Trace	.58	-	-	.03		20
21	.02	.21	.14	.35	-	.03	.11	-	Trace	-	-	-		21
22	.22	.33	.64	.01	Trace	-	.31	-	-	.01	-	.02		22
23	.08	.05	.03	.20	.04	-	.31	-	.01	.16	-	-		23
24	.23	.03	.33	Trace	.02	-	Trace	-	.02	.36	-	-		24
25	.14	-	.20	.17	-	-	.05	-	.12	.20	-	-		25
26	.30	.19	.11	.02	-	.01	.02	-	Trace	.08	-	-		26
27	.47	.46	.68	-	-	-	.20	-	.03	.14	-	-		27
28	1.04	Trace	.03	.01	-	-	.26	-	Trace	-	-	-		28
29	.03	.11	.02	-	-	.14	.01	-	-	.11	.05	.49		29
30	.13	~~X~~	Trace	-	.21	.05	Trace	-	-	.35	-	.05		30
31	.13	~~X~~	.45	~~X~~	.02	~~X~~	.30	-	~~X~~	.23	~~X~~	-		31
TOTAL	6.44	3.62	4.46	2.21	.69	2.46	5.55	.28	2.94	1.84	3.28	5.66	39.43	✓
* Days with .01 in. or more.	25	18	19	15	7	18	28	7	19	13	15	16	200	✓
* Days with .04 in. or more.	22	13	13	9	3	8	20	4	12	12	13	11	140	✓
Year's Total														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 1605/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

File 16

1142579/31

Kept at MINTERNE, DORCHESTER

in the County of DORSET

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 8 ft. 9 in.

Ground Sea Level 600 ft.

The LORD DIGBY,
Minterne,
Dorchester.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.73	.34	.17	—	—	—	.04	—	—	—	—	—		1
2	.20	.03	.12	.35	—	—	—	—	—	—	.87	.25		2
3	.01	.11	—	.20	—	—	—	—	—	—	—	.01		3
4	.04	.32	.04	.13	—	—	—	—	—	—	—	—		4
5	.24	.25	—	.03	—	—	—	—	—	—	—	.85		5
6	.21	—	.09	.37	—	—	—	—	—	—	—	—		6
7	.17	.17	.23	.12	.09	—	.57	—	—	—	—	SNOW		7
8	—	.78	.03	.13	—	—	—	.25	—	—	—	—		8
9	—	—	—	—	.52	—	.01	—	—	—	—	—		9
10	—	—	—	.23	.19	—	.05	—	—	—	—	—		10
11	.12	—	.97	.35	.97	.26	.02	—	.71	—	.23	.85		11
12	.03	—	.37	.07	—	—	.46	—	—	—	—	.23		12
13	.99	.34	—	.02	—	—	.05	—	.38	—	—	.45		13
14	.16	.03	.87	.21	—	—	—	—	.23	—	—	.05		14
15	—	.02	.23	.02	—	—	—	—	.15	—	—	.23		15
16	.39	.26	.10	.52	—	.14	.40	—	.18	—	—	.13		16
17	.10	.15	.87	.10	—	—	.05	—	.83	—	—	—		17
18	.81	.07	.82	.27	—	—	.06	—	—	—	—	—		18
19	.09	.13	.06	—	—	—	.03	—	—	—	—	—		19
20	.05	.05	—	.28	—	—	.02	—	—	—	—	—		20
21	.58	—	.27	.23	—	.09	—	—	—	—	—	.02		21
22	.78	.43	SNOW .23	—	—	—	.08	—	—	—	.52	.22		22
23	.38	.03	.10	—	.79	—	.09	—	—	.22	.61	—		23
24	.34	.37	—	—	.29	—	.04	.34	.07	.32	.23	—		24
25	.61	.76	—	—	—	—	—	—	—	.20	—	.35		25
26	.35	.66	—	—	.76	—	—	—	—	.55	—	.05		26
27	.04	.49	—	—	.41	—	—	—	—	.08	—	.06		27
28	.03	SNOW .12	—	—	—	—	—	—	.08	.85	—	—		28
29	SNOW	—	—	—	—	—	—	—	—	.27	.28	—		29
30	—	×	—	—	—	.04	—	—	—	.15	—	.01		30
31	.13	×	—	×	—	×	—	—	×	—	×	—		31
TOTAL	8.63	7.91	5.57	3.63	4.02	.53	1.97	.59	2.63	5.54	2.74	5.74	49.50	
* Days with .01 in. or more.	25	22	17	18	8	4	15	2	8	8	6	15	148	
* Days with .04 in. or more.	22	18	16	15	8	4	11	2	8	8	6	13	131	
Year's Total														

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) Digby [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1605/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at MINTERNEin the County of DORSETDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. in.Ground Sea Level 800 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.27	.27	—	—	.01	—	—	—	1.00	TRACE	.05		1
2	.09	.06	—	—	—	—	—	—	—	.86	.11	.12		2
3	—	—	—	—	—	.05	.02	—	—	.18	.15	—		3
4	.01	—	—	—	—	—	—	—	—	1.08	TRACE	.26		4
5	—	—	—	—	—	—	.04	.85	—	.22	TRACE	TRACE		5
6	—	—	—	—	—	.21	—	.80	—	.11	.06	.11		6
7	.10	—	—	—	—	—	—	—	.22	.42	.02	.02		7
8	—	—	—	—	—	.01	.03	—	.12	—	.01	.06		8
9	—	—	—	—	—	.03	—	—	.50	—	—	.81		9
10	.23	.09	—	—	—	—	—	.70	—	.78	.02	.61		10
11	—	TRACE	—	—	.51	—	.02	.30	—	—	.33	.46		11
12	.03	—	—	—	.01	.12	.13	.50	—	—	.08	TRACE		12
13	.01	—	—	—	—	—	—	—	—	.31	.46	.52		13
14	.83	—	—	—	.05	.01	.02	—	—	.07	.01	TRACE		14
15	.23	—	—	—	.10	—	.50	—	—	.25	.06	.35		15
16	.94	—	.01	—	TRACE	—	.21	—	—	.09	.07	.02		16
17	.32	TRACE	—	—	.02	—	—	.80	—	.16	.05	.01		17
18	.61	—	—	—	.01	—	—	—	.32	.02	.42	TRACE		18
19	—	—	—	—	TRACE	.44	—	.50	.36	—	.70	TRACE		19
20	.22	—	—	—	—	—	—	.36	.38	—	.43	TRACE		20
21	—	—	—	—	—	.01	—	—	.41	—	.17	.17		21
22	TRACE	—	—	—	—	.02	—	—	.12	.02	.34	.06		22
23	.02	—	—	.31	—	.49	—	.46	—	—	.06	TRACE		23
24	.01	—	—	.02	—	—	—	—	.50	—	.36	TRACE		24
25	.03	—	.26	—	—	—	—	—	.19	.02	1.71	.08		25
26	TRACE	.52	—	—	.30	.15	—	.50	—	.02	.01	.19		26
27	.25	.53	TRACE	—	.35	.79	.01	—	—	.13	.59	—		27
28	.39	.01	—	—	.09	—	.89	.20	—	—	TRACE	.02		28
29	.17	X	—	—	.22	.02	—	.82	.12	.20	.30	.11		29
30	—	X	—	—	.09	—	—	—	.22	.01	.18	.03		30
31	.10	X	—	X	.16	X	.13	—	X	.35	X	.38		31
TOTAL	4.59	1.48	.54	.33	2.11	2.36	2.00	6.79	3.46	6.30	6.70	4.49	41.15	
* Days with .01 in. or more.	8 ¹⁹	X 6	X 3	X 2	3 ¹²	8 ¹⁴	5 ¹¹	7 ²	12	8 ²¹	5 ²⁵	4 ²¹	38	
* Days with .04 in. or more.	13	5	2	1	9	7	6	12	12	16	20	17	120	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Arthur G. Smith [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1605/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at MINTERNEin the County of DORSETDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in.Ground Sea Level 800 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.01	—	.10	.06	.05	—	.04	.37	.27	—	—	.10		1
2	TRACE	—	TRACE	.29	.01	—	.01	.42	.77	—	.12	.16		2
3	.65	—	.04	.45	—	—	TRACE	.14	—	TRACE	.12	.36		3
4	.04	—	.48	.14	.34	—	.15	.12	.05	.81	.10	.19		4
5	—	—	.04	.16	.08	—	.22	.04	—	.60	1.16	.02		5
6	.48	—	.06	—	—	—	1.14	.10	—	TRACE	.47	—		6
7	.02	.26	—	—	—	—	.04	.01	—	.19	.65	.65		7
8	.04	.23	.16	—	.01	—	.18	.06	—	.57	.66	.30		8
9	.09	TRACE	.06	—	—	—	TRACE	.09	—	.18	.09	.29		9
10	.16	—	.01	—	—	.01	—	.27	.17	.16	.04	.10		10
11	TRACE	.04	.20	—	—	—	TRACE	TRACE	—	.43	.01	.02		11
12	—	TRACE	.02	TRACE	—	.02	TRACE	—	.02	.03	.04	—		12
13	TRACE	.02	—	.10	—	.03	.42	—	.02	1.59	.05	.11		13
14	.85	TRACE	TRACE	TRACE	.09	.02	.28	—	.01	.24	.40	.14		14
15	.32	—	.02	.01	.09	1.12	.37	—	.01	.24	.44	.03		15
16	.21	—	TRACE	.15	.09	.02	.32	—	—	—	.16	TRACE		16
17	.48	.02	TRACE	—	.06	.10	.37	—	—	.11	.10	.01		17
18	.11	.02	.04	—	.01	.18	.31	—	TRACE	TRACE	.54	.02		18
19	.39	—	TRACE	—	—	TRACE	.10	.75	—	—	TRACE	.10		19
20	.32	—	—	—	—	.25	.44	.75	—	—	—	.02		20
21	.07	.34	.09	.02	TRACE	.04	.26	.61	TRACE	—	—	—		21
22	.40	.27	.11	.01	—	.20	.34	—	.02	TRACE	.34	—		22
23	TRACE	TRACE	—	.21	—	.03	.13	—	—	TRACE	1.27	—		23
24	.69	TRACE	.01	.02	—	.48	.43	TRACE	—	.02	—	—		24
25	1.12	.15	.01	.02	—	TRACE	.32	.06	—	.17	.61	—		25
26	.02	.08	TRACE	.02	—	—	—	.24	—	.07	.43	.02		26
27	—	.54	.08	.02	—	.01	.03	TRACE	—	.03	.19	TRACE		27
28	TRACE	.13	.05	.19	—	.06	.43	TRACE	—	TRACE	.28	.24		28
29	.01	X	—	.09	—	TRACE	.34	—	—	.17	.08	—		29
30	—	X	.01	.55	—	.02	—	.01	—	.17	.07	TRACE		30
31	—	X	—	X	—	X	.01	.15	X	.51	X	—		31
TOTAL	6.48	2.10	1.59	2.51	.83	2.59	6.68	4.49	1.34	6.29	8.42	2.88	Year's Total	45.90
* Days with .01 in. or more.	4 21	3 12	6 19	7 18	3 10	8 16	3 24	2 17	5 9	3 19	1 25	7 19	209	52
* Days with .01 in. or more.	17	9	13	11	7	8	21	15	4	16	24	12	157	✓

† Spare column, no entries required

(Signed) A. G. Smith P.T.O.

* See Instruction 3 (f) on other side.

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at MINSTERNE
in the County of DORSET
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 80.0 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	.01	.02	—	—	—	—	—	.11	—		1
2	—	.19	—	.14	—	—	.03	—	—	—	.80	.06		2
3	.05	.20	—	TRACE	—	—	—	—	—	.29	.92	.25		3
4	.03	.10	—	TRACE	—	—	.15	—	—	.20	.19	.04		4
5	—	.03	—	—	—	—	.06	—	—	.10	.72	.30		5
6	.23	.61	—	—	—	—	.03	—	—	.43	.07	.22		6
7	.10	.02	—	TRACE	—	—	—	—	—	.08	—	.03		7
8	TRACE	—	—	.01	TRACE	—	.15	TRACE	TRACE	.58	.25	.37		8
9	—	—	—	TRACE	—	—	.31	.02	.01	.18	.69	.18		9
10	—	—	—	—	—	—	1.34	—	.03	.01	.12	.24		10
11	—	TRACE	.01	.01	—	—	.17	—	—	—	1.16	.07		11
12	—	TRACE	.30	.03	—	TRACE	.31	—	.48	—	.14	TRACE		12
13	—	TRACE	.80	.01	—	—	.10	TRACE	.09	.35	1.08	.03		13
14	—	.03	.11	.07	.26	—	.13	—	.36	.59	.02	.85		14
15	TRACE	.03	—	.03	.97	.02	.48	—	.17	.36	.83	.05		15
16	TRACE	.62	.29	.01	—	.01	.07	—	.16	1.80	.68	.09		16
17	—	.09	.52	TRACE	—	—	.03	—	.01	—	.86	.01		17
18	.03	.32	.33	.39	—	—	.27	.02	.03	.14	.03	.14		18
19	—	.05	.05	.26	—	—	.12	—	.69	—	.36	—		19
20	—	.01	.02	.01	—	—	—	—	.04	.41	.06	TRACE		20
21	TRACE	—	TRACE	—	.45	—	.10	TRACE	.01	—	.74	—		21
22	—	—	.10	.10	—	.43	TRACE	TRACE	.13	TRACE	.03	—		22
23	—	.10	.26	.09	TRACE	TRACE	TRACE	—	TRACE	.04	.02	—		23
24	—	—	.01	—	TRACE	—	.27	—	—	—	—	.02		24
25	.04	—	.05	.04	TRACE	.01	TRACE	—	—	—	TRACE	—		25
26	1.17	.59	TRACE	TRACE	.15	TRACE	TRACE	—	—	TRACE	.02	TRACE		26
27	.38	.21	TRACE	—	.27	TRACE	.10	—	—	—	—	—		27
28	.33	.17	—	TRACE	TRACE	—	—	TRACE	—	—	—	TRACE		28
29	.20	.37	.23	1.11	—	.05	—	—	—	.03	—	.29		29
30	.18	~~X~~	.02	.06	.01	—	TRACE	—	—	.48	—	.16		30 up low
31	.09	~~X~~	.03	~~X~~	—	~~X~~	—	—	~~X~~	.77	~~X~~	.44		31 up low
TOTAL	2.83	4.24	3.13	2.38	2.13	.52	4.22	.04	2.21	6.84	9.90	3.84	42.28	Year's Total
* Days with .01 in. or more.	12	518	516	817	27	35	319	2	513	218	523	420	46	170
* Days with .04 in. or more.	10	13	11	9	6	2	16	—	8	16	18	16	124	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

A. G. Smith

Kept at **EVERSHOT SLICK**
in the County of **DORSET**

1605/7
EVERSHOT School
1934 — 40

Diameter of Funnel of Gauge
Height of top of Gauge above G
Ground

780305

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

01

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	~~Nil~~	~~.03~~	~~Nil~~	~~Nil~~	~~Nil~~	~~Nil~~	~~Nil~~	~~.07~~	~~.26~~	~~.43~~	~~.52~~	~~.01~~		1
2	~~.15~~	~~Nil~~	~~.01~~	~~Nil~~	~~Nil~~	~~.03~~	~~Nil~~	~~.02~~	~~.20~~	~~.01~~	~~.33~~	~~1.57~~		2
3	~~.15~~	~~Nil~~	~~.21~~	~~Nil~~	~~Nil~~	~~Nil~~	~~Nil~~	~~.01~~	~~1.66~~	~~.05~~	~~.07~~	~~.29~~		3
4	~~.23~~	~~.05~~	~~.01~~	~~Nil~~	~~Nil~~	~~Nil~~	~~Nil~~	~~.01~~	~~Nil~~	~~1.07~~	~~.01~~	~~.40~~		4
5	~~.10~~	~~Nil~~	~~.37~~	~~.15~~	~~.35~~	~~Nil~~	~~Nil~~	~~.01~~	~~.07~~	~~.04~~	~~.02~~	~~.51~~		5
6	~~.03~~	~~Nil~~	~~.02~~	~~Nil~~	~~.05~~	~~Nil~~	~~Nil~~	~~1.30~~	~~Nil~~	~~.10~~	~~.03~~	~~.75~~		6
7	~~.45~~	~~Nil~~	~~.40~~	~~.02~~	~~.38~~	~~Nil~~	~~Nil~~	~~.03~~	~~.06~~	~~.46~~	~~.01~~	~~1.05~~		7
8	~~.20~~	~~Nil~~	~~Nil~~	~~Nil~~	~~Nil~~	~~Nil~~	~~Nil~~	~~.12~~	~~Nil~~	~~.28~~	~~.54~~	~~1.05~~		8
9	~~Nil~~	~~Nil~~	~~Nil~~	~~Nil~~	~~.25~~	~~Nil~~	~~Nil~~	~~.01~~	~~.02~~	~~Nil~~	~~.52~~	~~.25~~		9
10	~~.06~~	~~Nil~~	~~.35~~	~~.01~~	~~Nil~~	~~Nil~~	~~Nil~~	~~.01~~	~~.03~~	~~.04~~	~~.13~~	~~.10~~		10
11	~~.38~~	~~Nil~~	~~.32~~	~~.53~~	~~Nil~~	~~Nil~~	~~Nil~~	~~.08~~	~~Nil~~	~~Nil~~	~~Nil~~	~~.15~~		11
12	~~.93~~	~~.02~~	~~.25~~	~~.33~~	~~Nil~~	~~Nil~~	~~.02~~	~~.08~~	~~Nil~~	~~Nil~~	~~.01~~	~~.57~~		12
13	~~.24~~	~~.03~~	~~.05~~	~~.01~~	~~Nil~~	~~Nil~~	~~.38~~	~~.25~~	~~Nil~~	~~.01~~	~~.03~~	~~.32~~		13
14	~~.55~~	~~Nil~~	~~Nil~~	~~.02~~	~~Nil~~	~~Nil~~	~~Nil~~	~~Nil~~	~~.01~~	~~Nil~~	~~.13~~	~~.95~~		14
15	~~.35~~	~~Nil~~	~~.44~~	~~.45~~	~~Nil~~	~~Nil~~	~~Nil~~	~~Nil~~	~~.01~~	~~.01~~	~~.05~~	~~.75~~		15
16	~~.10~~	~~Nil~~	~~.03~~	~~.01~~	~~.72~~	~~Nil~~	~~Nil~~	~~Nil~~	~~1.09~~	~~.09~~	~~.13~~	~~.25~~		16
17	~~.25~~	~~Nil~~	~~.60~~	~~.01~~	~~Nil~~	~~Nil~~	~~Nil~~	~~.02~~	~~.64~~	~~Nil~~	~~.19~~	~~.17~~		17
18	~~.15~~	~~Nil~~	~~Nil~~	~~.05~~	~~.06~~	~~Nil~~	~~Nil~~	~~Nil~~	~~1.40~~	~~Nil~~	~~.03~~	~~.52~~		18
19	~~.07~~	~~.02~~	~~.27~~	~~.17~~	~~Nil~~	~~.02~~	~~Nil~~	~~Nil~~	~~Nil~~	~~.26~~	~~Nil~~	~~.12~~		19
20	~~Nil~~	~~Nil~~	~~.30~~	~~.01~~	~~Nil~~	~~.06~~	~~Nil~~	~~.19~~	~~.20~~	~~.01~~	~~.01~~	~~.37~~		20
21	~~Nil~~	~~Nil~~	~~.04~~	~~.32~~	~~Nil~~	~~Nil~~	~~Nil~~	~~Nil~~	~~.15~~	~~.06~~	~~.01~~	~~.05~~		21
22	~~Nil~~	~~Nil~~	~~.01~~	~~.07~~	~~Nil~~	~~.30~~	~~Nil~~	~~.01~~	~~.09~~	~~.76~~	~~Nil~~	~~.47~~		22
23	~~Nil~~	~~.03~~	~~.09~~	~~Nil~~	~~Nil~~	~~Nil~~	~~Nil~~	~~.85~~	~~.39~~	~~.41~~	~~Nil~~	~~.06~~		23
24	~~Nil~~	~~.02~~	~~.01~~	~~.40~~	~~Nil~~	~~.60~~	~~Nil~~	~~.15~~	~~Nil~~	~~.04~~	~~Nil~~	~~.01~~		24
25	~~Nil~~	~~.13~~	~~.05~~	~~.01~~	~~Nil~~	~~.03~~	~~.07~~	~~Nil~~	~~Nil~~	~~.02~~	~~.02~~	~~.01~~		25
26	~~.19~~	~~.03~~	~~.01~~	~~.45~~	~~Nil~~	~~.21~~	~~Nil~~	~~Nil~~	~~Nil~~	~~.13~~	~~.61~~	~~.50~~		26
27	~~.02~~	~~Nil~~	~~.10~~	~~.38~~	~~Nil~~	~~.22~~	~~.01~~	~~Nil~~	~~.24~~	~~Nil~~	~~Nil~~	~~.55~~		27
28	~~Nil~~	~~Nil~~	~~Nil~~	~~.03~~	~~Nil~~	~~.13~~	~~Nil~~	~~Nil~~	~~.10~~	~~.03~~	~~Nil~~	~~.90~~		28
29	~~Nil~~	~~X~~	~~Nil~~	~~.10~~	~~Nil~~	~~.02~~	~~Nil~~	~~.85~~	~~.08~~	~~Nil~~	~~.05~~	~~1.28~~		29
30	~~Nil~~	~~X~~	~~Nil~~	~~Nil~~	~~Nil~~	~~Nil~~	~~.01~~	~~.05~~	~~.40~~	~~.02~~	~~.01~~	~~.01~~		30
31	~~.07~~	~~X~~	~~Nil~~	~~X~~	~~Nil~~	~~X~~	~~.02~~	~~.05~~	~~X~~	~~.01~~	~~X~~	~~.75~~		31
TOTAL	~~5.41~~	~~.33~~	~~3.97~~	~~3.53~~	~~1.81~~	~~1.62~~	~~.58~~	~~5.26~~	~~6.63~~	~~3.81~~	~~2.40~~	~~14.04~~	Year's Total.	49.39
* Days with .01 in. or more.	21	8	22	21	6	10	7	19	20	23	23	31	211	
* Days with .04 in. or more.	18	2	15	12	6	6	3	12	16	13	10	27	140	

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Evershor Sticklands School*
in the County of *DORSET*

Diameter of Funnel of Gauge *5* ins
Height of top of Gauge above Ground *10* ft. ins
Ground Sea Level *550* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

01

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>Nil</i>	<i>03</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>07</i>	<i>26</i>	<i>43</i>	<i>02</i>	<i>01</i>		1
2	<i>15</i>	<i>Nil</i>	<i>01</i>	<i>Nil</i>	<i>Nil</i>	<i>03</i>	<i>Nil</i>	<i>02</i>	<i>20</i>	<i>01</i>	<i>33</i>	<i>57</i>		2
3	<i>15</i>	<i>Nil</i>	<i>21</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>01</i>	<i>166</i>	<i>05</i>	<i>07</i>	<i>29</i>		3
4	<i>23</i>	<i>05</i>	<i>01</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>01</i>	<i>Nil</i>	<i>107</i>	<i>01</i>	<i>40</i>		4
5	<i>10</i>	<i>Nil</i>	<i>37</i>	<i>15</i>	<i>35</i>	<i>Nil</i>	<i>Nil</i>	<i>01</i>	<i>07</i>	<i>04</i>	<i>02</i>	<i>51</i>		5
6	<i>03</i>	<i>Nil</i>	<i>02</i>	<i>Nil</i>	<i>05</i>	<i>Nil</i>	<i>Nil</i>	<i>130</i>	<i>Nil</i>	<i>10</i>	<i>03</i>	<i>75</i>		6
7	<i>45</i>	<i>Nil</i>	<i>40</i>	<i>02</i>	<i>38</i>	<i>Nil</i>	<i>Nil</i>	<i>03</i>	<i>04</i>	<i>46</i>	<i>01</i>	<i>105</i>		7
8	<i>20</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>12</i>	<i>Nil</i>	<i>28</i>	<i>14</i>	<i>105</i>		8
9	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>25</i>	<i>Nil</i>	<i>Nil</i>	<i>01</i>	<i>02</i>	<i>Nil</i>	<i>53</i>	<i>25</i>		9
10	<i>06</i>	<i>Nil</i>	<i>35</i>	<i>01</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>01</i>	<i>03</i>	<i>04</i>	<i>13</i>	<i>10</i>		10
11	<i>38</i>	<i>Nil</i>	<i>32</i>	<i>53</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>08</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>15</i>		11
12	<i>93</i>	<i>02</i>	<i>25</i>	<i>33</i>	<i>Nil</i>	<i>Nil</i>	<i>02</i>	<i>08</i>	<i>Nil</i>	<i>Nil</i>	<i>01</i>	<i>57</i>		12
13	<i>24</i>	<i>03</i>	<i>05</i>	<i>01</i>	<i>Nil</i>	<i>Nil</i>	<i>38</i>	<i>25</i>	<i>Nil</i>	<i>01</i>	<i>03</i>	<i>32</i>		13
14	<i>55</i>	<i>Nil</i>	<i>Nil</i>	<i>02</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>01</i>	<i>Nil</i>	<i>13</i>	<i>95</i>		14
15	<i>35</i>	<i>Nil</i>	<i>47</i>	<i>45</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>01</i>	<i>01</i>	<i>05</i>	<i>75</i>		15
16	<i>10</i>	<i>Nil</i>	<i>03</i>	<i>01</i>	<i>92</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>109</i>	<i>09</i>	<i>13</i>	<i>25</i>		16
17	<i>25</i>	<i>Nil</i>	<i>60</i>	<i>01</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>02</i>	<i>64</i>	<i>Nil</i>	<i>19</i>	<i>17</i>		17
18	<i>15</i>	<i>Nil</i>	<i>Nil</i>	<i>05</i>	<i>06</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>140</i>	<i>Nil</i>	<i>03</i>	<i>52</i>		18
19	<i>07</i>	<i>02</i>	<i>27</i>	<i>17</i>	<i>Nil</i>	<i>02</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>26</i>	<i>Nil</i>	<i>12</i>		19
20	<i>Nil</i>	<i>Nil</i>	<i>30</i>	<i>01</i>	<i>Nil</i>	<i>06</i>	<i>Nil</i>	<i>19</i>	<i>20</i>	<i>01</i>	<i>11</i>	<i>37</i>		20
21	<i>Nil</i>	<i>Nil</i>	<i>04</i>	<i>32</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>15</i>	<i>04</i>	<i>01</i>	<i>05</i>		21
22	<i>Nil</i>	<i>Nil</i>	<i>01</i>	<i>07</i>	<i>Nil</i>	<i>30</i>	<i>Nil</i>	<i>01</i>	<i>09</i>	<i>76</i>	<i>Nil</i>	<i>47</i>		22
23	<i>Nil</i>	<i>03</i>	<i>09</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>85</i>	<i>39</i>	<i>01</i>	<i>Nil</i>	<i>06</i>		23
24	<i>Nil</i>	<i>02</i>	<i>01</i>	<i>40</i>	<i>Nil</i>	<i>60</i>	<i>Nil</i>	<i>15</i>	<i>Nil</i>	<i>04</i>	<i>Nil</i>	<i>01</i>		24
25	<i>Nil</i>	<i>13</i>	<i>05</i>	<i>01</i>	<i>Nil</i>	<i>03</i>	<i>07</i>	<i>Nil</i>	<i>Nil</i>	<i>02</i>	<i>02</i>	<i>01</i>		25
26	<i>9</i>	<i>03</i>	<i>01</i>	<i>45</i>	<i>Nil</i>	<i>21</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>43</i>	<i>01</i>	<i>50</i>		26
27	<i>02</i>	<i>Nil</i>	<i>10</i>	<i>38</i>	<i>Nil</i>	<i>22</i>	<i>01</i>	<i>Nil</i>	<i>24</i>	<i>Nil</i>	<i>Nil</i>	<i>55</i>		27
28	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>03</i>	<i>Nil</i>	<i>13</i>	<i>Nil</i>	<i>Nil</i>	<i>10</i>	<i>03</i>	<i>Nil</i>	<i>90</i>		28
29	<i>Nil</i>	<i>X</i>	<i>Nil</i>	<i>10</i>	<i>Nil</i>	<i>02</i>	<i>Nil</i>	<i>85</i>	<i>08</i>	<i>Nil</i>	<i>05</i>	<i>28</i>		29
30	<i>Nil</i>	<i>X</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>01</i>	<i>05</i>	<i>40</i>	<i>02</i>	<i>01</i>	<i>01</i>		30
31	<i>07</i>	<i>X</i>	<i>Nil</i>	<i>X</i>	<i>Nil</i>	<i>X</i>	<i>02</i>	<i>05</i>	<i>X</i>	<i>01</i>	<i>X</i>	<i>75</i>		31
TOTAL	<i>541</i>	<i>33</i>	<i>397</i>	<i>353</i>	<i>181</i>	<i>162</i>	<i>58</i>	<i>527</i>	<i>663</i>	<i>381</i>	<i>240</i>	<i>1404</i>	<i>4739</i>	
* Days with .01 in. or more.	<i>21</i>	<i>8</i>	<i>22</i>	<i>21</i>	<i>6</i>	<i>10</i>	<i>7</i>	<i>19</i>	<i>20</i>	<i>23</i>	<i>23</i>	<i>31</i>	<i>211</i>	
* Days with .04 in. or more.	<i>18</i>	<i>2</i>	<i>15</i>	<i>12</i>	<i>6</i>	<i>6</i>	<i>3</i>	<i>12</i>	<i>16</i>	<i>13</i>	<i>10</i>	<i>27</i>	<i>140</i>	

Section



for the entry of Daily Observations.

Station No. 160517

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at EVERSNOT (STICKLAND'S SCHOOL).

in the County of DORSET.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 10 in.

Ground Sea Level 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

.75.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	Nil	.06	Nil	.02	Nil	.12	Nil	.15	.03	1.83	.40		1
2	Nil	Nil	.38	Nil	.01	.13	.12	Nil	.28	.09	.18	.25		2
3	Nil	.01	.03	Nil	Nil	.15	Nil	Nil	.08	.52	.08	.05		3
4	Nil	Nil	.10	Nil	.02	.14	Nil	Nil	.45	.70	.48	.01		4
5	.01	.25	Nil	.14	.01	.10	Nil	Nil	.22	.10	.25	.50		5
6	Nil	.15	.10	Nil	Nil	.18	Nil	Nil	.25	.25	.08	.10		6
7	Nil	Nil	Nil	.50	Nil	2.05	Nil	Nil	Nil	.02	.15	.18		7
8	Nil	Nil	Nil	.50	Nil	.08	Nil	Nil	Nil	.45	.18	Nil		8
9	Nil	Nil	Nil	.50	Nil	Nil	Nil	Nil	.09	.17	.25	.10		9
10	Nil	Nil	Nil	.85	Nil	.13	Nil	Nil	.01	1.10	1.62	Nil		10
11	.05	.01	.50	.50	Nil	.50	Nil	Nil	Nil	Nil	.35	.05		11
12	.05	.01	Nil	.05	Nil	.13	Nil	.01	Nil	Nil	.75	.02		12
13	.10	.14	.42	Nil	Nil	.35	Nil	.04	.15	Nil	.34	Nil		13
14	.10	.16	.02	.19	.01	.15	Nil	Nil	.15	.05	.17	Nil		14
15	Nil	.02	Nil	.14	.01	.33	Nil	Nil	.25	.05	1.89	.41		15
16	Nil	Nil	Nil	1.00	.11	.35	Nil	Nil	.03	.01	.38	.13		16
17	Nil	.05	.04	.35	Nil	.30	Nil	Nil	.90	.04	1.81	.03		17
18	Nil	Nil	Nil	.03	1.05	.32	Nil	.14	.04	Nil	.15	Nil		18
19	Nil	.30	Nil	.35	.10	Nil	.01	Nil	.42	Nil	.02	.10		19
20	Nil	.13	Nil	.03	.10	.05	.10	Nil	.20	.35	.25	Nil	Dec	20
21	Nil	.58	Nil	.33	.05	.04	.20	Nil	Nil	Nil	.36	Nil	1935	21
22	Nil	.43	.06	.05	Nil	Nil	.02	Nil	.10	.03	.02	.28	.01	22
23	Nil	Nil	Nil	Nil	Nil	Nil	.01	.15	.15	.02	.02	.28	Nil	23
24	Nil	.40	.18	Nil	.04	Nil	Nil	.25	.15	.40	.01	.28	.48	24
25	.05	.45	Nil	Nil	.13	Nil	Nil	Nil	.60	.20	Nil	.28	.23	25
26	.15	.29	Nil	.13	Nil	Nil	Nil	Nil	Nil	.01	Nil	.28	.52	26
27	Nil	.45	Nil	Nil	.03	.05	Nil	.30	.13	.03	.02	.28	1.2	27
28	Nil	.30	Nil	Nil	Nil	Nil	Nil	.50	.25	.05	.20	.28	.72	28
29	.10	.28	Nil	Nil	Nil	Nil	Nil	.20	.18	Nil	.02	.28	.70	29
30	.02	.28	Nil	Nil	Nil	Nil	Nil	.03	.23	.02	.18		.63	30
31	.06	.06	Nil	.02	.16	.12	Nil	Nil	.03	.37	.40		.96	31
TOTAL	.69	4.79	1.83	5.69	1.86	5.68	.46	2.83	5.94	1.85	10.91	7.53	Year Total	Printed
	.70	4.43	1.89	5.64	1.88	5.56	.58	1.88	6.06	5.06	12.34	7.18	52.57	54.27
* Days with .01 in. or more.	18.9	18.19	Nil	18	14.75	19.20	18.5	9.10	24	24	28	23	204	
* Days with .04 in. or more.	8	14.15	8	15	8	19.20	43	8	23	16.17	22	19	164	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) The Headmaster [P.T.O.]

Section



for the entry of Daily Observations

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Evershot Schoolin the County of DorsetDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....ft. 10 in.„ Ground „ Sea Level...550.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.75	.18	.1	.55	Nil	Nil	.1	.05	Nil	Nil	.15	Nil		1
2	.25	.09	.04	.8	Nil	.35	.3	Nil	Nil	Nil	.15	.04		2
3	.01	Nil	Nil	.09	Nil	.04	.12	.08	.04	Nil	.04	Nil		3
4	.01	Nil	Nil	.65	Nil	Nil	.02	.03	.68	Nil	.56	.04		4
5	.01	Nil	.35	.02	Nil	.36	.03	Nil	.45	Nil	.25	.15		5
6	.45	.01	.05	Nil	.01	Nil	Nil	.06	.04	Nil	.06	.08		6
7	.27	Nil	.03	Nil	Nil	.05	.01	.03	.45	Nil	.55	Nil		7
8	.07	Nil	.25	Nil	Nil	Nil	.36	Nil	Nil	Nil	.46	.07		8
9	.9	Nil	.65	Nil	Nil	Nil	.1	Nil	Nil	Nil	.35	.02		9
10	.79	Nil	.52	Nil	Nil	Nil	.33	Nil	Nil	Nil	.04	.01		10
11	.04	.33	Nil	Nil	Nil	Nil	.16	Nil	Nil	Nil	.1	Nil		11
12	.15	.2	Nil	Nil	Nil	.05	.26	Nil	.35	Nil	.13	Nil		12
13	.23	Nil	Nil	.13	Nil	.33	.11	Nil	.25	Nil	.28	.05		13
14	.08	Nil	Nil	.04	Nil	.04	.15	Nil	.01	.6	.26	1.27		14
15	Nil	.02	Nil	Nil	Nil	.03	.43	Nil	.04	.01	.01	1.1		15
16	.01	.04	Nil	Nil	.18	Nil	.01	Nil	.2	Nil	.03	1.11		16
17	Nil	.25	Nil	.03	.35	Nil	.11	Nil	.01	Nil	.17	.18		17
18	.17	1.45	Nil	Nil	.02	Nil	.75	Nil	.01	.03	.02	1.28		18
19	.08	.17	Nil	Nil	Nil	.05	.1	.2	.01	.03	Nil	.4		19
20	.55	.13	.01	.06	Nil	.77	.03	Nil	Nil	Nil	Nil	.05		20
21	.21	.3	Nil	.35	Nil	.04	.04	Nil	.23	Nil	Nil	.05		21
22	.01	.4	.25	.1	Nil	.03	.12	Nil	.01	Nil	Nil	.03		22
23	.15	.25	.66	Nil	Nil	Nil	.46	Nil	.01	Nil	Nil	.04		23
24	.25	.15	.02	.23	.03	Nil	.56	Nil	.01	.04	Nil	.04		24
25	.2	.03	.02	Nil	.03	Nil	.02	Nil	.04	.4	Nil	.03		25
26	.09	.03	.4	.3	Nil	Nil	.05	Nil	.08	.2	.02	.02		26
27	.45	Nil	.29	.01	Nil	Nil	.02	Nil	.03	.12	Nil	Nil		27
28	.6	.45	.2	Nil	Nil	Nil	.27	Nil	.02	.18	Nil	.01		28
29	1.2	.25	1.00	Nil	Nil	Nil	.17	Nil	Nil	.01	.03	.56		29
30	.05	~~X~~	.03	Nil	Nil	.25	.01	Nil	.01	.04	.03	Nil		30
31	.2	~~X~~	.01	~~X~~	.02	~~X~~	.01	Nil	~~X~~	.55	~~X~~	.13		31
TOTAL	8.25	4.73	4.88	2.36	.64	2.39	5.21	.45	2.98	2.22	4.86	6.73	46.7	✓
* Days with .01 in. or more.	29	19	19	14	7	13	30	6	22	13	21	24	217	✓
* Days with .04 in. or more.	24	15	13	11	2	11	21	4	12	8	15	18	154	✓
													Year's Total	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Betty Curtis

[P.T.O.]

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 1605/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

Kept at Evershot School
in the County of Dorset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
Ground Sea Level 550 ft.

adjust with rain gauge
31 Dec 1936
entry put down on day of reading

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†
1	.82	.19	.02	Nil	Nil	Nil	.06	Nil	Nil	Nil	.32	.3	1
2	.07	.10	.40	.18	Nil	Nil	Nil	Nil	.08	.05	.12	1.42	2
3	.03	1.50	.03	.13	Nil	Nil	Nil	Nil	.07	Nil	.01	.46	3
4	.04	.40	.15	.04	Nil	Nil	.04	Nil	Nil	Nil	Nil	.01	4
5	.15	.42	Nil	.03	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	5
6	.13	Nil	.10	Nil	Nil	Nil	.35	Nil	Nil	Nil	.01	Nil	6
7	.15	.41	.25	.32	.15	Nil	.25	Nil	Nil	.1	Nil	Nil	7
8	Nil	.67	.01	.07	Nil	.03	.013	Nil	Nil	.06	.01	.8	8
9	.01	Nil	Nil	Nil	.45	Nil	.01	Nil	.01	Nil	.2	.5	9
10	Nil	Nil	.01	.28	.02	Nil	.21	Nil	.60	Nil	Nil	.01	10
11	.24	Nil	.75	.29	.10	.3	.02	Nil	Nil	Nil	Nil	1.05	11
12	.40	Nil	.42	.05	.64	Nil	.50	Nil	Nil	Nil	Nil	Nil	12
13	1.18	.18	.02	.25	Nil	.35	.04	.15	.28	Nil	Nil	.44	13
14	.18	.05	.75	.34	.01	.01	Nil	.85	.13	Nil	Nil	Nil	14
15	Nil	.05	.05	.06	Nil	.06	Nil	Nil	.29	Nil	Nil	.02	15
16	.36	.23	.13	.90	Nil	Nil	1.83	.15	.22	Nil	.01	.99	16
17	.13	.18	.69	.07	Nil	Nil	.02	.01	.95	Nil	Nil	Nil	17
18	.72	.08	.75	.01	Nil	.05	.03	Nil	.25	Nil	.4	Nil	18
19	.10	.08	.30	Nil	Nil	Nil	Nil	Nil	.03	.01	.2	Nil	19
20	.06	.08	.05	.29	.05	.02	Nil	Nil	Nil	Nil	Nil	.42	20
21	.55	.05	.27	.26	.10	.02	Nil	Nil	Nil	Nil	Nil	.4	21
22	.94	.60	.23	.06	.35	Nil	.01	Nil	.03	.12	.49	.08	22
23	.15	Nil	.15	Nil	.60	Nil	.26	Nil	.06	1.37	.19	Nil	23
24	.43	.20	.01	Nil	.03	.29	.05	Nil	Nil	.55	.05	Nil	24
25	.60	.70	.01	Nil	Nil	Nil	Nil	Nil	.08	1.12	Nil	.25	25
26	.09	.65	.41	Nil	.55	Nil	Nil	Nil	.03	.38	Nil	.1	26
27	.01	.65	.03	Nil	.50	Nil	Nil	Nil	Nil	.07	Nil	.04	27
28	.04	.06	.01	.08	Nil	Nil	Nil	Nil	Nil	.95	Nil	.03	28
29	.05	X	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.22	Nil	Nil	29
30	.03	X	Nil	Nil	Nil	.03	Nil	Nil	Nil	.72	.13	.01	30
31	.19.70	X	Nil	X	Nil	.06	Nil	Nil	X	.32.09	X	Nil	31
TOTAL	7.72	7.21	5.98	3.65	3.55	1.22	3.63	1.16	3.11	6.15	2.40	6.09	51.85
* Days with .01 in. or more.	28	22	26	19	13	11	15	4	15	15	13	18	198
* Days with .04 in. or more.	24	21	17	17	10	5	8	3	11	14	9	13	152

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

S. W. Greening

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. SN 16057

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at Evershot
 in the County of Dorset
 Diameter of Funnel of Gauge 5 ins
 Height of top of Gauge above Ground 10 ft.
 „ Ground „ Sea Level 550 ft.

Cur C/ sent 15.3.39
 Cor. for W.D. CM4.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

40

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	N.L.	4	06	N.L.	N.L.	4	2	01	N.L.	81	37	2		1
2	N.L.	05	01	N.L.	N.L.	37	27	N.L.	N.L.	03	01	1		2
3	N.L.	N.L.	01	N.L.	N.L.	01	01	N.L.	N.L.	13	N.L.	N.L.		3
4	N.L.	N.L.	N.L.	N.L.	13	01	N.L.	02	N.L.	1.02	4	01		4
5	02	N.L.	N.L.	N.L.	02	N.L.	1	95	N.L.	07	01	4		5
6	01	N.L.	N.L.	N.L.	N.L.	3	3	02	03	17	01	01		6
7	02	N.L.	N.L.	01	N.L.	32	34	02	3	28	05	05		7
8	16	N.L.	N.L.	N.L.	N.L.	N.L.	6	N.L.	07	25	09	02		8
9	17	N.L.	N.L.	N.L.	N.L.	01	05	33	05	61	01	03		9
10	17	1.4	N.L.	N.L.	N.L.	N.L.	01	N.L.	N.L.	01	N.L.	1.2		10
11	04	01	N.L.	N.L.	N.L.	N.L.	03	28	N.L.	N.L.	01	5		11
12	32	N.L.	N.L.	N.L.	N.L.	N.L.	N.L.	05	N.L.	N.L.	61	76		12
13	56	N.L.	N.L.	N.L.	39	N.L.	N.L.	02	N.L.	1	25	01		13
14	3	01	N.L.	N.L.	03	N.L.	N.L.	N.L.	N.L.	08	27	73		14
15	64	N.L.	01	N.L.	03	N.L.	5	N.L.	N.L.	01	02	01		15
16	5	N.L.	N.L.	N.L.	1	N.L.	61	28	N.L.	28	05	55		16
17	49	02	03	N.L.	N.L.	N.L.	N.L.	01	N.L.	01	07	02		17
18	N.L.	22	02	N.L.	05	N.L.	N.L.	N.L.	25	25	02	N.L.		18
19	21	N.L.	01	N.L.	22	08	N.L.	21	35	05	55	N.L.		19
20	N.L.	01	N.L.	N.L.	N.L.	N.L.	N.L.	02	1	01	02	N.L.		20
21	03	N.L.	N.L.	N.L.	N.L.	N.L.	N.L.	N.L.	04	01	54	N.L.		21
22	01	N.L.	N.L.	N.L.	N.L.	N.L.	N.L.	02	01	N.L.	53	6		22
23	03	N.L.	N.L.	08	N.L.	05	N.L.	45	01	06	41	2		23
24	02	N.L.	N.L.	03	N.L.	01	N.L.	02	18	N.L.	06	N.L.		24
25	01	N.L.	23	04	01	N.L.	N.L.	03	17	01	31	N.L.		25
26	09	95	01	N.L.	33	N.L.	36	01	02	N.L.	175	1		26
27	39	01	N.L.	N.L.	44	01	07	N.L.	N.L.	05	02	66		27
28	08	01	N.L.	N.L.	07	32	89	16	N.L.	22	75	N.L.		28
29	07	X	N.L.	N.L.	39	2	N.L.	91	15	01	N.L.	02		29
30	01	X ⁰⁶	N.L.	N.L.	31	08	01	01	5	23	75	1		30
31	04	X	N.L.	X	02	X ²⁰	1	N.L.	X ⁸¹	N.L.	X ²⁰	02		31
TOTAL	4.56	2.75	3.3	16	2.34	1.9	25	388	3.34	4.71	7.77	6.5	Year's Total	43.39
* Days with .01 in. or more.	286	11	98	4	156	14	17	210	156	25	217	23	207	447
* Days with .04 in. or more.	117	5	21	2	101	9	12	9	112	18	14	16	128	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) G. W. Greening [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

160517

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at

Stuckland School

cont'd for W.D.

in the County of

Dorset

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground...ft....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Nil.

Please read the Notes and Instructions Overleaf

Dgte	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.40	.01	.16	Nil	.48	Nil	.04	.01	.25	Nil	.65	.07		1
2	Nil	Nil	.18	.05	.08	Nil	.05	.03	.10	Nil	.02	.14		2
3	.01	Nil	.02	.32	.03	Nil	.06	.5	.58	Nil	.20	.13		3
4	Nil	1.0	.09	.64	Nil	Nil	Nil	.11	Nil	Nil	.09	.36		4
5	.75	Nil	.52	.59	.34	Nil	.19	.13	Nil	.15	.20	.21		5
6	.01	.01	.03	.47	.04	Nil	.18	.01	Nil	.53	1.05	.01		6
7	.50	.02	.05	Nil	Nil	Nil	1.28	.13	Nil	.01	.69	Nil		7
8	.01	.70	.01	Nil	Nil	Nil	.11	Nil	Nil	Nil	.96	1.0		8
9	.02	.41	.20	Nil	Nil	Nil	.03	.15	Nil	.45	.45	.45		9
10	.08	.01	.08	.03	Nil	Nil	Nil	.15	Nil	.28	.04	.44		10
11	.23	Nil	Nil	Nil	Nil	.01	Nil	.18	.12	.18	.01	.11		11
12	Nil	.01	.15	Nil	Nil	Nil	Nil	.01	Nil	.32	.01	Nil		12
13	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.01	.01	.01	.01	Nil		13
14	.01	Nil	Nil	.16	Nil	.02	Nil	Nil	.10	.71	.07	Nil		14
15	.95	.01	.01	.02	.07	.04	.40	Nil	.02	.36	.50	.15		15
16	.51	Nil	.01	.03	.11	1.34	.30	Nil	Nil	.18	.40	.02		16
17	.37	.01	.01	.11	.08	.18	.50	Nil	Nil	Nil	.25	Nil		17
18	.57	Nil	Nil	.03	.11	.24	.25	Nil	Nil	.09	.40	Nil		18
19	.15	.03	.05	Nil	Nil	.05	.49	Nil	Nil	Nil	.20	.02		19
20	.45	Nil	Nil	.02	Nil	Nil	.21	.51	Nil	Nil	Nil	.10		20
21	.48	Nil	Nil	Nil	Nil	.04	.49	.69	Nil	Nil	.01	.01		21
22	.02	.49	.06	Nil	Nil	.07	.35	.04	.01	Nil	Nil	Nil		22
23	.48	.27	.08	Nil	Nil	.32	.34	Nil	Nil	Nil	.60	Nil		23
24	.01	Nil	.01	.03	Nil	.03	.27	Nil	Nil	Nil	1.50	Nil		24
25	.40	.03	Nil	.20	Nil	.37	.35	Nil	Nil	Nil	.01	Nil		25
26	1.8	.10	Nil	.14	Nil	.01	.20	.10	Nil	.10	.45	.09		26
27	.20	.09	Nil	Nil	Nil	Nil	.01	.10	Nil	.22	.43	Nil		27
28	Nil	.71	.10	Nil	Nil	Nil	.10	.10	Nil	.05	.11	.18		28
29	Nil	X	.05	Nil	Nil	.12	.84	Nil	Nil	Nil	.36	Nil		29
30	Nil	X	.02	.18	Nil	Nil	.35	.05	Nil	.19	.11	Nil		30
31	.01	X	Nil	.48	Nil	X	.01	Nil	X	.15	X	Nil		31
TOTAL	8.23	4.06	1.73	3.55	.86	2.88	7.67	3.25	1.94	4.63	9.19	3.36	Year's Total	50.15
	8.48	3.91	1.89	3.11	1.34	2.84	7.70	3.02	1.19	3.98	9.78	3.73	50.80	
* Days with .01 in. or more.	24	17	21	16	9	14	26	19	8	17	28	17	216	
* Days with .04 in. or more.	16	8	13	10	8	10	23	14	5	15	22	12	156	

† Spare column, no entries required.

(Signed)

G.W. Greening P.T.O.

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No.

1605/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at *Sticklands School, Lwerchbet* in the County of *Dorset* Diameter of Funnel of Gauge.....*5* in.Height of top of Gauge above Ground.....*1* ft.....*0* in.,, Ground ,, Sea Level*560* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Dec. 31, 1934

1939

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	<i>Nil</i>	<i>Nil</i>	<i>22</i>	<i>13</i>	<i>24</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>94</i>	<i>Nil</i>		1
2	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>04</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>02</i>	<i>Nil</i>		2
3	<i>Nil</i>	<i>42</i>	<i>Nil</i>	<i>23</i>	<i>Nil</i>	<i>Nil</i>	<i>06</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>85</i>	<i>08</i>		3
4		<i>53</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>38</i>	<i>78</i>	<i>27</i>		4
5	<i>08</i>	<i>13</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>12</i>	<i>Nil</i>	<i>Nil</i>	<i>42</i>	<i>35</i>	<i>04</i>		5
6	<i>01</i>	<i>04</i>	<i>Nil</i>	<i>12</i>	<i>Nil</i>	<i>Nil</i>	<i>02</i>	<i>06</i>	<i>Nil</i>	<i>02</i>	<i>03</i>	<i>62</i>	<i>35</i>	6
7	<i>31</i>	<i>72</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>01</i>	<i>Nil</i>	<i>Nil</i>	<i>57</i>	<i>10</i>	<i>28</i>		7
8	<i>11</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>58</i>	<i>05</i>	<i>Nil</i>	<i>01</i>	8
9	<i>01</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>03</i>	<i>Nil</i>	<i>Nil</i>	<i>12</i>	<i>57</i>	<i>35</i>	<i>24</i>	9
10	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>28</i>	<i>Nil</i>	<i>02</i>	<i>Nil</i>	<i>58</i>	<i>87</i>	<i>19</i>	10
11	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>85</i>	<i>Nil</i>	<i>02</i>	<i>01</i>	<i>12</i>	<i>07</i>	<i>13</i>	11
12	<i>Nil</i>	<i>01</i>	<i>02</i>	<i>01</i>	<i>Nil</i>	<i>Nil</i>	<i>08</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>110</i>	<i>Nil</i>		12
13	<i>Nil</i>	<i>Nil</i>	<i>36</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>34</i>	<i>Nil</i>	<i>50</i>	<i>01</i>	<i>01</i>	<i>Nil</i>		13
14	<i>Nil</i>	<i>Nil</i>	<i>51</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>06</i>	<i>Nil</i>	<i>Nil</i>	<i>14</i>	<i>115</i>	<i>07</i>		14
15	<i>Nil</i>	<i>03</i>	<i>25</i>	<i>06</i>	<i>103</i>	<i>Nil</i>	<i>02</i>	<i>Nil</i>	<i>12</i>	<i>05</i>	<i>Nil</i>	<i>13</i>		15
16	<i>Nil</i>	<i>Nil</i>	<i>01</i>	<i>01</i>	<i>83</i>	<i>03</i>	<i>45</i>	<i>Nil</i>	<i>53</i>	<i>56</i>	<i>97</i>	<i>07</i>		16
17	<i>Nil</i>	<i>01</i>	<i>51</i>	<i>02</i>	<i>Nil</i>	<i>01</i>	<i>11</i>	<i>Nil</i>	<i>20</i>	<i>110</i>	<i>83</i>	<i>01</i>		17
18	<i>Nil</i>	<i>20</i>	<i>40</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>03</i>	<i>Nil</i>	<i>02</i>	<i>Nil</i>	<i>57</i>	<i>Nil</i>		18
19	<i>05</i>	<i>125</i>	<i>46</i>	<i>48</i>	<i>Nil</i>	<i>Nil</i>	<i>46</i>	<i>03</i>	<i>03</i>	<i>11</i>	<i>03</i>	<i>15</i>		19
20	<i>Nil</i>	<i>05</i>	<i>03</i>	<i>23</i>	<i>Nil</i>	<i>Nil</i>	<i>02</i>	<i>Nil</i>	<i>74</i>	<i>01</i>	<i>50</i>	<i>Nil</i>		20
21	<i>Nil</i>	<i>01</i>	<i>01</i>	<i>03</i>	<i>Nil</i>	<i>Nil</i>	<i>01</i>	<i>Nil</i>	<i>01</i>	<i>13</i>	<i>11</i>	<i>Nil</i>		21
22	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>47</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>05</i>	<i>01</i>	<i>91</i>	<i>Nil</i>		22
23	<i>Nil</i>	<i>Nil</i>	<i>06</i>	<i>09</i>	<i>Nil</i>	<i>29</i>	<i>Nil</i>	<i>Nil</i>	<i>08</i>	<i>Nil</i>	<i>05</i>	<i>Nil</i>		23
24	<i>Nil</i>	<i>04</i>	<i>36</i>	<i>08</i>	<i>Nil</i>	<i>01</i>	<i>02</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>04</i>	<i>Nil</i>		24
25	<i>Nil</i>	<i>Nil</i>	<i>03</i>	<i>01</i>	<i>Nil</i>	<i>Nil</i>	<i>21</i>	<i>Nil</i>	<i>Nil</i>	<i>03</i>	<i>Nil</i>	<i>Nil</i>		25
26	<i>05</i>	<i>Nil</i>	<i>03</i>	<i>07</i>	<i>13</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		26
27	<i>53</i>	<i>82</i>	<i>Nil</i>	<i>01</i>	<i>05</i>	<i>Nil</i>	<i>03</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>03</i>	<i>Nil</i>		27
28	<i>05</i>	<i>25</i>	<i>Nil</i>	<i>Nil</i>	<i>16</i>	<i>Nil</i>	<i>02</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>02</i>		28
29	<i>54</i>	<i>11</i>	<i>Nil</i>	<i>05</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>		29
30	<i>40</i>	<i>X</i>	<i>48</i>	<i>05</i>	<i>Nil</i>	<i>06</i>	<i>Nil</i>	<i>Nil</i>	<i>Nil</i>	<i>02</i>	<i>Nil</i>	<i>33</i>		30
31	<i>Nil</i>	<i>X</i>	<i>01</i>	<i>X</i>	<i>Nil</i>	<i>X</i>	<i>Nil</i>	<i>Nil</i>	<i>X</i>	<i>90</i>	<i>X</i>	<i>13</i>		31
TOTAL	<i>254</i>	<i>533</i>	<i>216</i>	<i>208</i>	<i>271</i>	<i>40</i>	<i>323</i>	<i>204</i>	<i>222</i>	<i>634</i>	<i>1036</i>	<i>362</i>	Year's Total	
* Days with .01 in. or more.	<i>211</i>	<i>117</i>	<i>17</i>	<i>16</i>	<i>17</i>	<i>35</i>	<i>21</i>	<i>21</i>	<i>11</i>	<i>20</i>	<i>222</i>	<i>17</i>	<i>114</i>	<i>4208</i>
* Days with .04 in. or more.	<i>119</i>	<i>113</i>	<i>10</i>	<i>10</i>	<i>7</i>	<i>2</i>	<i>10</i>	<i>1</i>	<i>6</i>	<i>115</i>	<i>209</i>	<i>14</i>	<i>106</i>	

† Spare column, no entries required

(Signed)

* See Instruction 3 (f) on other side.

P.T.O.

Core A

LYTCHETT MATRAVERS CL.

Section

A

for the entry of
AIR MINIST

FORM 1090

REGIS

Kept at *Lytchett Matravers*
in the County of *Dorset*

Diameter of Funnel of Gauge.....

Height of top of Gauge above Gr

„ Ground „ Sea

Station No. *1605/9*
FALL ORGANIZATION

938

months.

8

1605/9
LYTCHAM MATRAVERS Sch
1938-40

780304

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1									<i>Tr.</i>	<i>.56</i>	—	<i>.07</i>		1
2									—	<i>.14</i>	<i>.1</i>	<i>.03</i>		2
3									—	<i>1.19</i>	<i>.24</i>	—		3
4									—	<i>.26</i>	—	<i>.29</i>		4
5									—	<i>.49</i>	<i>.02</i>	—		5
6									<i>.1</i>	<i>.12</i>	<i>.05</i>	<i>.07</i>		6
7									<i>.05</i>	<i>.17</i>	—	<i>.12</i>		7
8									—	<i>.41</i>	<i>.01</i>	<i>.03</i>		8
9									—	<i>.01</i>	—	<i>1.28</i>		9
10									—	<i>.01</i>	<i>.01</i>	<i>.42</i>		10
11									—	—	<i>.3</i>	<i>.24</i>		11
12									<i>Tr.</i>	<i>.24</i>	<i>.01</i>	—		12
13									—	<i>.23</i>	<i>.36</i>	<i>.7</i>		13
14									—	—	—	—		14
15									—	<i>.32</i>	<i>.12</i>	<i>.38</i>		15
16									—	<i>.06</i>	<i>.01</i>	<i>.04</i>		16
17									<i>.27</i>	<i>.12</i>	<i>.05</i>	—		17
18									<i>.9</i>	<i>.01</i>	<i>.48</i>	—		18
19									<i>.22</i>	—	<i>.93</i>	—		19
20									—	—	<i>.64</i>	—		20
21									<i>.11</i>	—	<i>.1</i>	<i>.06</i>		21
22									—	—	<i>.43</i>	—		22
23									<i>.87</i>	—	<i>.02</i>	—		23
24									<i>.22</i>	—	<i>.28</i>	—		24
25									—	<i>.03</i>	<i>1.44</i>	—		25
26									<i>.01</i>	<i>.03</i>	—	<i>.35</i>		26
27									—	—	<i>.38</i>	—		27
28									<i>.22</i>	—	<i>.06</i>	<i>.03</i>		28
29									<i>.29</i>	<i>.16</i>	<i>.38</i>	<i>.05</i>		29
30		<i>X</i>							<i>.58</i>	—	<i>.15</i>	<i>.02</i>		30
31		<i>X</i>		<i>X</i>		<i>X</i>			<i>X</i>	<i>.24</i>	<i>X</i>	<i>.33</i>		31
TOTAL									<i>3.84</i>	<i>4.80</i>	<i>6.57</i>	<i>4.51</i>	Year's Total	
* Days with .01 in. or more.									<i>12</i>	<i>20</i>	<i>24</i>	<i>18</i>		
* Days with .04 in. or more.									<i>11</i>	<i>15</i>	<i>18</i>	<i>14</i>		

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

J. A. Leitch

[P.T.O.]

THE HEADMASTER

N

up
complete

CB

4/3/38

Circ A

LYTCHETT MATRAVERS CL

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 1605/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Lytchett Matravers C. School

in the County of Dorset

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft....6...in.

„ Ground „ Sea Level 36.0 ft.

last four months.

f795378/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									Tr.	.56	—	.07		1
2									—	.14	.1	.03		2
3									—	1.19	.24	—		3
4									—	.26	—	.29		4
5									—	.49	.02	—		5
6									.1	.12	.05	.07		6
7									.05	.17	—	.12		7
8									—	.41	.01	.03		8
9									—	.01	—	1.28		9
10									—	.01	.01	.42		10
11									—	—	.3	.24		11
12									Tr.	.24	.01	—		12
13									—	.23	.36	.7		13
14									—	—	—	—		14
15									—	.32	.12	.38		15
16									—	.06	.01	.04		16
17									.27	.12	.05	—		17
18									.9	.01	.48	—		18
19									.22	—	.93	—		19
20									—	—	.64	—		20
21									.11	—	.1	.06		21
22									—	—	.43	—		22
23									.87	—	.02	—		23
24									.22	—	.28	—		24
25									—	.03	1.44	—		25
26									.01	.03	—	.35		26
27									—	—	.38	—		27
28									.22	—	.06	.03		28
29									.29	.16	.38	.05		29
30		X							.58	—	.15	.02		30
31		X		X		X			X	.24	X	.33		31
TOTAL									3.84	4.80	6.57	4.51	Year's Total	
* Days with .01 in. or more.									12	20	24	18		
* Days with .04 in. or more.									11	15	18	14		

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

L. A. Leitch

[P.T.O.]

THE HEADMASTER

N

up
complete
GB
11/3/38

Section



CL. 2. SCHOOL for the entry of Daily Observations

Station No. 1605/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Lytchett Matravers
in the County of Dorset

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1 ft.....2.....in.
" Ground " Sea Level 300.....ft.

1938 - 1939

f 795378/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	.01	.11	-	.02	.02	.41	-	.01	.17		1
2	-	-	.09	.28	-	-	-	.68	1.2	-	.22	.02		2
3	.77	-	-	.56	-	-	-	.08	-	-	.23	.23		3
4	.01	-	.53	.23	.21	-	.45	.23	.09	.35	.06	.06		4
5	-	-	.04	.18	.46	-	.32	.06	-	.25	.72	.04		5
6	.71	-	.06	-	-	-	.81	Tr	-	-	.32	.02		6
7	.01	.34	-	-	-	-	.02	.02	-	-	.49	.58		7
8	.01	.16	.09	-	-	-	.07	.01	-	.72	.3	.34		8
9	.04	.01	.03	-	-	-	-	.1	-	.18	.15	.29		9
10	.38	-	-	-	-	-	-	.26	.15	.44	-	Tr		10
11	-	.01	.22	-	-	-	-	-	-	.26	.01	-		11
12	-	-	-	-	-	.02	-	-	-	.02	.09	-		12
13	-	-	-	.06	-	Tr	.39	-	.02	2.35	.01	.04		13
14	.95	-	-	-	.03	.02	.09	-	-	.28	.4	.09		14
15	.28	-	-	-	.14	1.14	.19	-	Tr	.21	.44	.01		15
16	.29	-	-	.09	.05	Tr	.1	-	-	.03	.15	-		16
17	.34	.12	-	-	.4	.02	.14	-	-	.15	.05	.01		17
18	.13	-	-	-	.08	.07	.54	-	-	-	.45	.02		18
19	.42	-	.01	-	-	-	.02	.21	-	-	-	.09		19
20	.46	-	-	-	-	.02	.07	1.74	-	-	-	.01		20
21	.06	.27	.05	-	-	.12	.11	-	-	-	-	-		21
22	.37	.19	.08	-	-	.66	.13	-	.01	-	.31	-		22
23	-	-	-	.17	-	.03	.04	-	-	-	1.13	-		23
24	.53	-	-	.03	-	.52	.15	-	-	-	-	-		24
25	.79	.16	-	.16	-	-	.13	.01	-	.13	.63	-		25
26	-	.02	-	-	-	.01	-	.06	-	.08	.42	-		26
27	-	.16	.04	.04	-	-	.01	-	-	-	.14	-		27
28	-	.39	.02	-	-	.02	.38	-	-	-	.4	.15		28
29	-	-	-	.02	-	.03	.47	-	-	.09	.03	-		29
30	-	~~X~~	-	.49	-	.09	-	.43	-	.26	.03	-		30
31	-	~~X~~	-	~~X~~	-	~~X~~	-	.36	~~X~~	.66	~~X~~	-		31
TOTAL	6.55	1.83	1.26	2.32	1.48	2.77	4.65	4.27	1.88	6.46	7.19	2.17	42.83	
* Days with .01 in. or more.	18	11	12	13	8	14	22	15	6	17	25	17	178	
* Days with .04 in. or more.	15	8	9	10	7	6	18	11	4	15	20	11	134	

THE HEADMASTER

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

J. A. L. cutt

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1605/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Lytchett Matravers (n. Poole)
in the County of Dorset

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....4.....in.

,, Ground ,, Sea Level 300.....ft. up.

300 ft sea over.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.04	-	-	.01	-	-	-	-	-	.13	-		1
2	-	.25	-	.18	-	-	.01	-	-	-	.55	.04		2
3	-	.59	-	-	-	-	-	-	-	.29	.77	.25		3
4	.04	.19	-	.01	-	-	.08	-	-	.32	.38	.02		4
5	-	.06	-	-	-	-	.03	-	-	.02	.03	.29		5
6	.48	.60	-	-	-	-	-	-	-	.35	-	.13		6
7	.06	.11	-	-	-	-	-	-	-	.23	-	-		7
8	-	-	-	.04	-	-	.15	-	-	.44	.48	.40		8
9	-	-	-	.02	-	-	.19	.04	.03	.23	.30	.12		9
10	-	-	-	-	-	-	1.00	-	-	.10	.10	.18		10
11	-	.41	.01	.01	-	-	.09	-	-	-	.89	.04		11
12	-	-	.22	-	-	-	.24	-	.42	.10	.03	-		12
13	-	-	.76	.03	-	-	.02	-	-	.34	1.39	.11		13
14	-	-	.06	.04	.09	-	.20	-	.19	.42	.08	.77		14
15	-	.02	-	.02	.28	-	.37	-	.16	.23	.46	.02		15
16	-	.75	.49	.19	-	.02	.01	-	.07	.77	1.03	.08		16
17	-	.03	.60	-	-	-	.01	-	.03	-	.84	.07		17
18	.06	.45	.39	.19	-	-	.05	-	.02	.14	.02	-		18
19	-	.06	.03	.20	-	-	.04	-	.61	-	.53	-		19
20	-	.41	.03	.01	-	-	.01	-	-	.22	.06	.01		20
21	-	.01	-	-	.30	-	-	-	.07	-	.53	-		21
22	-	.02	.10	.03	-	.23	-	-	.14	-	.01	~~.01~~		22
23	-	.03	.24	.07	-	-	.35	-	-	-	.02	-		23
24	-	-	-	-	-	-	-	-	-	-	.01	-		24
25	.01	.41	.27	.06	.02	-	-	-	-	-	-	-		25
26	1.46	.59	-	-	.13	-	-	-	-	-	-	-		26
27	.55	.29	-	.35	.36	-	.09	-	-	-	-	-		27
28	.71	.09	-	-	.01	-	-	-	-	.10	-	-		28
29	.73	.40	.22	.29	-	-	-	-	-	.02	-	.27		29
30	.04	~~.04~~	.01	.04	-	-	-	-	-	.33	-	.19		30
31	.02	~~.02~~	-	~~.02~~	-	~~.02~~	-	-	~~.02~~	.66	~~.02~~	.30		31
TOTAL	4.16	4.58	3.43	1.78	1.20	.25	2.94	.04	1.74	5.31	8.64	3.29	Year's Total	37.36
* Days with .01 in. or more.	11	19	14	18	8	2	18	1	10	19	22	18		160
* Days with .04 in. or more.	9	14	10	11	5	1	12	1	7	17	16	15		118

† Spare column, no entries required.

(Signed)

J. A. Smith

[P.T.O.]

* See Instruction 3 (f) on other side.

[P.T.O.]

Section

A

for the entry of Daily Observations.

1606
COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Reinson
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Ground Sea Level 115 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

.09

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	26	49	8	0	0	11	0	0	0	13	0	1	1
2	0	1	0	15	0	16	0	0	4	4	0	0	2
3	23	8	0	48	0	0	0	11	101	1	1	4	3
4	14	0	66	4	0	0	3	3	18	0	55	41	4
5	0	0	5	0	6	0	20	6	23	1	8	1	5
6	0	24	0	22	5	90	12	0	1	0	4	10	6
7	0	15	0	12	4	14	1	0	0	50	35	15	7
8	0	0	0	0	22	24	0	65	0	5	52	16	8
9	0	21	0	12	5	38	3	4	0	2	11	1	9
10	0	14	0	2	0	10	5	0	0	0	93	0	10
11	0	4	0	0	0	20	1	1	0	0	42	0	11
12	15	34	0	0	0	4	2	1	5	0	24	0	12
13	0	5	0	0	0	0	4	0	6	4	0	0	13
14	0	0	0	0	0	0	1	0	0	6	0	0	14
15	0	12	0	0	0	14	155	20	0	0	2	0	15
16	0	4	0	1	10	0	1	11	2	0	0	5	16
17	0	0	0	10	20	14	12	3	9	0	0	0	17
18	0	18	0	15	0	0	42	0	10	0	0	0	18
19	5	0	0	3	0	15	5	114	0	0	44	0	19
20	8	0	3	9	0	20	5	12	0	0	1	0	20
21	0	8	12	2	0	0	0	23	0	1	1	0	21
22	6	0	0	0	40	0	0	0	0	0	5	0	22
23	30	0	12	2	1	0	0	0	0	0	0	0	23
24	33	0	0	11	62	0	0	0	0	0	32	0	24
25	4	0	0	35	15	25	53	46	0	0	1	0	25
26	8	0	0	35	4	0	39	0	0	0	18	0	26
27	0	5	0	15	0	0	42	0	0	0	31	0	27
28	22	34	0	0	42	0	31	0	0	1	4	0	28
29	4		0	3	11	0	0	0	0	0	1	20	29
30	12	X	10	0	8	0	13	5	0	1	16	0	30
31	0	X	6	X	0	X	1	16	X	0	X	0	31
TOTAL	219	263	122	256	291	324	453	341	149	89	484	114	3138
*Days with "or in. or more.	14	16	8	19	15	14	22	16	10	12	22	10	159
*Days with "or in. or more.	14	14	4	8	14	14	14	12	8	6	16	4	139

40-9999

*See Instruction 2 (f) on other side.

(Signed) Thomas Reivil

[P.T.O.]

Station No. _____

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1932.

in the County of Dorset

Diameter of Funnel of Gauge.....2.....in.

Height of top of Gauge above Ground.....1.....ft.....6.....in.

Ground Sea Level 215 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

13

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	0	0	3	33	0	11	1	0	55	0	45	1
2	15	0	0	14	58	1	2	2	1	2	2	0	2
3	1	0	0	23	8	0	0	5	5	0	3	41	3
4	0	0	0	24	1	54	0	0	46	5	0	2	4
5	2	0	0	0	0	29	0	2	0	0	14	25	5
6	43	0	0	0	0	2	2	0	13	0	1	0	6
7	46	0	0	14	0	0	2	0	25	0	0	0	7
8	0	0	0	8	0	0	2	0	23	36	0	0	8
9	0	0	38	3	23	0	0	0	45	19	0	0	9
10	24	0	0	41	4	0	0	0	1	2	11	0	10
11	26	0	0	13	6	0	0	0	0	20	12	0	11
12	4	0	0	2	0	0	60	3	4	4	0	4	12
13	68	0	0	0	5	0	0	0	8	12	2	2	13
14	5	6	0	15	9	0	10	9	1	90	0	2	14
15	4	0	0	5	9	0	0	2	0	1	15	0	15
16	8	0	0	3	34	0	0	0	0	5	0	5	16
17	23	0	0	12	6	11	84	0	0	1	0	1	17
18	5	0	0	5	0	0	1	0	1	1	0	0	18
19	4	0	0	0	14	0	1	0	3	0	21	1	19
20	0	0	0	2	0	0	0	0	4	28	1	0	20
21	0	0	0	1	45	0	11	16	4	110	26	4	21
22	4	0	15	3	36	0	0	1	0	39	2	8	22
23	0	0	5	3	8	0	13	15	62	83	46	1	23
24	0	0	0	3	21	0	46	0	9		11	11	24
25	0	4	0	0	0	0	133	0	10	6	1	0	25
26	0	0	0	2	0	0	2	0	1	42	4	2	26
27	0	0	0	6	0	0	23	0	0	10	2	0	27
28	0	0	50	46	25	11	14	0	0	30	0	0	28
29	0	0	3	5	6	0	2	0	0	1	0	4	29
30	0	X	45	16	15	42	6	21	50	44	19	6	30
31	0	X	20	X	1	X	10	0	X	2	X	34	31
TOTAL	2.88	10	1.79	3.05	3.43	2.70	4.25	.76	4.04	5.98	2.68	1.72	33.38
*Days with .01 in. or more.	17	2	7	25	21	7	19	11	20	26	18	18	191
*Days with .04 in. or more.	15	2	6	15	19	5	11	5	14	19	10	11	132

40-9999

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Station No. 1600



AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Champion

in the County of Dorset

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	13	23	0	10	0	0	0	0						1
2	43	43	8	0	3	0	0	0						2
3	40	0	80	0	18	0	0	0						3
4	2	11	42	0	0	0	0	0						4
5	21	3	8	0	16	0	0	0						5
6	15	0	33	0	6	0	0	0						6
7	4	22	0	0	26	0	0	0						7
8	0	2	0	0	14	0	0	0						8
9	0	0	0	0	3	0	25	0						9
10	0	0	0	0	3	0	28	0						10
11	0	8	0	0	0	0	18	1						11
12	26	0	0	0	0	16	1	21						12
13	0	0	0	4	0	0	503	0						13
14	8	0	0	0	0	3	503	6						14
15	0	0	0	0	0	0	8	30						15
16	50	0	30	0	0	0	6	0						16
17	0	0	48	0	0	8	0	4						17
18	0	12	35	0	0	4	0	4						18
19	15	1	4	0	0	6	0	0						19
20	0	0	4	0	0	2	0	0						20
21	1	8	0	0	0	2	0	0						21
22	0	0	0	0	1	2	0	50						22
23	0	0	0	0	0	40	0	23						23
24	0	0	0	46	0	12	0	0						24
25	0	190	0	30	0	3	0	0						25
26	0	65	0	34	0	0	0	0						26
27	0	48	0	12	0	0	0	0						27
28	0	0	0	0	40	0	9	0						28
29	0		0	12	0	0	52	0						29
30	13	X	0	0	12	0	10	0						30
31	6	X	6	X	0	X	2	0	X		X			31
TOTAL	98	43	66	33	415	11	42	98	2	0	91	40	Year's Total	

† Spare column, no entries required.

(Signed)

no entries required.

[P.T.O.]

40-9999

*See Instruction 2 (f) on other side.

X KINSON (EGLINTON) X

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

1606

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Kinson*

in the County of *Down*

Diameter of Funnel of Gauge *5* in.

Height of top of Gauge above Ground *1* ft *6* in.

Ground Sea Level *45* ft.

1933 imp

10.5

V/Doner/4

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

0.02

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0	0	0	0	0	0	0	0	2	12	0	0		1
2	3	0	0	0	0	1	0	65	0	8	4	82		2
3	33	0	9	0	4	4	0	2	104	20	0	24		3
4	1	3	0	0	0	0	0	0	0	22	0	24		4
5	12	0	14	0	14	0	0	0	0	9	0	22		5
6	0	0	0	0	3	0	0	84	0	3	0	46		6
7	3	0	34	0	18	0	0	2	0	36	24	62		7
8	5	0	0	0	0	0	0	22	0	10	0	40		8
9	0	0	0	0	26	0	0	0	6	0	69	6		9
10	0	0	19	0	0	0	0	0	2	0	42	48		10
11	12	0	32	35	0	0	0	2	0	0	34	16		11
12	0	0	34	21	0	0	4	26	0	0	0	45		12
13	4	0	5	0	0	0	5	35	0	0	0	33		13
14	32	0	11	11	0	0	31	0	0	0	21	14		14
15	0	0	45	0	0	0	0	0	0	9	5	65		15
16	11	0	2	0	18	0	0	0	0	5	4	36		16
17	14	0	40	0	0	0	0	0	4	0	0	15		17
18	18	0	0	14	0	0	0	0	0	4	0	32		18
19	4	0	21	12	0	0	0	0	6	0	0	32		19
20	0	0	14	2	0	0	0	0	10	0	0	15		20
21	0	0	5	14	0	0	0	4	3	0	0	0		21
22	0	0	6	11	0	21	0	13	0	12	0	4		22
23	0	0	0	0	0	0	5	44	22	10	0	16		23
24	0	0	0	26	0	31	1	6	0	1	0	5		24
25	0	0	5	14	0	0	0	0	22	0	0	0		25
26	44	6	0	10	0	0	0	0	0	8	0	90		26
27	2	0	0	10	0	33	0	0	14	0	0	4		27
28	0	0	0	0	0	4	0	0	0	0	0	45		28
29	0	0	0	0	0	23	0	44	0	0	0	54		29
30	0	X	0	0	0	0	0	23	23	0	0	2		30
31	8	X	0	X	0	X	0	14	X	0	X	25		31
TOTAL	2.15	0.09	5.05	1.84	.89	1.23	4.16	4.15	237	1.60	9.13	24.41		
*Days with or in. or more.	16	2	16	13	6	6	5	15	12	15	8	28		
*Days with .04 in. or more.	12	1	15	12	5	6	4	12	9	13	8	28		

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

W.C. Keevil

[P.T.O.]

Section

Station No. 1500

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Thompson

in the County of Dorset

Diameter of Funnel of Gauge.....5.....in. |

Height of top of Gauge above Ground.....1.....ft.....6.....in.

Ground Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	2	0	10	0	0	0	0	0	3	5	135	43		1
2	1	0	32	0	10	16	13	0	20	33	14	25		2
3	0	0	0	0	0	0	0	0	0	45	3	2		3
4	0	0	6	0	0	4	0	4	19	15	43	0		4
5	0	20	0	14	0	2	0	0	10	40	10	30		5
6	0	26	5	6	0	0	0	0	28	5	0	2		6
7	0	0	0	31	0	22	0	0	0	0	31	0		7
8	0	0	0	40	0	8	0	0	0	10	20	20		8
9	0	0	0	31	0	0	2	0	0	48	25	3		9
10	26	0	0	60	0	66	0	2	25	40	50	0		10
11	18	0	20	14	0	0	0	0	0	0	6	1		11
12	33	0	0	0	0	35	0	0	0	1	63	0		12
13	6	1	0	0	0	28	0	2	8	0	51	0		13
14	4	15	0	16	2	11	0	0	0	2	4	0		14
15	0	0	0	18	35	41	0	0	8	3	20	31		15
16	0	0	0	60	0	6	0	0	11	4	61	2		16
17	0	21	11	10	9	8	0	0	60	0	200	0		17
18	0	0	0	3	0	32	0	4	6	0	16	0		18
19	0	0	0	52	13	2	26	0	45	6	3	0		19
20	0	3	0	8	0	5	20	0	16	2	44	0		20
21	0	56	0	12	0	5	8	0	5	0	45	0		21
22	0	46	0	4	6	0	0	0	0	2	0	0		22
23	0	4	1	0	0	0	0	5	4	0	0	0		23
24	0	1	8	10	3	0	0	41	2	43	0	20		24
25	3	80	0	0	18	2	0	105	34	42	0	45		25
26	16	2	0	13	0	0	0	0	0	0	0	46		26
27	0	24	0	0	0	0	0	22	2	0	0	86		27
28	0	55	0	0	0	0	0	3	6	0	4	42		28
29	0	0	0	0	4	0	0	22	24	0	0	34		29
30	0	X	0	0	10	0	0	3	31	4	0	53		30
31	0	X	0	X	0	X	0	103	X	28	X	43		31
TOTAL	109	385	83	112	120	105	100	317	385	589	967	535	Year's Total	4356
*Days with or in or more.	8/16	15	7	8	18	9	18	5	12	21	20	21	18	173
*Days with or in or more.	6/14	12	6	7	17	5	15	16	4	8	19	15	12	142

† Spare column, no entries required

(Signed)

P.T.O.

Section **A** for the entry of
AIR MINISTR

FORM 1090

Kept at *Kit Robins' Cys*
in the County of *Dorset*

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea

REGIS

1606/1
LYTCHETT MATRAVERS
"KIT ROBINS"
1934 — 36

Station No. *1581*
FALL ORGANIZATION.

1934.

Formerly at Parkstone
X816106/28X

780305

Dorset 14

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. r, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	tr.	-	-	-	-	-	.48	-	.02	.04	.73		1
2	.47	-	.11	-	.02	.01	-	tr.	.88	.20	-	.31		2
3	.04	.01	-	-	-	-	-	tr.	tr.	.35	-	.30		3
4	.10	-	.10	tr.	.20	-	-	-	tr.	.14	-	.40		4
5	-	-	-	tr.	.01	-	-	.89	-	tr.	-	.45		5
6	.04	-	.39	.02	.17	tr.	-	.01	-	.33	.28	.57		6
7	.04	-	-	-	tr.	.02	-	.19	tr.	.13	tr.	.51		7
8	-	-	-	-	.32	-	-	.01	.02	-	.80	.06		8
9	.02	-	.12	tr.	-	-	-	-	tr.	-	.67	.26		9
10	.74	tr.	.23	.31	-	-	-	.01	-	-	.15	.03		10
11	.57	-	.55	.23	-	-	.11	.49	-	-	-	.84		11
12	.07	.01	.01	-	-	-	.11	.19	tr.	-	-	.26		12
13	.30	-	.05	.14	-	-	-	-	-	tr.	.13	.23		13
14	.12	-	.27	tr.	-	-	-	-	-	.03	.03	.81		14
15	.01	-	.03	.01	.14	tr.	-	-	-	.05	.12	.45		15
16	.19	-	.36	-	.01	-	-	-	-	-	tr.	.20		16
17	.14	-	tr.	.17	tr.	-	tr.	-	.06	.05	-	.38		17
18	.08	-	.21	.06	-	-	-	-	.05	-	-	.49		18
19	-	-	.21	.01	tr.	.03	-	.04	.11	-	-	.20		19
20	-	tr.	.07	.14	tr.	tr.	.04	-	.01	tr.	-	-		20
21	-	-	.02	.15	-	.17	-	.06	.01	.20	-	tr.		21
22	-	-	.01	-	-	-	tr.	.42	.24	.03	-	.24		22
23	-	.02	-	.28	-	.48	-	.02	.08	.02	-	.04		23
24	-	.02	.04	.08	-	.02	tr.	.04	.19	tr.	-	.02		24
25	.39	tr.	tr.	.07	-	-	.01	-	tr.	.07	-	.79		25
26	.01	-	-	.10	-	.32	tr.	-	.11	tr.	tr.	.84		26
27	.01	-	-	-	-	.05	-	-	-	.01	-	.45		27
28	-	-	-	tr.	-	.14	-	.58	.02	tr.	tr.	.50		28
29	-	X	-	-	-	-	tr.	.20	.36	tr.	.02	.02		29
30	.04	X	-	-	-	-	tr.	tr.	.17	-	.01	.30		30
31	tr.	X	-	X	tr.	X	-	-	X	-	X	.02		31
TOTAL	2.80	.06	2.78	1.77	.87	1.24	.27	3.63	2.31	1.63	2.25	9.70	29.31	
* Days with .01 in. or more.	20	4	17	14	7	9	4	15	14	14	10	29	157	
* Days with .04 in. or more.	15	-	13	11	4	-	3	11	10	9	7	25	108	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *X 36 Blanchard Esq* [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

1581

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Kit Robins' Lytchett Matravers
in the County of Dorset

commenced Jan 1934 Formerly at Parkstone
Parkside Rd

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 300 ft.

Copy
X816106/28X
Dorset 14

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	tr.	-	-	-	-	-	.48	-	.02	.04	.73		1
2	.47	-	.11	-	.02	.01	-	tr.	.88	.20	-	.31		2
3	.04	.01	-	-	-	-	-	tr.	tr.	.35	-	.30		3
4	.10	-	.10	tr.	.20	-	-	-	tr.	.14	-	.40		4
5	-	-	-	tr.	.01	-	-	.89	-	tr.	-	.45		5
6	.04	-	.39	.02	.17	tr.	-	.01	-	.33	.28	.57		6
7	.04	-	-	-	tr.	.02	-	.19	tr.	.13	tr.	.51		7
8	-	-	-	-	.32	-	-	.01	.02	-	.80	.06		8
9	.02	-	.12	tr.	-	-	-	-	tr.	-	.67	.26		9
10	.14	tr.	.23	.31	-	-	-	.01	-	-	.15	.03		10
11	.57	-	.55	.23	-	-	.11	.49	-	-	-	.34		11
12	.07	.01	.01	-	-	-	.11	.19	tr.	-	-	.26		12
13	.30	-	.05	.14	-	-	-	-	-	tr.	.13	.23		13
14	.12	-	.27	tr.	-	-	-	-	-	.03	.03	.81		14
15	.01	-	.03	.01	.14	tr.	-	-	-	.05	.12	.45		15
16	.19	-	.36	-	.01	-	-	-	-	-	tr.	.20		16
17	.14	-	tr.	.17	tr.	-	tr.	-	.06	.05	-	.38		17
18	.08	-	.21	.06	-	-	-	-	.05	-	-	.49		18
19	-	-	.21	.01	tr.	.03	-	.04	.11	-	-	.20		19
20	-	tr.	.07	.14	tr.	tr.	.04	-	.01	tr.	-	-		20
21	-	-	.02	.15	-	.17	-	.06	.01	.20	-	tr.		21
22	-	-	.01	-	-	-	tr.	.42	.24	.03	-	.24		22
23	-	.02	-	.28	-	.48	-	.02	.08	.02	-	.04		23
24	-	.02	.04	.08	-	.02	tr.	.04	.19	tr.	-	.02		24
25	.39	tr.	tr.	.07	-	-	.01	-	tr.	.07	-	.79		25
26	.01	-	-	.10	-	.32	tr.	-	.11	tr.	tr.	.34		26
27	.01	-	-	-	-	.05	-	-	-	.01	-	.45		27
28	-	-	-	tr.	-	.14	-	.58	.02	tr.	tr.	.50		28
29	-	X	-	-	-	-	tr.	.20	.36	tr.	.02	.02		29
30	.04	X	-	-	-	-	tr.	tr.	.17	-	.01	.30		30
31	tr.	X	-	X	tr.	X	-	-	X	-	X	.02		31
TOTAL	2.80	.06	2.78	1.77	.87	1.24	.27	3.63	2.31	1.63	2.25	9.70	29.31	
* Days with .01 in. or more.	20	4	17	14	7	9	4	15	14	14	10	29	157	
* Days with .04 in. or more.	15	-	13	11	4	-	3	11	10	9	7	25	108	

Year's Total.

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) X 36 Blanchard Esq X P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 1606/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Kit. Robins, Lytchett Matravers*
in the County of *Dorset*

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level.....3.00.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	tr.	-	31	-	01	12	08	-	21	44	20	34	171	1
2	-	tr.	-	-	-	01	-	-	-	39	06	tr.	46	2
3	tr.	tr.	11	-	01	06	-	-	14	190	22	-	244	3
4	01	16	-	18	01	08	-	-	16	30	15	13	118	4
5	02	39	02	10	-	10	-	-	27	tr.	04	-	94	5
6	-	-	-	25	-	147	-	-	-	-	25	02	199	6
7	-	-	-	37	tr.	-	-	-	-	19	41	18	115	7
8	tr.	-	-	31	-	-	tr.	-	10	30	59	07	137	8
9	17	-	tr.	50	-	62	-	-	04	84	78	-	295	9
10	04	tr.	09	05	-	04	-	-	-	-	14	02	38	10
11	24	01	26	01	-	27	-	-	-	03	65	01	148	11
12	09	02	-	-	-	27	-	02	09	-	42	-	91	12
13	13	13	-	40	01	20	-	-	01	02	08	-	98	13
14	-	04	-	25	03	22	-	-	07	08	50	32	151	14
15	-	10	-	51	28	10	-	-	16	05	33	03	156	15
16	-	07	08	12	-	06	-	-	40	tr.	2141	tr.	314	16
17	-	tr.	-	02	10	32	-	08	02	-	12	-	66	17
18	-	01	-	30	01	tr.	13	tr.	50	03	-	02	100	18
19	-	tr.	-	07	29	06	20	-	21	03	34	tr.	120	19
20	-	49	-	10	05	02	11	-	03	-	47	-	127	20
21	tr.	63	-	08	-	tr.	03	-	-	-	-	-	74	21
22	-	06	01	-	-	-	tr.	21	06	-	-	-	84	22
23	-	01	12	36	03	-	-	41	tr.	43	-	23	159	23
24	03	71	01	-	16	-	-	105	46	25	-	28	295	24
25	19	03	-	11	01	01	-	-	-	-	-	49	84	25
26	-	22	-	-	tr.	tr.	-	20	05	-	-	83	130	26
27	-	27	-	-	-	-	-	-	15	01	06	78	127	27
28	-	01	-	-	-	-	-	02	20	-	02	08	33	28
29	-	X	-	-	06	-	-	26	30	02	-	59	123	29
30	01	X	-	09	tr.	01	-	113	01	27	48	55	255	30
31	-	X	-	X	-	X	-	02	X	136	X	28	166	31
TOTAL	93	336	101	418	106	404	55	340	364	694	872	525	4308	
* Days with .01 in. or more.	11	18	9	20	14	19	5	10	22	19	22	19	188	
* Days with .04 in. or more.	6	12	6	18	6	15	4	7	18	13	21	14	140	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

H. Blanchard

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1606/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at 'Rit Robins', Litchett Heath, Warrington.

in the County of Dorset

Diameter of Funnel of Gauge.....5".....in.

Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level 300.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	.12	tr.	.35	-	.09	.12	tr.	tr.	-	.05	.03		1
2	.02	.02	-	.03	-	tr.	.04	.02	-	-	.03	-		2
3	-	-	-	.45	-	tr.	.04	tr.	.61	-	.55	.01		3
4	tr.	-	.16	-	-	tr.	tr.	-	.22	-	.12	.03		4
5	.36	-	.06	-	.10	tr.	-	.03	.24	-	tr.	-		5
6	.17	-	.01	-	-	.02	.01	.03	.21	-	.43	-		6
7	.06	-	.13	-	-	-	.32	-	-	-	.35	-		7
8	.40	-	.23	-	tr.	-	.15	-	tr.	-	.38	.06		8
9	.44	-	.21	-	-	-	.40	-	.30	tr.	.02	-		9
10	.34	.04	-	-	-	.09	.25	-	.03	-	.02	-		10
11	.29	.32	-	-	-	.07	.37	tr.	.13	-	.09	-		11
12	tr.	-	-	.16	.02	.37	-	.03	.11	-	.13	.01		12
13	.02	-	-	tr.	-	.04	.25	-	tr.	.03	.07	.61		13
14	-	.04	-	-	-	.02	.56	-	.02	.01	-	.44		14
15	-	.05	-	-	tr.	-	.01	-	-	-	.06	.42		15
16	.11	.18	-	-	.17	-	.07	-	tr.	-	.14	.10		16
17	-	.78	-	.01	.05	-	.05	-	tr.	.02	.01	.70		17
18	.08	.13	-	-	-	.11	.31	-	-	.03	-	.26		18
19	.36	.06	.02	.04	-	.21	.02	.07	-	.01	-	tr.		19
20	.23	.18	.18	.16	-	.02	.04	-	.95	tr.	-	-		20
21	tr.	.10	.06	.29	-	.07	.18	-	-	tr.	-	-		21
22	.16	.60	.48	-	tr.	-	.18	-	-	.02	-	.04		22
23	.09	tr.	.28	.15	tr.	-	.20	-	-	.11	-	.01		23
24	.36	.08	.07	tr.	.09	-	tr.	-	.04	.31	-	-		24
25			.38	.18	-	.40	-	-	.03	.24	tr.	-		25
26	.20	.17	.23	tr.	-	.55	tr.	-	.03	.07	-	-		26
27	.34	.28	.16	tr.	-	-	.05	-	.11	.12	-	.01		27
28	.95	-	.49	-	-	-	.33	-	-	-	-	.23		28
29	.02	.03	.05	-	-	.02	.15	-	-	.06	.05	.01		29
30	.18	~~tr.~~	tr.	-	.02	.17	-	-	-	.27	tr.	-		30
31	.07	~~tr.~~	.51	~~tr.~~	.14	~~tr.~~	.21	-	~~tr.~~	.54	~~tr.~~	.65		31
TOTAL	5.31	3.18	3.71	1.82	.59	3.25	4.31	.18	3.03	1.84	3.50	3.62	34.34	✓
* Days with .01 in. or more.	24	17	18	10	7	15	25	5	14	14	16	17	182	✓✓
* Days with .04 in. or more.	21	15	16	8	5	11	22	1	10	8	12	7	136	✓✓

† Spare column, no entries required.

(Signed)

J. E. Blanchard

[P.T.O.]

* See Instruction 3 (f) on other side.

BROADSTONE GRANGE RD

Section

A

for the entry
AIR MINIST

FORM 1090

REGI

Kept at Broadstone

in the County of Dorset

Diameter of Funnel of Gauge...

Height of top of Gauge above G

Ground Se

THE MORNING MEASUR

Station No.

1606/2

INFALL ORGANIZATION

938

1606/2

BROADSTONE
GRANGE ROAD

1938-40

780305

IOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	'01	—	—	tr	'03	'04	—	'01	'43	tr	'05		1
2	—	—	—	—	—	—	tr	—	—	'18	'07	'04		2
3	—	—	—	—	'11	—	tr	—	—	'90	'24	tr		3
4	—	—	—	—	'01	—	'09	1'31	—	'20	tr	'23		4
5	—	—	—	—	—	—	'21	'01	tr	'58	'01	tr		5
6	'10	—	—	—	—	'01	'35	—	'06	'08	'07	'13		6
7	'09	—	—	—	—	'04	'19	'19	'04	'16	'02	'14		7
8	'13	—	—	—	—	'02	'04	'11	—	'36	'02	'01		8
9	'09	'04	—	—	—	tr	tr	—	—	'02	tr	'97		9
10	'03	—	—	—	—	'43	'08	tr	—	'01	'01	'37		10
11	'21	—	—	—	—	tr	'01	—	—	—	'22	'23		11
12	'49	—	—	—	'15	—	tr	—	—	'21	'01	'06		12
13	'34	—	—	—	tr	—	tr	—	—	'21	'42	'67		13
14	'63	—	tr	—	'08	—	'35	—	—	—	—	tr		14
15	'24	—	—	—	'02	—	'35	tr	—	'34	'11	'54		15
16	'40	—	'05	—	—	—	—	'01	—	'04	'02	'05		16
17	—	'15	'02	—	'07	—	tr	—	'19	'34	'04	tr		17
18	'14	—	—	—	'09	'03	—	'03	'34	'01	'38	—		18
19	—	—	—	—	—	—	—	—	'21	—	1'06	tr ^x		19
20	'01	—	—	—	—	—	—	'11	tr	—	'55	tr ^x		20
21	'04	—	—	—	—	—	—	'03	'14	—	'09	'09 ⁸		21
22	'05	—	—	tr	—	tr	—	'41	tr	—	'45	'05		22
23	—	—	—	—	—	—	—	—	'11	—	'03	tr		23
24	tr	—	'20	—	'02	—	—	tr	'16	—	'27	—		24
25	'15	'23	'04	—	'14	—	tr	—	—	'03	1'33	'07		25
26	'42	'24	'01	—	'08	'03	'01	'02	'03	'05	tr	'22		26
27	'11	'02	—	—	'09	'30	'34	—	—	—	'34	—		27
28	'07	'12	—	—	'15	'09	tr	'05	'13	—	'05	'03		28
29	'01	X	—	—	'26	—	—	'60	'31	'14	'44	'05		29
30	'02	X	—	—	'04	—	'01	tr	'29	'02	'14	'02		30
31	'23	X	—	X	'22	X	—	—	X	'18	X	'37		31
TOTAL	400	81	32	—	153	98	207	288	199	449	639	439	29'85	Year's Total
* Days with .01 in. or more.	22	7	5	—	15	9	13	12	13	21	25	21	163	
* Days with .04 in. or more.	18	5	3	—	12	4	10	7	11	16	18	18	113	

R. NIMMS, ESQ

* See Instruction 3 (f) on other side.

X a few snowflakes
about 1 inch snow

(Signed)

R. Nimmo

[P.T.O.]

BROADSTONE/GRANGE RD

Section



for the entry

Station No

1606/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Broadstone
in the County of Dorset / 3
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 160 ft.

1937 imp
719614/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	'01	—	—	tr	'03	'04	—	'01	'43	tr	'05		1
2	—	—	—	—	—	—	tr	—	—	'18	'07	'04		2
3	—	—	—	—	'11	—	tr	—	—	'90	'24	tr		3
4	—	—	—	—	'01	—	'09	1'31	—	'20	tr	'23		4
5	—	—	—	—	—	—	'21	'01	tr	'58	'01	tr		5
6	'10	—	—	—	—	'01	'35	—	'06	'08	'07	'13		6
7	'09	—	—	—	—	'04	'19	'19	'04	'16	'02	'14		7
8	'13	—	—	—	—	'02	'04	'11	—	'36	'02	'01		8
9	'09	'04	—	—	—	tr	tr	—	—	'02	tr	'97		9
10	'03	—	—	—	—	'43	'08	tr	—	'01	'01	'37		10
11	'21	—	—	—	—	tr	'01	—	—	—	'22	'23		11
12	'49	—	—	—	'15	—	tr	—	—	'21	'01	'06		12
13	'34	—	—	—	tr	—	tr	—	—	'21	'42	'67		13
14	'63	—	tr	—	'08	—	'35	—	—	—	—	tr		14
15	'24	—	—	—	'02	—	'35	tr	—	'34	'11	'54		15
16	'40	—	'05	—	—	—	—	'01	—	'04	'02	'05		16
17	—	'15	'02	—	'07	—	tr	—	'19	'34	'04	tr		17
18	'14	—	—	—	'09	'03	—	'03	'34	'01	'38	—		18
19	—	—	—	—	—	—	—	—	'21	—	1'06	tr ^x		19
20	'01	—	—	—	—	—	—	'11	tr	—	'55	tr ^x		20
21	'04	—	—	—	—	—	—	'03	'14	—	'09	'09 ⁸		21
22	'05	—	—	tr	—	tr	—	'41	tr	—	'45	'05		22
23	—	—	—	—	—	—	—	—	'11	—	'03	tr		23
24	tr	—	'20	—	'02	—	—	tr	'16	—	'27	—		24
25	'15	'23	'04	—	'14	—	tr	—	—	'03	1'33	'07		25
26	'42	'24	'01	—	'08	'03	'01	'02	'03	'05	tr	'22		26
27	'11	'02	—	—	'09	'30	'34	—	—	—	'34	—		27
28	'07	'12	—	—	'15	'09	tr	'05	'13	—	'05	'03		28
29	'01	X	—	—	'26	—	—	'60	'31	'14	'44	'05		29
30	'02	X	—	—	'04	—	'01	tr	'29	'02	'14	'02		30
31	'23	X	—	X	'22	X	—	—	X	'18	X	'37		31
TOTAL	400	81	32	—	153	98	207	288	199	449	639	439	29'85	✓
* Days with .01 in. or more.	22	7	5	—	15	9	13	12	13	21	25	21	163	Print 98
* Days with .04 in. or more.	18	5	3	—	12	4	10	7	11	16	18	18	113	27/3/39

R. NIMMS, ESQ

* See Instruction 3 (f) on other side.

X a few snowflakes
about 1 inch snow

(Signed)

R. Nimmo

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

1606/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Broadstonein the County of DorsetDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in.,, Ground ,, Sea Level 160 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	01	—	11	13	07	—	28	01	12	—	01	14		1
2	—	—	01	16	tr	—	—	60	204	—	46	07		2
3	68	—	—	45	—	—	—	16	tr	—	33	18		3
4	02	—	50	18	27	—	65	35	07	31	07	05		4
5	—	—	05	19	27	—	33	04	—	25	58	06		5
6	76	tr	07	01	tr	—	70	03	—	tr	30	—		6
7	02	27	—	—	—	—	02	tr	—	tr	39	49		7
8	—	13	10	—	—	—	06	01	—	65	14	37		8
9	04	02	02	—	tr	—	—	09	—	20	26	27		9
10	33	—	02	—	—	01	—	24	13	18	01	tr		10
11	tr	tr	20	—	—	—	—	tr	—	25	01	—		11
12	01	02	tr	tr	—	01	—	—	—	01	02	—		12
13	—	01	—	04	—	01	45	—	02	210	02	03		13
14	97	—	tr	—	03	02	20	—	—	31	39	14		14
15	26	—	—	tr	16	94	11	—	tr	12	48	02		15
16	33	—	—	09	03	02	43	—	—	03	20	—		16
17	38	14	tr	—	32	02	07	—	—	16	05	01		17
18	13	tr	tr	—	01	06	52	—	—	—	42	01		18
19	41	tr	—	—	—	—	13	02	—	—	01	09		19
20	52	—	—	—	—	03	07	217	—	—	—	01		20
21	04	27	07	01	—	14	13	01	tr	—	—	—		21
22	34	20	08	—	—	66	13	—	01	—	24	—		22
23	01	01	tr	—	—	02	06	—	—	—	105	01		23
24	57	—	tr	03	—	48	18	03	—	tr	01	tr		24
25	78	17	tr	09	—	—	06	—	—	19	52	tr		25
26	01	02	tr	02	—	—	—	01	—	08	36	—		26
27	—	22	02	02	—	tr	01	tr	—	02	16	—		27
28	—	35	02	—	—	01	29	—	—	tr	38	18*		28
29	—	X	tr	02	—	—	58	—	—	09	03	—		29
30	—	X	tr	48	—	06	tr	35	—	28	02	—		30
31	—	X	—	X	—	X	tr	50	X	110	X	—		31
TOTAL	662	183	127	192	116	249	546	462	239	633	692	213	Year's Total 43'14"	
* Days with .01 in. or more.	21	13	13	15	8	15	22	16	6	18	28	17	192	
* Days with .04 in. or more.	15	8	8	9	5	6	20	9	4	15	19	11	129	

* Partly

* See Instruction 3/(f) on other side.

Snow

† Spare column, no entries required.

(Signed)

R. P. Hammo

[P.T.O.]

Thunderstorms

Snow

Section

A

for the entry of Daily Observations

Station No.

1606/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at Grange Rd Broadstonein the County of DorsetDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in.Ground Sea Level 160 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	01	tr	tr	02	—	—	—	—	—	16	—		1
2	—	18	—	16	—	—	01	—	—	—	49	02		2
3	tr	59	—	tr	—	—	—	—	—	42	80	25		3
4	05	19	—	04	—	—	07	—	—	39	25	02		4
5	tr	06	—	—	—	—	05	—	—	02	53	30		5
6	52	53	—	—	—	—	02	—	—	37	06	17		6
7	08	13	—	01	—	—	—	—	—	16	—	tr		7
8	tr	—	—	02	—	—	04	tr	tr	42	17	39		8
9	—	—	—	02	—	—	25	02	02	25	60	16		9
10	—	—	—	—	—	—	128	05	04	12	10	13		10
11	—	01 ^x	tr	01	—	—	05	—	—	—	94	01		11
12	—	—	19	—	—	tr	24	—	45	04	04	—		12
13	—	01 ^x	75 ^x	02	—	—	04	—	02	40	134	03		13
14	—	tr ^x	07 ^x	05	01	—	28	—	18	25	05	68		14
15	—	01 ^x	tr	03	25	01	59	—	14	20	48	03		15
16	—	95 ^x	44	36	—	02	02	—	09	78	46	06		16
17	—	01 ^x	56	—	—	tr	02	—	04	tr	87	tr		17
18	05 ^x	39 ^x	41	22	—	—	05	tr	04	16	02	06		18
19	—	07	03	24	—	—	04	—	57	—	47	tr		19
20	—	tr	03	02	—	—	—	tr	tr	19	05	01		20
21	—	tr	tr	tr	21	—	tr	—	04	—	54	—		21
22	—	03	09	01	—	20	tr	—	10	tr	02	—		22
23	—	04	29	08	—	—	tr	—	07	01	03	—		23
24	—	tr	tr	tr	—	—	38	—	—	—	tr	—		24
25	02	—	32	12	01	—	tr	—	—	—	tr	—		25
26	139	55	01	02	14	—	01	—	—	—	—	—		26
27	60	25	tr	02	50	—	15	—	—	—	—	—		27
28	64	10	—	—	13	—	—	—	—	08	—	—		28
29	71 ^x	57 ^x	18	37	—	—	—	—	—	03	—	30		29
30	07	—	01	03	—	—	—	—	—	28	—	17		30
31	07	—	—	—	—	—	—	—	—	60	—	28 ^x		31
TOTAL	420	468	338	185	127	23	359	07	180	517	847	307	Year's Total	3778
* Days with .01 in. or more.	11	20	14	20	8	3	19	2	13	20	22	18		170
* Days with .04 in. or more.	10	14	10	9	5	1	14	1	11	17	19	12		123

* See Instructions (f) on other side.

† Spare column, no entries required.

(Signed)

R. Nimmo
Partly Snow

[P.T.O.]

Section **A** for the entry of
AIR MINISTRE
FORM 1090.

Kept at *Elmbrook*
in the County of *Dor*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
,, Ground ,, Sea

1606/1/2
ELMBROOK, KINSON
1935

780305

1606/1/2
Station No. *1555*
INFALL ORGANIZATION.
1935.

Abbots Court
Radipole
Weymouth

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					<i>.02</i>	<i>.12</i>	<i>.13</i>		<i>.17</i>	<i>.33</i>	<i>.12</i>	<i>.30</i>		1
2						<i>.01</i>				<i>.38</i>	<i>.02</i>	<i>.02</i>		2
3						<i>.05</i>		<i>.05</i>	<i>.11</i>	<i>1.49</i>	<i>.38</i>	<i>.40</i>		3
4				<i>.18</i>		<i>.01</i>			<i>.17</i>	<i>.45</i>	<i>.10</i>			4
5				<i>.06</i>					<i>.28</i>	<i>.05</i>	<i>.08</i>	<i>.01</i>		5
6				<i>.29</i>		<i>1.14</i>					<i>.25</i>	<i>.01</i>		6
7				<i>.38</i>		<i>.05</i>				<i>.15</i>	<i>.42</i>	<i>.17</i>		7
8				<i>.30</i>			<i>.02</i>		<i>.14</i>	<i>.49</i>	<i>.72</i>	<i>.03</i>		8
9				<i>.54</i>		<i>.66</i>			<i>.12</i>	<i>.72</i>	<i>.52</i>			9
10				<i>.15</i>		<i>.07</i>					<i>.05</i>			10
11				<i>.01</i>		<i>.26</i>					<i>.58</i>			11
12						<i>.24</i>		<i>.01</i>	<i>.06</i>		<i>.53</i>			12
13				<i>.18</i>	<i>.01</i>	<i>.12</i>			<i>.01</i>		<i>.04</i>			13
14				<i>.19</i>	<i>.01</i>	<i>.37</i>			<i>.05</i>	<i>.03</i>	<i>.34</i>	<i>.32</i>		14
15				<i>.61</i>	<i>.36</i>	<i>.04</i>			<i>.13</i>	<i>.06</i>	<i>.46</i>			15
16				<i>.08</i>		<i>.06</i>			<i>.53</i>		<i>1.42</i>			16
17				<i>.02</i>	<i>.09</i>	<i>.31</i>		<i>.03</i>	<i>.01</i>		<i>.16</i>			17
18				<i>.32</i>		<i>.01</i>	<i>.24</i>		<i>.46</i>	<i>.05</i>	<i>.01</i>	<i>.01</i>		18
19				<i>.09</i>	<i>.13</i>	<i>.04</i>	<i>.20</i>		<i>.17</i>	<i>.01</i>	<i>.49</i>			19
20				<i>.13</i>		<i>.03</i>	<i>.07</i>		<i>.02</i>		<i>.60</i>			20
21				<i>.02</i>						<i>.01</i>				21
22				<i>.01</i>				<i>.07</i>	<i>.05</i>					22
23				<i>.29</i>	<i>.04</i>			<i>.43</i>	<i>.01</i>	<i>.45</i>		<i>.22</i>		23
24				<i>.19</i>				<i>1.03</i>	<i>.34</i>	<i>.41</i>		<i>.46</i>		24
25				<i>.13</i>		<i>.01</i>						<i>.52</i>		25
26								<i>.21</i>	<i>.03</i>			<i>.92</i>		26
27								<i>.03</i>	<i>.06</i>		<i>.04</i>	<i>.75</i>		27
28					<i>.05</i>			<i>.20</i>	<i>.27</i>			<i>.21</i>		28
29					<i>.12</i>			<i>.02</i>	<i>.28</i>	<i>.03</i>		<i>.59</i>		29
30		<i>X</i>		<i>.08</i>				<i>.96</i>	<i>.04</i>	<i>.32</i>	<i>.40</i>	<i>.47</i>		30
31		<i>X</i>		<i>X</i>		<i>X</i>			<i>X</i>	<i>1.21</i>	<i>X</i>	<i>.17</i>		31
TOTAL	<i>(1.00)</i>	<i>(3.70)</i>	<i>(1.00)</i>	<i>4.06</i>	<i>1.02</i>	<i>3.60</i>	<i>.66</i>	<i>3.04</i>	<i>2.50</i>	<i>6.64</i>	<i>8.23</i>	<i>5.58</i>	<i>36.38</i>	<i>(42.03)</i>
* Days with .01 in. or more.				<i>21</i>	<i>10</i>	<i>19</i>	<i>5</i>	<i>11</i>	<i>23</i>	<i>18</i>	<i>22</i>	<i>18</i>	<i>14</i>	
* Days with .04 in. or more.				<i>17</i>	<i>7</i>	<i>14</i>	<i>4</i>	<i>7</i>	<i>18</i>	<i>14</i>	<i>20</i>	<i>13</i>	<i>11</i>	

X KINSON

reck/4

1606/1/2

Section **A** for the entry of Daily Observations.

Station No. 1555.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Elmbrook, Kinson,*
in the County of *Dorset*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *5* ft in.
,, Ground ,, Sea Level *Not known*

Circ 4 sent 20/1/36 out

(Formerly at abbots court Radipole Weymouth)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					.02	.12	.13		.17	.33	.12	.30		1
2						.01				.38	.02	.02		2
3						.05		.05	.11	<u>1.49</u>	.38	.40		3
4				.18		.01			.17	.45	.10			4
5				.06					.28	.05	.08	.01		5
6				.29		<u>1.14</u>					.25	.01		6
7				.38		.05				.15	.42	.17		7
8				.30			.02		.14	.49	.72	.03		8
9				.54		.66			.12	.72	.52			9
10				.15		.07					.05			10
11				.01		.26					.58			11
12						.24		.01	.06		.53			12
13				.18	.01	.12			.01		.04			13
14				.19	.01	.37			.05	.03	.34	.32		14
15				<u>.61</u>	<u>.36</u>	.04			.13	.06	.46			15
16				.08		.06			.53		<u>1.42</u>			16
17				.02	.09	.31		.03	.01		.16			17
18				.32		.01	.24		.46	.05	.01	.01		18
19				.09	.13	.04	.20		.17	.01	.49			19
20				.13		.03	.07		.02		.60			20
21				.02						.01				21
22				.01				.07	.05					22
23				.29	.04			.43	.01	.45		.22		23
24				.19				<u>1.03</u>	.34	.41		.46		24
25				.13		.01						.52		25
26								.21	.03			<u>.92</u>		26
27								.03	.06		.04	.75		27
28					.05			.20	.27			.21		28
29					.12			.02	.28	.03		.59		29
30		X		.08				.96	.04	.32	.40	.47		30
31		X		X		X			X	1.21	X	.17		31
TOTAL	(1.00)	(3.70)	(1.00)	4.06	1.02	3.60	.66	3.04	2.50	6.64	8.23	5.58	36.33	(42.03)
* Days with .01 in. or more.				21	10	19	5	11	23	18	22	18	144	—
* Days with .04 in. or more.				17	7	14	4	7	18	14	20	13	114	—

40-9999 C.E.M. PINNEY ESQ

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) C. E. M. Pinney

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193

Kept at *Rinon, Elmbrook, Bournemouth*

in the County of *Hants*

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft. in.

Ground Sea Level ft.

*Moved from Radpole
Abbotts Court.
No 1555.*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				-	02	12	13	-	17	33	12	30		1
2				-	-	01	-	-	-	38	02	02		2
3				-	-	05	-	05	11	149	38	40		3
4				18	-	01	-	-	17	45	10	-		4
5				06	-	-	-	-	28	05	08	01		5
6				29	-	114	-	-	-	-	25	01		6
7				38	-	05	-	-	-	15	42	17		7
8				30	-	-	02	-	14	49	72	03		8
9				54	-	66	-	-	12	72	52	-		9
10				15	-	07	-	-	-	-	05	-		10
11				01	-	26	-	-	-	-	58	-		11
12				-	01	24	-	01	06	-	53	-		12
13				18	01	12	-	-	01	-	04	-		13
14				19	36	37	-	-	05	03	34	32		14
15				61	-	04	-	-	13	06	46	-		15
16				08	09	06	-	-	52	-	192	-		16
17				02	-	31	-	03	01	-	16	-		17
18				32	13	01	24	-	46	05	01	01		18
19				09	-	04	20	-	17	01	49	-		19
20				13	-	03	07	-	02	-	60	-		20
21				02	-	-	-	-	-	01	-	-		21
22				01	-	-	-	07	05	-	-	-		22
23				29	04	-	-	43	01	45	-	22		23
24				-	19	-	-	103	34	41	-	46		24
25				13	-	01	-	-	-	-	-	52		25
26				-	-	-	-	21	03	-	-	92		26
27				-	-	-	-	03	06	-	04	75		27
28				-	05	-	-	20	27	-	-	21		28
29				-	12	-	-	02	28	03	-	59		29
30		X		08	-	-	-	96	04	32	40	47		30
31		X		X	-	X	-		X	121	X	17		31
TOTAL				406	102	360	66	304	350	664	823	558	Year's Total.	
* Days with .01 in. or more.				21	10	19	5	11	23	18	22	18		
* Days with .04 in. or more.				07	7	14	4	7	18	14	20	13		

X WIMBORNE

Section **A** for the entry of
AIR MINISTRI
FORM 1090. **REGI**

Station No. 1606/7
NFALL ORGANIZATION
1935.

Kept at *Mesley* **WIMBORNE (MEALEY HSE.)**
in the County of *L*
1935-38

Diameter of Funnel of Gauge
Height of top of Gauge above Gro
Ground Sea

780305

cont 21/7/36
CWP

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.3	~~37~~	37		12	18	18		11	12	25	26		1
2										42	3			2
3		.9	9			5			14	170	22			3
4	.2	20		20		3			10	28	16	21		4
5		28		7		7			17	7	7	2		5
6		~~8~~	.8	25		145					17	1		6
7				37		5					43	17		7
8				40					11	83	90	5		8
9	.27			55		95			10	85	70	1		9
10	.6			17		7					9	1		10
11	.26	~~33~~	33			27					70			11
12	.9					38			9		52			12
13	.10	20		35		20			1	2	10			13
14				24	3	19			8	6	40	36		14
15		.26		60	28	11			20	7	42	1		15
16		~~11~~	.11	20		5			11		213			16
17					7	32	6	6			11			17
18				40			37		58	7	2	1		18
19		.11		10	30	8	24		27	1	38			19
20		.82		14		9	7		8		61			20
21		.50		8		1								21
22		.11							7					22
23		.2	.14	32	7			63		42		27		23
24	.2	.75			15			117	53	27		34		24
25	.18	.10		16		7		23				60		25
26		.34							6			91		26
27		.37							12		4	75		27
28		.6			3			22	28		1	11		28
29					18			3	85	3		62		29
30		X						111		30	43	57		30
31		X		X		X			X	110	X	38		31
TOTAL	1.83	392	1.1	24.60	1234.59	.91	3.75	356	662	8.89	561	40.12	45.53	
* Days with .01 in. or more.	9	13	6	17	9	19	4	7	20	17	23	20	164	
* Days with .04 in. or more.	6	12	6	17	7	17	4	6	19	14	20	14	142	

X WIMBORNE

Section **A** for the entry of Daily Observations.

Station No. 16.06/17

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Merby House Wimborne

in the County of Dorset.

2. Dorset/4

Diameter of Funnel of Gauge 5 1/2 in.

Height of top of Gauge above Ground 1 ft 2 in.

Ground Sea Level 350 ft.

circ D2 sent 21/7/36

CMS

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.3	~~37~~ 37			12	18	18		11	12	25	26		1
2										42	3			2
3		~~9~~ 9				5			14	170	22			3
4	.2	20		20		3			10	28	16	21		4
5		28		7		7			17	7	7	2		5
6		~~8~~ 8		25		145					17	1		6
7				37		5					43	17		7
8				40					17	83	90	5		8
9	.27			55		95			10	85	70	1		9
10	.6			17		7					9	1		10
11	.26	~~33~~ 33				27					70			11
12	.9					38			9		52			12
13	.10	20		35		20			1	2	10			13
14				24	3	19			8	6	40	36		14
15	.26			50	28	11			20	7	42	1		15
16	~~11~~ 11			20		5			11		213			16
17					7	32	~~6~~ 6				11			17
18				40			37		58	7	2	1		18
19	.11			10	30	8	29		27	1	38			19
20	.82			14		9	7		9		61			20
21	.50			8		1								21
22	.11								7					22
23	.2	.14	32	7				63		42		27		23
24	.2	.75		15				117	53	27		34		24
25	.18	.10	16		7			23				60		25
26	.34								6			91		26
27	.37								12		4	75		27
28	.5				3			22	28		1	11		28
29				18				3	85	3		62		29
30	X							111		30	43	57		30
31	X		X	X	X			X	110	X	38			31
TOTAL	1.93	392	1.1	24.60	1234.59	.91	3.35	356	662	8.89	561	40.12	45.53	
* Days with .01 in. or more.	9	13	6	17	9	19	4	7	20	17	23	20	164	
* Days with .04 in. or more.	6	12	6	17	7	17	4	6	19	14	20	14	142	

40-9999

* See Instruction 2 (f) on other side.

X CAPT. A. HAMBRO X† Spare column, no entries required.

(Signed) Capt. A. Hambro

[P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No.

1626/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at *Merley House Winton*in the County of *Devon*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level *330*..ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	14.	13		42		9	12							1
2	8	1		2		11	7	5			8			2
3				40			5		57		54			3
4			16			2			25					4
5	37		8		12			2	8		16	14		5
6	31					2		2	48		38			6
7	6		16				26				37			7
8	46		33				6				38			8
9	24.		30				50		35					9
10	34						19		3					10
11	27	35.				3	21				95			11
12				11	17	40	45	14	15		25			12
13	3					7	23				8	76		13
14		7				3	58			6	12	53		14
15									5		5	45		15
16		10			11		9				7			16
17	4	20			2		7		1	3	11	78		17
18	10	82				25	38					38		18
19	42	17				12	6	10		16				19
20	21	4	30	22		6								20
21		25	1	47		7	23		85.					21
22	17	72	45				16		6			9		22
23	9		32	16	6		40			15				23
24	29	6			6				2	37				24
25	9		38	18						6				25
26	19	18	28			45			8	18				26
27	37	23	15				7		14	11				27
28	89		55				10			5		25		28
29	3		6				8			8	9	3		29
30	13	~~2~~				18				50.		2		30
31	8	~~2~~	52	~~2~~	19	~~2~~	27		~~2~~		~~2~~	53		31
TOTAL	540	331	405	198	73	187	461	.33	312	176	363	396	Year's Total 34.75	✓
* Days with .01 in. or more.	24	14	15	8	7	14	22	5	14	11	14	11	159	✓
* Days with .04 in. or more.	22	13	14	7	6	10	22	3	11	10	14	9	141	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Ray. Hamble. [P.T.O.]

Station No. 60673

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1937

Day's

Height of top of Gauge above Ground.....ft.....in.

Ground Sea Level ... 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf

~~W. A. SETRY,~~

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

ies required.

Angus H. ...

[P.T.O.]

~~BEAMINSTER, DORSET.~~

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No.

1605/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at

Merry House Winton

in the County of

Dorset

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground...1...ft.....in.

,, Ground ,, Sea Level ...352...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2						7	67			34				2
3				1	12		5			26	11	9		3
4							12	63		96	20	23		4
5							42	11		24				5
6	.14						23		8	32	6	11		6
7	.7						34	105				13		7
8	.13					6	6	15		30				8
9	.15	14					7			42		109		9
10	.4					20	9					32		10
11	.25										28	24		11
12	.58				26					10		5		12
13	33									32	46			13
14	53				8		23							14
15	34				3		72			31	12			15
16	35									5				16
17		11							21	23	8			17
18	14				6	3		21	28		47			18
19									9		93			19
20											60			20
21	7								27		12			21
22	5							35			47			22
23									28					23
24			15					4	17		28			24
25	17	27	8		23						132			25
26	53	37			9		6			7		43		26
27	9				11	33	40		8		37			27
28		13			21	11		66	13		6	4		28
29	12				35				33	21	20	9		29
30	3	×			4				43		37			30
31	20	×		×	23	×			×	20	×	37	"d"	31
TOTAL	4.29	1.02	.30	—	1.91	.80	3.56	3.20	23.5	4.33	6.50	3.01	31.17	✓
* Days with .01 in. or more.	20	5	3	—	12	6	13	8	11	15	18	12	123	✓
* Days with .04 in. or more.	19	5	3	—	11	5	13	8	11	15	18	12	120	✓

† Spare column, no entries required.

(Signed)

Cyril Hamlyn [P.O.]

* See Instruction 3 (f) on other side.

Secti

FORM

K
in
D
F

1607
COPY FOR OFFICIAL USE.

ICE.—BRITISH RAINFALL ORGANIZATION.

FALL IN 1931.

WIMBORNE CORFE MULLEN

1931-40

TO THE PREVIOUS DAY.

Jan. 1, following

780305 ng made on January 1st of the following

year in the space on the

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.02	-	.19	-	.03	-	.03	.21	.02	-	-	1
2	.29	.04	-	.39	-	-	-	.02	.69	-	-	.24	2
3	.09	-	.68	.03	-	-	-	.03	.32	-	.85	.33	3
4	-	-	.03	-	.04	.22	.28	.02	.04	.01	.19	-	4
5	-	.15	-	.10	-	.31	.12	-	-	-	.13	.09	5
6	-	.17	-	.20	.09	.17	-	-	-	.40	.23	.24	6
7	-	-	-	-	.19	.23	-	.54	-	.06	.33	.06	7
8	-	.24	-	.14	-	.36	.06	.01	-	.01	.17	.10	8
9	.04	.20	-	-	-	.09	.02	-	-	-	.103	.01	9
10	-	-	-	-	-	.16	.07	-	-	-	.33	-	10
11	.13	.43	-	-	-	.04	.02	-	-	-	.46	-	11
12	-	.02	-	-	-	-	.16	-	.04	.22	-	-	12
13	-	-	-	-	-	-	.02	.12	-	.05	-	-	13
14	-	.09	-	-	-	-	1.75	.17	-	-	.02	-	14
15	-	.03	-	-	.10	.63	-	.21	.02	-	-	.04	15
16	-	.02	-	.08	.19	-	.01	-	.10	-	-	-	16
17	-	.13	-	.07	-	.36	.32	-	.10	-	-	-	17
18	.04	-	.03	.08	-	.10	.05	1.29	-	-	.67	-	18
19	.07	-	-	.06	-	.35	.03	.10	-	-	.01	-	19
20	-	.07	.22	-	-	-	-	.19	-	-	-	-	20
21	.08	-	-	-	.36	-	-	-	-	-	.04	-	21
22	.38	-	.07	.04	.04	-	-	.01	-	-	-	-	22
23	.31	-	-	.11	.69	-	-	-	-	-	.35	-	23
24	.06	-	-	.35	.15	.41	.49	.61	-	-	-	-	24
25	.07	-	-	.26	.21	-	.30	-	-	-	.25	-	25
26	-	-	-	.12	-	-	.39	-	-	-	.23	-	26
27	.08	.41	-	-	.84	-	.08	-	-	-	.03	-	27
28	.05	.05	-	-	.08	-	-	-	-	-	.09	.16	28
29	.08	X	.07	-	.04	-	.11	.03	-	.02	-	-	29
30	-	X	.07	-	.20	-	.02	.05	-	-	.04	-	30
31	.40	X	-	X	-	X	-	-	X	-	X	.08	31
99 TOTAL	2.17	2.07	1.17	2.22	3.22	3.40	4.30	3.43	1.52	.79	5.45	1.35	YEAR'S TOTAL 31.09
*Days with ".01 in. or more.	15	15	7	15	14	14	19	16	8	8	19	10	160
*Days with ".04 in. or more.	15	11	5	14	14	13	13	9	7	4	16	9	130

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Geo. W. H. H. H.

Waterworks Eng.

P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Cork-Mullen Bakerworks P.S.
in the County of Dorset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
„ Ground „ Sea Level 81 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.02	-	.19	-	.03	-	.03	.21	.02	-	-	1
2	.29	.04	-	.39	-	-	-	.02	.69	-	-	.24	2
3	.09	-	.68	.05	-	-	-	.03	.32	-	.85	.33	3
4	-	-	.03	-	.04	.22	.28	.02	.04	.01	.19	-	4
5	-	.15	-	.10	-	.31	.12	-	-	-	.13	.09	5
6	-	.17	-	.20	.09	.17	-	-	-	.40	.23	.24	6
7	-	-	-	-	.19	.23	-	.54	-	.06	.33	.06	7
8	-	.24	-	.14	-	.36	.06	.01	-	.01	.17	.10	8
9	.04	.20	-	-	-	.09	.02	-	-	-	.103	.01	9
10	-	-	-	-	-	.16	.07	-	-	-	.33	-	10
11	.13	.43	-	-	-	.04	.02	-	-	-	.46	-	11
12	-	.02	-	-	-	-	.16	-	.04	.22	-	-	12
13	-	-	-	-	-	-	.02	.12	-	.05	-	-	13
14	-	.09	-	-	-	-	1.75	.17	-	-	.02	-	14
15	-	.03	-	-	.10	.63	-	.21	.02	-	-	.04	15
16	-	.02	-	.08	.19	-	.01	-	.10	-	-	-	16
17	-	.13	-	.07	-	.36	.32	-	.10	-	-	-	17
18	.04	-	.03	.08	-	.10	.05	1.29	-	-	.67	-	18
19	.07	-	-	.06	-	.35	.03	.10	-	-	.01	-	19
20	-	.07	.22	-	-	-	-	.19	-	-	-	-	20
21	.08	-	-	-	.36	-	-	-	-	-	.04	-	21
22	.38	-	.07	.04	.04	-	-	.01	-	-	-	-	22
23	.31	-	-	.11	.69	-	-	-	-	-	.35	-	23
24	.06	-	-	.35	.15	.41	.49	.61	-	-	-	-	24
25	.07	-	-	.26	.21	-	.30	-	-	-	.25	-	25
26	-	-	-	.12	-	-	.39	-	-	-	.23	-	26
27	.08	.41	-	-	.84	-	.08	-	-	-	.03	-	27
28	.05	.05	-	-	.08	-	-	-	-	-	.09	.16	28
29	.08	X	.07	-	.04	-	.11	.03	-	.02	-	-	29
30	-	X	.07	-	.20	-	.02	.05	-	-	.04	-	30
31	.40	X	-	X	-	X	-	-	X	-	X	.08	31
99 TOTAL	2.17	2.07	1.17	2.22	3.22	3.40	4.30	3.43	1.52	.79	5.45	1.35	YEAR'S TOTAL 31.09
*Days with ".01 in. or more.	15	15	7	15	14	14	19	16	8	8	19	10	160
*Days with ".04 in. or more.	15	11	5	14	14	13	13	9	7	4	16	9	130

C. W. Mullen
Bakerworks Eng.

Section

A

for the entry of Daily Observations.

Station No. 1607

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.Kept at *Capt Mullin's Waterworks Pumping Station*
in the County of *Dorset*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. — in.
„ Ground „ Sea Level *81* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
32	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	-	-	.13	.44	-	-	.08	-	.03	.02	-	1
2	-	-	-	.17	.10	-	-	.03	.05	-	-	.40	2
3	-	-	-	.10	-	.33	-	-	.51	.07	-	-	3
4	.02	-	-	-	-	.27	-	-	-	-	.14	-	4
5	.42	-	-	-	-	-	-	-	.15	-	-	-	5
6	.52	-	-	.15	.02	-	.02	-	.23	-	-	-	6
7	-	-	-	.06	.15	-	-	-	.20	.38	-	-	7
8	-	-	.40	.02	-	-	-	-	.62	.14	-	-	8
9	.39	.02	-	.14	.04	-	-	-	-	.06	.07	-	9
10	.15	.01	.03	.30	.05	-	-	-	-	.17	.16	-	10
11	.04	-	-	.02	-	-	.54	-	-	.06	-	.08	11
12	.77	-	-	-	.10	-	-	-	.14	.16	.02	.02	12
13	.03	-	-	.17	.09	-	.08	-	-	.83	-	.05	13
14	.08	-	-	.14	.08	-	-	-	-	-	.06	-	14
15	.06	-	-	.03	.28	-	-	-	-	.03	-	.03	15
16	.15	-	-	.13	-	-	.29	-	-	-	-	-	16
17	.04	-	-	.06	-	-	-	-	-	-	-	-	17
18	.03	-	-	-	.18	-	-	-	.05	-	.12	-	18
19	-	-	-	-	-	-	-	-	.02	.38	-	-	19
20	-	-	-	-	.39	-	.06	.24	-	1.01	.33	-	20
21	.02	-	.15	.06	.20	-	-	-	-	.38	-	.11	21
22	.01	-	.05	.02	.08	-	.04	.10	.58	.33	.45	-	22
23	-	-	-	-	.02	-	.34	-	.06	.61	.06	.10	23
24	-	.03	-	-	.04	-	.46	-	.17	.06	-	.01	24
25	-	-	-	.04	-	-	.33	-	.03	.35	.04	-	25
26	-	-	.15	.06	-	-	.32	-	-	.06	-	-	26
27	-	-	.39	.57	.27	.12	.03	-	-	.38	-	.05	27
28	-	-	.03	.08	.03	-	.16	-	-	-	-	.05	28
29	-	-	.44	.11	.24	.35	.01	.20	.68	.43	.24	.06	29
30	-	X	.04	.26	.03	1.63	.08	-	.55	-	.78	.34	30
31	-	X	-	X	.01	X	.04	-	X	-	X	.16	31
99 TOTAL	2.86	.06	1.68	2.82	2.84	2.70	2.80	.65	4.04	5.92	2.49	1.46	YEAR'S TOTAL 30.32
*Days with .01 in. or more.	16	3	9	22	21	5	15	5	15	20	13	13	157
*Days with .04 in. or more.	11	-	7	18	16	5	12	4	13	18	11	10	125

Section

A

for the entry of Daily Observations.

Station No.

1607

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Corpe Mullen Pumping Station*
in the County of *Dorset.*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *—* in.
Ground Sea Level *81* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
33	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.33	.70	.08	-	.35	-	-	-	-	-	-	.18	1
2	.57	-	.73	-	-	-	-	-	-	-	-	-	2
3	.02	.11	.36	-	-	-	-	-	-	-	-	-	3
4	.20	.03	.06	-	.25	-	-	-	-	-	-	-	4
5	.12	-	.47	-	.02	-	-	-	-	-	-	-	5
6	-	.29	-	-	.20	-	-	-	-	.16	.03	-	6
7	.04	.01	-	-	.09	-	.02	-	-	.15	-	-	7
8	.01	-	.04	-	.04	-	.31	-	-	.02	-	-	8
9	-	-	-	-	.03	-	.32	-	-	.11	-	-	9
10	-	-	-	-	-	-	.15	-	-	.16	-	-	10
11	.27	-	-	-	-	.14	.06	.37	-	.01	-	-	11
12	-	-	-	.04	.02	-	.05	-	.72	-	-	.08	12
13	.02	-	-	-	-	-	.40	.02	-	.13	-	-	13
14	-	-	-	-	-	-	-	.12	-	.34	.39	-	14
15	.59	-	.38	-	-	-	-	.32	-	.09	-	-	15
16	-	-	1.00	-	-	.05	.07	-	.04	.05	-	-	16
17	-	.06	.36	-	-	.08	-	.07	.14	-	-	-	17
18	.16	-	.15	-	-	.04	-	-	-	-	.02	-	18
19	-	-	.18	-	-	.02	-	-	.31	-	.44	.04	19
20	-	.16	-	-	-	-	-	.06	.08	-	-	-	20
21	-	.04	-	-	.02	.11	-	.25	-	.07	-	-	21
22	-	-	-	-	-	-	-	.16	.11	.09	-	-	22
23	-	.06	-	.45	-	.20	-	-	.20	.14	-	-	23
24	-	2.08	-	.30	-	.02	-	-	.04	.02	-	-	24
25	-	.47	-	.37	-	-	-	-	.08	-	-	.10	25
26	-	.50	-	.13	.21	-	-	-	-	-	-	-	26
27	-	-	-	-	.07	-	.08	-	-	.14	-	.59	27
28	-	-	-	.46	-	-	.65	-	-	-	-	-	28
29	.16	X	-	-	-	-	.12	-	.02	-	-	.02	29
30	.06	X	.11	-	-	-	.04	-	.06	-	-	.07	30
31	.23	X	.05	X	-	X	-	-	X	-	X	-	31
99 TOTAL	2.78	4.51	3.97	1.75	1.30	.66	2.27	1.37	1.80	1.68	.88	1.08	YEAR'S TOTAL 24.05
*Days with ".01 in. or more.	14	12	13	6	11	8	12	8	11	15	4	7	121
*Days with ".04 in. or more.	11	10	13	6	7	6	11	7	10	12	2	6	101

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No.

1607
1607

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Croft-Hullon Pumping Station
in the County of EssexDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 81 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
34	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	-	-	-	-	-	.54	-	.02	.01	.80		1
2	.34	-	.10	-	.02	-	-	-	.71	.34	-	.29		2
3	.05	-	-	-	-	-	-	.01	-	.46	-	.25		3
4	.10	-	.11	-	.20	-	-	-	-	.05	-	.41		4
5	-	-	-	-	.02	-	-	.90	-	.02	-	.50		5
6	.05	-	.39	-	.16	-	-	.01	-	.35	.20	.66		6
7	.04	-	-	-	-	-	-	.17	-	.12	-	.53		7
8	-	-	-	-	.26	-	-	-	.01	-	.68	.06		8
9	.03	-	.14	-	-	-	-	-	.01	-	.60	.30		9
10	.13	-	.27	.33	-	-	-	.02	-	-	.28	.03		10
11	.63	-	.50	.24	-	-	.13	.43	-	-	-	.39		11
12	.01	-	-	-	-	-	.05	.12	-	-	-	.32		12
13	.32	-	.03	.16	-	-	.04	-	-	-	.15	.19		13
14	.07	-	.33	-	-	-	-	-	-	-	.02	.83		14
15	.02	-	.03	-	.11	-	-	-	-	.08	.10	.40		15
16	.21	-	.39	-	-	-	-	-	-	-	-	.21		16
17	.11	-	.22	.19	-	-	-	-	.07	.05	-	.39		17
18	.05	-	-	.08	-	-	-	-	.14	-	-	.39		18
19	-	-	.22	-	-	.12	-	.02	.13	-	-	.15		19
20	-	-	.04	.14	-	-	.26	.01	-	.01	-	-		20
21	-	-	.02	.10	-	.15	-	.06	.01	.19	-	.02		21
22	-	-	-	-	-	-	.18	.55	.21	.05	-	.24		22
23	-	-	-	.28	-	.52	-	.08	.09	.01	-	.03		23
24	-	.03	.05	-	-	.05	-	.01	.20	-	-	.02		24
25	.43	.01	-	.11	-	-	-	-	-	.07	-	.95		25
26	.01	-	-	.11	-	.30	-	-	.11	-	-	.34		26
27	-	-	-	-	-	.05	-	-	-	.02	-	.48		27
28	-	-	-	-	-	.04	-	.59	-	-	-	.60		28
29	-	X	-	-	-	-	-	.08	.30	-	-	.03		29
30	.05	X	-	-	-	-	-	-	.19	-	.03	.32		30
31	-	X	-	X	-	X	-	.11	X	-	X	.02		31
99 TOTAL	2.67	.04	2.84	1.74	.77	1.23	.66	3.71	2.18	1.84	2.07	10.15	29.90	Year's Total.
* Days with .01 in. or more.	19	2	15	10	6	7	5	17	13	15	9	30	148	
* Days with .04 in. or more.	14	-	12	10	4	7	5	11	10	10	6	24	113	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

G. T. Spencer, *Waterworks Engineer* [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

1607

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Croft Mullin Pumping Station*in the County of *Dorset*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft *—* in.Ground Sea Level *81* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
35	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	.35	—	.02	.13	.13	—	.29	.09	.17	.21		1
2	—	—	—	—	—	—	—	—	—	.41	.02	.01		2
3	—	—	.04	—	—	.07	—	—	.13	1.84	.20	—		3
4	.01	.18	—	.16	—	.05	—	—	.09	.18	.13	.18		4
5	—	.28	.06	.07	—	.14	—	—	.15	.01	.03	.01		5
6	—	—	—	.25	—	1.58	—	—	—	—	.14	.01		6
7	—	—	—	.32	—	—	—	—	—	.20	.36	.14		7
8	—	—	—	.31	—	—	—	—	.20	.27	.76	.05		8
9	.21	—	—	.54	—	.90	—	—	.07	.83	.91	—		9
10	.04	—	.29	.07	—	.03	—	—	—	—	.10	.01		10
11	.20	—	.04	.02	—	.25	—	—	.02	—	.66	—		11
12	.09	—	—	—	—	.28	—	—	.08	—	.46	—		12
13	.10	.16	—	.33	—	.18	—	—	.02	.01	.08	—		13
14	—	.02	—	.23	.02	.17	—	—	.08	.08	.41	.36		14
15	—	.16	—	.53	.29	.10	—	—	.19	.04	.40	—		15
16	—	.07	.10	.12	—	—	—	—	.34	—	2.32	—		16
17	—	—	—	.03	.03	.31	—	.07	.01	—	.07	—		17
18	—	—	—	.31	—	—	.23	—	.17	.04	—	.02		18
19	—	.01	—	.06	.27	.03	.20	—	.40	.02	.38	—		19
20	—	.44	—	.08	.06	.02	.05	—	.02	—	.49	—		20
21	—	.63	—	.05	—	—	.01	—	—	—	—	—		21
22	—	.08	.01	—	—	—	—	.14	.04	—	—	—		22
23	—	.06	.10	.21	.02	—	—	.40	.01	.38	—	.21		23
24	.01	.66	—	—	.12	—	—	1.05	.48	.22	—	.39		24
25	.15	.05	—	.10	—	.06	—	—	—	—	—	.55		25
26	—	.38	—	—	—	—	—	.19	.04	—	.05	.88		26
27	—	.38	—	—	—	—	—	—	.16	—	.04	.83		27
28	—	.01	—	—	—	—	—	.09	.19	—	—	.11		28
29	—	X	—	—	.11	—	—	.03	.30	.03	—	.57		29
30	—	X	—	.08	—	—	—	1.16	—	.05	.43	.59		30
31	—	X	—	X	—	X	—	—	X	1.47	X	.30		31
99 TOTAL	.81	3.57	.99	3.87	.94	4.30	.62	3.13	3.48	6.17	8.61	5.43	41.92	Year's Total.
* Days with .01 in. or more.	8	16	8	20	9	16	5	8	23	18	22	19	172	
* Days with .04 in. or more.	6	13	7	18	5	13	4	7	18	14	20	14	139	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

C. T. Sparrow

Watworth, Eng.

P.T.O.

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 1607

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Corfe Mullen Pumping Station...

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 81 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
36	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	.09	.01	.40	-	.09	.11	-	-	-	.06	.02		1
2	.18	.01	-	.01	-	.08	.06	.02	-	-	.01	-		2
3	-	-	-	.42	-	-	.05	-	.57	-	.55	-		3
4	-	-	.12	-	-	.02	-	-	.25	-	.10	.02		4
5	.34	-	.06	-	.11	-	-	.02	.38	-	-	.06		5
6	.23	-	-	-	-	.01	-	.03	.19	-	.47	-		6
7	.15	-	.16	-	-	-	.34	-	-	-	.34	.02		7
8	.45	-	.28	-	-	-	.14	-	-	-	.38	.03		8
9	.48	-	.22	-	-	-	.39	-	.28	-	-	-		9
10	.32	.18	-	-	-	.02	.17	-	.04	-	-	-		10
11	.26	.16	-	-	-	.06	.15	-	.09	-	1.10	-		11
12	-	-	-	.14	.28	.40	.36	.05	.12	-	.12	-		12
13	.02	-	-	-	-	.02	.23	-	-	.02	.09	.64		13
14	-	.10	-	-	-	.01	.59	-	.02	-	-	.46		14
15	-	.04	-	-	-	-	-	-	-	.02	.05	.38		15
16	snow .08	.21	-	-	.14	-	.07	-	-	-	.06	.06		16
17	.01	.78	-	-	-	-	.04	-	-	.03	.06	.65		17
18	.10	.09	-	-	-	.42	.32	-	-	.09	-	.30		18
19	.42	.06	.02	.02	-	.19	.03	.06	-	-	-	-		19
20	.21	.20	.22	.16	-	.05	.02	-	.80	-	-	-		20
21	-	.26	-	.38	-	.05	.12	-	-	-	-	-		21
22	.16	.34	.44	-	-	-	.19	-	-	.02	-	.04		22
23	.09	-	.26	.15	.09	-	.24	-	-	.11	-	-		23
24	.29	.05	.05	.05	.04	-	-	-	.02	.31	-	-		24
25	.08	-	.43	.17	-	.20	-	-	.03	.14	-	-		25
26	.19	.14	.24	.01	-	.61	-	-	.02	.05	-	-		26
27	.38	.23	.13	-	-	-	.18	-	.13	.11	-	-		27
28	.99	-	.59	-	-	-	.11	-	-	-	-	.23		28
29	.02	-	.06	-	-	.01	-	-	-	.06	.04	-		29
30	.16	X	-	-	-	.19	-	-	-	.21	-	-		30
31	.08	X	.49	X	.24	X	.20	-	X	.31	X	.74		31
99													Year's Total	
TOTAL	5.75	2.94	3.78	1.91	.90	2.43	4.11	.18	2.94	1.48	3.43	3.65	33.50	✓
* Days with .01 in. or more.	25	16	17	11	6	17	22	5	14	13	14	14	174	✓
* Days with .04 in. or more.	22	15	15	9	6	12	20	2	10	9	13	10	143	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required
(Signed) Geo. J. Hanon

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1607

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Corp. Tullin Lumping Station.

in the County of Dorset

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft.....in.

,, Ground ,, Sea Level ...81.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
37	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.26	.04	-	.14	-	-	-	-	.02	-	.27	1.35		1
2	-	1.05	-	.08	-	-	-	-	.15	-	-	.23		2
3	.03	.32	-	.01	-	-	-	-	-	-	-	-		3
4	.08	.67	-	-	-	-	-	-	-	-	-	.25		4
5	.29	-	.02	-	-	-	.20	-	-	-	-	-		5
6	.05	.29	.29	.15	.05	-	.14	-	-	.04	-	-		6
7	-	.82	-	.05	-	-	-	-	-	.05	-	Snow .85		7
8	-	-	-	-	.40	-	-	-	-	-	.17	Snow .09		8
9	.10	-	-	.33	.14	.08	-	-	.65	-	-	-		9
10	-	-	.84	.14	.05	.24	-	-	-	-	-	.50		10
11	-	-	.04	.03	.48	-	.45	-	-	-	-	.33		11
12	.55	.40	.14	.10	.23	.08	.01	.65	.35	-	-	-		12
13	.10	.02	.72	.13	-	-	-	.16	.11	-	-	.09		13
14	.02	-	.12	.04	-	-	-	-	.06	-	-	.02		14
15	.34	.19	.01	.41	-	-	.80	-	.06	-	-	.02		15
16	-	.11	.45	.18	-	.05	-	.68	1.89	-	.05	-		16
17	.70	.04	.31	-	-	-	.09	-	.11	-	.21	-		17
18	.12	.08	-	-	-	-	-	-	-	-	.09	.20		18
19	.11	.03	-	.20	-	.02	-	-	-	-	-	.10		19
20	.32	.04	.18	.21	-	-	-	-	-	-	-	.17		20
21	.41	.40	.05	.02	.03	-	-	-	-	.03	.12	.16		21
22	.30	-	.01	-	.42	-	.03	-	.05	1.32	.32	.13		22
23	.23	.14	-	-	.51	-	.12	-	-	.49	.05	.02		23
24	.33	.77	.04	-	.09	-	-	-	.06	.78	-	.02		24
25	.51	.27	.40	-	.71	-	-	-	.03	.13	-	.10		25
26	-	.22	.02	-	.22	-	-	-	-	.09	-	.04		26
27	-	.18	-	.08	-	-	-	-	-	.62	-	-		27
28	Snow .12	.05	-	-	-	-	-	-	-	.13	-	-		28
29	Snow .12	X	-	-	-	-	-	-	-	1.08	-	-		29
30	.42	X	-	-	-	-	-	-	-	.35	.15	-		30
31	.19	X	-	X	-	X	-	-	X	1.07	X	-		31
99 TOTAL	5.70	6.13	3.64	2.30	3.33	.47	1.84	1.49	3.54	5.88	1.36	4.67	Year's Total 40.35	✓
* Days with .01 in. or more.	23	21	16	17	12	5	8	3	12	13	9	19	158	✓
* Days with .04 in. or more.	21	19	12	14	11	4	6	3	10	12	8	15	135	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Geo. T. Harrold [P.T.O.]

Waterworks Engineer.

Section



for the entry of Daily Observations

Station No. 1607

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at Corp-Mullin Sensing Station

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 81 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
38	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	.04	.35	-	-	.48	-	.02		1
2	-	-	-	.03	-	-	-	-	-	.11	.08	.06		2
3	-	-	-	-	.11	-	-	-	-	.75	.18	.21		3
4	-	-	-	-	-	-	.13	1.67	-	.26	-	-		4
5	-	-	-	-	-	-	.32	-	-	.18	-	-		5
6	.04	-	-	-	-	.02	.17	-	.06	.11	.04	.06		6
7	.12	-	-	-	-	.01	.36	.48	.04	.14	-	.11		7
8	.11	-	-	-	-	.05	.03	.10	-	.38	-	.01		8
9	.08	.04	-	-	-	-	-	-	-	.01	-	1.23		9
10	.02	-	-	-	-	.21	-	.18	-	-	-	.29		10
11	.21	-	-	-	-	-	.06	-	-	-	.25	.21		11
12	.52	-	-	-	.21	-	-	-	-	.15	.33	.01		12
13	.37	-	-	-	.01	-	-	-	-	.19	-	.86		13
14	.46	-	-	-	.07	-	.28	-	-	-	-	-		14
15	.28	-	-	-	.04	-	.49	-	-	.29	.08	.44		15
16	.31	-	.04	-	-	-	-	-	-	.05	.01	-		16
17	-	.11	.01	-	-	-	-	-	.16	.14	.02	-		17
18	.10	-	-	-	.06	.02	-	.04	.75	-	.44	-		18
19	-	-	-	-	-	-	-	.16	.17	-	.82	-		19
20	-	-	-	-	-	-	-	-	-	-	.55	-		20
21	.02	-	-	-	-	-	-	-	.10	-	.09	-		21
22	.03	-	-	-	-	-	-	.33	-	-	.41	SNOW .04		22
23	-	-	-	-	-	-	-	-	.47	-	.01	-		23
24	-	-	.15	-	-	-	-	.03	.19	-	.25	-		24
25	.12	.20	-	-	.22	-	-	-	-	.03	1.48	-		25
26	.38	.26	-	-	.08	.05	-	-	-	.04	-	.27		26
27	.07	.02	-	-	.05	.27	.36	.06	.02	-	.33	-		27
28	.07	.09	-	-	.18	.07	-	.61	.15	-	-	.03		28
29	-	X	-	-	.30	-	-	-	.25	.15	.47	.03		29
30	.02	X	-	-	.04	-	-	-	.58	-	.14	.01		30
31	.18	X	-	X	.19	X	-	-	X	.17	X	.34		31
99														
TOTAL	3.45	.72	.20	.03	1.56	.74	2.55	3.66	2.94	3.63	5.98	4.03	Year's Total 29.49	✓
* Days with .01 in. or more.	20	6	3	1	13	9	10	10	12	18	19	18	139	✓
* Days with .04 in. or more.	16	5	2	X	12	6	9	9	11	16	16	12	114	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

W. J. Sparrow

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 1607

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at ... *corp. Mutton Pumping Station*
in the County of ... *Dorset*Diameter of Funnel of Gauge ... *5* ... in.Height of top of Gauge above Ground ... *1* ... ft. ... in.,, Ground ,, Sea Level ... *81* ... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
39	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	.10	.10	.08	-	.22	.03	.58	-	.01	.10		1
2	-	-	-	.15	-	-	-	.60	1.35	-	.23	.09		2
3	.81	-	-	.52	-	-	-	.10	-	-	.22	.18		3
4	-	-	.49	.23	.23	-	.44	.14	-	.29	.06	.08		4
5	-	-	.04	.14	.39	-	.31	.04	-	.26	.62	.06		5
6	.41	-	.03	-	-	-	.41	.02	-	-	.30	-		6
7	-	.28	-	-	-	-	.02	-	-	-	.49	.55		7
8	.02	.14	.08	-	-	-	.03	-	-	.63	.22	.34		8
9	.04	.01	.01	-	-	-	-	.10	-	.18	.10	.24		9
10	.34	-	-	-	-	-	-	.21	.48	.35	-	-		10
11	-	-	.22	-	-	-	-	-	-	.16	-	-		11
12	-	.02	-	-	-	.01	-	-	-	-	.08	-		12
13	-	-	-	.03	-	.01	.34	-	.02	2.00	.02	.03		13
14	.90	-	-	-	.01	-	.09	-	-	.23	.38	.10		14
15	.23	-	-	-	.14	1.08	.09	-	-	.14	.30	-		15
16	.22	-	.02	-	.02	.03	.26	-	-	.02	.33	-		16
17	.30	.08	-	-	.35	.02	.04	-	-	.11	.06	-		17
18	.14	-	-	-	.05	.06	.63	-	-	-	.40	.02		18
19	.41	-	-	-	-	-	.4	.02	-	-	-	.06		19
20	.44	-	-	-	-	.03	.11	1.21	-	-	-	-		20
21	.04	.28	.09	-	-	.04	.16	-	-	-	-	-		21
22	.32	.14	.08	-	-	.42	.13	-	-	-	.28	-		22
23	-	-	-	.15	-	.02	.03	-	-	-	1.11	-		23
24	.50	-	-	.05	-	.44	.11	-	-	-	-	-		24
25	SNOW. .44	.11	-	.14	-	-	.12	-	-	.16	.50	-		25
26	.05	-	-	-	-	-	-	.02	-	.09	.36	-		26
27	-	.14	.01	.04	-	-	-	-	-	-	.14	-		27
28	-	.43	.01	-	-	.02	.35	-	-	-	.34	.19		28
29	-	X	-	.02	-	.02	.59	-	-	.04	-	-		29
30	-	X	-	.44	-	.09	-	.36	-	.19	.03	-		30
31	-	X	-	X	-	X	-	.28	X	1.80	X	-		31
99 TOTAL	6.24	1.66	1.18	2.04	1.24	2.35	4.98	3.16	2.43	6.68	6.61	2.04	40.64	Year's Total
* Days with .01 in. or more.	14	10	12	12	8	14	21	13	4	16	23	13	163	
* Days with .04 in. or more.	16	8	4	10	6	6	18	9	3	15	20	11	129	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

E. F. Jones

P.T.O.

Section



for the entry of Daily Observations

Station No. 1607

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at *Cole Mullen Pumping Station,*in the County of *Dorset*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. in.,, Ground ,, Sea Level *81* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
<i>40</i>	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.02	—	—	.02	—	—	—	—	—	.09	—		1
2	—	.19	—	.12	—	—	—	—	—	—	.40	.04		2
3	—	.53	—	.05	—	—	—	—	—	.31	.84	.27		3
4	.04	.20	—	—	—	—	.07	—	—	.31	.10	.02		4
5	—	.05	—	—	—	—	.02	—	—	.01	.75	.32		5
6	.44	.60	—	—	—	—	.04	—	—	.37	.07	.21		6
7	.04	.12	—	—	—	—	—	—	—	.11	—	—		7
8	—	—	—	—	—	—	.06	—	—	.46	.13	.32		8
9	—	—	—	—	—	—	.15	—	.01	.23	.64	.22		9
10	—	—	—	—	—	—	1.20	—	.01	.11	.10	.12		10
11	—	—	—	—	—	—	.07	—	—	—	.88	.01		11
12	—	—	.21	—	—	—	.25	—	.38	.06	.03	—		12
13	—	—	.65	—	—	—	.01	—	.01	.18	1.25	—		13
14	—	—	.11	.07	.03	—	.26	—	.16	.60	.02	.73		14
15	—	—	—	—	.26	.01	.38	—	.11	.60	.41	—		15
16	—	<i>SNOW</i> .58	.36	.15	—	.01	.02	—	.12	.75	1.02	.09		16
17	—	—	.58	—	—	—	.01	—	—	—	.69	—		17
18	—	.46	.39	.25	—	—	.19	—	.02	.12	.04	.05		18
19	—	.05	.08	.17	—	—	.04	—	—	—	.44	—		19
20	—	—	.02	—	—	—	—	—	.55	.28	.05	—		20
21	—	—	—	—	.20	—	—	—	—	—	.46	—		21
22	—	.03	.08	.04	—	.24	—	—	.17	—	—	—		22
23	—	.02	.25	.07	—	—	—	—	—	—	.02	—		23
24	—	—	—	—	—	—	.29	—	—	—	—	—		24
25	.02	—	.30	.14	—	—	—	—	—	—	—	—		25
26	1.25	.56	—	—	.11	—	.03	—	—	—	—	—		26
27	.57	.32	—	.05	.38	—	.22	—	—	—	—	—		27
28	.56	.03	—	—	.14	—	—	—	—	.05	—	—		28
29	.10	.28	.19	.20	—	—	—	—	—	.02	—	.34		29
30	.08	~~X~~	.01	.12	—	—	—	—	—	.30	—	.09		30
31	.07	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.61	~~X~~	.29		31
<i>99</i> TOTAL	3.17	4.04	3.23	1.43	1.14	.26	3.31	—	1.54	5.48	8.43	3.12	Year's Total 35.15	
* Days with .01 in. or more.	10	16	13	12	7	3	18	N/A	10	19	21	15	144	
* Days with .04 in. or more.	9	12	11	12	5	1	13	N/A	6	17	19	13	118	

† Spare column, no entries required.

(Signed)

Richard Mendenhall

Waterworks Engineer

P.T.O.

* See Instruction 3 (f) on other side.

REGIS

Kept at Forest Hill
in the County of Dor

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
Ground Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

1608
COPY FOR OFFICIAL USE.
WIMBOURNE
FOREST HILL
1931—37
780305
931 .

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			03	23									1
2	35			41					83			38	2
3	14		77	07					19		06		3
4						24			09		85		4
5		17		09		36		09		03	09	07	5
6		15		33	08	08				48	31	31	6
7					23	23		79		02	36	06	7
8	07	17		14		49	06				14		8
9		21				06		03			1.24		9
10		05				19	17				38		10
11	15	37	05			06		10			49		11
12		05				04			08	07			12
13							15	21					13
14		13				65	1.65				05		14
15					13							06	15
16					21		08	18	07				16
17	05	18		05			39	05	14		06		17
18	04			19		09	24	1.43		02	67		18
19	09			13			14	12					19
20			24	02				31					20
21	07	07			49			06			02		21
22	45		12	05							05		22
23	22			11	81			05		09	45		23
24	04			45		67	54	73			03		24
25	09			09	12		07				28		25
26				17	32		78				31		26
27	18	39			1.06						06		27
28		08					06				09	15	28
29	09		10		06		28	06			11		29
30	02	X	06		05		07	17			04		30
31	39	X		X	17	X	03	19	X		X	12	31
TOTAL	2.44	2.02	1.37	2.53	3.73	3.16	4.71	4.57	1.40	71	6.14	1.15	33.93
*Days with or in. or more.	16	12	7	15	12	12	15	16	6	6	22	7	146
*Days with or in. or more.	15	12	6	14	12	12	14	15	6	3	20	7	136

REGISTER OF RAINFALL IN 1931.

Kept at Forest Hill, Wimbome
in the County of Dorset

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. = in.
Ground Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			03	23									1
2	35			41					83			38	2
3	14		77	07					19		06		3
4						24			09		85		4
5		17		09		36		09		03	09	07	5
6		15		33	08	08				48	31	31	6
7					23	23		79		02	36	06	7
8	07	17		14		49	06				14		8
9		21				06		03			1.24		9
10		05				19	17				38		10
11	15	37	05			06		10			49		11
12		05				04			08	07			12
13							15	21					13
14		13				65	1.65				05		14
15					13							06	15
16					21		08	18	07				16
17	05	18		05			39	05	14		06		17
18	04			19		09	24	1.43		02	67		18
19	09			13			14	12					19
20			24	02				31					20
21	07	07			49			06			02		21
22	45		12	05							05		22
23	22			11	81			05		09	45		23
24	04			45		67	54	73			03		24
25	09			09	12		07				28		25
26				17	32		78				31		26
27	18	39			1.06						06		27
28		08					06				09	15	28
29	09		10		06		28	06			11		29
30	02	X	06		05		07	17			04		30
31	39	X		X	17	X	03	19	X		X	12	31
TOTAL	2.44	2.02	1.37	2.53	3.73	3.16	4.71	4.57	1.40	.71	6.14	1.15	YEAR'S TOTAL 33.93
*Days with "or in. or more.	16	12	7	15	12	12	15	16	6	6	22	7	446
*Days with "04 in. or more.	15	12	6	14	12	12	14	15	6	3	20	7	136

Section

A

for the entry of Daily Observations.

Station No.

1608

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Fovesh Hill Borge mullenin the County of GloucesterDiameter of Funnel of Gauge 8 in.Height of top of Gauge above Ground 1 ft. in.,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.	19	61	.	.	23	.	.	04	.	1
2	03	.	.	14	14	02	.	.	16	05	03	39	2
3	02	.	.	11	.	56	.	09	52	.	.	.	3
4	03	.	.	.	.	31	.	.	.	.	07	.	4
5	52	.	.	.	.	.	.	.	15	.	.	.	5
6	46	.	.	18	.	.	.	.	36	.	.	.	6
7	.	.	.	13	.	.	.	.	23	43	.	.	7
8	.	.	55	.	23	.	.	.	57	14	.	11	8
9	24	05	.	11	09	.	.	.	.	02	13	.	9
10	28	06	.	46	11	.	03	.	.	17	.	09	10
11	03	.	.	05	03	.	05	02	06	09	09	.	11
12	97	.	.	.	11	.	51	.	07	11	.	.	12
13	04	.	.	16	09	.	18	.	02	95	.	08	13
14	10	.	.	.	.	.	.	.	.	03	09	.	14
15	05	.	.	04	41	.	.	.	.	.	.	.	15
16	28	.	.	.	23	.	36	.	.	.	.	05	16
17	05	03	.	26	.	.	03	.	.	.	.	.	17
18	04	.	.	.	18	.	.	.	07	.	12	.	18
19	.	.	.	03	.	.	.	.	.	46	.	.	19
20	.	.	.	07	58	.	07	23	.	1.17	42	09	20
21	03	.	19	05	26	.	.	.	05	39	49	.	21
22	04	.	04	02	05	.	.	12	64	26	.	.	22
23	.	.	.	.	05	.	47	.	08	66	.	11	23
24	.	.	.	.	07	.	97	.	14	06	.	.	24
25	.	.	04	11	.	.	29	.	.	47	05	.	25
26	.	.	15	08	.	.	22	.	03	09	04	.	26
27	.	.	43	59	31	.	09	.	.	27	.	08	27
28	.	.	04	08	05	.	12	.	.	42	.	11	28
29	.	.	53	.	18	42	04	32	76	04	25	.	29
30	06	×	06	12	17	1.51	07	.	64	.	76	37	30
31	.	×	05	×	.	×	04	.	×	.	×	19	31
TOTAL	3.27	14	2.08	2.98	3.95	2.82	3.49	1.01	4.55	6.28	2.58	1.67	YEAR'S TOTAL 34.82
*Days with 0.1 in. or more.	18	3	10	20	20	5	15	6	17	20	13	11	158
*Days with 0.04 in. or more.	13	2	10	18	19	4	13	5	15	18	12	11	140

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

1608

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Forest Hill, Co. Wick
in the County of Wick

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft.
Ground Sea Level 300 ft.

Raindays plotted instead of Annual Value.

Wet days plotted on Rainday map
No value on Wet day map.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.17	.79	.22									.21		1
2	.57		.51		.41									2
3	.04	.13	.29											3
4	.23		.03		.23									4
5		.05	.37		.06									5
6	.02	.28	.02		.19					.05	.08			6
7	.17				.10					.19				7
8	.07						.33			.03				8
9							.32			.15	.04			9
10		.05					.21		.84	.13				10
11	.32					.19		.35						11
12									.74			.08		12
13	.04						.03	.02		.03				13
14							.47	.17		.47				14
15	.62		.37					.35		.18				15
16			.83					.04						16
17		.18	.26						.14					17
18	.21													18
19		.06	.24	.10				.05	.27		.42	.04		19
20								.02	.05					20
21								.19		.04	.02	.02		21
22								.20	.15	.18				22
23				.57		.18			.23	.19				23
24		2.03		.19										24
25		.51		.33		.03						.12		25
26		.47										.02		26
27		.03			.27		.52			.15		.54		27
28				.44	.04		.08					.04		28
29	.04											.04		29
30	.18	X	.07						.11	.10		.11		30
31	.74	X	.06	X		X			X	.42	X	.02		31
TOTAL	2.92	4.58	3.27	1.63	1.30	.40	1.96	1.39	2.53	2.31	.56	1.24	24.09	
*Days with or in. or more.	14	11	12	5	7	3	7	9	8	14	4	11	105	
*Days with .04 in. or more.	.13	10	10	5	7	2	6	7	8	12	3	8	91	

† Spare column, no entries required

(Signed)

E. Philip Belben.

[P.T.O.]

40-9999

*See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1608.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Forest Hill

in the County of Dorset.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft in.

Ground Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. r, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										.17		.95		1
2	.44		.19					.58	.95	.13		.30		2
3	.04							.06	.01	.50		.28		3
4	.11		.13		.24					.10		.26		4
5										.01	.06	.38		5
6	.05				.18			.70		.19		.60		6
7	.06		.30					.02		.12	.28	.61		7
8	.04				.29			.20	.04	.11	.80	.08		8
9	.20		.16					.10	.02		.60	.33		9
10	.05		.24	.32								.03		10
11	.54		.52	.21			.27	.09				.42		11
12	.06		.03				.07	.46				.30		12
13	.32		.08	.17				.24			.19	.15		13
14			.33									.50		14
15			.05	.02							.12	.42		15
16	.17		.37		.14					.10				16
17	.13			.17	.02				.09			.25		17
18	.10		.36	.09						.16		.38		18
19			.17			.04			.21			.43		19
20			.05	.17				.04				.16		20
21			.03	.16				.08	.05	.21		.05		21
22						.17		.42	.24			.35		22
23				.27		.51		.03	.19	.05		.06		23
24		.03	.06	.05		.07		.04	.07					24
25	.39	.04	.02	.08						.09		.95		25
26				.09		.34			.13			.16		26
27						.10						.44		27
28				.03		.06		.61	.09			.51		28
29								.23	.25			.04		29
30	.10	X							.15			.28		30
31		X		X		X			X		X			31
TOTAL	2.80	.07	3.09	1.83	.87	1.29	.34	3.90	2.49	1.94	2.05	9.68	30.35	
* Days with .01 in. or more.	24	2	17	13	5	7	2	16	14	13	6	28	139	
* Days with .04 in. or more.	16	1	14	11	4	7	2	14	12	12	6	24	126	

† Spare column, no entries required.

40-9999

* See Instruction 2 (f) on other side.

(Signed) G. Philip Belben

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 1608

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ... Forest Hill, Co. Wick ...

in the County of ... Donegal ...

Diameter of Funnel of Gauge ... 8 in.

Height of top of Gauge above Ground ... 1 ft. ... in.

,, Ground ,, Sea Level ... 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.33			.15			.35	.34	.11	.30		1
2										.41	.10			2
3			.10			.08			.09	2.06	.26			3
4						.99				.33		.15		4
5		.23	.03	.19					.28	.20	.05	.02		5
6				.10		1.50				.37	.18			6
7				.25							.52	.17		7
8	.21			.35					.10		.67	.07		8
9	.05			.36					.05	.82	1.07			9
10	.25		.18	.46		1.10					.11	.03		10
11			.11	.07		.22			.03	.02	.75			11
12						.39			.08		.50			12
13		.06		.34		.23				.02	.08			13
14				.23		.18				.06	.42	.30		14
15		.10		.56	.35	.14			.30		.28	.03		15
16		.10		.08		.14			.35	.06	2.25			16
17	.04		.11	.04	.04	.04			.44		.20			17
18		.09		.28		.33				.05	.01			18
19				.08	.25	.07	.34		.20		.42	.02		19
20		.03		.07						.04	.43			20
21		.51	.02	.07	.08		.12							21
22		.55		.47				.24						22
23					.16				.08	.45		.28		23
24			.11					.45	.43	.25				24
25	.19	.65		.12				.55				.31		25
26		.04						.21			.08	.03		26
27		.28				.03			.05			.82		27
28		.28				~~.23~~			.21			.80		28
29					.08			.05	.29			.18		29
30		~~X~~		.10		.08		1.20	.02	.25	.46	.58		30
31		~~X~~		~~X~~		~~X~~		.02	~~X~~	1.10	~~X~~	.66		31
TOTAL	.74	2.92	.69	4.22	.96	6.97	.46	2.72	3.35	6.83	8.95	4.75	41.51	
* Days with .01 in. or more.	58	128	88	198	68	168	28	78	178	178	218	178	75	147
* Days with .04 in. or more.	5	11	6	19	6	15	2	6	15	15	20	12	132	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

E. P. O.

Section

A

for the entry of Daily Observations.

Station No.

1608

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936 .

Kept at Forest Hill.

in the County of Dorset.

Diameter of Funnel of Gauge...8.....in.

Height of top of Gauge above Ground...1.....ft.....in.

„ Ground „ Sea Level ...300.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.23	.07	-	.58	-	.07	.16	-	-	-	.08	-		1
2	.35	.11	-	.30	-	.08	.11	-	-	-	-	.03		2
3	.02	-	-	-	-	-	.02	-	.50	-	.53	-		3
4	-	-	-	.47	-	.07	.05	-	.27	-	.12	-		4
5	-	-	.18	-	.12	-	-	-	.18	-	-	-		5
6	.37	-	.07	-	-	-	.03	.07	.20	-	.37	.11		6
7	.20	-	-	-	-	-	.35	-	-	-	.34	-		7
8	.14	-	.18	-	-	-	.15	-	-	-	.32	.06		8
9	.38	-	.32	-	-	.08	.55	-	-	.07	-	-		9
10	.48	-	-	-	-	-	.25	-	.38	-	.04	-		10
11	.36	.26	-	-	-	.05	.20	-	.08	-	1.12	-		11
12	.30	-	.21	-	-	.45	.27	-	.15	-	.10	-		12
13	-	.16	-	.16	.04	-	.17	-	-	.06	.08	-		13
14	.11	-	-	-	-	-	.50	-	-	-	-	.87		14
15	.07	-	-	-	-	-	.09	-	-	-	.06	.23		15
16	.14	.03	-	-	.14	-	.05	-	-	-	.11	.45		16
17	.20	.22	-	-	-	-	-	-	-	-	-	.16		17
18	-	.80	-	-	-	1.07	.32	-	-	-	-	.65		18
19	.12	.11	-	.08	-	-	.03	-	-	-	-	.27		19
20	.22	.03	-	.09	-	-	.24	-	.80	-	-	-		20
21	-	.27	.17	.35	-	.06	.31	-	-	-	-	-		21
22	-	.40	.04	-	-	-	.17	-	.03	.03	-	-		22
23	.18	-	.46	.15	.03	-	.22	-	-	.12	-	-		23
24	.09	-	.26	-	-	-	-	-	.02	.31	-	-		24
25	.34	.05	.07	.16	-	.38	-	-	.03	.25	-	-		25
26	.08	-	.45	.25	.07	.55	-	-	.05	.05	-	-		26
27	.26	.16	.02	-	-	-	.10	-	.07	.11	.06	-		27
28	.35	.19	.13	-	-	-	.24	-	-	.06	-	-		28
29	.90	-	.57	-	-	.04	-	-	-	-	-	.30		29
30	.02	X	.04	-	-	-	-	-	-	.40	-	-		30
31	.13	X	-	X	.17	X	.22	-	X	.31	X	-		31
TOTAL	6.04	2.86	3.17	2.59	.57	2.90	4.80	.07	2.76	1.77	3.33	3.13	Year's Total	
* Days with .01 in. or more.	25	14	15	10	6	11	24	1	13	11	13	10	99	✓
* Days with .04 in. or more.	23	12	14	10	5	11	21	1	10	10	13	9	153	✓
													139	✓

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No.

1608

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Forest Hill, Corfe Mullenin the County of Dorset

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level 300.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.70	.08									.29	.20		1
2	.30	.98		.16					.09			1.36		2
3		.31		.09								.15		3
4	.09	.72		.03								.26		4
5	.25		.04											5
6	.06	.40	.29	.18	.09		.23					.55		6
7				.22			.10							7
8		.76		.18	.50						.22	.42		8
9		.02	.85	.05	.10		.09		.65	.13				9
10	.09	.04			.21	.04	.					.45		10
11	.08		.08	.18	.31	.29	.33							11
12	.55			.12	.52							.33		12
13	.11	.39	.14	.05				.24	.35			.15		13
14	.02		.80	.42		.09		.37	.07			.06		14
15	.32	.20	.12					.60	.07					15
16		.10	.09	.17			.90		.12					16
17	.82	.04	.45				.03		1.92			.28		17
18	.17	.08	.28				.02		.09		.06			18
19	.15	.05		.19							.22			19
20	.37	.05	.20	.20			.28				.09	.45		20
21	.43	.35	.05	.04					.03		.15	.10		21
22	.36	.16			.15		.02			1.32	.29			22
23	.24	.78	.03	.21			.13			.18	.04	.03		23
24	.28	.39	.13	.45					.06	.86				24
25	.54	.13	.39	.09						.11		.14		25
26			.05		.76					.12				26
27		.15			.15					.77				27
28	.12	.12		.13						.18				28
29		.06								1.25				29
30	.41	X								.26				30
31	.20	X		X		X			X	.76	X			31
TOTAL	6.66	6.36	3.99	2.41	3.54	.42	2.13	1.61	3.45	5.94	1.36	4.93	42.80	✓
* Days with .01 in. or more.	23	23	16	16	12	3	10	3	10	11	8	15	150	
* Days with .04 in. or more.	22	22	15	15	12	3	7	3	9	11	8	14	141	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

E. Philip Belben
[P.T.O.]

Section **A** for the entry of
AIR MINISTR
FORM 1090. **REGIS**
Kept at **WINTERBORNE** V
in the County of
Diameter of Funnel of Gauge
Height of top of Gauge above Grou
Ground Sea I

1609
COPY FOR OFFICIAL USE.
NFALL ORGANIZATION.
931 .

1609
WHIT CHURCH VICARAGE
1931 — 39

780305

THE MORNING MEASU

DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.24				02	18				1
2	.33			48				03	55			35	2
3	08	15	.66						23			27	3
4			01			.17		06	38				4
5		25		16	08	57		.11			1.42	27	5
6		.15		15		14	43	06		33	.21	.27	6
7				01	08	16		57		06	30	.12	7
8		25		14	05	30		05		01	15	.21	8
9	05	.25				13					28		9
10						16		05	.45		25		10
11	.13	40				06	02		03		.77		11
12		05					25		08	06	.47		12
13							16	09			.15		13
14		13				39	1.36	06					14
15		05		02			01	.23	02		08		15
16				09	26	46			.11				16
17	03	26		.10	.21		29		20				17
18	08		04	14	01	18	17	1.34			50		18
19	09	12	02	05		22	21	05			07		19
20			.27					.30					20
21	.15		04		34								21
22	48		08	03	34						02		22
23	36			.15	77			28	02		52		23
24	08			48	17	1.02	50	55			01		24
25	08			20			18				29		25
26				18			38				28		26
27	17	49		27	1.30		.10				01		27
28	04	09	04		07					04		.14	28
29	11		08				11	04		06	12		29
30	49	X	02				03	15					30
31		X		X	13	X	03		X		X	.10	31
TOTAL	2.75	2.64	1.26	2.89	3.81	3.96	4.73	4.04	2.23	.56	5.90	1.73	36.50
*Days with or in. or more.	16	13	10	17	13	13	16	18	11	6	19	8	160
*Days with .04 in. or more.	15	13	7	14	12	13	12	16	8	5	16	8	139

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at WINTERBORNE WHITCHURCH
in the County of DORSET
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level ft.

400.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.24				02	18				1
2	.33			48				03	65			35	2
3	08	15	.66						23			27	3
4			01			.17		06	38				4
5		25		16	08	57		11			1.42	27	5
6		.15		15		14	48	06		33	.21	.27	6
7				01	08	16		57		06	30	.12	7
8		25		14	05	30		05		01	15	.21	8
9	05	.25				13					28		9
10						16		05	.48		25		10
11	.13	40				06	02		03		.77		11
12		05					25		08	06	.47		12
13							16	09			.15		13
14		13				39	1.36	06					14
15		05		02			01	.23	02		08		15
16				09	26	46			.11				16
17	03	26		.10	.21		29		20				17
18	08		04	14	01	18	17	1.34			50		18
19	09	12	02	05		22	21	05			07		19
20			.27					.30					20
21	.15		04		34								21
22	48		08	03	34						02		22
23	36			.15	77			28	02		52		23
24	08			48	17	1.02	50	55			01		24
25	08			20			18				29		25
26				18			38				28		26
27	17	49		27	1.30		.10				01		27
28	04	09	04		07					04		.14	28
29	11		08				11	04		06	12		29
30	49	X	02				03	15					30
31		X		X	13	X	03		X		X	.10	31
TOTAL	2.75	2.64	1.26	2.89	3.81	3.96	4.73	4.04	2.23	.56	5.90	1.73	YEAR'S TOTAL 36.50
*Days with ".01 in. or more.	16	13	10	17	13	13	16	18	11	6	19	8	160
*Days with ".04 in. or more.	15	13	7	14	12	13	12	16	8	5	16	8	139

Section

A

for the entry of Daily Observations

Station No.

1609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193

1609. 1608

Kept at Wintborne Whitechurch
in the County of Dorset

Estimations in inches

400

Total days

Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
Ground _____ Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	14			14				63		03			1
2				.11	.46	.22			✓	02	02	.42	2
3	01					.38	01		✓	13			3
4	02					.41					.19		4
5	.12								✓				5
6	1.00			.24			03		✓				6
7				.07					✓	.48			7
8			.38	✓	02				✓	.40			8
9	.45			✓	.24				✓	✓	07		9
10	36	04		✓	09	02			1.67	.28	05		10
11		02					.21	03	08	02		08	11
12	.77				26				05	16			12
13	04			✓	.08		03			.94			13
14				✓	.10					✓	.18	.12	14
15	.17			✓	.27					07		08	15
16	.20			✓	03		1.74						16
17	.05			✓									17
18	02				26				09		.17		18
19					02		02		04	1.05			19
20				✓	.40		09	.30		.40	25	05	20
21	02		.17	✓	09					.35	.07	.18	21
22	02		.05	✓	04		03	.10	56	.40	.45		22
23				✓			35		.04	57	18	08	23
24		03		✓	.10		.60		.15	.10			24
25				1.20			07		03	✓	.08		25
26			.16	.11			.33			✓			26
27			.52	.70	25		.10		94	✓			27
28				.14			.16			✓		.16	28
29			.43	.10	.57	.47	02	51	.66	.49	.27	20	29
30		×		.27	.27	1.52	10		42	01	.78	20	30
31	3	×	15	×	04	×	.03		×	03	×	.35	31
TOTAL	2.39	09	1.86	3.04	3.89	3.02	3.97	1.57	3.78	6.58	2.76	1.92	35.90
*Days with .01 in. or more.	15	3	7	23	19	6	17	5	18	23	13	11	160
*Days with .04 in. or more.	10	1	7	16	16	5	11	4	14	18	12	11	125

1600

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

1609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at WINTERBURN WHITCHURCH

in the County of DORSET

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft. in.

Ground Sea Level ft.

400.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	04							57		03	07	89		1
2	32							01	1.12	08	01	23		2
3	07		12							58		33		3
4	09		17		24			11		08		26		4
5			06					94		03		57		5
6	09		35		21			01		44	15	63		6
7	08							16		12		53		7
8					28				05		69	15		8
9	06		18								53	11		9
10	28		27								22	07		10
11	58		62				12	17				47		11
12	04		01	48			02	03				25		12
13	41		05	38							13	39		13
14	10		33							01		73		14
15	03			02	13					12	16	39		15
16	28		53									20		16
17	13			15	08		01		08	10		44		17
18	12		35	06					03			42		18
19			15						16			23		19
20			07	16			03	08	04			x		20
21			05	10		25		04	01	25		03		21
22			04					19	21			24		22
23				30		31			07	03		03		23
24			05	09		05			26			02		24
25	35	07		17						17		1.05		25
26				22		26			21			21		26
27						06				04		50		27
28	04					65		54	12			65		28
29								12	68			05		29
30		x							21			42		30
31		x		x		x		03	x	03	x	01		31
TOTAL	3.11	07	3.40	2.13	094	1.58	18	3.00	3.25	2.11	1.96	10.50	32.23	
*Days with or in. or more.	18	1	17	11	5	6	4	14	14	15	8	30	143	
*Days with .04 in. or more.	17	1	16	10	5	6	1	10	12	10	7	27	123	

40-9999

*See Instruction 2 (f) on other side.

† Spare column; no entries required.

(Signed) (Rev) H. H. Tilney Bassett

[P.T.O.]

Section



for the entry of Daily Observations.

Station No.

1609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Wimborne Whitechurchin the County of Dorset

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level 200.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.40			.24	.19		.33	.21	.22	.43		1
2						.06			.01	.63	.08			2
3			.15			.10			.16	1.28	.36			3
4	.03	.17		.28		.03			.10	.03	.35	.17		4
5		.56	.05	.12		7.06			.19		.06			5
6				.33	-.04	1.86					.11	.05		6
7				.30						.39	.26	.14		7
8				.34						.15	.39			8
9	.08			.82		7.20			.10	1.07	.76			9
10	.05		.45	.03		.03					.05	.14		10
11	.21			.01		.47					1.05			11
12	.09	.05				.33			✓		.40			12
13	.14	.13		.33		.25			✓		.07			13
14		.08		.26	.27	.08			x	.04	.75	.42		14
15		.06		.75		.13			1.74	.02	.49	.02		15
16			.16	.09		.02			✓		1.91			16
17		.03	.01	.03		.32		.10	✓		.38			17
18		.03		.39	.20				✓					18
19		.03		.13		.06	.39		✓	.10	.33			19
20		.59		.14	.29	.02					.37			20
21		.74		.09	.10				.02					21
22		.10	.03				.23	.16	.05					22
23		.05	.12					.25		.60		.45		23
24	.03	.65			.11			.85	.65	.11		.27		24
25	.23	.13		.12	.02							.64		25
26		.45						.24	.09			.94		26
27		.27							.17			.84		27
28		.06						.03	.11		.11	.07		28
29					.05			.12	.27	.04		.76		29
30		X		.10	.03			1.09	.03	.40	.65	7.78	6.72	30
31		X		X		X		.05	X	1.30	X	.35		31
TOTAL	.86	4.18	1.37	4.66	1.11	4.26	.81	2.89	4.02	6.27	9.05	6.47	45.95	Year's Total
* Days with .01 in. or more.	78	18	8	19	9	17	3	9	(22)	15	21	16	165	
* Days with .04 in. or more.	46	15	6	13	7	13	3	8	(17)	13	21	15	140	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) M. H. Tidney Bassett

[P.T.O.]

Section



Station No. 1600

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Wm L. Brown, Whiteland, Va.

in the County of Dorset

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

40-9399.

See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Rev. H. H. Turey, Bassett [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Winterbourne, Whitlurch Vic.

in the County of Dorsetshire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	20	03	—	20	—	—	—	—	05	05	13	106		1
2	—	126	—	06	—	—	—	—	18	—	—	36		2
3	06	43	11	—	—	—	—	—	—	—	—	—		3
4	21	83	—	31	—	—	—	—	—	—	—	31		4
5	27	—	04	—	—	—	36	—	—	11	—	—		5
6	15	68	27	29	13	—	21	—	—	—	—	—		6
7	—	40	—	—	—	—	—	—	—	—	—	62		7
8	—	—	—	03	48	05	—	—	—	—	31	—		8
9	—	—	49	21	30	—	—	—	—	—	—	—		9
10	21	—	57	13	22	25	20	—	—	—	—	71		10
11	—	—	17	05	24	—	38	—	—	—	—	—		11
12	74	42	03	08	—	18	02	45	—	—	—	39		12
13	23	—	75	15	—	02	—	18	—	—	—	12		13
14	—	—	21	—	—	—	—	04	—	—	—	—		14
15	33	33	—	50	—	—	101	—	—	—	—	09		15
16	—	07	74	09	—	—	—	59	107	—	06	—		16
17	95	07	73	—	—	—	07	—	99	—	24	—		17
18	09	10	—	—	—	—	—	—	65	—	11	33		18
19	—	04	—	22	04	09	—	—	—	—	—	—		19
20	58	—	—	28	04	—	—	—	—	—	—	38		20
21	62	45	26	—	35	—	03	—	—	—	36	16		21
22	39	04	—	—	37	07	20	—	—	133	34	19		22
23	18	22	25	—	21	—	—	—	—	64	—	—		23
24	48	87	—	—	—	—	—	—	08	101	—	06		24
25	64	50	38	—	74	—	—	—	—	21	—	09		25
26	—	26	04	—	31	—	—	—	—	08	—	04		26
27	—	40	—	—	—	—	—	—	—	67	—	—		27
28	44	10	—	—	—	—	—	—	—	17	08	—		28
29	—	—	—	—	—	—	—	—	—	102	02	—		29
30	63	X	—	—	—	04	—	—	—	03	14	—		30
31	19	X	—	X	—	X	—	—	X	48	X	—		31
TOTAL	7.59	7.50	5.04	2.60	3.43	70	2.48	1.26	3.03	5.80	1.79	4.91	46.12	
* Days with .01 in. or more.	20	20	15	14	12	7	9	4	6	12	10	15	144	
* Days with .04 in. or more.	20	19	14	13	12	6	7	4	6	4	9	15	136	
Year's Total														

40-9999.

* See Instruction 2 (f) on other side.

† Space column, no entries required.

(Signed) P.T.O.

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No.

M 1609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at ...*Winstone Whithorn*...

in the County of ...*Durset*...

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.20	.03		.20					.05	.05	.13	1.00		1
2	.06	1.26		.06					.18			.36		2
3	.21	.43	.11											3
4	.27	.83		.31								.31		4
5	.15		.04				.36			.11				5
6		.68	.27	.29	.13		.21							6
7		.40										.62		7
8				.03	.48	.05					.31			8
9			.49	.21	.30									9
10	.21		.57	.13	.22	.25	.20					.71		10
11			.17	.05	.24		.38							11
12	.74	.42	.03	.08		.18	.02	.45						12
13	.23		.78	.15		.02		.18				.39		13
14			.21					.04				.12		14
15	.33	.33		.50			1.01							15
16		.07	.74	.09				.59	1.07		.02	.09		16
17	.95	.07	.73				.07		.99		.28			17
18	.09	.10			.04				.66		.11	.33		18
19		.04		.22	.04	.09								19
20	.56	.45	.26	.28	.04							.38		20
21	.62				.35		.03				.35	.16		21
22	.39	.04			.37	.09	.20			1.33	.35	.19		22
23	.18	.22	.25		.21					.64				23
24	.48	.87							.08	1.01		.06		24
25	.64	.50	.38		.74					.21		.09		25
26		.26	.04		.31					.08		.04		26
27		.40								.67				27
28	.44	.10								.17	.08			28
29										1.02	.02			29
30	.63	~~X~~				.04				.03	.14			30
31	.19	~~X~~		~~X~~		~~X~~			~~X~~	.48	~~X~~			31
TOTAL	7.59	7.50	5.04	2.60	3.43	.70	2.48	1.28	3.03	5.80	1.79	4.91	46.13	Year's Total
* Days with .01 in. or more.	20	20	15	14	12	7	9	4	6	12	10	15	144	
* Days with .04 in. or more.	20	20	14	13	12	6	7	4	6	11	8	15	136	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ...*H. H. Filmer*... [P.T.O.]

COPY FOR OFFICIAL USE

Section

for the entry of Daily Observations

Station No. 1609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Winterton, Whitechurch Vic.

in the County of Dorsetshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 200 ft.

Copy by B.R.O.

Get. a Nov. not available at present Obs. ill. do not write see file. 30.12.38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1						.14	.41	—	—					1
2	.02					—	—	—	—					2
3					.15	—	—	—	—					3
4					—	—	—	.70	—					4
5					—	—	.51	—	—					5
6	.07				—	—	.28	—	—					6
7	.60				—	.16	.44	.27	—					7
8	.21				—	—	—	—	—					8
9	.15	.08			—	—	.05	.45	—					9
10					—	.11	—	.97	—					10
11	.23				—	—	—	—	—					11
12	.54				.24	—	—	—	—					12
13	.29				—	—	—	—	—					13
14	.56				.06	—	.44	—	—					14
15	.52				.08	—	.47	—	.21					15
16	.25				—	—	—	—	—					16
17		.18			—	—	—	—	.23					17
18	.17				.17	—	—	.06	.29					18
19					—	—	—	.21	.28					19
20					—	—	—	.08	—					20
21					—	—	—	—	.10					21
22				.02	—	—	—	.34	—					22
23	.04			—	—	—	—	—	—					23
24				—	—	—	—	.04	.32					24
25	.17	.31	.20	—	.23	.07	.12	—	—					25
26	.55	.40	—	—	.37	.26	—	—	—					26
27	.08		—	—	.34	.16	.65	.15	.01					27
28	.13	.11	—	—	.17	—	—	.62	—					28
29	.04	—	—	—	.35	—	—	—	.35					29
30	.26	~~X~~	—	—	.95	.03	—	—	.58					30
31	~~X~~	~~X~~	~~X~~	~~X~~	.20	~~X~~	—	—	~~X~~		~~X~~			31
TOTAL	4.38	1.08	.20	.02	2.15	.93	3.37	3.82	2.37				Year's Total	4.38
* Days with .01 in. or more.	19	5	1	1	12	7	9	11	9					74
* Days with .04 in. or more.	18	5	1	0	11	6	9	11	8					79

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

H. H. Tilney Bassett P.T.O.

Section



for the entry of Daily Observations

Station No. 1609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Winterbourne, Whitechurch Vic.*in the County of *Dorsetshire*

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground....1.....ft.....in.

,, Ground ,, Sea Level...2.00.....ft.

9.2.40. Reminder sent for remainder of 1939 values.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							-							1
2							-							2
3							-							3
4							51							4
5							53							5
6							7.26							6
7							03							7
8							-							8
9							09							9
10							-							10
11							-							11
12							✓-							12
13							42							13
14							11							14
15							18							15
16							19							16
17							64							17
18							39							18
19							-							19
20							35							20
21							-							21
22							22							22
23							-							23
24							03							24
25							-							25
26							-							26
27							-							27
28							-							28
29							-							29
30		X					75							30
31		X	X	X		X	-		X		X			31
TOTAL							5.70						Year's Total	
* Days with .01 in. or more.							15							
* Days with .04 in. or more.							13							

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P.T.O.

Kept at *Baile House*
in the County of *Dorset*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

1610
FOR OFFICIAL USE.
FALL ORGANIZATION.
031
13/1/22
Kept at
BAILIE HOUSE

780305 DAY.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	04	—	21	—	02	—	03	17	01	—	—	I
2	25	05	—	40	—	—	—	03	70	02	—	26	2
3	10	—	60	02	—	—	02	03	16	—	78	31	3
4	—	—	04	—	09	12	29	04	12	—	20	—	4
5	—	17	—	09	—	31	03	75	—	—	20	07	5
6	—	15	—	45	—	19	—	02	—	37	21	23	6
7	—	—	—	—	—	20	03	50	—	07	34	07	7
8	01	22	—	16	—	35	04	02	—	—	14	07	8
9	—	23	—	Trace	—	11	04	—	—	—	100	—	9
10	—	01	Trace	—	—	26	05	02	—	—	31	—	10
II	12	43	—	—	—	03	04	—	—	—	24	—	II
12	01	03	—	—	—	Trace	31	—	06	37	—	—	12
13	—	—	—	—	—	—	09	19	—	—	—	—	13
14	—	11	—	—	03	73	130	19	—	—	04	—	14
15	—	03	—	01	12	—	—	15	—	—	—	05	15
16	—	02	—	09	18	29	01	04	18	—	—	—	16
17	01	15	—	04	—	—	28	—	06	—	—	—	17
18	04	—	03	10	—	15	07	125	—	—	70	—	18
19	07	—	—	04	—	31	04	02	—	—	03	—	19
20	Trace	07	19	—	—	—	—	17	—	—	03	—	20
21	07	01	03	—	46	—	—	—	—	—	06	—	21
22	37	01	04	06	—	—	—	07	—	—	—	—	22
23	34	—	—	13	63	—	—	02	01	—	35	—	23
24	07	—	—	36	20	—	46	60	—	—	—	—	24
25	07	—	—	28	21	45	29	—	—	—	28	—	25
26	—	01	—	16	—	—	27	—	—	—	22	—	26
27	14	41	—	—	80	—	15	—	—	—	02	—	27
28	06	07	—	01	09	—	—	—	—	02	—	16	28
29	09	—	08	—	03	—	07	05	—	03	08	—	29
30	—	—	02	—	—	—	—	12	02	—	05	—	30
31	40	—	—	—	22	—	02	—	—	—	—	10	31
TOTAL	2.22	2.22	1.11	2.31	3.14	3.50	3.95	4.31	1.42	.89	5.25	1.81	31.64
*Days with "or in. or more.	15	19	8	15	12	14	21	21	9	7	20	9	170
*Days with "04 in. or more.	12	12	5	14	9	12	16	18	7	2	17	9	180

Section 1 for the entry of

FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Bailie House Wimborne
in the County of Dorset

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 4 ft.
Ground Sea Level 24 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	04	—	21	—	02	—	03	17	01	—	—	I
2	25	05	—	40	—	—	—	03	70	02	—	26	2
3	10	—	68	02	—	—	02	03	16	—	78	31	3
4	—	—	04	—	09	12	29	04	12	—	20	—	4
5	—	17	—	09	—	31	03	75	—	—	20	07	5
6	—	15	—	15	—	19	—	02	—	37	21	23	6
7	—	—	—	—	—	20	03	50	—	04	34	07	7
8	01	22	—	16	—	35	04	02	—	—	14	07	8
9	—	23	—	Trace	—	11	04	—	—	—	100	—	9
10	—	01	Trace	—	—	26	05	02	—	—	31	—	10
II	12	43	—	—	—	03	04	—	—	—	24	—	II
12	01	03	—	—	—	Trace	31	—	06	37	—	—	12
13	—	—	—	—	—	—	09	19	—	—	—	—	13
14	—	11	—	—	03	73	130	19	—	—	04	—	14
15	—	03	—	01	12	—	—	15	—	—	—	05	15
16	—	02	—	09	18	29	01	04	13	—	—	—	16
17	01	15	—	04	—	—	28	—	06	—	—	—	17
18	04	—	03	10	—	15	07	125	—	—	70	—	18
19	07	—	—	04	—	31	04	02	—	—	03	—	19
20	Trace	07	19	—	—	—	—	17	—	—	03	—	20
21	07	01	03	—	46	—	—	—	—	—	06	—	21
22	37	01	04	06	—	—	—	07	—	—	—	—	22
23	34	—	—	13	63	—	—	02	01	—	35	—	23
24	07	—	—	36	20	—	46	60	—	—	—	—	24
25	07	—	—	28	21	43	29	—	—	—	25	—	25
26	—	01	—	16	—	—	27	—	—	—	22	—	26
27	14	41	—	—	80	—	15	—	—	—	02	—	27
28	06	07	—	01	09	—	—	—	—	02	—	16	28
29	09	—	08	—	03	—	07	05	—	03	08	—	29
30	—	—	02	—	—	—	—	12	02	—	05	—	30
31	40	—	—	—	22	—	02	—	—	—	—	10	31
TOTAL	2.22	2.22	1.11	2.31	3.14	3.50	3.95	4.31	1.43	.89	5.25	1.31	31.64
*Days with or in. or more.	15	19	8	15	12	14	21	21	9	7	20	9	170
*Days with or more.	12	12	5	14	9	12	16	13	7	2	17	9	130

40-9999

*See Instruction 2 (f) on other side.

(Signed) Frank Hurst Wimborne P.T.O.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *Sturminster Marshall Wimborne*
in the County of *Dorset*Diameter of Funnel of Gauge *8* in.
Height of top of Gauge above Ground *1* ft. in.
,, Ground ,, Sea Level *86* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>12</i>	—	—	<i>12</i>	<i>41</i>	—	—	<i>08</i>	—	<i>05</i>	<i>01</i>	—	1
2	<i>01</i>	—	—	<i>17</i>	<i>10</i>	<i>02</i>	—	—	<i>04</i>	—	<i>02</i>	<i>42</i>	2
3	—	—	—	<i>07</i>	<i>01</i>	<i>32</i>	<i>01</i>	—	<i>49</i>	<i>08</i>	—	<i>03</i>	3
4	<i>02</i>	—	—	—	—	<i>31</i>	—	—	—	—	<i>12</i>	—	4
5	<i>34</i>	—	—	—	—	—	—	—	<i>16</i>	—	—	—	5
6	<i>56</i>	—	<i>01</i>	<i>16</i>	—	—	<i>01</i>	—	<i>29</i>	—	—	—	6
7	—	—	<i>36</i>	<i>08</i>	—	—	—	—	<i>21</i>	<i>39</i>	—	—	7
8	—	—	—	<i>03</i>	<i>13</i>	—	—	—	<i>45</i>	<i>31</i>	—	—	8
9	<i>41</i>	—	—	<i>14</i>	<i>04</i>	—	—	—	<i>03</i>	<i>09</i>	<i>09</i>	—	9
10	<i>15</i>	—	<i>02</i>	<i>30</i>	<i>05</i>	<i>02</i>	—	—	—	<i>19</i>	<i>14</i>	—	10
11	<i>04</i>	—	—	—	<i>01</i>	—	<i>54</i>	<i>01</i>	<i>05</i>	<i>05</i>	—	<i>08</i>	11
12	<i>74</i>	—	—	<i>02</i>	<i>11</i>	—	—	—	—	<i>26</i>	<i>02</i>	—	12
13	<i>04</i>	—	—	<i>20</i>	<i>09</i>	—	<i>10</i>	—	—	<i>83</i>	—	<i>07</i>	13
14	<i>08</i>	—	—	<i>10</i>	<i>07</i>	—	—	—	—	—	<i>05</i>	<i>01</i>	14
15	<i>04</i>	—	—	<i>03</i>	<i>29</i>	—	—	—	—	<i>05</i>	—	<i>04</i>	15
16	<i>13</i>	—	—	<i>13</i>	<i>01</i>	—	<i>78</i>	—	—	—	—	—	16
17	<i>01</i>	—	—	<i>05</i>	—	—	—	—	—	—	—	—	17
18	<i>03</i>	—	—	—	<i>20</i>	—	—	—	<i>13</i>	—	<i>11</i>	—	18
19	—	—	—	—	~~<i>01</i>~~	—	—	—	<i>03</i>	<i>34</i>	—	—	19
20	<i>01</i>	—	—	<i>02</i>	<i>39</i>	—	<i>07</i>	<i>35</i>	—	<i>86</i>	<i>34</i>	—	20
21	<i>02</i>	—	<i>16</i>	<i>11</i>	<i>21</i>	—	—	<i>04</i>	—	<i>33</i>	<i>02</i>	<i>14</i>	21
22	—	—	<i>04</i>	<i>02</i>	<i>09</i>	—	<i>04</i>	<i>02</i>	<i>51</i>	<i>35</i>	<i>46</i>	—	22
23	<i>01</i>	—	—	<i>01</i>	<i>06</i>	—	<i>34</i>	—	<i>06</i>	<i>53</i>	<i>08</i>	<i>10</i>	23
24	—	<i>03</i>	—	—	<i>03</i>	—	<i>46</i>	—	<i>12</i>	<i>07</i>	—	—	24
25	—	—	—	<i>05</i>	—	—	<i>30</i>	—	<i>02</i>	<i>40</i>	<i>05</i>	—	25
26	—	—	<i>14</i>	<i>07</i>	—	—	<i>17</i>	—	—	<i>06</i>	<i>02</i>	—	26
27	—	—	<i>35</i>	<i>49</i>	<i>24</i>	<i>10</i>	<i>05</i>	—	—	<i>25</i>	—	<i>10</i>	27
28	—	—	<i>03</i>	<i>09</i>	<i>02</i>	—	<i>14</i>	—	—	—	—	<i>02</i>	28
29	<i>01</i>	—	<i>43</i>	<i>04</i>	<i>30</i>	<i>38</i>	<i>01</i>	<i>20</i>	<i>76</i>	<i>40</i>	<i>27</i>	<i>10</i>	29
30	—	~~<i>01</i>~~	<i>01</i>	<i>24</i>	<i>05</i>	<i>157</i>	<i>10</i>	—	<i>42</i>	—	<i>80</i>	<i>34</i>	30
31	—	~~<i>01</i>~~	—	~~<i>01</i>~~	<i>02</i>	~~<i>01</i>~~	<i>05</i>	—	~~<i>01</i>~~	<i>03</i>	~~<i>01</i>~~	<i>20</i>	31
TOTAL	<i>2.77</i>	<i>03</i>	<i>1.55</i>	<i>2.79</i>	<i>2.94</i>	<i>2.72</i>	<i>3.17</i>	<i>70</i>	<i>3.77</i>	<i>5.92</i>	<i>2.60</i>	<i>1.65</i>	YEAR'S TOTAL <i>30.61</i>
*Days with or in. or more.	<i>19</i>	<i>1</i>	<i>10</i>	<i>24</i>	<i>23</i>	<i>7</i>	<i>16</i>	<i>6</i>	<i>16</i>	<i>21</i>	<i>16</i>	<i>13</i>	<i>172</i>
*Days with or in. or more.	<i>11</i>	<i>0</i>	<i>6</i>	<i>18</i>	<i>17</i>	<i>5</i>	<i>12</i>	<i>4</i>	<i>13</i>	<i>20</i>	<i>11</i>	<i>10</i>	<i>127</i>

40-9999

*See Instruction 2 (f) on other side.

(Signed) *Frank Hewitt*

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 1610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.Kept at Sydney Springs - Sturminster Marshall
in the County of DorsetDiameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 86 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.41	.65	.08	—	.03	—	—	—	—	—	—	.22	1
2	.58	—	.66	—	.40	—	—	—	—	—	—	—	2
3	.03	.10	.40	—	—	—	—	—	—	—	—	—	3
4	.14	.05	.10	—	.21	—	—	—	—	—	—	—	4
5	.09	—	.46	—	.08	—	—	—	—	—	—	—	5
6	—	.33	.01	—	.16	—	—	—	—	.19	.05	—	6
7	.05	.02	.01	—	.10	—	.01	—	—	.13	—	.02	7
8	.02	.01	.04	—	.04	—	.49	—	—	—	—	—	8
9	—	—	—	—	.04	—	.35	—	—	.08	.01	—	9
10	—	.05	—	—	—	—	.16	—	—	.20	.08	—	10
11	.26	—	—	—	—	.24	.02	.26	—	.01	—	—	11
12	—	—	—	.05	.02	—	.07	—	.74	—	—	.06	12
13	.03	—	—	—	.01	—	.34	.04	—	.18	.05	—	13
14	—	—	—	—	—	—	.01	.05	—	.29	.43	—	14
15	.75	—	.34	—	—	—	.11	.26	—	.04	—	—	15
16	—	—	1.09	—	—	.05	—	.06	.04	.06	—	—	16
17	—	.12	.42	—	—	.10	—	—	.11	—	—	—	17
18	.17	.02	.18	—	—	.10	—	—	—	—	.01	—	18
19	—	—	.13	—	—	.04	—	.06	.34	—	.26	.03	19
20	—	.06	—	—	—	.04	—	—	.06	—	—	—	20
21	—	.06	—	—	.01	—	—	.23	—	.06	—	—	21
22	—	—	—	—	—	—	—	.19	.12	.10	—	—	22
23	—	.10	—	.45	—	.28	—	—	.22	.15	—	—	23
24	—	1.98	—	.26	—	.07	—	—	.09	—	.01	—	24
25	—	.48	—	.36	.01	—	—	—	.09	—	.02	.10	25
26	—	.42	—	.12	.18	—	—	—	—	—	—	—	26
27	—	.01	—	—	.07	—	.05	—	.01	.19	—	.65	27
28	—	—	—	.34	—	—	.62	—	—	—	—	.02	28
29	.15	—	—	—	—	—	.11	—	—	—	—	—	29
30	.04	×	.10	—	—	—	.03	—	.10	—	—	.09	30
31	.23	×	.04	×	—	×	—	—	×	—	×	—	31
TOTAL	2.95	4.46	4.06	1.61	1.35	.92	2.23	1.15	1.92	1.71	.87	1.19	24.42
*Days with ".01 in. or more.	14	16	15	6	14	8	13	8	11	13	9	8	135
*Days with ".04 in. or more.	11	12	13	16	9	8	9	8	10	12	4	5	107

40-9999

*See Instruction 2 (f) on other side,

(Signed)

Frank Hewitt

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Sylva Springs, Sturminster Marshall, Wimborne*
in the County of *Dorset*Diameter of Funnel of Gauge *8* inchesHeight of top of Gauge above Ground *1* ft. in.,, Ground ,, Sea Level *86* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	-	-	-	-	-	-	.60	-	-	.04	.88		1
2	.31	-	.10	-	.02	-	-	-	.88	.16	-	.24		2
3	.05	-	-	-	-	-	-	-	-	.12	-	.30		3
4	.09	-	.12	-	.23	-	-	-	-	.05	-	.43		4
5	-	-	-	-	.02	-	-	.92	-	.03	-	.52		5
6	.06	-	.42	.03	.18	-	-	.02	-	.36	.22	.68		6
7	.06	-	-	.02	-	.10	-	.16	-	.08	-	.62		7
8	-	-	-	-	-	-	-	-	.03	-	.69	.10		8
9	.04	-	.16	-	.27	-	-	-	-	-	.80	.27		9
10	.16	-	.31	.36	-	-	-	.04	-	-	.28	.07		10
11	.67	.01	.59	.21	-	-	.28	.33	-	-	-	.39		11
12	.02	-	-	-	-	-	.08	.11	-	-	-	.25		12
13	.34	-	.08	.17	-	-	.08	.01	-	-	.16	.20		13
14	.07	-	.31	-	-	-	-	-	-	.02	.03	.73		14
15	.04	-	.46	-	.10	-	-	-	-	-	.11	.50		15
16	.24	-	-	-	.03	-	-	-	-	.08	-	.18		16
17	.12	-	-	.04	-	-	-	-	.06	.06	-	.40		17
18	.05	-	.20	.18	-	.02	-	-	.07	-	-	.38		18
19	-	-	.25	.05	-	-	.13	.05	.13	-	-	.15		19
20	-	-	.06	.15	-	-	-	-	-	-	-	-		20
21	-	-	.02	.10	-	.14	-	.08	.01	.20	-	.03		21
22	-	.02	-	-	-	-	.39	.39	.22	-	-	.23		22
23	-	-	.06	.26	-	.49	-	.09	.06	-	-	.04		23
24	-	.03	-	.06	-	.05	-	-	.20	.02	-	.04		24
25	.48	-	-	.21	-	-	-	-	-	.12	-	.95		25
26	.02	-	-	.02	-	.26	-	-	.14	-	-	.30		26
27	.02	-	-	-	-	.05	-	-	-	.02	-	.51		27
28	-	-	-	-	-	.08	-	.63	-	-	-	.60		28
29	-	-	-	-	-	-	-	.10	.38	.03	.02	.04		29
30	.05	X	-	-	-	-	-	.03	.18	-	.11	.30		30
31	-	X	-	X	-	X	-	.04	X	-	X	.02		31
TOTAL	2.92	.06	3.17	1.86	.85	1.19	.96	3.60	2.38	1.64	2.36	10.35	31.38	
*Days with or in. or more.	20	3	14	14	7	8	5	16	12	14	10	30	153	
*Days with .04 in. or more.	16	-	13	11	5	7	5	13	10	9	7	28	124	

Year's Total

† Spare column, no entries required.

(Signed)

F. Hewitt

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

1610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Sturminster Marshall*
in the County of *Dorset**Sylva Springs*
Sturminster Marshall
Wimborne
*Dorset*Diameter of Funnel of Gauge *8* in.
Height of top of Gauge above Ground *1* ft. in.
Ground *Above* Sea Level *86* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	.38	—	.02	.10	.09	—	.17	.09	.20	.28		1
2	—	—	—	—	—	.04	—	—	—	.49	.05	.02		2
3	—	—	.09	—	—	.07	—	—	.16	.20	.23	—		3
4	—	.18	—	.09	—	.08	—	—	.08	.22	.21	.12		4
5	.03	.30	.03	.16	—	.26	—	—	.18	—	.04	.01		5
6	—	—	—	.27	—	1.60	—	—	.14	—	.36	.02		6
7	—	—	—	.35	—	.03	—	—	.09	.24	.59	.14		7
8	—	—	—	.32	—	—	—	—	—	.29	—	.08		8
9	.18	—	—	.48	—	.57	—	—	—	.80	.92	—		9
10	.09	—	.20	.06	—	.04	—	—	—	—	.23	—		10
11	.19	—	.02	—	—	.27	—	—	.01	—	.61	—		11
12	.10	.02	—	—	—	.33	—	.01	.08	—	.41	—		12
13	.10	.14	—	.30	.02	.18	—	—	.01	.01	.07	—		13
14	—	.02	—	.28	.04	.25	—	—	.08	.03	.56	.36		14
15	—	.15	—	.66	.31	.11	—	—	.26	.02	.31	.03		15
16	—	.06	.10	—	.02	—	—	—	.44	—	.23	.04		16
17	—	—	—	.15	.07	.31	—	—	—	—	.83	—		17
18	—	.01	—	.24	—	—	.24	.08	.37	—	—	—		18
19	—	—	—	.04	.28	.05	.26	—	.17	.03	.37	—		19
20	—	.50	—	.11	.22	.03	.05	—	.03	—	.47	—		20
21	—	.62	—	.02	—	—	.02	—	—	—	—	—		21
22	—	.10	.01	.07	—	—	—	.19	.06	—	—	—		22
23	—	—	.12	.22	—	—	—	.39	.03	.41	—	.26		23
24	.01	.74	—	.20	.15	—	—	1.14	.48	.22	—	.31		24
25	.16	.05	—	.09	—	.04	—	—	—	—	.03	.55		25
26	—	.31	—	—	.02	—	—	.20	.05	—	—	.90		26
27	—	.31	—	—	—	—	—	.02	.12	—	.05	.80		27
28	—	.01	—	—	—	—	—	.05	.20	—	—	.10		28
29	—	—	—	—	.09	—	—	.05	.31	.02	—	.66		29
30	—	×	—	—	—	—	—	1.17	.02	.28	.46	.56		30
31	—	×	—	×	—	×	—	.04	×	1.60	×	.28		31
TOTAL	.86	3.53	.95	4.11	1.24	4.36	.66	3.44	3.56	6.81	8.53	5.52	43.44	
* Days with .01 in. or more.	8	16	8	19	11	18	.5	11	23	16	21	19	175	
* Days with .04 in. or more.	6	12	5	18	7	16	.4	9	18	11	20	15	151	

Section

A

for the entry of Daily Observations.

Station No.

1610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Sydney Springs, Sturminster Marshall, Wimborne*
 in the County of *Dorset*

Diameter of Funnel of Gauge *8* in.
 Height of top of Gauge above Ground *1* ft. in.
 „ Ground „ Sea Level *86* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.11	-	.41	-	.08	.10	-	-	-	.04	-		1
2	-	.02	-	.04	-	-	.08	.02	-	-	.02	-		2
3	-	-	-	.63	-	-	.05	-	.63	-	.59	-		3
4	-	-	.19	-	-	-	-	-	.27	-	.12	.05		4
5	.38	-	.05	-	.10	-	-	-	.35	-	-	.08		5
6	.22	-	.07	-	-	-	-	.04	.24	-	.41	-		6
7	.47	-	.17	-	-	-	.33	-	-	-	.40	-		7
8	.46	-	.13	-	-	-	.14	-	-	-	.40	.06		8
9	.21	-	.20	-	-	-	.36	-	.21	-	-	-		9
10	.27	.12	-	-	-	.01	.13	-	.07	-	-	-		10
11	-	.21	-	-	-	.06	.24	-	.14	-	1.16	-		11
12	-	-	-	.11	-	.44	.16	-	.15	-	.16	-		12
13	.03	-	-	-	-	.04	.23	.07	-	.04	.10	.67		13
14	-	.05	-	-	-	-	.54	-	-	-	-	.62		14
15	-	.05	-	-	-	-	-	-	-	-	.04	.41		15
16	.07	.21	-	-	.15	-	.07	-	-	-	.07	.08		16
17	.03	.19	-	-	-	-	.07	-	-	-	.07	.65		17
18	.10	.15	-	-	-	.70	.37	.07	-	-	-	-		18
19	.39	.08	.01	.06	-	.28	-	-	-	.10	-	-		19
20	.12	.20	.18	.16	-	-	.01	-	.85	-	-	.06		20
21	-	.28	-	.41	-	-	.07	-	-	-	-	-		21
22	.20	.32	.15	-	-	-	.24	-	-	-	-	-		22
23	.10	.05	.24	.16	-	-	.25	-	-	.12	-	-		23
24	.24	-	.06	-	.11	-	-	-	.04	.32	-	-		24
25	.08	-	.40	.19	-	.60	-	-	.06	.14	-	-		25
26	.23	.14	.20	-	-	.23	-	-	.04	.06	-	-		26
27	.34	.21	.18	-	-	-	.10	-	.23	.10	-	.25		27
28	.03	-	.56	-	-	-	.38	-	-	-	-	-		28
29	.02	.03	.05	-	-	.22	-	-	-	.05	.05	-		29
30	.20	×	-	-	-	-	-	-	-	.35	-	-		30
31	.05	×	.47	×	.16	×	.21	-	×	.40	×	.64	'd'	31
TOTAL	5.32	3.02	3.83	1.97	.52	2.68	4.13	.20	3.28	1.68	3.73	3.57	93.93	✓
*Days with or in. or more.	23	17	16	9	4	10	21	4	13	10	14	11	151	✓
*Days with .04 in. or more.	21	15	15	9	4	9	20	3	13	10	13	11	143	✓

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

F. Bennett

[P. T. O.]

Section



for the entry of Daily Observations

Station No. 1610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Sydney Springs, Sturminster Marshall*
in the County of *Dorset*

Diameter of Funnel of Gauge.....8.....inches

Height of top of Gauge above Ground.....1.....ft.....in.

Height of Ground *above* Sea Level.....8.3.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.24	.08	—	11	—	—	—	—	—	—	22	1.15		1
2	—	1.00	—	10	—	—	—	—	20	—	—	30		2
3	.02	.44	—	.02	—	—	—	—	—	—	—	—		3
4	.12	.70	—	—	—	—	—	—	—	—	—	27		4
5	.28	—	—	—	—	—	23	—	—	—	—	—		5
6	—	.34	.24	.17	—	—	.13	—	—	.05	—	—		6
7	.07	.70	—	.08	.06	—	—	—	—	—	—	.82		7
8	—	—	—	—	—	—	—	—	—	—	20	.21		8
9	—	—	—	.27	.56	.10	—	—	.65	—	—	—		9
10	.12	.05	.83	.12	—	.25	—	—	—	—	—	.41		10
11	—	—	.04	—	.51	—	.38	—	—	—	—	—		11
12	.60	.32	.08	.12	.50	—	—	.64	.37	—	—	.35		12
13	.11	.03	.12	.09	—	.09	—	.20	.12	—	—	.12		13
14	.39	—	.13	—	—	—	—	.06	.07	—	—	.03		14
15	—	.20	.48	.40	—	—	.70	—	.05	—	—	.04		15
16	.02	.09	.36	.18	—	—	—	.54	1.90	—	.05	—		16
17	.90	.06	—	—	—	—	.04	—	.07	—	.24	—		17
18	.10	—	—	—	—	—	—	—	—	—	.06	.23		18
19	.13	.03	—	.20	—	—	—	—	—	—	—	.12		19
20	.42	.06	.17	.20	—	—	—	—	—	—	—	.19		20
21	.43	.40	.05	—	.14	—	—	—	—	—	.17	.16		21
22	.32	—	—	—	.32	—	—	—	.04	1.83	.33	.10		22
23	.34	.17	—	—	.44	—	.18	—	.07	.32	.06	—		23
24	.57	.67	.08	—	.07	—	—	—	.06	.98	—	—		24
25	.56	.40	.37	—	.86	—	—	—	—	.29	—	—		25
26	—	.20	.04	—	.16	—	—	—	—	.10	—	.05		26
27	—	.16	—	.10	—	—	—	—	—	.70	—	.10		27
28	.12	.08	—	—	—	—	—	—	—	.15	—	—		28
29	—	—	—	—	—	—	—	—	—	.98	—	—		29
30	.52	X	—	—	—	—	—	—	—	.08	.13	—		30
31	.20	X	—	X	—	X	—	—	X	1.11	X	—		31
TOTAL	6.51	6.16	3.59	2.16	3.62	.44	1.66	1.44	3.60	6.59	1.46	4.65	41.88	✓
* Days with .01 in. or more.	22	21	13	14	10	3	6	4	11	11	9	17	143	✓
* Days with .04 in. or more.	20	20	13	13	10	3	6	4	11	11	9	17	141	✓

† Spare column, no entries required.

(Signed) *Frank B. Smith*

37

* See Instruction 3 (f) on other side.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

1610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193

Kept at

Lybra Springs Sturminster Marshall

in the County of

Dorset

Diameter of Funnel of Gauge.....8 in.

Height of top of Gauge above Ground.....1 ft.....in.

,, Ground ,, Sea Level 80 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.14	-	-	-	.04	.24	-	-	.53	-	-	✓	1
2	-	-	-	-	-	-	-	-	-	.08	-	-	4	2
3	-	-	-	-	.12	-	-	-	-	.84	.10	.32	4	3
4	-	-	-	-	-	-	.15	-	-	.32	.17	-		4
5	-	-	-	-	-	-	.36	1.35	-	.12	-	-		5
6	.05	-	-	-	-	-	.16	-	-	.17	.04	.05		6
7	.08	-	-	-	-	-	.42	-	.12	.10	-	.12		7
8	-	-	-	-	-	.04	-	.58	-	.37	-	-	✓	8
9	.26	.04	✓	-	-	-	-	.09	-	-	-	1.15	✓	9
10	-	-	-	-	-	.27	.11	-	-	-	-	.35		10
11	.23	-	-	-	-	-	-	.10	-	-	.34	.23		11
12	.48	-	-	-	.22	-	-	-	-	.14	-	-	✓	12
13	.29	-	-	-	-	-	-	-	-	-	.35	.73	✓	13
14	.53	-	-	-	.08	-	.26	-	-	-	-	-		14
15	.29	-	-	-	.03	-	.53	-	-	.32	.10	.10	✓	15
16	.27	-	.04	-	-	-	-	-	-	-	-	.43	✓	16
17	-	.22	.02	-	-	-	-	-	-	.10	-	-		17
18	.11	-	-	-	.08	-	-	-	.82	-	.42	-		18
19	-	-	-	-	-	-	-	.16	.22	-	1.12	-		19
20	-	-	-	-	-	-	-	-	-	-	.54	-		20
21	-	-	-	-	-	-	-	.02	.09	-	.08	-	✓	21
22	.04	-	-	-	-	-	-	.34	-	-	.42	-	✓	22
23	-	-	-	-	-	-	-	-	.59	-	-	-	✓	23
24	-	-	.15	-	-	-	-	-	-	-	.34	-	✓	24
25	.17	.20	-	-	.15	-	.01	.14	.22	.05	1.08	-		25
26	.46	.35	-	-	.13	-	.03	-	-	-	-	.29	✓	26
27	.07	.03	-	-	.06	.21	.30	-	-	-	.35	-	✓	27
28	.10	-	-	-	.16	.08	-	.64	.15	-	-	.03		28
29	.03	-	-	-	.29	-	-	-	.23	.21	.40	-	✓	29
30	-	✕	-	-	.03	-	-	-	.70	-	.10	-	✓	30
31	.14	✕	-	✕	.17	✕	-	-	✕	.14	✕	.36	✓	31
TOTAL	3.60	.88	.21	.00	1.52	.64	2.56	3.42	3.14	3.59	5.95	4.16	29.67	Year's Total
* Days with .01 in. or more.	17	6	3	-	12	5	11	9	9	14	16	12	114	122
* Days with .04 in. or more.	16	5	2	-	10	5	9	10	8	9	14	16	116	111

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

H. L. BARNES

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 1610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at SYLVIA SPRINGS, STURMINST, ER. MARSHALL

in the County of WIMBORNE, DORSET.

Now total corrected for arithmetic

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level 8.0.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	.10	.07	-	.02	.04	.35	-	-	.03		1
2	-	-	-	.15	-	-	-	.59	1.23	-	.18	.24		2
3	.86	-	-	.52	-	-	.08	.06	-	-	.21	.26		3
4	-	-	.47	.40	.25	-	.53	.30	.32	.29	.06	.04		4
5	.76	-	.04	.12	.40	-	.42	.07	-	.27	.80	.05		5
6	-	.24	-	-	-	-	.74	.03	-	-	.34	-		6
7	-	.14	-	-	-	-	-	-	-	-	.56	.50		7
8	-	-	-	-	-	-	-	.10	-	.62	.24	.31		8
9	-	-	-	-	-	-	-	.07	-	.22	.27	.24		9
10	.08	-	-	-	-	-	-	.19	.10	.33	-	-		10
11	.38	.03	-	-	-	-	-	-	-	.19	-	-		11
12	-	.02	.35	-	-	.01	-	-	-	-	.15	-		12
13	-	-	-	-	-	.02	.41	-	-	2.03	.07	-		13
14	.88	-	-	-	-	-	.08	-	-	.24	.36	-		14
15	.30	-	-	.06	.17	1.16	.28	-	-	.26	.46	-		15
16	.25	-	-	.07	.06	.10	.25	-	-	-	.24	.04		16
17	.39	-	-	-	.24	-	.09	-	-	.27	.05	.07		17
18	.19	.06	-	-	-	.12	.68	-	-	-	.36	-		18
19	.41	-	-	-	-	-	-	-	-	-	-	-		19
20	.44	-	-	-	-	.02	.23	1.58	-	-	-	-		20
21	.04	.33	.06	-	-	.08	.15	-	-	-	-	-		21
22	.33	.19	.08	-	-	.40	.08	-	-	-	.27	-		22
23	-	-	-	.06	-	-	.07	-	-	-	1.06	-		23
24	.66	-	-	.08	-	.52	.19	-	-	-	-	-		24
25	.63	.12	-	.09	-	-	.06	-	-	.15	.50	-		25
26	-	-	-	.10	-	-	-	.04	-	-	.34	-		26
27	-	.19	-	.07	-	-	-	-	-	-	.17	-		27
28	-	.39	-	-	-	-	.32	-	-	-	.37	.24		28
29	-	-	-	-	-	.02	.38	-	-	.07	.02	-		29
30	-	X	-	.46	-	.09	.02	.32	-	.16	.04	-		30
31	-	X	-	X	-	X	-	.27	X	1.32	X	-		31
TOTAL	6.60	1.76	1.00	2.28	1.19	2.54	5.08	3.66	2.00	6.42	8.12	2.02	4.67	✓
* Days with .01 in. or more.	.15	.10	.5	.13	.6	.11	.20	.13	.4	.14	.23	.11	1.45	✓
* Days with .04 in. or more.	.15	.8	.5	.13	.6	.7	.18	.12	.4	.14	.22	.10	1.36	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) H. L. BARNES P.T.O.

Section

A

for the entry of Daily Observations

Station No. 1610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193

Kept at SYLVIA SPRINGS.

in the County of WIMBORNE DORSET.

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level.....80.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											.13			1
2		.24		.14							.28			2
3		.48								.30	.97	.22		3
4		.18					.10			.27	.17	.03		4
5											.75	.43		5
6	.45	.63					.04			.29	.18	.12		6
7	.04									.14				7
8		.12		.06			.02			.58	.10	.30		8
9							.14			.14	.74	.22		9
10							1.15			.20	.08	.12		10
11							.07				.78			11
12			.16				.23			.17	.13			12
13			.67	.03			.03			.39	.21	1.40		13
14			.06		.14		.21			.81	.06	.80		14
15				.07	.20		.36			.48	.24	.45	.08	15
16		.61	.47				.02			.32	.74	1.10		16
17			.44				.03				.80	.10		17
18		.35	.34	.34			.33		.05	.12	.10			18
19			.06	.17			.08		.70		.35			19
20							.02			.23	.05			20
21					.23		.01				.56			21
22		.08	.07	.04		.25	.02		.20					22
23		.03	.16				.05							23
24							.24				.04			24
25			.27	.08	.03		.02							25
26	.35	.57		.12	.05					.07				26
27	.54	.34					.27			.03				27
28	.47	.35			.32					.74				28
29	.64	.57	.17	.24						.35		.39		29
30				.06						.06		.13		30
31										.77		.29		31
TOTAL	3.49	4.55	2.90	1.35	.97	.25	3.44	-	2.14	6.46	9.32	3.17	38.04	
* Days with .01 in. or more.	69	18	11	11	6	1	21		69	21	21	13	129	143 3" d"
* Days with .04 in. or more.	68	12	11	10	5	1	13		6	19	21	12	116	117

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) H. L. BARNES.

P.T.O.

Section

A

for the entry of
AIR MINISTRY

FORM 1090.

REGIST

1611
FOR OFFICIAL USE.
ALL ORGANIZATION.

3/..

Kept at Keeper Hill
in the County of Dorset

Diameter of Funnel of Gauge.....

Height of top of Gauge above Ground.....

„ Ground „ Sea Lev

1611
HAMPRESTON
KEEPER HILL NURSERY
1931-40

THE MORNING MEASUR

780305

DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	.01		.14		.13		.03	.11	.03			I
2	.22	.05		.50			.01	.01	.51	.02	.03	.16	2
3	.18		.66	.05			.02	.08	.30		.46	.37	3
4			.06	.18	.08		.23	.03	.20				4
5		.20			.02	.41	.14				.08	.08	5
6		.15		.14	.07	.17	.01	.01		.45	.27	.14	6
7					.25	.20	.17	.64		.08	.45	.05	7
8	.03	.20		.13	.05	.34	.01	.02			.10	.10	8
9		.24				.05	.03				.82		9
10		.04				.25	.06				.35		10
II	.12	.49			.01	.03	.14		.02		.38		II
12						.01	.04		.08	.16			12
13							.03			.07			13
14		.15	.01			.16	.75	.10	.01				14
15		.04		.01	.11		.03	.22			.03		15
16		.04		.15	.17	.20	.01	.04	.10				16
17		.16		.14			.30		.17				17
18	.04		.03	.07		.13	.02	.10			.44		18
19	.07			.10		.29	.05	.08					19
20		.09	.11	.01			.01	.23					20
21	.04	.01	.01		.34						.03		21
22	.37		.08								.01		22
23	.36			.13	.51						.36		23
24	.10			.36	.26	.25	.62	.45					24
25	.11			.25	.14		.49				.17	.02	25
26		.02		.17			.36				.24		26
27	.19	.35			.80		.62				.11		27
28	.10	.06		.04	.14					.01	.01	.13	28
29	.11	X	.04		.10		.13	.05		.04	.10		29
30		X	.07				.01	.11	.02		.03		30
31	.46	X		X	.15	X	.01	.02	X		X	.11	31
TOTAL	2.43	2.30	1.04	2.54	3.20	2.92	5.30	3.22	1.52	.87	4.47	1.16	31.03
*Days with or in. or more.	15	17	9	17	16	14	26	17	10	8	20	9	178
*Days with or more.	14	14	6	15	14	12	14	11	7	5	14	8	134

40-9999

*See Instruction 2 (f) on other side.

(Signed) H. J. Marchant [P.T.O.]

Section

A

for the entry of

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1931..

Kept at *Hepper's Hill, Linsay, Stapehill*
in the County of *Devon*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
,, Ground ,, Sea Level *95* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.01		.14		.13		.03	.11	.03			1
2	.22	.05		.50			.01	.01	.51	.02	.03	.16	2
3	.18		.66	.05			.02	.08	.30		.46	.37	3
4			.06	.18	.08		.23	.03	.20				4
5		.20			.02	.71	.14				.08	.08	5
6		.15		.14	.07	.17	.01	.01		.45	.27	.14	6
7					.25	.20	.17	.64		.09	.45	.05	7
8	.03	.20		.13	.05	.34	.01	.02			.10	.10	8
9		.24				.05	.03				.82		9
10		.04				.25	.06				.35		10
11	.12	.49			.01	.03	.14		.02		.38		11
12						.01	.04		.08	.16			12
13							.03			.07			13
14		.15	.01			.16	.175	.10	.01				14
15		.04		.01	.11		.03	.22			.03		15
16		.04		.15	.17	.20	.01	.04	.10				16
17		.16		.14			.30		.17				17
18	.04		.03	.07		.13	.02	.10			.44		18
19	.07			.12		.29	.05	.08					19
20		.09	.11	.01			.01	.23					20
21	.04	.01	.01		.34						.03		21
22	.37		.08								.01		22
23	.36			.13	.51						.36		23
24	.10			.36	.26	.25	.62	.45					24
25	.11			.25	.14		.49				.17	.02	25
26		.02		.17			.36				.24		26
27	.19	.35			.80		.62				.11		27
28	.10	.06		.04	.14					.01	.01	.13	28
29	.11	X	.04		.10		.13	.05		.04	.10		29
30		X	.07				.01	.11	.02		.03		30
31	.46	X		X	.15	X	.01	.02	X		X	.11	31
YEAR'S TOTAL													
TOTAL	2.43	2.30	1.07	2.57	3.20	2.92	5.30	3.22	1.52	.87	4.47	1.16	31.03
*Days with or in. or more.	15	17	9	17	16	14	26	17	10	8	20	9	178
*Days with .04 in. or more.	14	14	6	15	14	12	14	11	7	5	14	8	134

40-9999

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

REGISTER OF RAINFALL IN 1932.

Kept at *Keper's Hill Nursery, Staplehill, Hampshire*
in the County of *Dorset*.

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
Ground Sea Level *95* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.12</i>	-	-	-	<i>.63</i>	-	-	<i>.04</i>	<i>.01</i>	<i>.02</i>	-	-	1
2	<i>.4</i>	-	-	<i>.15</i>	<i>.08</i>	-	-	<i>.05</i>	<i>.03</i>	-	<i>.02</i>	<i>.36</i>	2
3	-	-	-	<i>.19</i>	-	<i>.38</i>	-	<i>.03</i>	<i>.55</i>	<i>.08</i>	<i>.02</i>	<i>.03</i>	3
4	<i>.02</i>	-	-	<i>.27</i>	-	<i>.27</i>	<i>.02</i>	<i>.01</i>	-	-	<i>.14</i>	-	4
5	<i>.37</i>	-	-	-	-	-	<i>.01</i>	-	<i>.13</i>	-	-	-	5
6	<i>.66</i>	-	-	<i>.17</i>	-	-	<i>.10</i>	-	<i>.40</i>	-	-	-	6
7	-	-	<i>.02</i>	<i>.05</i>	-	-	-	-	<i>.14</i>	<i>.38</i>	-	-	7
8	-	-	<i>.36</i>	<i>.03</i>	<i>.20</i>	-	-	-	<i>.60</i>	<i>.20</i>	-	-	8
9	<i>.29</i>	-	-	<i>.17</i>	<i>.05</i>	-	-	<i>.02</i>	<i>.08</i>	-	-	-	9
10	<i>.14</i>	-	<i>.03</i>	<i>.25</i>	<i>.05</i>	<i>.02</i>	-	-	-	<i>.21</i>	<i>.11</i>	-	10
11	<i>.11</i>	-	-	<i>.01</i>	<i>.01</i>	-	<i>.57</i>	<i>.01</i>	<i>.02</i>	<i>.03</i>	-	<i>.07</i>	11
12	<i>.61</i>	-	-	-	<i>.04</i>	-	-	-	-	<i>.15</i>	<i>.01</i>	<i>.06</i>	12
13	<i>.08</i>	-	-	<i>.20</i>	<i>.07</i>	-	<i>.16</i>	<i>.09</i>	-	<i>.91</i>	-	-	13
14	<i>.08</i>	-	-	<i>.08</i>	<i>.11</i>	-	-	-	-	-	<i>.10</i>	<i>.04</i>	14
15	<i>.04</i>	-	-	<i>.03</i>	<i>.36</i>	-	-	-	-	<i>.06</i>	<i>.06</i>	<i>.03</i>	15
16	<i>.29</i>	-	-	<i>.08</i>	-	<i>.04</i>	<i>.32</i>	-	-	-	-	<i>.01</i>	16
17	<i>.05</i>	-	-	<i>.08</i>	-	-	-	-	-	-	-	-	17
18	<i>.04</i>	-	-	-	<i>.18</i>	-	<i>.01</i>	-	<i>.07</i>	-	<i>.21</i>	-	18
19	-	-	-	<i>.01</i>	-	-	-	-	<i>.04</i>	<i>.33</i>	-	-	19
20	-	-	-	<i>.01</i>	<i>.40</i>	-	<i>.11</i>	<i>.17</i>	-	<i>.94</i>	<i>.27</i>	-	20
21	<i>.04</i>	-	-	<i>.04</i>	<i>.36</i>	-	-	<i>.02</i>	-	<i>.35</i>	<i>.02</i>	<i>.10</i>	21
22	-	-	<i>.22</i>	<i>.01</i>	<i>.13</i>	-	<i>.07</i>	<i>.08</i>	<i>.50</i>	<i>.48</i>	<i>.44</i>	<i>.03</i>	22
23	-	-	-	-	<i>.18</i>	-	<i>.32</i>	-	<i>.05</i>	<i>.51</i>	<i>.08</i>	<i>.12</i>	23
24	-	<i>.07</i>	-	-	<i>.05</i>	-	<i>.49</i>	-	<i>.17</i>	<i>.31</i>	-	<i>.02</i>	24
25	-	-	-	<i>.03</i>	<i>.26</i>	-	<i>.50</i>	-	<i>.03</i>	<i>.41</i>	<i>.08</i>	<i>.01</i>	25
26	-	-	<i>.13</i>	<i>.05</i>	-	-	<i>.17</i>	-	-	<i>.04</i>	<i>.01</i>	-	26
27	-	-	<i>.38</i>	<i>.45</i>	-	<i>.13</i>	<i>.03</i>	-	-	<i>.21</i>	-	<i>.02</i>	27
28	-	-	-	<i>.15</i>	<i>.08</i>	-	<i>.19</i>	-	-	-	-	<i>.05</i>	28
29	-	-	<i>.46</i>	<i>.12</i>	<i>.22</i>	<i>.20</i>	<i>.02</i>	<i>.21</i>	<i>.48</i>	<i>.45</i>	<i>.26</i>	<i>.06</i>	29
30	-	X	<i>.09</i>	<i>.28</i>	<i>.03</i>	<i>1.33</i>	<i>.08</i>	<i>.01</i>	<i>.55</i>	-	<i>.72</i>	<i>.33</i>	30
31	-	X	-	X	<i>.01</i>	X	<i>.03</i>	-	X	-	X	<i>.18</i>	31
TOTAL	<i>2.94</i>	<i>.07</i>	<i>1.69</i>	<i>2.91</i>	<i>3.50</i>	<i>2.37</i>	<i>3.20</i>	<i>.74</i>	<i>3.85</i>	<i>6.07</i>	<i>2.58</i>	<i>1.52</i>	<i>31.44</i>
*Days with or in. or more.	<i>15</i>	<i>1</i>	<i>8</i>	<i>24</i>	<i>21</i>	<i>7</i>	<i>18</i>	<i>12</i>	<i>17</i>	<i>19</i>	<i>16</i>	<i>17</i>	<i>175</i>
*Days with or more.	<i>.14</i>	<i>1</i>	<i>6</i>	<i>17</i>	<i>18</i>	<i>6</i>	<i>12</i>	<i>6</i>	<i>13</i>	<i>17</i>	<i>11</i>	<i>10</i>	<i>131</i>

Section

A

for the entry of Daily Observations.

Station No. 1611

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Dunroston (Keepe's Hill Nursery)
in the County of DorsetDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 95 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.36	.67	.08	-	-	-	-	-	-	-	-	.23	1
2	.52	-	.86	-	.18	-	-	-	-	-	-	-	2
3	.01	.11	.45	-	-	-	-	-	-	-	-	-	3
4	.17	.04	.05	-	.16	-	-	-	-	-	-	-	4
5	.12	.01	.35	-	.02	-	-	-	-	-	-	-	5
6	-	.27	-	-	.25	-	-	-	-	.08	.03	-	6
7	.04	.02	.04	-	.09	-	.12	-	-	.16	-	-	7
8	.02	-	-	-	.04	-	.26	-	-	.005	-	-	8
9	-	-	-	-	.02	-	.31	-	-	.13	.02	-	9
10	-	.01	-	-	-	-	.15	-	-	.14	-	-	10
11	.29	-	-	-	-	.17	.02	.20	-	-	-	-	11
12	-	-	-	.05	.02	-	.01	-	.79	-	-	-	12
13	.17	-	-	-	-	.01	.44	.06	.01	.08	.04	-	13
14	-	-	-	-	-	-	.06	.04	-	.36	.61	-	14
15	.57	-	.34	-	-	-	.07	.48	-	.11	-	-	15
16	-	-	.90	-	-	.06	-	-	.02	.07	-	-	16
17	-	.12	.28	-	-	.08	-	.06	.08	-	-	-	17
18	.13	.02	.14	-	-	.06	-	-	-	-	-	-	18
19	-	-	.10	-	-	-	-	.05	.33	-	.17	.13	19
20	-	.08	.02	.12	-	.03	-	-	.01	-	-	.01	20
21	-	.02	-	-	.03	.02	-	.21	-	.06	.01	-	21
22	-	-	-	-	-	.05	-	.19	.13	.20	.01	-	22
23	-	.05	-	.41	-	.17	-	-	.19	.08	-	-	23
24	-	.25	-	.34	-	.01	-	-	.005	.005	.01	-	24
25	-	.51	-	.32	-	-	-	-	.05	-	-	.11	25
26	-	.82	-	.11	-	-	-	-	.005	-	-	.02	26
27	-	.01	-	.12	.43	-	.08	-	.01	.16	-	.61	27
28	-	-	-	.28	-	-	.65	-	-	-	-	-	28
29	.11	X	-	.05	.02	-	-	-	-	.01	-	-	29
30	.09	X	.09	-	-	-	.03	-	.05	-	-	.04	30
31	.19	X	.08	X	-	X	-	-	X	.01	X	-	31
TOTAL	2.79	5.01	3.78	1.56	1.26	.66	2.08	1.29	1.68	1.66	.90	1.15	23.82
*Days with ".01 in. or more.	14	16	14	7	11	10	11	8	11	14	8	7	131
*Days with ".04 in. or more.	12	10	13	7	6	6	8	8	7	12	3	5	97

40-9999

*See Instruction 2 (f) on other side.

(Signed) W. J. Merchant P.T.O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1611

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Keepers Hill Nursery, Hamperston*
in the County of *Dorset*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *-* in.
,, Ground ,, Sea Level *9.5* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	-	-	-	-	-	-	-	.01	.05	.03	.63		1
2	.23	-	.11	-	.03	.01	-	.61	.92	.14	-	.44		2
3	.05	.02	-	-	-	-	-	-	-	.29	-	.21		3
4	.12	-	.13	-	.18	-	-	.01	-	.16	-	.25		4
5	-	-	-	-	.02	-	-	.74	-	.07	-	.47		5
6	.05	-	.37	.02	.15	-	-	.01	-	.31	.25	.62		6
7	.07	-	-	-	-	-	-	.23	-	.08	-	.43		7
8	-	-	-	-	.30	-	-	.01	.04	-	.60	.10		8
9	.02	-	.18	-	-	-	-	-	.01	-	.73	.33		9
10	.09	.01	.27	.36	-	-	-	.02	-	-	.45	.09		10
11	.63	-	.67	.24	-	-	.05	.70	-	-	-	.48		11
12	.23	.01	.03	-	-	-	.04	.16	-	-	-	.30		12
13	.31	-	.11	.18	-	-	.13	tr.	-	-	.18	.20		13
14	.04	-	.42	.01	-	-	-	-	-	.06	.05	.42		14
15	.04	-	.03	-	.10	-	-	-	-	.06	.08	.40		15
16	.23	-	.38	-	.02	-	-	-	-	-	-	.14		16
17	.10	-	.01	.20	.01	-	-	-	.06	.06	-	.37		17
18	.11	-	.21	.15	-	-	-	-	.16	-	-	.38		18
19	-	-	.20	-	-	.05	-	.02	-	-	-	.09		19
20	-	-	.05	.11	-	-	-	.01	-	-	-	-		20
21	-	-	.05	.12	-	.15	-	.05	-	.16	-	.02		21
22	-	-	.01	-	-	-	.10	.65	.21	.03	-	.17		22
23	-	.02	-	.26	-	.43	-	.15	.07	-	-	.04		23
24	-	-	.05	.13	-	-	tr.	-	.16	-	-	.01		24
25	.43	-	-	.06	-	-	-	-	-	.07	-	.94		25
26	.01	-	-	.27	-	.27	-	-	.18	-	.02	.07		26
27	-	-	-	-	-	.03	-	-	-	.01	-	.40		27
28	-	-	-	-	-	.21	-	.67	-	-	-	.59		28
29	-	X	-	-	-	-	-	.13	.28	.01	.02	.03		29
30	.07	X	-	-	-	-	-	.10	.17	-	.01	.30		30
31	.01	X	-	X	-	X	.04	.16	X	-	X	.02		31
TOTAL	2.85	.06	3.28	2.11	.81	1.15	.36	4.43	2.27	1.56	2.42	8.94	30.24	
*Days with .01 in. or more.	20	4	18	13	8	7	5	18	12	15	11	30	161	
*Days with .04 in. or more.	16	-	14	11	4	5	5	12	10	12	7	26	122	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

W. J. Marchant.

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1611

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Keepers Hill Nursery*
in the County of *Dorset*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
,, Ground ,, Sea Level *95* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.01	-	.27	-	.03	.12	.16	-	.14	.15	.13	.21		1
2	-	-	.01	-	-	.17	-	-	.01	.36	.03	.01		2
3	-	-	.04	-	-	.06	-	-	.11	<u>1.43</u>	.36	-		3
4	.01	.17	-	.14	-	.04	-	-	.04	.28	.12	.29		4
5	-	.26	-	.09	-	.02	-	-	.17	.08	.04	.02		5
6	-	-	.01	.28	-	<u>1.19</u>	-	-	-	-	.28	-		6
7	-	-	-	.30	-	.01	-	-	-	.18	.39	.16		7
8	-	-	-	.28	-	-	.01	-	.13	.40	.69	-		8
9	.21	-	-	.50	-	1.01	-	-	.12	.88	.62	-		9
10	.07	-	<u>SNOW</u> .32	.10	-	.07	-	-	-	-	.07	.01		10
11	.24	.02	<u>SNOW</u> .04	.05	-	.22	-	-	-	-	.69	-		11
12	.07	.03	-	-	-	.27	-	.02	.09	-	.45	-		12
13	.08	.15	-	.16	.02	.16	-	-	.01	.15	.06	-		13
14	-	-	-	.14	.02	.24	-	-	.05	.04	.21	.30		14
15	-	.15	-	.61	.32	.06	-	-	.17	-	.44	.01		15
16	-	.05	.08	.13	-	.12	-	-	.47	-	<u>1.95</u>	-		16
17	-	-	-	.02	.08	.28	-	.05	.02	.15	.13	-		17
18	-	.01	-	.33	-	.04	.25	-	.42	.06	.02	-		18
19	-	-	-	.08	-	.04	.31	-	.12	-	.41	-		19
20	-	.45	-	.11	.21	.03	.02	-	.05	-	.63	-		20
21	-	.47	-	.01	-	.17	-	-	-	.02	-	-		21
22	-	.05	.01	.02	-	-	-	.07	.05	-	-	-		22
23	-	-	.08	.01	-	-	-	.51	.02	.47	.01	.19		23
24	.02	.77	-	-	.17	-	-	<u>1.14</u>	.42	.35	-	.43		24
25	.16	.04	-	.10	.01	.02	-	-	-	-	-	.55		25
26	-	.35	-	-	-	.01	-	.19	.06	-	-	.87		26
27	-	.35	-	-	-	-	-	.01	.08	.01	.06	.74		27
28	-	.07	-	-	.04	-	-	.13	.31	-	.03	.10		28
29	-	X	-	-	.10	-	-	.03	.34	.04	.01	.61		29
30	.15	X	-	.08	.01	-	-	1.07	.01	.26	.50	.46		30
31	-	X	-	X	-	X	-	.01	X	1.10	X	.23		31
TOTAL	.87	3.39	.89	3.55	1.01	4.01	.75	3.23	3.41	6.11	8.24	5.19	40.65	
*Days with ".01 in. or more.	9	16	9	21	11	20	5	11	24	17	25	17	185	
*Days with ".04 in. or more.	6	13	6	17	6	15	3	7	19	15	20	13	140	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

W. J. Marchant

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1611

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936..

Kept at *Keepers Hall, Dunsbury, (Staplehill) Dorset*
in the County of *Dorset*.

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
,, Ground ,, Sea Level *95* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.13	.11	.01	.38	-	.05	.10	.01	.6	-	.05	.02		1
2	-	-	-	.01	-	.09	.05	.04	-	-	-	-		2
3	-	-	-	.34	-	-	.04	-	.54	-	.59	-		3
4	.04	-	.18	-	-	.01	-	-	.15	-	.14	.01		4
5	.36	-	.04	-	.11	-	-	.01	.24	-	-	.11		5
6	.41	-	.01	-	-	.02	-	.02	.21	-	.39	-		6
7	.33	-	.16	-	-	-	.16	-	tr	-	.34	-		7
8	.43	-	.33	-	-	-	.14	-	-	-	.35	.08		8
9	.38	-	.20	-	-	-	.40	-	.25	-	tr	-		9
10	.27	<i>slurr.</i> .10	-	-	-	-	.16	-	-	-	-	-		10
11	.27	.22	-	-	-	.03	.21	.06	.08	-	1.10	-		11
12	-	-	-	.08	.24	.36	.35	.03	.24	-	.13	-		12
13	.02	-	-	-	-	.05	.17	-	-	.02	.13	.60		13
14	-	.07	-	-	-	.04	.58	-	.02	-	-	.48		14
15	-	.07	-	-	-	-	-	-	.03	-	.03	.39		15
16	<i>SNOW.</i> .05	.26	-	-	.08	-	.10	-	-	-	.06	.04		16
17	.10	.49	-	-	.01	-	.05	-	-	.04	-	.70		17
18	<i>HAIL</i> .12	.14	-	-	-	.31	.27	-	-	.05	-	.32		18
19	.37	.04	tr	.03	-	.10	.02	.07	-	-	-	.01		19
20	.27	.29	.07	.22	-	.11	-	-	.84	-	-	-		20
21	.01	.20	.01	.40	-	.09	.12	-	.01	-	-	-		21
22	.16	.56	.37	-	.03	-	.17	-	-	tr	-	.06		22
23	.08	-	.23	.15	-	-	.23	-	-	.11	-	-		23
24	.27	.05	.03	.03	.16	-	.01	-	.02	.33	-	-		24
25	.10	-	.31	.15	-	-	.04	-	-	.06	-	-		25
26	.16	.14	.26	.04	-	.26	-	-	.02	.07	-	-		26
27	.47	.18	.08	tr	-	-	.10	-	.04	-	-	-		27
28	.83	-	.49	-	-	-	.05	-	-	-	-	.22		28
29	.02	.01	.03	-	-	.01	.18	-	-	.04	.11	.01		29
30	.11	X	.01	-	-	.11	-	-	-	.15	-	-		30
31	.10	X	.48	X	.08	X	.22	-	X	.48	X	.56		31
TOTAL	5.86	3.23	3.30	1.83	.71	1.64	3.92	.24	2.69	1.35	3.42	3.61	31.80	✓
* Days with .01 in. or more.	26	16	19	11	4	15	24	7	14	10	12	15	176	✓
* Days with .04 in. or more.	23	15	13	8	5	11	22	3	9	9	11	11	140	✓

Year's Total.

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

W. J. Marchant [R.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 1611

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Keper's Hill Nursery, Shipmote*in the County of *Dorset*

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft.....in.

,, Ground ,, Sea Level 9.5.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	4.5	.07	-	2.2	-	-	-	-	5	-	2.9	.85		1
2	-	1.16	-	.04	-	-	-	-	.02	-	-	.05		2
3	.03	.28	.01	.02	-	-	-	-	.02	-	-	-		3
4	.10	.65	-	-	-	-	-	-	-	-	-	.26		4
5	.21	-	-	.01	-	-	.29	-	-	-	-	-		5
6	.09	.24	.31	.11	.04	-	.18	-	-	.06	-	-		6
7	-	.73	-	.07	-	-	-	-	5	-	-	.77		7
8	-	-	-	.01	.47	-	.17	-	-	-	-	.23		8
9	-	.08	-	.17	.12	-	.05	-	.73	-	-	-		9
10	.04	-	.84	.12	.04	.23	-	-	-	-	-	-		10
11	.07	-	.01	.02	.49	-	.32	-	-	-	-	-		11
12	.48	.30	-	.09	.18	.12	.02	.48	.40	-	-	.87		12
13	.13	.02	.56	.13	.01	-	-	.14	.07	-	-	-		13
14	.02	5	.30	.24	-	-	-	.32	.07	-	-	.17		14
15	.29	.21	-	.33	-	-	1.16	-	1.72	-	-	.03		15
16	.01	.08	.50	.21	-	.10	-	.48	.02	-	-	-		16
17	.75	.02	.18	-	-	-	.04	5	-	-	.49	-		17
18	.18	.17	5	-	-	-	-	-	-	-	.10	.24		18
19	.19	.04	-	.24	-	.02	.54	-	-	-	-	-		19
20	.23	-	.15	.19	-	-	-	-	-	-	-	.31		20
21	.30	.44	.03	.03	.05	-	.02	-	-	-	-	.20		21
22	.24	5	.03	-	.48	-	.12	-	.18	1.26	.43	.15		22
23	.34	.14	.02	-	.64	-	.03	-	-	.19	.13	.02		23
24	.34	.66	-	-	.21	-	.01	-	.05	1.00	-	.02		24
25	.48	.30	.38	-	.65	-	-	-	-	.23	-	.16		25
26	-	.21	.03	-	.24	-	-	-	-	.07	-	-		26
27	-	.25	-	.10	-	-	-	-	-	.96	-	-		27
28	X 24	.13	-	-	-	-	-	-	-	.18	-	-		28
29	✓ X	X	-	-	-	5	-	-	-	.78	-	-		29
30	.35	X	-	-	-	5	-	-	-	-	.14	5		30
31	.20	X	-	X	-	X	-	-	X	.53	X	5		31
TOTAL	5.76	6.18	3.35	2.35	3.62	.47	2.78	1.42	3.28	5.26	1.58	4.33	40.38	✓
* Days with .01 in. or more.	24	21	14	19	13	4	12	4	10	16	6	15	153	✓
* Days with .04 in. or more.	21	19	8	14	12	3	8	4	7	10	6	12	124	✓

Year's Total

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *W. J. Barclay* [P.T.O.]

Section



for the entry of Daily Observations

Station No. 1611

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *Heper's Hill Nursery, Hampton*in the County of *Dorset*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. in.,, Ground ,, Sea Level *9.5* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.02	-		<i>15</i>	.05	.56	-	<i>5</i>	.14	-	<i>0.3</i>		1
2	-	-	-	.01	-	-	.02	-	-	.30	.04	.02		2
3	-	-	-	-	.08	-	-	-	-	.81	.20	.02		3
4	-	-	-	-	-	-	.12	.34	-	.20	<i>5</i>	.20		4
5	-	-	-	<i>5</i>	-	-	.23	-	<i>5</i>	.19	-	-		5
6	.10	-	-	<i>5</i>	-	.02	.34	-	.15	.06	.08	.06		6
7	.08	-	-	-	-	.03	.41	.44	.22	.24	.03	.16		7
8	.10	-	-	-	-	.02	.03	.04	-	.41	.02	-		8
9	.09	.04	-	-	-	-	.02	.02	-	.06	-	.92		9
10	.04	<i>5</i>	-	-	-	.13	.08	-	-	-	.02	.45		10
11	.25	-	-	-	-	-	-	-	-	-	.18	.21		11
12	.28	-	-	-	.24	-	.08	-	-	.10	.01	.03		12
13	.34	<i>5</i>	-	-	.01	-	-	-	-	.21	.31	.72		13
14	.69	.01	.02	-	.08	-	<i>5</i>	-	-	-	-	-		14
15	.22	<i>5</i>	-	-	.02	-	.42	<i>5</i>	-	.29	.06	.50		15
16	.36	.01	.05	-	<i>5</i>	-	-	<i>5</i>	-	.08	-	.03		16
17	-	.11	.01	-	-	-	-	-	.11	.33	.02	-		17
18	.11	-	-	-	.14	.02	-	.01	.32	-	.49	-		18
19	-	-	-	-	<i>5</i>	-	-	.19	.19	-	.91	-		19
20	.01	-	-	-	-	-	-	.03	.02	-	.51	<i>5</i>		20
21	.03	-	<i>5</i>	-	-	-	-	<i>5</i>	.12	-	.10	.05		21
22	.04	-	-	<i>5</i>	-	-	-	.31	.01	-	.43	.11		22
23	-	-	-	-	-	-	-	-	.01	-	.04	-		23
24	-	-	.13	-	-	-	-	-	.13	-	.25	-		24
25	.12	.25	.04	-	.20	-	-	.04	<i>5</i>	.05	1.30	.10		25
26	.45	.24	.01	-	.08	.02	<i>5</i>	-	-	-	.01	.23		26
27	-	.01	-	-	.09	.23	.36	-	-	.05	.36	-		27
28	.15	.10	-	-	.18	.09	-	.65	.14	-	.06	.05		28
29	.02	X	-	-	.28	-	-	-	.31	.13	.40	.04		29
30	.08	X	-	-	.04	-	-	-	.20	.02	.13	.06		30
31	.18	X	-	X	.14	X	-	-	X	.26	X	.38		31
TOTAL	3.63	.79	.29	.01	1.64	.61	2.62	2.40	1.93	3.90	5.96	4.36	28.17	
* Days with .01 in. or more,	21	9	6	1	13	9	12	10	13	19	24	21	158	
* Days with .04 in. or more,	16	5	3	0	11	4	8	7	10	17	18	16	115	
Year's Total														115

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

A. J. Hardant

P.T.O.

Section



for the entry of Daily Observations

Station No. 1611

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Wheper's Hill Nursery, Dorset*in the County of *Dorset*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. in.Ground Sea Level *9.5* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	<i>.15</i>	-	<i>.12</i>	<i>.11</i>	<i>.08</i>	-	-	<i>.02</i>	<i>.35</i>	-	<i>.06</i>	<i>.14</i>		1
2	-	-	-	<i>.23</i>	-	-	<i>.17</i>	<i>.58</i>	<i>1.59</i>	-	<i>.29</i>	<i>.11</i>		2
3	<i>.71</i>	-	-	<i>.41</i>	-	-	-	<i>.15</i>	<i>.04</i>	-	<i>.20</i>	<i>.16</i>		3
4	<i>.01</i>	-	<i>.49</i>	<i>.19</i>	-	-	<i>.31</i>	<i>.26</i>	-	<i>.41</i>	<i>.05</i>	<i>.07</i>		4
5	-	-	<i>.06</i>	<i>.22</i>	<i>.10</i>	-	<i>.35</i>	<i>.09</i>	-	<i>.37</i>	<i>.58</i>	<i>.10</i>		5
6	<i>.61</i>	-	<i>.08</i>	-	<i>.35</i>	-	<i>.72</i>	<i>.02</i>	-	-	<i>.18</i>	-		6
7	<i>.01</i>	<i>.25</i>	-	-	-	-	<i>.02</i>	-	-	-	<i>.31</i>	<i>.41</i>		7
8	<i>.15</i>	<i>.17</i>	<i>.12</i>	-	-	-	<i>.06</i>	<i>.02</i>	-	<i>.57</i>	<i>.09</i>	<i>.36</i>		8
9	<i>.04</i>	<i>.03</i>	<i>.02</i>	-	-	-	-	<i>.09</i>	-	<i>.17</i>	<i>.16</i>	<i>.29</i>		9
10	<i>.34</i>	-	<i>.01</i>	-	-	<i>.15</i>	-	<i>.20</i>	<i>.12</i>	<i>.33</i>	<i>.02</i>	<i>.15</i>		10
11	-	-	<i>.17</i>	-	-	-	-	-	-	<i>.16</i>	<i>.01</i>	-		11
12	-	<i>.03</i>	<i>.01</i>	-	-	<i>.04</i>	-	-	-	<i>.15</i>	<i>.02</i>	-		12
13	-	-	-	<i>.03</i>	-	<i>.01</i>	<i>.35</i>	-	<i>.03</i>	<i>1.83</i>	<i>.02</i>	<i>.01</i>		13
14	<i>.95</i>	-	-	-	<i>.15</i>	<i>.01</i>	<i>.15</i>	-	-	<i>.21</i>	<i>.38</i>	<i>.08</i>		14
15	<i>.22</i>	-	<i>.17</i>	-	<i>.18</i>	<i>1.82</i>	<i>.15</i>	-	<i>.01</i>	<i>.24</i>	<i>.28</i>	<i>.02</i>		15
16	<i>.40</i>	-	<i>.04</i>	<i>.10</i>	<i>.03</i>	<i>.27</i>	<i>.31</i>	-	-	<i>.01</i>	<i>.33</i>	-		16
17	<i>.26</i>	<i>.09</i>	-	-	<i>.40</i>	<i>.04</i>	<i>.06</i>	-	-	<i>.27</i>	<i>.08</i>	-		17
18	<i>.13</i>	-	<i>.01</i>	-	-	<i>.05</i>	<i>.52</i>	-	-	-	<i>.40</i>	-		18
19	<i>.46</i>	-	-	-	-	-	<i>.09</i>	-	-	-	-	<i>.08</i>		19
20	<i>.46</i>	-	-	-	-	<i>.08</i>	<i>.16</i>	<i>.71</i>	-	-	-	-		20
21	<i>.11</i>	<i>.34</i>	<i>.07</i>	-	-	<i>.08</i>	<i>.18</i>	-	-	-	-	-		21
22	<i>.25</i>	<i>.18</i>	<i>.09</i>	<i>.03</i>	-	<i>.20</i>	<i>.04</i>	-	<i>.15</i>	-	<i>.21</i>	-		22
23	-	-	<i>.02</i>	<i>.14</i>	-	<i>.02</i>	<i>.20</i>	-	-	-	<i>1.02</i>	<i>.01</i>		23
24	<i>.65</i>	-	<i>.11</i>	<i>.18</i>	-	<i>.61</i>	<i>.16</i>	<i>.04</i>	-	-	-	-		24
25	<i>.87</i>	<i>.13</i>	<i>.01</i>	<i>.27</i>	-	-	<i>.08</i>	-	-	<i>.10</i>	<i>.40</i>	-		25
26	<i>.01</i>	<i>.02</i>	-	<i>.17</i>	-	-	-	<i>.03</i>	-	<i>.11</i>	<i>.34</i>	-		26
27	-	<i>.19</i>	<i>.02</i>	-	-	<i>.15</i>	<i>.14</i>	-	-	<i>.01</i>	<i>.19</i>	-		27
28	-	<i>.34</i>	<i>.03</i>	-	-	<i>.02</i>	<i>.15</i>	-	-	-	<i>.33</i>	<i>.17</i>		28
29	-	<i>.19</i>	-	<i>.06</i>	-	-	<i>.75</i>	-	-	<i>.05</i>	<i>.02</i>	-		29
30	-	<i>.19</i>	-	<i>.45</i>	-	<i>.04</i>	<i>.01</i>	<i>.15</i>	-	<i>.14</i>	<i>.02</i>	-		30
31	-	<i>.19</i>	-	<i>.15</i>	-	<i>.15</i>	-	<i>.26</i>	<i>.71</i>	<i>.71</i>	<i>.71</i>	-		31
TOTAL	<i>6.49</i>	<i>1.77</i>	<i>1.48</i>	<i>2.48</i>	<i>1.14</i>	<i>2.29</i>	<i>4.82</i>	<i>2.62</i>	<i>2.14</i>	<i>5.69</i>	<i>5.99</i>	<i>2.01</i>	<i>38.92</i>	
* Days with .01 in. or more.	<i>18</i>	<i>11</i>	<i>18</i>	<i>13</i>	<i>6</i>	<i>14</i>	<i>21</i>	<i>14</i>	<i>6</i>	<i>17</i>	<i>26</i>	<i>14</i>	<i>178</i>	
* Days with .04 in. or more.	<i>15</i>	<i>8</i>	<i>10</i>	<i>11</i>	<i>5</i>	<i>10</i>	<i>19</i>	<i>10</i>	<i>4</i>	<i>15</i>	<i>20</i>	<i>11</i>	<i>138</i>	

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

P.T.O.

Section



for the entry of Daily Observations

Station No. 16.11

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19840

Kept at *Keeper's Hill Nursery, Hampshire*in the County of *Dorset*

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level 95.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	.01	-	-	-	-	-	.12	-		1
2	-	.22	-	.12	-	-	.17	-	-	-	.43	.02		2
3	-	.49	-	-	-	-	-	-	-	.53	.91	.18		3
4	.01	.13	-	-	-	-	.08	-	-	.34	.10	.04		4
5	-	.04	-	-	-	-	.02	-	-	.02	.48	.33		5
6	.35	.48	-	-	-	-	.04	-	-	.33	.10	.21		6
7	.06	.18	-	-	.02	-	-	-	-	.10	-	.05		7
8	.17	-	-	.17	-	-	.07	-	-	.51	.08	.25		8
9	-	-	-	.03	-	-	.05	-	-	.18	.67	.15		9
10	-	-	-	-	-	-	1.29	.03	.11	.14	.09	.10		10
11	-	-	-	.17	-	-	.07	-	-	-	.71	.03		11
12	-	SNOW	.21	-	-	-	.19	-	-	.01	.04	-		12
13	-	SNOW	.60	-	-	-	.05	-	.08	.06	1.51	.17		13
14	-	-	PART SNOW	.17	.12	.02	.11	-	.17	.53	-	.68		14
15	-	-	-	.17	.24	.04	.82	-	.10	.12	.43	.01		15
16	SNOW	SNOW	SNOW	.09	-	.02	.02	-	.13	.84	1.13	.06		16
17	-	SNOW	.49	.51	-	-	.08	-	.17	-	.73	-		17
18	SNOW	PART SNOW	.32	.35	.29	-	.44	-	.09	.17	.04	.06		18
19	-	.08	.10	.23	-	-	.04	-	.51	-	.38	-		19
20	-	.17	.02	.01	-	-	-	-	-	.08	.03	-		20
21	-	-	.04	-	.23	-	-	-	-	-	.38	-		21
22	-	.02	.06	-	-	.20	-	-	.10	-	.01	-		22
23	-	-	.30	.08	-	-	.01	-	-	-	.04	-		23
24	-	-	-	-	-	-	.26	-	-	-	-	-		24
25	-	-	.23	.07	-	-	.01	-	-	-	-	-		25
26	1.32	.49	.03	.17	.11	-	.17	-	-	-	-	-		26
27	.58	.24	-	-	.16	-	.03	-	-	-	-	.17		27
28	.61	.03	.15	-	.40	-	-	-	-	.17	-	-		28
29	SNOW	SNOW	SNOW	.11	.06	-	-	-	-	.01	-	.32		29
30	→	X	.05	.11	.17	-	.17	-	-	.30	-	.05		30
31	-	X	-	X	-	X	-	-	X	.56	X	.32		31
TOTAL	3.58	3.78	3.21	1.26	1.25	.26	3.68	.03	1.29	4.83	8.41	2.86	34.44	
* Days with .01 in. or more.	7	16	15	11	9	3	19	1	8	18	21	17	145	
* Days with .04 in. or more.	6	13	13	9	6	2	14	-	8	15	19	14	119	

Year's Total

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

K. J. Macdonald

[P.T.O.]

Kept at *Wimb WIMBORNE W.W.*
in the County of

Diameter of Funnel of Gau
Height of top of Gauge above
Ground

1612
1929-30

THE MORNING M

AY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.27				.02				.30		.05	1
2	-	.36				.02	.31			.26		.50	2
3	-						.07	.15				.25	3
4	-			.15	.46			.28		.04		.40	4
5	-				.84	.37	.16	.79		.71	.90	.13	5
6	-							.10			.03	.45	6
7	-				.05					.83	.47	.52	7
8	-									.35		.48	8
9	.12	.15									.16	.47	9
10	.10				.04							.37	10
11	-			.11	.10						.91	.03	11
12	-			.04	.02	.22			.14	.03		.16	12
13	-				.25							.06	13
14	-				.18	.15						.08	14
15	.07				.05	.20					.70	.05	15
16	-												16
17	-							.10					17
18	-										1.20		18
19	-										.60		19
20	-									.41		.49	20
21	-		.10				.02				.23		21
22	-						.04	.10			.23	.06	22
23	-						.01			.10	.72	.68	23
24	-		.05							.70	1.12	.63	24
25	-			.06							.20	.02	25
26	-	.03			.10						.15	.28	26
27	-			.06	.19						.95	.06	27
28	.53						.45			.35	.42	.63	28
29	.10			.37		.07				.08	.50	.60	29
30	.06	X				.40	.06		.45		.26	.06	30
31	.65	X		X		X	.09		X		X		31
TOTAL	1.63	.81	.15	.79	2.28	1.45	1.21	1.52	.59	4.16	9.52	7.51	YEAR'S TOTAL 31.62
Days with .01 in. or more.	7	4	2	6	11	8	9	6	2	12	17	25	109
Days with .04 in. or more.	7	3	2	6	10	6	7	6	2	11	16	23	99

FORM 1090.

REGISTER OF RAINFALL IN 1929 .

Kept at Wimborne Waterworks
in the County of Dorset

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 70 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	.27				.02				.30		.05	I
2	-	.36				.02	.31			.26		.50	2
3	-						.07	.15				.25	3
4	-			.15	.46			.28		.04		.40	4
5	-				.84	.37	.16	.79		.71	.90	.13	5
6	-							.10			.03	.45	6
7	-				.05					.83	.47	.52	7
8	-									.35		.48	8
9	.12	.15									.16	.47	9
10	.10				.04							.37	10
11	-			.11	.10						.91	.03	11
12	-			.04	.02	.22			.14	.03		.16	12
13	-				.25							.06	13
14	-				.18	.15						.08	14
15	.07				.05	.20					.70	.05	15
16	-												16
17	-							.10					17
18	-										1.20		18
19	-										.60		19
20	-									.41		.49	20
21	-		.10				.02						21
22	-						.04	.10			.23	.06	22
23	-						.01			.10	.72	.68	23
24	-		.05							.70	1.12	.63	24
25	-			.06							.20	.02	25
26	-	.03			.10						.15	.28	26
27	-			.06	.19						.95	.06	27
28	.53						.45			.35	.42	.63	28
29	.10			.37		.07				.08	.50	.60	29
30	.06	X				.40	.06		.45		.26	.06	30
31	.65	X		X		X	.09		X		X		31
TOTAL	1.63	.81	.15	.79	2.28	1.45	1.21	1.52	.59	4.16	9.52	7.51	31.62
Days with or in. or more.	7	4	2	6	11	8	9	6	2	12	17	25	109
Days with or in. or more.	7	3	2	6	10	6	7	6	2	11	16	23	99

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Wimborne Waterworks
in the County of Dorset
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 70 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.05	.32		.03			.01	.08			.48		I
2	.05		.04	.15	.15		.04	.18			.42		2
3	.06	.15		.80				.56		.07			3
4	.42	.03	.03	.01				.25	.01	.21			4
5				.14	.10			.27		.03			5
6			.02					.10	.11	.04		.03	6
7	.20							.30		.48	.30	.05	7
8	.07			.04				.34	.07	.06		.30	8
9	.40		.02		.20			.01	.44				9
10	.21		.05		.21			.01				1.00	10
11	.14			.05	.01					.02		.24	11
12	.23			.07	.25			.02				.17	12
13			.01	.23	.73		.03	.02	.55				13
14	.05	.04	.19		.01		.09		.02	.07		.02	14
15			.12				.49			.10	.07	.28	15
16									.27			.36	16
17			.03	.24	.01			.03	.50	.08			17
18					.10				.42		.34	.12	18
19			.10	.06		.06		.17	.43	.19	.86		19
20				.03	.14	.09	.81	.75	.30	.06	.78		20
21								.02	.03	.05	.55		21
22	.37		.01	.06	.08	.06		.68	.02	.30	.26		22
23	.20		.04	.21	.02	.19	.07		.06		.42	.08	23
24	.23			.18	.05					.10	.25	.35	24
25	.07	.18		.02	.66		.04		.10		.30	.02	25
26	.68	.09			.35		.29		.10		.32	.34	26
27	.04						.06			.15	.30	.05	27
28	.10		.06						.18		.82	.63	28
29	.04				.01	.01	.02	.01	.17		.03	.09	29
30	.03	X	.07		.10	.03						.40	30
31	.58	X	.30	X	.20	X			X	.21	X	.27	31
TOTAL	4.42	.81	1.09	2.32	2.78	.44	1.95	3.80	3.78	2.22	6.58	4.80	34.91
*Days with or more.	X21	X6	X15	X16	X19	X6	X11	X18	X18	X17	X16	X19	X18
*Days with or more.	20	5	X9	12	14	4	8	11	14	15	15	16	14

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P. G. J. Moore

[P.T.O.]

Kept at Wimbar
in the County of A

1612
WIMBOURNE W.W.
1931 — 40

Diameter of Funnel of Gauge.....
Height of top of Gauge above Groun
,, Ground ,, Sea L

THE MORNING MEASU

780305

DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.04		.18		.40		.02	.20	.03			1
2	.28	.08		.41				.03	.59	.01	.01	.22	2
3	.07		.68	.04				.03	.39		.86	.34	3
4			.04		.06	.17	.19	.05	.05	.01	.30		4
5		.17		.20		.32	.05				.13	.08	5
6		.15		.13	.08	.14				.40	.24	.11	6
7					.27	.20		.56		.12	.38	.05	7
8		.26		.15	.03	.32					.13	.12	8
9		.25		.01		.10					1.00		9
10						.18		.01			.33		10
11	.13	.42				.03	.04		.01		.31		11
12		.01					.05			.23			12
13								.03		.02			13
14		.12				.26	1.57	.13			.02		14
15		.04		.01	.14			.13				.07	15
16		.04		.09	.19	.26		.01	.10				16
17		.16		.19			.50		.09				17
18	.04		.04	.11		.13	.02	1.18			.65		18
19	.06			.12		.23	.08	.08					19
20		.07	.17					.23		.01	.01		20
21	.09				.30						.03		21
22	.41	.01	.06	.01							.01		22
23	.33			.12	.65						.37		23
24	.09			.39	.20	.29	.42	.55					24
25	.09			.19	.23		.32				.24		25
26		.02		.19			.52				.21		26
27	.21	.36			.95		.10				.03		27
28	.07	.05		.02	.11							.12	28
29	.12		.06		.03		.10	.03		.03	.09		29
30		×	.07				.07	.08			.05		30
31	.50	×		×	.13	×	.09		×		×	.06	31
TOTAL	2.49	2.25	1.12	2.56	3.37	3.03	4.47	3.15	1.43	.86	5.40	1.17	31.30
*Days with "or in. or more.	14	17	7	18	14	14	15	16	7	9	21	9	161
*Days with ".04 in. or more.	14	14	7	14	12	13	14	9	6	3	15	9	130

P. J. J. M. M. M.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931..

Kept at Wimborne
in the County of Dorset
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
Ground Sea Level 70 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.04		.18		.40		.02	.20	.03			1
2	.28	.08		.41				.03	.59	.01	.01	.22	2
3	.07		.68	.04				.03	.39		.86	.34	3
4			.04		.06	.17	.19	.05	.05	.01	.30		4
5		.17		.20		.32	.05				.13	.08	5
6		.15		.13	.08	.14				.40	.24	.11	6
7					.27	.20		.56		.12	.38	.05	7
8		.26		.15	.03	.32					.13	.12	8
9		.25		.01		.10					1.00		9
10						.18		.01			.33		10
11	.13	.42				.03	.04		.01		.31		11
12		.01					.05			.23			12
13								.03		.02			13
14		.12				.26	1.57	.13			.02		14
15		.04		.01	.14			.13				.07	15
16		.04		.09	.19	.26		.01	.10				16
17		.16		.19			.50		.09				17
18	.04		.04	.11		.13	.02	1.18			.65		18
19	.06			.12		.23	.08	.08					19
20		.07	.17					.23		.01	.01		20
21	.09				.30						.03		21
22	.41	.01	.06	.01							.01		22
23	.33			.12	.65						.37		23
24	.09			.39	.20	.29	.42	.55					24
25	.09			.19	.23		.32				.24		25
26		.02		.19			.52				.21		26
27	.21	.36			.95		.10				.03		27
28	.07	.05		.02	.11							.12	28
29	.12		.06		.03		.10	.03		.03	.09		29
30		×	.07				.07	.08			.05		30
31	.50	×		×	.13	×	.09		×		×	.06	31
TOTAL	2.49	2.25	1.12	2.56	3.37	3.03	4.47	3.15	1.43	.86	5.40	1.17	31.30
*Days with or in. or more.	14	17	7	18	14	14	15	16	7	9	21	9	161
*Days with or in. or more.	14	14	7	14	12	13	14	9	6	3	15	9	130

Section



for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Wimborne
in the County of Dorset

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 70 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	-	-	.14	.49	.04	-	.16	-	.02	.01	-	1
2	-	-	-	.18	.09	-	-	.04	.04	.01	.02	.39	2
3	-	-	-	.18	-	.30	-	-	.54	.06	-	.02	3
4	.01	-	-	-	-	.27	-	-	-	-	.20	-	4
5	.39	-	-	-	-	.01	.04	-	.14	-	-	-	5
6	.64	-	-	.19	-	-	.07	-	.28	-	-	-	6
7	-	-	.01	.08	-	-	.06	-	.13	.41	-	-	7
8	-	-	.35	.02	.13	-	-	-	.51	.19	-	-	8
9	.33	-	-	.12	.05	-	-	-	-	-	.07	-	9
10	.14	-	.04	.33	.05	.01	-	-	-	.22	.10	-	10
11	.03	-	-	.03	-	-	.43	.01	-	.02	-	.07	11
12	.70	-	-	-	.08	-	-	-	.11	.18	.02	.04	12
13	.03	-	-	.22	.11	-	.13	.01	-	.83	-	.04	13
14	.09	-	-	.07	.09	-	-	-	-	-	.09	.01	14
15	.05	-	-	.02	.33	-	-	-	-	.03	.05	.05	15
16	.17	-	-	.12	-	-	.49	-	-	-	-	-	16
17	.03	-	-	.05	-	-	-	-	-	.02	-	-	17
18	.03	-	-	-	.19	-	.01	-	.10	-	.16	-	18
19	.01	-	-	-	-	-	-	-	.02	.32	-	-	19
20	-	-	-	-	.14	-	.11	.21	-	.86	.29	.03	20
21	.02	-	.16	.07	.22	-	-	-	-	.35	-	.12	21
22	.04	-	.06	-	.24	.01	.09	.07	.55	.30	.42	-	22
23	-	.04	-	-	.11	-	.31	-	.08	.58	.10	.10	23
24	-	.03	-	-	.04	-	.50	-	.14	.06	.01	.05	24
25	-	-	-	.02	-	-	.29	-	.05	.41	.04	-	25
26	-	-	.15	.06	-	-	.17	-	-	.05	.03	-	26
27	-	-	.33	.58	.28	.07	.03	-	-	.30	-	.08	27
28	-	-	.08	.10	.09	-	.19	-	-	-	-	.07	28
29	-	-	.41	.11	.23	.31	.04	.22	.51	.46	.25	.09	29
30	-	X	.02	.31	-	1.50	.07	-	.70	.04	.76	.37	30
31	-	X	.01	X	.04	X	.04	-	X	-	X	.20	31
TOTAL	2.83	.07	1.62	3.00	3.30	2.52	3.07	.72	3.90	5.72	2.62	1.73	31.10
* Days with or in. or more.	17	2	11	21	19	9	19	7	15	22	17	16	175
* Days with .04 in. or more.	10	1	8	17	19	6	17	5	14	17	12	13	139

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P J J Munn
GMR

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

1612

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Wimborne

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3 in.

Ground Sea Level 70 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.35	.57	.07	-	.02	-	-	-	-	-	-	.26		1
2	.52	-	.73	-	.18	-	-	-	-	-	-	-		2
3	.01	.11	.38	-	-	-	-	-	-	-	-	-		3
4	.18	.03	.07	-	.15	-	-	-	-	-	-	-		4
5	.08	-	.47	-	.04	-	-	-	-	-	-	-		5
6	-	.34	.02	-	.27	-	-	-	-	.08	.04	-		6
7	.03	.01	-	-	.10	-	-	-	-	.15	-	.02		7
8	.03	.01	.02	-	.04	-	.26	-	-	.03	-	-		8
9	-	-	-	-	.02	-	.26	.01	-	.11	.02	-		9
10	-	-	-	-	-	-	.17	-	-	.19	-	-		10
11	.26	-	-	-	-	.49	-	.32	-	.03	-	-		11
12	-	-	-	.08	.02	-	.09	-	.78	-	-	.04		12
13	.03	-	-	-	-	.01	.33	.12	-	.15	-	-		13
14	-	-	-	-	-	-	.03	.15	-	.30	.04	-		14
15	.75	-	.33	-	-	-	.16	.24	-	.10	.43	-		15
16	-	-	.94	-	-	.04	-	-	.03	.05	-	-		16
17	-	.15	.31	-	-	.07	-	.05	.13	-	-	-		17
18	.13	-	.18	-	-	.05	-	-	-	-	-	-		18
19	-	-	.12	-	-	-	-	.05	.30	-	.01	.03		19
20	-	.07	.02	.01	-	.04	-	-	.06	-	.24	-		20
21	-	.03	-	-	.06	.05	-	.17	-	.10	-	-		21
22	-	-	-	-	-	.01	-	.14	.13	.12	-	-		22
23	-	.08	-	.43	-	.23	-	-	.13	.16	-	-		23
24	-	2.32	-	.27	-	.02	-	-	.08	-	-	-		24
25	-	.53	-	.32	-	-	-	-	.04	-	-	.12		25
26	-	.64	-	.13	.22	-	-	-	-	-	-	.01		26
27	-	-	-	-	.10	-	.07	-	-	.20	-	.62		27
28	-	-	-	.39	-	-	.58	-	-	-	-	-		28
29	.15	-	-	-	-	-	.02	-	-	-	-	-		29
30	.06	×	.15	-	-	-	.03	-	.03	-	-	.06		30
31	.20	×	.03	×	-	×	-	-	×	-	×	-		31
TOTAL	2.78	4.89	3.84	1.63	1.22	1.01	2.00	1.25	1.71	1.77	.78	1.16	24.04	
*Days with or in. or more.	14	13	15	7	12	10	11	9	10	14	6	8	129	
*Days with .04 in. or more.	10	9	11	6	9	7	8	8	8	12	4	5	97	

Year's Total

† Spare column no entries required.

(Signed)

40-9999

*See Instruction 2 (f) on other side.

B.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.Station No. **1612**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Wimborne Waterworks
in the County of DorsetDiameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 70 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	-	-	-	-	.01	-	.60	-	.02	.03	.76		1
2	.21	-	.10	-	.03	-	-	-	.85	.21	-	.30		2
3	.05	-	-	-	-	-	-	.04	-	.44	-	.21		3
4	.10	-	.13	-	.22	-	-	-	-	.03	-	.42		4
5	-	-	-	-	.02	-	-	.78	-	.02	-	.50		5
6	.06	-	.42	.01	.14	-	-	.08	-	.33	.26	.69		6
7	.06	-	-	-	-	-	-	.16	-	.11	-	.50		7
8	-	-	-	-	.28	-	-	.01	.08	-	.70	.08		8
9	.03	-	.15	-	-	-	-	-	-	-	.85	.35		9
10	.12	-	.41	.36	-	-	-	.02	-	-	.40	.04		10
11	.66	-	.62	.27	-	-	.08	.37	-	-	-	.45		11
12	.02	-	.01	-	-	-	.05	.18	-	-	-	.31		12
13	.36	-	.02	.18	-	-	.04	-	-	-	.13	.29		13
14	.05	-	.45	.01	-	-	-	-	-	.06	.03	.87		14
15	.06	-	.02	-	.10	-	-	-	-	.06	.10	.39		15
16	.23	-	.52	-	.02	-	-	-	-	-	-	.11		16
17	.10	-	-	.36	-	-	-	-	.07	.07	-	.46		17
18	.06	-	.25	.06	-	-	-	-	.05	-	-	.41		18
19	-	-	.21	.02	-	.05	-	.05	.12	-	-	.12		19
20	-	-	.09	.13	-	-	.01	-	-	.02	-	-		20
21	-	-	.04	.11	-	.15	-	.06	.02	.19	-	.04		21
22	-	-	.02	-	-	-	.15	.49	.19	-	-	.20		22
23	-	.02	-	.24	-	.75	-	.18	.08	-	-	.01		23
24	-	.02	.05	.19	-	.05	-	-	.23	-	-	.01		24
25	.40	-	-	.10	-	-	-	-	-	.11	-	1.09		25
26	.02	-	-	.25	-	.28	-	-	.16	-	.02	.32		26
27	-	-	-	-	-	.05	-	-	-	.04	-	.48		27
28	-	-	-	-	-	.06	-	.62	.02	-	-	.61		28
29	-	-	-	-	-	-	-	.08	.25	-	.02	.02		29
30	.07	X	-	-	-	-	.04	.02	.19	-	.01	.30		30
31	.01	X	-	X	-	X	-	.14	X	-	X	.02		31
TOTAL	2.70	.04	3.51	2.29	.81	1.40	.37	3.88	2.31	1.71	2.55	10.36	31.89	93
* Days with .01 in. or more.	20	2	17	14	7	8	6	17	13	14	11	30	159	
* Days with .04 in. or more.	15	-	13	11	4	7	5	14	11	11	6	26	123	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

P. G. S. Moon
B.M.
P.T.O.

Section



for the entry of Daily Observations

Station No.

1612

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Wimborne Waterworks

in the County of Dorset

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground.....1.....ft.....3.....in.

,, Ground ,, Sea Level 7.0.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.12	.08		.41		.07	.10				.05	.01		1
2	.05	.03		.01		.10	.08	.03			.02			2
3				.44			.05		.55		.57			3
4			.16						.32		.10			4
5	.41		.06		.10				.18			.11		5
6	.27		.01			.02	.01	.03	.23		.51			6
7	.06		.18				.29				.37	.05		7
8	.51		.30				.38				.39	.03		8
9	.47		.20				.21		.26					9
10	.23	.16					.18							10
11	.28	.21				.06	.20		.11		1.19			11
12				.15	.08	.38	.29	.03	.19		.15			12
13	.03					.01	.27				.10	.68		13
14		.09				.01	.58		.01			.42		14
15	.02	.06									.02	.42		15
16	.12	.25			.15		.06				.07	.05		16
17	.05	.86			.01		.04			.03	.04	.61		17
18	.10	.12				.46	.35			.05		.30		18
19	.43	.06	.01	.03		.02	.01	.06		.02				19
20	.18	.24	.32	.15		.17	.01		.73					20
21		.30	.01	.45		.04	.10							21
22	118	.46	.46		.06		.20					.06		22
23	.09		.24	.19	.01		.26			.13				23
24	.32	.07	.04		.09				.02	.32				24
25	.10		.38	.17					.04	.17				25
26	.22	.14	.32	.02		.65				.05				26
27	.38	.15	.13				.14		.10	.08				27
28	.97		.62				.19					.30		28
29	.03	.06	.07			.04	.07			.04	.05			29
30	.13	~~X~~				.08	.03			.33				30
31	.10	~~X~~	.50	~~X~~	.10	~~X~~	.22		~~X~~	.39	~~X~~	.67		31
TOTAL	5.83	3.34	4.01	2.02	.60	2.11	4.32	.15	2.74	1.61	3.63	3.71	34.07	✓
* Days with .01 in. or more.	25	17	18	10	8	14	25	4	12	11	14	13	161	✓
* Days with .04 in. or more.	24	16	16	7	6	10	21	1	10	9	12	11	143	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P. S. J. Mow

B.M.

[P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No.

1612

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Wimborne Waterworks

in the County of Dorset.

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground...1.....ft. 3.....in.

,, Ground ,, Sea Level 70.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.32	.07		.20					.03		.24	.99		1
2	.01	1.11		.07					.03			.44		2
3	.03	.36		.02					.03					3
4	.07	.67										.25		4
5	.27		.06	.01			.23							5
6	.11	.27	.34	.15	.06		.14			.04				6
7		.82		.07						.01		.70		7
8				.01	.45						.23	.06		8
9		.03	.04	.29	.12	.07	.08		.71			.06		9
10	.06	.02	.86	.29	.19	.19						.45		10
11	.05	.	.03	.02	.36		.32							11
12	.56	.32	.22	.10	.10	.12	.01	.45	.43			.37		12
13	.11	.03	.73	.11				.21	.08			.12		13
14	.02	.01	.20	.07				.02	.07			.02		14
15	.33	.19	.01	.37			1.14		.06			.03		15
16		.06	.57	.20			.01	.45	1.20		.07			16
17	.90	.02	.33				.07		.02		.27			17
18	.20	.20									.10	.21		18
19	.10	.04	.02	.20		.02						.17		19
20	.41	.04	.15	.18								.22		20
21	.42	.36	.04	.04	.18		.01			.01	.16	.16		21
22	.39		.03		.24		.12		.06	1.19	.48	.14		22
23	.28	.17	.01		.35				.29		.06	.03		23
24	.33	.80			.12				.06	.84		.02		24
25	.49	.32	.37		.90				.02	.30		.15		25
26		.26	.03		.10					.11		.04		26
27	.02	.18		.09						.82				27
28	.13	.12								.15				28
29	.23									.84	.01			29
30	.28	~~X~~								.17	.11			30
31	.21	~~X~~		~~X~~		~~X~~			~~X~~	.89	~~X~~			31
TOTAL	6.33	6.47	4.04	2.49	3.17	0.40	2.13	1.13	2.80	5.66	1.73	4.63	40.98	✓
* Days with .01 in. or more.	26	24	18	19	12	4	10	4	13	13	10	20	173	✓
* Days with .04 in. or more.	22	19	12	15	12	3	7	3	8	11	9	16	147	137 ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P. S. S. Mow

[P.T.O.]

B.M.

Section

A

for the entry of Daily Observations

Station No.

1612

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at ...Wimborne Waterworks,.....

in the County of ...Dorset.....

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground....1....ft....3....in.

,, Ground ,, Sea Level 70.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		.01				.03	.57			.35		.01		1
2						.01	.01			.20	.05	.03		2
3					.12					.85	.18			3
4							.18	.95		.32		.20		4
5							.30			.11	.01			5
6	.04					.02	.22		.15	.14	.04	.06		6
7	.05					.01	.40	.38	.08	.12		.12		7
8	.12					.03	.04	.08		.38		.02		8
9	.09	.03										1.11		9
10	.03					.14	.06	.33			.02	.34		10
11	.26										.25	.24		11
12	.49				.25		.04			.11	.02	.01		12
13	.32				.01					.17	.31	.81		13
14	.47				.08		.32							14
15	.18				.03		.50			.26	.10	.51		15
16	.36		.04							.03	.02	.02		16
17		.12	.02						.12	.14	.04			17
18	.09				.10			.03	.54	.03	.49			18
19	.01							.14	.18		.87			19
20								.06			.72			20
21	.02								.10		.07	.06		21
22	.03							.30			.44	.10		22
23					.03			.02	.37		.03			23
24			.16		.03			.02	.16		.25			24
25	.15	.23	.04		.18			.03		.03	1.30			25
26	.50	.27	.01		.08	.02			.03	.04		.27		26
27	.07	.01			.09	.22	.45	.04			.35			27
28	.11	.09			.25	.08		.58	.14		.02	.03		28
29	.01				.30				.27	.13	.39	.04		29
30	.02	~~X~~			.04				.44		.13	.07		30
31	.16	~~X~~		~~X~~	.24	~~X~~			~~X~~	.15	~~X~~	.33		31
TOTAL	3.58	0.76	0.27	Nil.	1.83	0.56	3.09	2.94	2.58	3.56	6.10	4.38	29.65	Year's Total
* Days with .01 in. or more.	22	7	5	-	15	9	12	12	12	18	23	20	155	
* Days with .04 in. or more.	16	4	3	-	11	3	11	9	11	15	17	14	114	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P. T. O.

Section



for the entry of Daily Observations

Station No. 1612

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Wimborne Waterworks

in the County of Dorset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3 in.

Ground Sea Level 70 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.14	.11	.08		.05	.02	.15		.03	.10		1
2				.23				.65	1.35		.75	.11		2
3	.82			.53			.01	.13			.37	.18		3
4	.02		.59	.30	.25		.43	.16	.10	.32	.04	.08		4
5			.04	.20	.27		.34	.08		.32	.68	.08		5
6	.74		.05				.70	.02			.38			6
7	.01	.29					.02			.01	.53	.50		7
8	.01	.18	.10				.06	.12		.58	.25	.34		8
9	.03	.03	.03					.10		.18	.13	.29		9
10	.37							.21	.13	.30				10
11			.17							.12				11
12		.02				.07				.03	.03			12
13				.03		.01	.47		.03	2.30	.04	.02		13
14	.91				.01	.01	.16			.28	.38	.10		14
15	.24				.17	.99	.20			.27	.54	.01		15
16	.35			.10	.02	.01	.19			.04	.15			16
17	.33	.08		.03	.38	.01	.11			.20	.08			17
18	.16						.67				.38	.02		18
19	.46					.03	.29					.06		19
20	.50					.12	.24	.70						20
21	.12	.42	.06			.06	.18							21
22	.29	.18	.10	.04		.19	.05				.24			22
23				.15		.01	.08				1.00			23
24	.63		.05	.04		.62	.12	.01						24
25	1.00	.10		.14			.05			.17	.41			25
26	.01							.03		.07	.36			26
27		.20	.03	.03							.23			27
28		.35	.01			.03	.33				.33	.21		28
29				.03		.01	.62			.08	.02			29
30		X		.44				.17		.20	.01			30
31		X		X		X		.35	X	.90	X			31
TOTAL	7.00	1.85	1.37	2.40	1.18	2.17	5.37	2.75	1.76	6.37	7.36	2.10	41.63	
* Days with .01 in. or more.	19	10	12	15	7	14	22	14	5	18	24	14	174	
* Days with .04 in. or more.	15	8	10	11	5	6	20	10	4	16	20	11	129	

THE BOURNEMOUTH GAS & WATER CO.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

H. G. 1940

Section

A

for the entry of Daily Observations

Station No.

1612

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Wimborne Waterworks

Kept at

in the County of Dorset

Diameter of Funnel of Gauge..... 8 in.

Height of top of Gauge above Ground..... 1 ft. 3 in.

Ground Sea Level 70 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	03	—	—	01	—	—	—	—	—	09	—		1
2	—	18	—	12	—	—	—	—	—	—	40	08		2
3	—	52	—	—	—	—	—	—	—	40	93	11		3
4	—	23	—	—	—	—	26	—	—	29	26	04		4
5	—	06	—	—	—	—	06	—	—	01	87	36		5
6	42	62	—	—	—	—	02	—	—	27	08	26		6
7	04	18	—	—	—	—	—	—	—	15	—	—		7
8	—	—	—	02	—	—	—	—	—	38	22	27		8
9	—	—	—	—	—	—	31	01	04	20	60	25		9
10	—	—	—	—	—	—	35	—	03	12	10	12		10
11	—	—	—	01	—	—	05	—	—	—	80	02		11
12	—	—	23	—	—	—	25	—	28	02	03	—		12
13	—	02	70	—	—	—	04	—	03	38	1.50	01		13
14	—	—	10	08	02	—	25	—	18	36	—	79		14
15	—	01	—	—	23	05	41	—	13	30	51	63		15
16	—	88	42	07	—	—	01	—	12	90	1.06	10		16
17	—	—	47	—	—	—	01	—	—	—	67	—		17
18	01	43	36	25	—	—	60	—	02	17	04	06		18
19	—	07	07	20	—	—	05	—	54	—	41	—		19
20	—	—	04	—	—	—	—	—	—	25	03	—		20
21	—	—	—	—	21	—	—	—	03	—	45	—		21
22	—	02	12	04	—	25	—	—	18	—	—	—		22
23	—	03	26	06	—	—	—	—	02	—	01	—		23
24	—	—	—	—	—	—	27	—	—	—	—	—		24
25	—	—	24	04	01	—	—	—	—	—	—	—		25
26	1.48	64	01	—	12	—	05	—	—	—	—	—		26
27	57	24	—	01	53	—	25	—	—	—	—	—		27
28	69	06	—	—	12	—	—	—	—	02	—	—		28
29	67	34	19	21	—	—	—	—	—	01	—	36		29
30	09	X	06	04	—	—	—	—	—	33	—	09		30
31	02	X	—	X	—	X	—	—	X	68	X	25		31
TOTAL	3.79	4.56	3.27	1.15	1.25	.30	4.24	.01	1.60	5.29	9.06	3.20	Year's Total	
* Days with .01 in. or more.	9	18	14	13	8	2	17	1	12	19	20	17	150	
* Days with .04 in. or more.	7	13	13	10	5	2	14	—	7	15	17	14	117	

* See Instruction 3 (f) on other side.

X = snow

† Spare column, no entries required

(Signed)

P.O.

Kept at *Wimbourne*
in the County of *Dorset*

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
Ground Sea Le

1613
WIMBOURNE MELBURY LODGE
1931 — 40

THE MORNING MEASUR

780305 AY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02		.17		.28		.02	.17	.03			1
2	.28	.07		.51				.03	.64		.03	.23	2
3	.07		.69	.04				.03	.47		.77	.32	3
4			.04		.05	.19	.29	.04	.08	.42	.18		4
5		.18		.18		.35	.15			.09	.15	.08	5
6		.16		.13	.07	.16				.01	.28	.11	6
7					.26	.23	.12	.56			.43	.05	7
8		.24		.16	.04	.34		.01			.16	.09	8
9		.25				.10					.54		9
10						.18	.10				.30		10
11	.15	.40				.03	.15		.02		.47		11
12							.15		.07	.24			12
13		.02					.02	.02		.04			13
14		.12				.22	1.58	.17			.02		14
15		.03			.15			.09				.07	15
16				.10	.19	.27	.02	.01	.09				16
17		.18		.14			.27		.09				17
18	.02		.03	.11		.18	.03	1.31			.57		18
19	.09			.09		.28	.09	.06					19
20		.07	.16					.21		.01	.01		20
21	.09		.01		.30						.02		21
22	.45		.06	.01							.01		22
23	.30			.11	.53						.37		23
24	.07			.37	.29	.22	.47	.56					24
25	.08			.19	.27		.39				.23		25
26		.03		.11			.36				.22		26
27	.22	.55			.98		.53				.04		27
28	.07	.04		.03	.15							.11	28
29	.13		.06		.04		.09	.03		.03	.07		29
30		X	.09				.01	.11			.06		30
31	.48	X		X	.18	X			X		X	.07	31
TOTAL	2.51	2.16	1.14	2.51	3.50	3.03	4.82	3.26	1.63	.87	5.23	1.13	31.79
*Days with or in. or more.	14	15	8	16	14	14	18	16	8	8	21	9	161
*Days with or in. or more.	13	12	7	14	14	13	14	9	7	4	16	9	132

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Wimborne

in the County of Dorset

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02		.17		.28		.02	.17	.03			1
2	.28	.07		.51				.03	.64		.03	.23	2
3	.07		.69	.04				.03	.47		.77	.32	3
4			.04		.05	.19	.29	.04	.03	.42	.18		4
5		.18		.18		.35	.15			.09	.15	.08	5
6		.16		.13	.07	.16				.01	.28	.11	6
7					.26	.23	.12	.56			.43	.05	7
8		.24		.16	.04	.34		.01			.16	.09	8
9		.25				.10					.54		9
10						.18	.10				.30		10
11	.15	.40				.03	.15		.02		.47		11
12							.15		.07	.24			12
13		.02					.02	.02		.04			13
14		.12				.22	1.58	.17			.02		14
15		.03			.15			.09				.07	15
16				.10	.19	.27	.02	.01	.09				16
17		.18		.14			.27		.09				17
18	.02		.03	.11		.18	.03	1.31			.07		18
19	.09			.09		.28	.09	.06					19
20		.07	.16					.21		.01	.01		20
21	.09		.01		.30						.02		21
22	.45		.06	.01							.01		22
23	.30			.11	.53						.37		23
24	.07			.37	.29	.22	.47	.56					24
25	.08			.19	.27		.39				.23		25
26		.03		.11			.36				.22		26
27	.22	.35			.98		.53				.04		27
28	.07	.04		.03	.15							.11	28
29	.13		.06		.04		.09	.03		.03	.07		29
30		X	.09				.01	.11			.06		30
31	.48	X		X	.18	X			X		X	.07	31
TOTAL	2.51	2.16	1.14	2.51	3.50	3.03	4.82	3.26	1.63	.87	5.23	1.13	31.79
*Days with .01 in. or more.	14	15	8	16	14	14	18	16	8	8	21	9	161
*Days with .04 in. or more.	13	12	7	14	14	13	14	9	7	4	16	9	132

Section

A

for the entry of Daily Observations.

Station No.

1613

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Kimbome
in the County of DrumDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 18 ft. in.
Ground Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11			.14	.50			.34		.04			1
2				.10	.08			.04	.06	.02	.02	.37	2
3				.25		.30			.50	.06		.02	3
4						.30		.01			.15		4
5	.41						.02		.15				5
6	.66			.17			.04		.33				6
7			.01	.05					.15	.39			7
8			.37	.02	.16				.52	.17			8
9	.39			.15	.07						.07		9
10	.13	.03	.05	.27	.03				.01	.23	.09		10
11	.04			.03			.45	.02		.03		.04	11
12	.73				.07				.11	.09			12
13	.02			.22	.09		.13			.85		.12	13
14	.08			.05	.08			.03			.11	.02	14
15	.04			.03	.39					.04	.03	.03	15
16	.17			.13			.47					.02	16
17	.04			.06									17
18	.03				.19		.02		.08		.17		18
19									.03	.32			19
20					.42		.11	.18		.92	.34		20
21	.03		.15	.08	.24					.32		.12	21
22			.07	.02	.21	.02	.15	.11	.54	.30	.43		22
23					.09		.26		.07	.71	.09	.12	23
24		.02			.01		.57		.15	.06			24
25				.01			.29		.03	.40	.04		25
26			.14	.06			.16			.05	.02		26
27			.37	.51	.30	.07	.03			.28		.07	27
28			.02	.08	.07		.21					.04	28
29			.45	.09	.26	.34	.02	.27	.53	.45	.25	.08	29
30		X	.03	.29		1.46	.07		.62	.03	.82	.36	30
31		X		X	.01	X	.04		X		X	.18	31
TOTAL	2.88	.05	1.66	2.89	3.28	2.49	2.97	1.00	3.88	5.76	2.63	1.59	31.08
*Days with ".01 in. or more.	14	2	10	22	19	6	17	8	16	21	14	14	163
*Days with ".04 in. or more.	11		7	17	16	5	13	5	13	18	11	10	126

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

1613

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Wimbome

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1.8 in.

Ground Sea Level 150 ft.

Jan & Dec corrected by observer's letter 6/3/34 J.W.V.

live D2 sent 1:3:34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	~~37~~	~~50~~	~~00~~		~~01~~							~~27~~		1
2	~~57~~	~~11~~	~~76~~		~~18~~									2
3	~~04~~	~~02~~	~~42~~											3
4	~~21~~		~~07~~		~~16~~									4
5	~~09~~		~~49~~		~~04~~									5
6		~~34~~	~~02~~		~~24~~					~~07~~	~~04~~			6
7	~~03~~	~~01~~			~~16~~		~~24~~			~~14~~		~~02~~		7
8	~~03~~		~~03~~		~~04~~		~~27~~							8
9					~~02~~		~~19~~			~~20~~	~~02~~			9
10							~~03~~			~~19~~				10
11	~~27~~					~~50~~	~~06~~	~~21~~						11
12				~~09~~	~~02~~		~~34~~		~~71~~			~~08~~		12
13	~~04~~				~~01~~		~~01~~	~~12~~		~~13~~	~~04~~			13
14	~~01~~						~~16~~	~~08~~		~~35~~	~~44~~			14
15	~~72~~		~~33~~					~~28~~		~~12~~				15
16			~~94~~			~~04~~				~~03~~	~~06~~			16
17	~~14~~	~~14~~	~~33~~			~~07~~		~~06~~	~~17~~					17
18			~~15~~			~~05~~					~~02~~			18
19		~~02~~	~~14~~					~~06~~	~~27~~		~~23~~			19
20		~~04~~	~~01~~			~~04~~			~~14~~					20
21					~~02~~	~~10~~		~~19~~		~~10~~	~~01~~			21
22								~~15~~	~~10~~	~~13~~				22
23				~~43~~		~~23~~				~~16~~				23
24		~~230~~		~~29~~		~~02~~								24
25		~~49~~		~~32~~					~~02~~			~~13~~		25
26		~~75~~		~~12~~	~~17~~									26
27					~~21~~		~~07~~			~~18~~		~~65~~		27
28				~~42~~			~~60~~					~~68~~		28
29	~~15~~						~~02~~							29
30	~~06~~	X	~~13~~				~~03~~					~~06~~		30
31	~~19~~	X	~~03~~	X		X			X		X	~~121~~		31
TOTAL	~~292~~	~~370~~	~~8~~	~~480~~	~~393~~	~~1.67~~	~~1.28~~	~~1.13~~	~~2.02~~	~~1.15~~	~~1.46~~	~~1.91~~	~~.82~~	Year's total
*Days with .01 in. or more.	15	11	15	6	13	8	12	8	8	12	7	6		24.30
*Days with .04 in. or more.	11	8	11	4	8	7	8	8	5	12	4	4		25.06

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

W. S. Clarke

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

1613

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at

Wimborne

in the County of

Dorset

Diameter of Funnel of Gauge

5 in.

Height of top of Gauge above Ground

ft. 18 in.

Ground

Sea Level

150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1								.61		.01	.04	.72		1
2	.23		.09		.02				.91	.17		.39		2
3	.05	.01						.06		.48		.23		3
4	.09		.14		.22					.05	.01	.40		4
5								.50		.02		.50		5
6	.05		.43		.16			.01		.32	.26	.75		6
7	.06							.21		.13		.52		7
8					.28	.01		.01	.03		.75	.00		8
9	.03		.16								.83	.51		9
10	.14		.36	.36				.03			.42	.13		10
11	.67		.63	.26			.05	.46				.47		11
12	.03						.11	.16				.30		12
13	.35		.03	.19			.07				.15	.18		13
14	.05		.41							.06	.04	.74		14
15	.04		.01		.10					.06	.09	.35		15
16	.22		.47		.01							.16		16
17	.09			.31	.02				.06	.06		.47		17
18	.06		.25	.04					.08			.45		18
19			.21	.02		.03		.04	.11			.10		19
20			.08	.14						.02				20
21			.04	.05		.15		.06	.01	.19		.05		21
22			.01				.08	.42	.18	.04		.20		22
23				.27		.93		.10	.08			.02		23
24		.04	.05	.20					.21			.02		24
25	.43			.12						.09		1.07		25
26				.19		.31			.15		.04	.28		26
27						.05						.46		27
28						.06		.62	.02			.60		28
29								.09	.24	.01	.02	.02		29
30	.07	×					.06	.05	.17			.29		30
31		×		×		×		.24	×		×	.02		31
TOTAL	2.66	.05	3.67	2.15	.81	1.54	.37	3.97	2.25	1.71	2.65	10.40	32.11	
*Days with or in. or more.	17	2	16	12	7	7	5	17	13	15	11	30	152	
*Days with .04 in. or more.	15	1	15	13	7	5	5	14	11	11	9	26	132	

Year's Total

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *Walter S. Clarke*

[P. T. O.]

Section

A

for the entry of Daily Observations.

Station No.

1613

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Wimbornein the County of DorsetDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 4 ft. 18 in.,, Ground ,, Sea Level 1370 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			.33		.02	.12	.22		.09	.13	.17	.92		1
2		T				.05				.41	.03	.02		2
3	T	T	.08			.06			.10	1.63	.24			3
4	.02	.19		.16		.08			.09	.27	.17	.21		4
5		.26	.06	.09		.05			.18	.05	.03	.02		5
6			.02	.27		1.49				.01	.13	.01		6
7				.31	T					.19	.46	.16		7
8				.38			.01	T	.15	.33	.89	.06		8
9	.26		T	.48		.93			.07	.91	.77			9
10	.04		.13	.07		.07					.05	.01		10
11	.19	T	.19	.02		.23			T		.73			11
12	.08	.03				.31		.01	.09		.44			12
13	.09	.14		.14	.02	.19			.02	.01	.13			13
14		.03		.19	.02	.11			.09	.03	.53	.34		14
15		.16		.64	.31	.06			.15	.04	.80	.01		15
16		.03	.08	.08		.02			.38		1.97			16
17		.02		.04	.07	.31	T	.04		.01	.18			17
18		.02		.30		.02	.39	.02	.88	.05	.02			18
19		.51		.07	.26	.04	.22		.14	.02	.46	T		19
20		.69		.08	.18	.04	.02		.03	T	.58			20
21	T	.06		.05			T							21
22			.02					.15	.05					22
23		.77	.09	.02	.03			.46	.02	.48		.30		23
24		.04			.16			1.17	.51	.26		.36		24
25	.16	.49		.10	T	.09						.56		25
26								.25	.06	T	.02	.94		26
27		.28						.02	.09		.05	.88		27
28		.03			.03			.23	.27			.09		28
29			T		.09			.02	.28	.05	.02	.63		29
30	T	X		.09		.01		1.12	.01	.28	.44	.64		30
31		X		X		X		.01	X	1.20	X	.39		31
TOTAL	.84	3.75	1.00	3.58	1.14	4.20	.89	3.52	3.25	6.38	8.83	5.95	43.41	Year's Total.
* Days with .01 in. or more.	7	17	9	20	11	20	8	12	22	20	24	19	186	
* Days with .04 in. or more.	7	11	7	10	6	17	3	7	19	15	19	14	143	

Section

A

for the entry of Daily Observations.

Station No.

1613

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936

Kept at ... *Wimborne* ...in the County of ... *Dorset* ...Diameter of Funnel of Gauge ... *5* ... in.Height of top of Gauge above Ground ... *15* ... ft.,, Ground ,, Sea Level ... *150* ... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	.08		.44		.07	.11	T			.06	.02		1
2	.05	.01		.01		.11	.07	.03			.02			2
3				.44			.07		.56		.62			3
4			.17			T			.24		.11	.02		4
5	.40		.06		.11			.01	.24			.09		5
6	.33		T			.03	.02	.04	.22		.45			6
7	.04		.18				.30		T		.84	.06		7
8	.54		.25				.28		.01	.01	.36	.04		8
9	.47		.23				.29							9
10	.22	.23				T	.18		.33		.07			10
11	.24					.05	.19		.14		.09			11
12	.06			.15	.14	.37	.32	.07	.18		.10			12
13	.03			.01		.04	.23		.01	.04	.09	.74		13
14		.21				.02	.60		.02			.51		14
15	T	.06			T		.01		.02		.03	.51		15
16	.03	.27			.10		.06				.07	.09		16
17	.11	.55		T	T		.06		T	.04	.04	.47		17
18	.10	.16				.35	.36			.07		.32		18
19	.45	.05	.01	.04		.12	.04	.08						19
20	.21	.24	.32	.19		.15	.01		.75					20
21	.16	.31	T	.43		.07	.12							21
22		.51	.48		.02		.21			.03		.08		22
23	.09		.24	.19	.08		.30			.12				23
24	.34	.07	.04						.04	.31				24
25	.10		.37	.15			.01		.04	.17				25
26	.22	.16	.25	.02		.65			.02	.05				26
27	.41	.16	.12				.26		.09	.05		.03		27
28	.99		.61				.13					.29		28
29	.03	.02	.08			T	.07			.04	.08	.02		29
30	.15					.12				.25				30
31	.10		.54		.12		.26			.38		.73		31
TOTAL	5.56	3.39	4.05	2.10	.54	2.15	4.58	.23	2.92	1.59	3.53	4.22	352.6	✓
* Days with .01 in. or more.	26	16	16	11	8	13	26	5	16	13	10	16	181	✓
* Days with .04 in. or more.	24	14	15	10	7	11	23	3	11	11	13	12	152	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ... *Frederic J. Elvira* ... [P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 1613

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Minster (Melbury Lodge)

in the County of Dorset

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1 ft. 6.....in.

„ Ground „ Sea Level 152.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.30	.05		.21					.01		.26	.04		1
2	.01	1.21		.09					.12			.85		2
3	.03	.27		.03					.06					3
4	.08	.72										.25		4
5	.26	.02	.08	.02			.21							5
6	.09	.27	.28	.16	.06		.19			.05				6
7		.83	.26	.09						.02				7
8					.45						.24	.65		8
9		.04		.32	.15	.07	.09		.72			.52		9
10	.07	.02	.96	.18	.16	.20						.50		10
11	.07			.03	.37	.02	.34							11
12	.50	.33	.34	.11	.21	.16	.02	.48	.41			.36		12
13	.10	.03	.71	.13				.10	.16			.15		13
14	.13		.17	.11				.11	.07			.03		14
15	.28	.21	.02	.48			1.11		.08			.02		15
16	.03	.12	.54	.23		.03		.46	1.25		.08			16
17	.85	.05	.31				.11		.06		.21			17
18	.22	.19									.04	.15		18
19	.78	.04	.03	.22		.03	.02					.20		19
20	.41	.04	.17	.21								.23		20
21	.43	.37	.04	.04	.16		.01				.43	.15		21
22	.32		.03		.14		.12			1.22	.40	.16		22
23	.20	.20	.02		.52		.02		.09	.27	.09	.03		23
24	.34	.79			.12					.86		.02		24
25	.53	.32	.43		.96				.07	.38		.18		25
26		.24	.03		.26				.02	.13		.84		26
27	.02	.08		.10						.77				27
28	.03	.17								.17				28
29	.16									.86				29
30	.49	X								.40	.12			30
31	.26	X		X		X			X	.92	X			31
TOTAL	6.40	6.71	4.20	2.63	3.50	.45	2.26	1.20	3.16	6.07	2.01	5.06	43.72	✓
* Days with .01 in. or more.	27	24	17	18	12	6	11	4	13	12	9	19	172	✓
* Days with .01 in. or more.	23	21	12	15	12	3	7	4	11	11	9	16	144	✓

Year's Total

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) W. S. Clark [P.T.O.]

Section



for the entry of Daily Observations

Station No. 1613

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Melbury Lodge - Wimborne

in the County of Dorsetshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft. 6

,, Ground ,, Sea Level 150.....ft.

Copy by B.R.O.

September total corrected for arithmetic 188.5

September entries estimated from sounding station 188.5

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.02	—	—	—	.06	.54	—	—	.46	—	.01		1
2	—	—	—	—	—	.01	—	—	—	.53	.06	.03		2
3	—	—	—	—	.11	—	—	—	—	.84	.18	—		3
4	—	—	—	—	.01	—	.17	.68	—	.22	—	.17		4
5	—	—	—	—	—	—	.26	.02	—	.12	—	—		5
6	.07	—	—	—	—	.02	.23	—	(.45)	.13	.06	.05		6
7	.05	—	—	—	—	.02	.36	.91	(.70)	.14	—	.12		7
8	.12	—	—	—	—	.03	.03	.08	—	.40	.01	.01		8
9	.11	.04	—	—	—	—	—	—	—	.02	—	1.11		9
10	.05	—	—	—	—	—	.10	—	—	—	.02	.40		10
11	.27	—	—	—	—	.14	—	.01	—	—	.25	.26		11
12	.52	—	—	—	.27	—	.04	—	—	.13	.02	.02		12
13	.34	—	—	—	—	—	—	—	—	.19	.33	.82		13
14	.52	—	—	—	.09	—	.31	—	—	—	—	—		14
15	.15	—	—	—	.04	—	.45	—	—	.27	.11	.56		15
16	.45	—	.05	—	—	—	—	—	—	.03	.04	.02		16
17	—	.12	—	—	—	—	—	—	.13	.18	.04	—		17
18	.10	—	—	—	.09	.03	—	—	.39	.02	.56	—		18
19	—	—	—	—	—	—	—	.19	.19	—	.88	—		19
20	.02	—	—	—	—	—	—	.06	—	—	.72	—		20
21	—	—	—	—	—	—	—	.01	—	—	.09	—		21
22	.04	—	—	—	—	—	—	.29	—	—	.44	—		22
23	—	—	—	—	.03	—	—	—	—	—	.04	(.17)		23
24	—	—	.14	—	—	—	—	.03	(.21)	—	.25	—		24
25	.14	.26	.05	—	.25	—	—	.04	(.16)	.04	1.51	—		25
26	.53	.31	—	—	.10	.03	.02	—	.03	.05	—	.24		26
27	.07	.02	—	—	.09	.27	.43	.05	—	—	.35	—		27
28	.10	.09	—	—	.22	.09	—	.59	—	—	.04	.04		28
29	—	—	—	—	.32	—	—	—	(.15)	.14	.40	.04		29
30	.03	✕	—	—	.06	—	—	—	(.27)	.07	.14	.08		30
31	.18	✕	—	✕	.20	✕	—	—	(.46)	.18	✕	.35		31
TOTAL	3.86	.86	.27	0	1.88	.73	2.97	2.96	1.88	4.10	6.54	4.50	30.90	
* Days with .01 in. or more.	20	7	3	0	14	10	12	13	11	20	23	19	152	
* Days with .04 in. or more.	18	5	3	0	12	4	10	9	10	17	20	14	122	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

Rev. W. S. Clarke Per. Mid Wessex Rainfall P.T.O.

Section



for the entry of Daily Observations

Station No. 1613

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at MEABURY LODGE, WIMBORNE...

in the County of DORSET.

Diameter of Funnel of Gauge.....6.....in.

Height of top of Gauge above Ground...1...ft...3.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	.15	.11	.09	—	.03	.03	.26	—	.02	.10		1
2	—	—	—	.24	—	—	.02	.62	1.32	—	.81	.12		2
3	.83	—	—	.54	—	—	—	.18	—	—	.36	.17		3
4	—	—	.56	.24	.24	—	.49	.20	.11	.36	.04	.07		4
5	—	—	.06	.23	.31	—	.23	.04	—	.29	.64	.08		5
6	.73	—	.06	—	—	—	.86	.03	—	—	.30	—		6
7	.01	.29	—	—	—	—	T	—	—	.02	.49	.57		7
8	.01	.18	.11	—	—	—	.08	.11	—	.60	.27	.34		8
9	.03	.04	.03	—	—	—	—	.11	—	.18	.11	.33		9
10	.35	—	—	—	—	T	—	.24	.13	.47	.01	—		10
11	—	T	.18	—	—	—	—	—	—	.14	—	—		11
12	T	.03	—	—	—	.09	—	—	—	.02	.06	—		12
13	—	—	—	.04	—	T	.47	—	.05	2.32	.04	.03		13
14	.90	—	.01	—	—	.01	.22	—	—	.33	.42	.13		14
15	.24	—	—	—	.20	1.00	.15	—	—	.19	.45	.01		15
16	.40	—	—	.12	.03	.06	.20	—	—	.02	.28	—		16
17	.29	.08	—	.04	.43	—	.08	—	—	.23	.08	—		17
18	.14	—	—	—	—	.06	.65	—	—	—	.38	T		18
19	.47	.02	—	—	—	—	.16	—	—	—	—	.08		19
20	.53	—	—	—	—	.13	.20	.53	—	—	—	—		20
21	.13	.41	.07	—	—	.07	.20	—	—	—	—	—		21
22	.28	.17	.10	.03	—	.21	.07	—	—	—	.27	—		22
23	—	—	—	.16	—	.04	.10	—	—	—	1.05	—		23
24	.67	—	.08	.05	—	.61	.09	.02	—	T	—	T		24
25	.79	.09	—	.16	—	—	.07	—	—	.14	.44	—		25
26	—	.02	—	—	—	—	—	.03	—	.09	.35	—		26
27	—	.27	.03	.01	—	—	T	—	—	T	.20	T		27
28	—	.32	.03	—	—	.04	.24	—	—	T	.36	.23		28
29	—	—	—	.02	—	—	.64	—	—	.09	.02	—		29
30	—	X	—	.46	—	.08	—	.16	—	.20	.02	T		30
31	—	X	—	X	—	X	—	.35	X	.87	X	—		31
TOTAL	6.80	1.92	1.47	2.45	1.30	2.40	5.25	2.65	1.87	6.56	7.47	2.26	42.20	✓
* Days with .01 in. or more.	17	12	12	15	6	12	21	14	5	18	25	13	171	✓
* Days with .04 in. or more.	14	9	9	12	5	11	21	10	5	15	22	11	144	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) F.T.O.

Section

A

for the entry of Daily Observations

Station No. **1613**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934Kept at **MELBURY LODGE, WIMBORNE.**in the County of **DORSET.**Diameter of Funnel of Gauge.....**5 1/2** in.Height of top of Gauge above Ground.....**1** ft.**3** in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.06	—	—	.02	—	—	—	—	—	.09	—		1
2	—	.20	—	.14	—	—	T	—	—	—	.42	.06		2
3	—	.45	—	—	—	—	—	—	—	.46	.96	.14		3
4	—	.19	—	T	—	—	.24	—	—	.32	.16	.05		4
5	—	.08	—	—	—	—	.03	—	—	.01	.83	.41		5
6	.44	.63	—	—	—	—	.08	—	—	.31	.09	.25		6
7	.04	.18	—	T	—	—	—	—	—	.16	—	—		7
8	—	—	—	.04	—	—	.04	—	.01	.43	.12	.29		8
9	—	—	—	—	—	—	.22	T	.05	.23	.69	.25		9
10	—	—	—	.01	—	—	1.34	—	.04	.08	.10	.09		10
11	—	.02	T	—	—	—	.04	—	—	—	.81	.04		11
12	—	—	.25	—	—	—	.24	—	.32	.06	.05	—		12
13	—	—	.65	—	—	—	.06	—	.06	.11	1.45	—		13
14	—	.02	.11	.08	.03	—	.24	—	.14	.54	.05	.85		14
15	—	—	—	T	.26	.04	.63	—	.13	.31	.49	.03		15
16	—	~~.18~~	.36	.08	—	.02	T	—	.13	.95	1.06	.10		16
17	—	~~—~~	.54	—	—	—	.02	—	—	—	.40	—		17
18	.04	1.41	.41	.24	—	—	.64	—	.04	.19	.04	.06		18
19	—	.08	.08	.23	—	—	.06	—	.54	—	.45	—		19
20	—	—	.02	.02	—	—	—	—	—	.20	.05	.01		20
21	—	.01	—	—	.22	—	.05	—	.02	—	.51	—		21
22	—	.03	.08	—	—	.26	T	—	.14	—	.02	—		22
23	—	.04	.31	.10	—	—	T	—	.04	.02	.03	T		23
24	—	—	—	—	—	—	.31	—	—	—	—	—		24
25	.03	—	.25	.05	.01	T	—	—	—	—	—	—		25
26	1.32	.63	.02	—	.13	—	.04	—	—	—	T	—		26
27	.51	.26	—	T	.40	—	.12	—	—	—	—	—		27
28	.43	.04	—	—	.22	—	—	—	—	.03	—	—		28
29	.69	.39	.21	.15	—	T	—	—	—	.03	—	.38		29
30	.10	~~.18~~	.06	.11	—	—	—	—	—	.34	—	.09		30
31	—	~~.18~~	—	~~.11~~	—	~~.11~~	—	—	~~.11~~	.68	~~.11~~	.29		31
TOTAL	3.90	4.42	3.35	1.28	1.29	.32	4.49	0.00	1.42	5.52	9.14	3.39	Year's Total	
* Days with .01 in. or more.	9	11	14	12	8	3	18	0	13	20	22	14	39.15	✓
* Days with .04 in. or more.	8	15	12	10	5	2	16	0	11	16	20	15	154.5	✓
													130	✓
													129	✓

† Spare column, no entries required.

(Signed) *H. J. Clarke*

* See Instruction 3 (f) on other side.

[P.T.O.]

Section **A** for the entry of
AIR MINISTR
FORM 1090.

REGIS

Kept at *Codford House*
in the County of *Dorset*

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

1614
FOR OFFICIAL USE.
WALL ORGANIZATION.
931 .

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.02	.01	.16	—	.25	—	.02	.19	.02	—	—	I
2	.27	.06	—	.43	—	—	—	.03	.71	.01	.01	.31	2
3	.06	—	.68	.02	—	—	.01	.03	.21	—	.76	.17	3
4	—	—	.02	—	.05	.15	.26	.04	.07	.01	.17	—	4
5	—	.15	—	.19	—	.30	.11	—	—	—	.11	.07	5
6	—	.15	—	.12	.08	.14	.01	—	—	.39	.23	.12	6
7	—	.01	—	.01	.25	.19	.06	.54	—	.07	.41	.06	7
8	.03	.22	—	.15	.04	.33	.01	.01	—	—	.10	.07	8
9	.01	.20	.01	.01	—	.10	.04	—	—	.01	.90	.02	9
10	.01	.01	.01	—	.01	.15	.06	.01	—	—	.19	—	10
11	.09	.38	—	—	—	.03	.10	.01	.01	—	.35	—	11
12	.02	.02	—	—	—	—	.12	—	.06	.25	—	—	12
13	—	—	—	—	—	.01	.02	.02	—	.01	—	—	13
14	.01	.11	—	—	.01	.23	1.55	.15	—	—	.01	—	14
15	—	.03	—	.01	.12	—	.01	.10	.01	—	—	.06	15
16	—	.06	—	.08	.20	.24	.02	.01	.13	—	—	—	16
17	—	.11	—	.15	—	—	.25	—	.02	—	—	—	17
18	.04	—	.02	.12	—	.14	.03	1.20	—	—	.60	—	18
19	.06	—	—	.09	—	.26	.09	.08	—	—	.01	—	19
20	—	.06	.16	.01	—	—	.01	.19	—	.01	—	—	20
21	.08	.01	—	—	.29	—	—	.01	—	—	.02	—	21
22	.44	.01	.05	.02	—	—	—	—	—	—	.01	—	22
23	.25	—	—	.10	.63	—	—	—	—	—	.31	—	23
24	.07	—	—	.38	.14	.31	.45	.55	—	—	.01	—	24
25	.07	—	—	.15	.23	—	.44	—	—	—	.20	—	25
26	—	.01	—	.16	.01	—	.28	—	—	—	.20	—	26
27	.19	.35	—	—	1.00	—	.54	—	—	—	.03	—	27
28	.07	.05	.01	.03	.01	—	—	—	—	—	—	.12	28
29	.10	×	.05	—	.03	—	.09	.03	—	.02	.07	.01	29
30	.01	×	.07	.01	—	—	.01	.11	—	—	.05	—	30
31	.46	×	—	×	.16	×	—	.01	×	—	×	.09	31
TOTAL	2.34	2.02	1.09	2.40	3.26	2.83	4.57	3.15	1.41	.80	4.75	1.10	YEAR'S TOTAL 19.74
*Days with or in. or more.	20	20	11	21	17	15	24	20	9	10	22	11	20X6
*Days with .04 in. or more.	14	12	5	13	12	13	15	9	6	3	15	9	126

40-9999

*See Instruction 2 (f) on other side.

(Signed) *Geo. H. Butler, M.D.* [P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Codford House Wimborne
in the County of Dorset

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....ft.....11 in.
,, Ground ,, Sea Level 69 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.02	.01	.16	—	.25	—	.02	.19	.02	—	—	I
2	.27	.06	—	.43	—	—	—	.03	.71	.01	.01	.31	2
3	.06	—	.68	.02	—	—	.01	.03	.21	—	.76	.17	3
4	—	—	.02	—	.05	.15	.26	.04	.07	.01	.17	—	4
5	—	.15	—	.19	—	.30	.11	—	—	—	.11	.07	5
6	—	.15	—	.12	.08	.14	.01	—	—	.39	.23	.12	6
7	—	.01	—	.01	.25	.19	.06	.54	—	.07	.41	.06	7
8	.03	.22	—	.15	.04	.33	.01	.01	—	—	.10	.07	8
9	.01	.20	.01	.01	—	.10	.04	—	—	.01	.90	.02	9
10	.01	.01	.01	—	.01	.15	.06	.01	—	—	.19	—	10
11	.09	.38	—	—	—	.03	.10	.01	.01	—	.35	—	11
12	.02	.02	—	—	—	—	.12	—	.06	.25	—	—	12
13	—	—	—	—	—	.01	.02	.02	—	.01	—	—	13
14	.01	.11	—	—	.01	.23	1.55	.15	—	—	.01	—	14
15	—	.03	—	.01	.12	—	.01	.10	.01	—	—	.06	15
16	—	.06	—	.08	.20	.24	.02	.01	.13	—	—	—	16
17	—	.11	—	.15	—	—	.25	—	.02	—	—	—	17
18	.04	—	.02	.12	—	.14	.03	1.20	—	—	.60	—	18
19	.06	—	—	.09	—	.26	.09	.08	—	—	.01	—	19
20	—	.06	.16	.01	—	—	.01	.19	—	.01	—	—	20
21	.08	.01	—	—	.29	—	—	.01	—	—	.02	—	21
22	.44	.01	.05	.02	—	—	—	—	—	—	.01	—	22
23	.25	—	—	.10	.63	—	—	—	—	—	.31	—	23
24	.07	—	—	.38	.14	.31	.45	.55	—	—	.01	—	24
25	.07	—	—	.15	.23	—	.44	—	—	—	.20	—	25
26	—	.01	—	.16	.01	—	.28	—	—	—	.20	—	26
27	.19	.35	—	—	1.00	—	.54	—	—	—	.03	—	27
28	.07	.05	.01	.03	.01	—	—	—	—	—	—	.12	28
29	.10	×	.05	—	.03	—	.09	.03	—	.02	.07	.01	29
30	.01	×	.07	.01	—	—	.01	.11	—	—	.05	—	30
31	.46	×	—	×	.16	×	—	.01	×	—	×	.09	31
TOTAL	2.34	2.02	1.09	2.40	3.26	2.83	4.57	3.15	1.41	.80	4.75	1.10	YEAR'S TOTAL 19.74
* Days with "or in. or more.	20	20	11	21	17	15	24	20	9	10	22	11	20
* Days with "or in. or more.	14	12	5	13	12	13	15	9	6	3	15	9	12

Section

A

for the entry of Daily Observations.

Station No. 1614

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Cordford House, Wimborne
in the County of DorsetDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 9 ft. in.
Ground Sea Level 69 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	—	—	.13	.50	—	.01	.13	.01	.03	.01	—	1
2	.01	—	—	.19	.07	—	—	.04	.09	.01	.01	.35	2
3	—	—	—	.21	.01	.31	—	—	.39	.06	—	.02	3
4	—	—	—	—	—	.26	—	.01	—	—	.16	—	4
5	.39	—	—	—	—	.02	.01	—	.11	—	—	—	5
6	.43	—	—	.13	—	—	.04	—	.29	—	—	—	6
7	.01	—	.01	.06	—	—	.03	—	.11	.37	—	—	7
8	—	—	.33	.01	.14	—	—	—	.50	.17	—	—	8
9	.33	.01	—	.15	.04	—	—	—	.01	—	.07	—	9
10	.13	.02	.04	.22	.04	.01	—	.01	—	.22	.08	—	10
11	.02	—	—	.03	.01	—	.45	.01	.01	.02	—	.06	11
12	.66	—	—	—	.07	—	—	—	.10	.12	.01	.03	12
13	.03	—	—	.23	.10	—	.09	.02	.01	.33	—	.03	13
14	.08	—	—	.04	.09	—	—	.01	—	—	.10	.01	14
15	.05	—	—	.02	.33	—	—	—	—	.04	.01	.03	15
16	.11	—	—	.13	.01	—	.53	—	—	—	—	.01	16
17	.02	—	—	.06	—	—	.01	—	—	.01	—	—	17
18	.02	—	—	—	.18	—	.01	—	.07	—	.15	—	18
19	.01	—	—	—	—	—	—	—	.02	.26	—	—	19
20	.01	—	.01	.01	.43	—	.12	.23	—	.81	.31	—	20
21	.02	—	.15	.07	.22	—	—	—	—	.31	.02	.10	21
22	—	—	.34	.01	.17	.01	.07	.08	.53	.34	.34	—	22
23	—	—	.81	.01	.09	—	.28	—	.05	.52	.09	.09	23
24	—	.03	.40	—	.01	—	.67	—	.14	.04	.01	.01	24
25	—	—	.04	.02	—	—	.16	—	.03	.39	.02	—	25
26	—	—	.15	.06	—	—	.12	—	—	.06	.01	—	26
27	—	—	.34	.50	.28	.07	.07	—	—	.25	—	.04	27
28	—	—	.02	.09	.06	—	.11	—	—	—	—	.05	28
29	—	—	.40	.10	.25	.32	.01	.22	.51	.42	.20	.15	29
30	—	X	.04	.31	—	1.31	.06	—	.64	.03	.72	.26	30
31	—	X	.01	X	.01	X	.05	—	X	.01	X	.18	31
TOTAL	1.40	.06	1.56	2.79	3.11	2.31	2.90	.76	3.64	5.32	2.32	1.42	YEAR'S TOTAL 28.59
*Days with ".01 in. or more.	18	3	13	24	22	8	20	10	19	23	18	16	194
*Days with ".04 in. or more.	9	—	8	17	17	5	14	5	13	17	10	9	124

40-9999

*See Instruction 2 (f) on other side.

(Signed) Geo. H. Batterbury P.T.O.

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No.

1614

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at *Codford House, Wimborne*
in the County of *Dorset*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *11* ft. *11* in.
Ground Sea Level *150* ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25	.49	.06	.01	—	—	—	—	—	—	—	.24		1
2	.42	—	.71	—	.18	—	—	—	—	—	—	—		2
3	.02	.09	.34	—	—	—	—	—	—	—	—	—		3
4	.17	.01	.06	—	.18	—	—	—	—	—	—	—		4
5	.09	—	.42	—	.03	—	—	—	—	—	—	—		5
6	—	.32	.02	—	.25	—	—	—	—	.06	.03	—		6
7	.03	.01	—	—	.08	—	.01	—	—	.14	.01	.02		7
8	.02	.01	.02	—	.03	—	.24	—	—	.02	—	—		8
9	—	—	—	—	.02	—	.25	.01	—	.11	.02	—		9
10	—	—	—	—	—	—	.16	—	—	.14	—	—		10
11	.26	—	—	—	—	.45	.03	.26	—	.01	—	—		11
12	.02	—	—	.09	.01	—	.06	—	.75	—	—	.05		12
13	.02	—	—	—	—	.01	.36	.10	—	.24	.03	—		13
14	—	—	—	—	—	—	.02	.11	—	.18	.39	—		14
15	.68	—	.37	—	—	—	.18	.24	—	.08	—	—		15
16	—	—	.86	—	—	.02	—	.01	.03	.06	—	—		16
17	.01	.12	.29	—	—	.07	.01	.03	.11	—	—	—		17
18	.13	.01	.17	—	—	.06	—	—	—	—	.01	—		18
19	—	—	.06	—	—	—	—	.06	.28	—	.24	.04		19
20	—	.06	.02	—	—	.03	—	—	.05	—	—	—		20
21	—	.04	—	—	.07	.11	—	.16	.01	.10	.03	—		21
22	—	—	—	—	—	.01	—	.14	.12	.12	—	—		22
23	—	.18	—	.39	—	.20	—	—	.12	.15	—	—		23
24	—	.204	—	.23	—	.02	—	—	.05	.01	.01	—		24
25	—	.65	—	.31	—	—	—	—	.03	—	—	.10		25
26	—	.50	—	.10	.22	—	—	—	—	.01	—	.01		26
27	—	.01	—	—	.10	—	.05	—	.01	.16	—	.63		27
28	—	—	—	.41	—	—	.63	—	—	—	—	.61		28
29	.18	×	—	.01	—	—	.03	—	—	.01	—	.02		29
30	.03	×	.12	—	—	—	.02	—	.01	—	—	.03		30
31	.21	×	.03	×	—	×	—	—	×	.01	×	—		31
TOTAL	2.54	4.54	3.85	1.55	1.17	.98	2.05	1.12	1.57	1.61	.77	1.15	Year's Total 22.60	
*Days with .01 in. or more.	16	15	15	8	11	10	14	10	12	18	9	10	48	
*Days with .04 in. or more.	9	10	11	6	7	5	8	7	7	12	2	5	89	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

G. H. Battelung

[P.T.O.]

✓ ✓ ✓ CK
FOR OFFICIAL

Station No. 1614

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Codford House, Wimborne
in the County of Dorset

Diameter of Funnel of Gauge..... in.
 Height of top of Gauge above Ground..... ft in.
 " " Ground " " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 7, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	—	—	—	—	—	.60	—	.02	.02	.85		1
2	.19	—	.08	—	.03	—	—	.01	.85	.19	—	.23		2
3	.03	.01	—	—	—	—	—	.02	.01	.44	—	.41		3
4	.07	—	.11	—	.20	—	—	—	—	.02	.01	.27		4
5	—	—	.10	—	.01	—	—	.78	—	.02	.04	.50		5
6	.03	—	.30	.01	.13	—	—	.06	—	.31	.22	.67		6
7	.03	—	—	—	—	—	—	.14	—	.08	.01	.43		7
8	—	—	—	—	.27	—	—	.01	.02	—	.84	.12		8
9	.03	—	.18	—	.01	—	—	—	.01	—	.70	.30		9
10	.19	—	.30	.32	—	—	—	.01	—	—	.36	.04		10
11	.48	—	.57	.24	—	—	.07	.42	—	—	—	.42		11
12	.01	.01	.01	—	—	—	.05	.16	—	—	—	.39		12
13	.30	—	.02	.15	—	—	.05	—	—	—	.12	.12		13
14	.03	—	.38	.01	—	—	—	—	—	.05	.04	.84		14
15	.02	—	.01	—	.08	—	—	—	—	.06	.09	.31		15
16	.18	—	.48	—	.01	—	—	—	—	—	.01	.14		16
17	.08	—	—	.26	.01	—	—	—	.05	.06	—	.41		17
18	.03	—	.30	.04	—	—	—	—	.04	—	—	.42		18
19	—	—	.12	.02	—	.01	—	.03	.10	—	—	.09		19
20	—	—	.07	.15	—	—	.01	—	.01	.01	—	.01		20
21	—	—	.05	.07	—	.13	—	.06	.01	.15	—	.06		21
22	—	—	.01	—	—	—	.12	.43	.19	.02	—	.20		22
23	—	.01	—	.29	—	.70	—	.08	.10	.01	—	.02		23
24	—	.02	.04	.05	—	.05	—	—	.19	—	—	.02		24
25	.40	—	.01	.09	—	—	—	—	—	.07	—	1.06		25
26	.01	—	—	.21	—	.27	—	—	.10	—	.02	.37		26
27	—	—	—	.01	—	.05	—	—	.02	.02	—	.45		27
28	—	—	—	—	—	.12	—	.60	.01	—	—	.56		28
29	—	—	—	—	—	—	—	.09	.25	.01	.01	.03		29
30	.06	×	—	—	—	—	.04	.03	.16	—	.01	.20		30
31	.01	×	—	×	—	×	—	.21	×	—	×	.02		31
TOTAL	2.20	.05	3.14	1.92	.75	1.33	.34	3.74	2.12	1.54	2.50	9.96	Year's Total.	
* Days with .01 in. or more.	20	4	19	15	9	7	6	18	17	17	15	31	178	
* Days with .04 in. or more.	9	—	14	11	4	6	5	12	10	9	8	26	114	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Geo. H. Rattaway

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

1614

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Cordford House - W. Endon*
in the County of *Derby*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	—	.34	—	.01	.14	.25	—	.11	.11	.15	.22		1
2	—	—	.01	—	—	.01	.01	—	.01	.37	.01	.01		2
3	—	—	.07	—	—	.05	—	—	.10	1.85	.18	—		3
4	.01	.19	—	.16	—	.04	—	—	.09	.30	.17	.20		4
5	.01	.24	.05	.06	—	.04	—	—	.17	.03	.04	.02		5
6	—	.01	—	.26	—	1.41	—	—	—	.01	.13	.01		6
7	—	—	—	.29	—	.01	—	—	—	.36	.41	.18		7
8	—	—	—	.36	—	—	.01	—	.14	.11	.78	.05		8
9	.25	—	—	.37	—	.84	—	—	.03	.53	.73	—		9
10	.04	—	.35	.04	—	.05	—	—	—	—	.03	.01		10
11	.10	—	.01	.01	—	.27	—	—	—	—	.59	—		11
12	.07	.09	—	—	—	.24	—	.01	.08	—	.42	—		12
13	.09	.06	—	.22	.01	.17	—	—	.01	—	.07	—		13
14	.01	.10	—	.17	.01	.15	—	—	.09	.02	.50	.33		14
15	—	.06	—	.61	.28	.06	—	—	.14	.02	.28	.01		15
16	—	.01	.09	.05	.01	—	—	—	.22	—	1.92	—		16
17	—	—	—	.03	.05	.28	—	.05	.01	.01	.07	—		17
18	—	.01	—	.25	.01	.02	.35	—	.24	.02	.01	.01		18
19	—	.01	—	.07	.31	.04	.20	—	.11	.01	.39	—		19
20	—	.44	—	.06	.07	.03	.02	—	—	—	.59	—		20
21	—	.63	—	.06	—	—	.01	—	.01	.01	.01	—		21
22	—	.05	.01	.01	—	—	—	.20	.03	—	—	—		22
23	—	.02	.06	.02	.02	—	—	.45	.02	.50	—	.37		23
24	.01	.63	.01	—	.12	—	—	1.07	.42	.18	—	.24		24
25	.12	.04	—	.08	—	.05	—	—	—	—	.01	.59		25
26	—	.47	—	.01	—	—	—	.17	.04	—	—	1.03		26
27	—	.23	—	—	—	.01	—	.02	.10	.01	.02	.80		27
28	—	.02	—	—	.03	—	—	.36	.25	—	.01	.08		28
29	—	—	—	—	.06	—	—	.02	.23	.02	.02	.50		29
30	—	~~X~~	—	.10	.01	.01	—	1.08	—	.16	.73	~~6.3~~		30
31	—	~~X~~	—	~~X~~	—	~~X~~	—	.02	~~X~~	1.03	~~X~~	.73		31
TOTAL	.72	3.31	1.00	3.29	1.00	3.92	.85	3.45	2.66	5.65	7.87	5.62	Year's total	39.74
* Days with .01 in. or more.	11	19	10	122	14	21	7	11	23	21	26	20		205
* Days with .04 in. or more.	6	13	6	17	6	15	3	7	16	11	18	14		132

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *Sp. H. Batherley* [P.T.O.]

Kept at *Glen Ashton*,
in the County of *Forset*.

Diameter of Funnel of Gauge.....
Height of top of Gauge above Groun
,, Ground ,, Sea L

1615
WIMBOURNE, GLEN ASHTON
1931

THE MORNING MEASU

780305 DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	.03	-	.14	-	.24	-	.02	.08	.03	-	-	I
2	.22	.07	-	.49	-	<i>h</i>	<i>h</i>	.02	.61	.01	.02	.16	2
3	.12	-	.61	.05	-	-	.01	.02	.56	-	.69	.41	3
4	-	-	.08	-	.06	-	.27	.04	.09	.01	.24	-	4
5	-	.15	-	.20	-	.52	.02	-	-	-	.11	.08	5
6	-	.15	-	.13	.07	.11	.10	<i>h</i>	<i>h</i>	.41	.29	.11	6
7	-	-	-	-	.24	.27	.08	.49	-	.08	.46	.04	7
8	.03 ^s	.24	-	.13	.04	.34	.01	.01	-	<i>h</i>	.15	.10	8
9	-	.23	<i>h</i> ^s	.03	-	.04	.01	-	-	-	.81	-	9
10	-	.04	-	-	-	.23	.08	-	-	-	.32	<i>h</i>	10
II	.11	.44	-	-	-	.03	-	-	.01	-	.51	-	II
12	-	.02	-	-	-	-	.27	<i>h</i>	.06	.16	-	-	12
13	-	-	-	-	-	-	.01	.02	-	.08	-	-	13
14	-	.11	-	-	-	.22	1.55	.20	-	-	.02	-	14
15	.01	.03	-	.02	.14	-	<i>h</i>	.09	-	-	-	.06	15
16	<i>h</i>	.02	-	.10	.18	.28	.02	.01	.09	-	-	-	16
17	<i>h</i>	.15 ^s	-	.13	-	-	.28	-	.09	-	<i>h</i>	-	17
18	.03	.01 ^s	.03	.11	-	.16	.03	1.30	-	-	.55	-	18
19	.06	-	-	.09	-	.27	.07	.07	-	-	-	-	19
20	-	.07	.15	<i>h</i>	-	-	-	.21	-	.01	<i>h</i>	-	20
21	.08	-	.01	-	.28	~~.22~~	-	<i>h</i>	-	-	.02	-	21
22	.32	.02	.05	.02	-	-	-	<i>h</i>	-	<i>h</i>	.01	-	22
23	.42	-	-	.11	.54	-	-	<i>h</i>	<i>h</i>	-	.37	.01	23
24	.08	-	-	.33	.23	~~.22~~	.47	.83	-	-	<i>h</i>	-	24
25	.08	-	-	.22	.27	-	.39	-	-	-	.22	-	25
26	-	.02	-	.19	-	-	.37	-	-	-	.22	-	26
27	.22	.34	-	-	.84	-	.56	-	-	-	.04	-	27 97
28	.07	.05 ^s	<i>h</i>	.03	.21	-	-	-	-	<i>h</i>	-	.13	28
29	.12	~~x~~	.04	-	.04	-	.10	.03	-	.01	.07	-	29
30	-	~~x~~	.08	-	-	-	.01	.06	<i>h</i>	.02	.07	-	30
31	.46	~~x~~	-	~~x~~	.18	~~x~~	<i>h</i>	.03	~~x~~	-	~~x~~	.06	31
TOTAL	2.43	2.19	1.05	2.52	3.32	2.93	4.71	3.15	1.59	0.82	5.19	1.16	31.06
*Days with 01 in. or more.	16	19	8	18	14	13	21	17	8	10	20	10	174
*Days with 04 in. or more.	13	12	6	14	14	12	13	9	7	4	16	9	129

[Signature]

REGISTER OF RAINFALL IN 193/ .

Kept at Glen Aston, Wimborne
in the County of Dorset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground one ft. — in.
,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.03	—	.14	—	.24	—	.02	.08	.03	—	—	I
2	.22	.07	—	.49	—	<u>tr</u>	<u>tr</u>	.02	.61	.01	.02	.16	2
3	.12	—	.61	.05	—	—	.01	.02	.56	—	.69	.41	3
4	—	—	.08	—	.06	—	.27	.04	.09	.01	.24	—	4
5	—	.15	—	.20	—	.52	.02	—	—	—	.11	.08	5
6	—	.15	—	.13	.07	.11	.10	<u>tr</u>	<u>tr</u>	.41	.29	.11	6
7	—	—	—	—	.24	.27	.08	.49	—	.08	.46	.04	7
8	.03 ^s	.24	—	.13	.04	.34	.01	.01	—	<u>tr</u>	.15	.10	8
9	—	.23	<u>tr</u> ^s	.03	—	.04	.01	—	—	—	.81	—	9
10	—	.04	—	—	—	.23	.08	—	—	—	.32	<u>tr</u>	10
11	.11	.44	—	—	—	.03	—	—	.01	—	.51	—	11
12	—	.02	—	—	—	—	.27	<u>tr</u>	.06	.16	—	—	12
13	—	—	—	—	—	—	.01	.02	—	.08	—	—	13
14	—	.11	—	—	—	.22	1.55	.20	—	—	.02	—	14
15	.01	.03	—	.02	.14	—	<u>tr</u>	.09	—	—	—	.06	15
16	<u>tr</u>	.02	—	.10	.18	.28	.02	.01	.09	—	—	—	16
17	<u>tr</u>	.15 ^s	—	.13	—	—	.28	—	.09	—	<u>tr</u>	—	17
18	.03	.01 ^s	.03	.11	—	.16	.03	1.30	—	—	.55	—	18
19	.06	—	—	.09	—	.27	.07	.07	—	—	—	—	19
20	—	.07	.15	<u>tr</u>	—	—	—	.21	—	.01	<u>tr</u>	—	20
21	.08	—	.01	—	.28	~~.22~~	—	<u>tr</u>	—	—	.02	—	21
22	.32	.02	.05	.02	—	—	—	<u>tr</u>	—	<u>tr</u>	.01	—	22
23	.42	—	—	.11	.54	—	—	<u>tr</u>	<u>tr</u>	—	.37	.01	23
24	.08	—	—	.33	.23	.22	.47	.83	—	—	<u>tr</u>	—	24
25	.08	—	—	.22	.27	—	.39	—	—	—	.22	—	25
26	—	.02	—	.19	—	—	.37	—	—	—	.22	—	26
27	.22	.34	—	—	.84	—	.56	—	—	—	.04	—	27 97
28	.07	.05 ^s	<u>tr</u>	.03	.21	—	—	—	—	<u>tr</u>	—	.13	28
29	.12	~~X~~	.04	—	.04	—	.10	.03	—	.01	.07	—	29
30	—	~~X~~	.08	—	—	—	.01	.06	<u>tr</u>	.02	.07	—	30
31	.46	~~X~~	—	~~X~~	.18	~~X~~	<u>tr</u>	.03	~~X~~	—	~~X~~	.06	31
TOTAL	2.43	2.19	1.05	2.52	3.32	2.93	4.71	3.15	1.59	0.82	5.19	1.16	YEAR'S TOTAL 31.06
*Days with or in. or more.	16	19	8	18	14	13	21	17	8	10	20	10	174
*Days with .04 in. or more.	13	12	6	14	14	12	13	9	7	54	16	9	129

Kept at Uplands, Wm
in the County of Dorset

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Level

1616
WIMBOURNE, UPLANDS
1931—36

THE MORNING MEASURE

780305 AY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.03	—	.18	—	.27	—	.02	.25	.03	—	—	I
2	.29	.07	—	.48	—	—	—	.03	.80	.01	.03	.30	2
3	.07	—	.67	.04	—	—	.01	.03	.18	Trace	.74	.19	3
4	—	—	.03	trace	.04	.18	.27	.04	.08	—	.16	trace	4
5	—	.17	—	.20	—	.32	.14	—	—	—	.15	.07	5
6	—	.15	—	.13	.08	.17	—	—	—	.41	.27	.12	6
7	—	.01	—	trace	.25	.20	.10	.57	—	.08	.45	.04	7
8	.03	.22	—	.15	.04	.34	.01	.01	—	—	.12	.08	8
9	—	.19	—	trace	—	.10	.07	trace	—	—	.82	.01	9
10	—	trace	—	—	trace	.16	.02	trace	—	—	.29	—	10
11	.12	.36	—	—	—	.03	.15	trace	.01	—	.46	—	11
12	.01	.02	—	—	—	trace	.15	—	.07	.26	—	—	12
13	—	—	—	—	—	—	.02	.02	—	.01	—	—	13
14	trace	.11	—	—	—	.21	1.58	.16	—	—	.02	—	14
15	—	.04	—	.01	.13	—	trace	.10	—	—	—	.07	15
16	—	.05	—	.08	.19	.26	.02	trace	.09	—	—	—	16
17	.01	.13	—	.15	.01	—	.27	—	.08	—	Trace	—	17
18	.03	trace	.02	.13	—	.18	.03	1.30	—	—	.56	—	18
19	.06	—	—	.11	—	.27	.09	.06	—	—	Trace	—	19
20	trace	.06	.17	trace	—	Trace	—	.21	—	—	Trace	—	20
21	.08	.01	.01	—	.29	—	—	trace	—	—	.02	—	21
22	.42	.01	.05	.02	—	—	—	—	—	—	.01	—	22
23	.28	—	—	.11	.64	Trace	—	—	—	—	.34	Trace	23
24	.08	—	—	.38	.17	.21	.47	.54	trace	—	Trace	—	24
25	.08	—	—	.16	.26	—	.43	—	—	—	.22	Trace	25
26	—	.01	—	.18	.01	—	.31	—	—	—	.22	—	26
27	.22	.34	—	trace	.95	—	.55	—	—	—	.04	Trace	27
28	.08	.04	.01	.03	.10	—	—	—	—	trace	—	.13	28
29	—	X	.05	—	.04	—	.09	.03	—	.03	.08	Trace	29
30	.12	X	.09	trace	trace	—	.01	.10	trace	—	.06	—	30
31	.45	X	—	X	.19	X	—	trace	X	—	X	.07	31
TOTAL	2.43	2.02	1.10	2.54	3.39	2.90	4.79	3.22	1.56	.83	5.06	1.08	YEAR'S TOTAL 30.92
*Days with or in. or more.	17	19	9	17	16	14	21	15	8	7	20	10	173
*Days with .04 in. or more.	13	12	5	14	14	13	14	9	7	3	16	9	129

Section

A

for the entry of

1616
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Uplands, Wimborne
in the County of DorsetDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft. in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.03	—	.18	—	.27	—	.02	.25	.03	—	—	I
2	.29	.07	—	.48	—	—	—	.03	.80	.01	.03	.30	2
3	.07	—	.67	.04	—	—	.01	.03	.18	Trace	.74	.19	3
4	—	—	.03	trace	.04	.18	.27	.04	.08	—	.16	trace	4
5	—	.17	—	.20	—	.32	.14	—	—	—	.15	.07	5
6	—	.15	—	.13	.08	.17	—	—	—	.41	.27	.12	6
7	—	.01	—	trace	.25	.20	.10	.57	—	.08	.45	.04	7
8	.03	.22	—	.15	.04	.34	.01	.01	—	—	.12	.08	8
9	—	.19	—	trace	—	.10	.07	trace	—	—	.82	.01	9
10	—	trace	—	—	trace	.16	.02	trace	—	—	.29	—	10
11	.12	.36	—	—	—	.03	.15	trace	.01	—	.46	—	11
12	.01	.02	—	—	—	trace	.15	—	.07	.26	—	—	12
13	—	—	—	—	—	—	.02	.02	—	.01	—	—	13
14	trace	.11	—	—	—	.21	1.58	.16	—	—	.02	—	14
15	—	.04	—	.01	.13	—	trace	.10	—	—	—	.07	15
16	—	.05	—	.08	.19	.26	.02	trace	.09	—	—	—	16
17	.01	.13	—	.15	.01	—	.27	—	.08	—	Trace	—	17
18	.03	trace	.02	.13	—	.18	.03	1.30	—	—	.56	—	18
19	.06	—	—	.11	—	.27	.09	.06	—	—	Trace	—	19
20	trace	.06	.17	trace	—	Trace	—	.21	—	—	Trace	—	20
21	.08	.01	.01	—	.29	—	—	trace	—	—	.02	—	21
22	.42	.01	.05	.02	—	—	—	—	—	—	.01	—	22
23	.28	—	—	.11	.64	Trace	—	—	—	—	.34	Trace	23
24	.08	—	—	.38	.17	.21	.47	.54	trace	—	Trace	—	24
25	.08	—	—	.16	.26	—	.43	—	—	—	.22	Trace	25
26	—	.01	—	.18	.01	—	.31	—	—	—	.22	—	26
27	.22	.34	—	trace	.95	—	.55	—	—	—	.04	Trace	27
28	.08	.04	.01	.03	.10	—	—	—	—	trace	—	.13	28
29	—	X	.05	—	.04	—	.09	.03	—	.03	.08	Trace	29
30	.12	X	.09	trace	trace	—	.01	.10	trace	—	.06	—	30
31	.45	X	—	X	.19	X	—	trace	X	—	X	.07	31
TOTAL	2.43	2.02	1.10	2.54	3.39	2.90	4.79	3.22	1.56	.83	5.06	1.08	YEAR'S TOTAL 30.92
*Days with "or in. or more.	17	19	9	17	16	14	21	15	8	7	20	10	123
*Days with ".04 in. or more.	13	12	5	14	14	13	14	9	7	3	16	9	129

40-9999

*See Instruction 2 (f) on other side.

(Signed)

G. Percy Snyden

1730

FORM 1090.

REGISTER OF RAINFALL IN 193

Kept at Uplands Wimborne
in the County of Dorset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft. in.
Ground Sea Level ft.

Station 1616
File 15369/30

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	—	—	.12	.50	—	.01	.35	—	.04	Trace	—	1
2	Trace	—	—	.19	.08	—	Trace	.04	.06	.01	.01	.31	2
3	—	—	—	.24	Trace	.31	—	—	.48	.06	—	.03	3
4	.01	—	—	—	—	.28	—	Trace	—	—	.15	—	4
5	.35	—	—	—	—	.01	.02	—	.14	—	—	—	5
6	.55	—	—	.16	—	—	.03	—	.34	—	—	—	6
7	—	—	.02	.05	.16	—	.01	—	.14	.41	—	—	7
8	—	—	.36	.01	—	—	—	—	.51	.17	—	—	8
9	.35	.02	—	.13	.04	—	—	—	.01	—	.08	—	9
10	.14	.04	.05	.23	.05	.01	—	—	Trace	.22	.08	—	10
11	.03	—	—	.03	Trace	—	.45	.01	Trace	.02	—	.04	11
12	.67	—	—	Trace	.07	—	—	—	.10	.13	.02	.02	12
13	.03	—	—	.22	.09	—	.13	.02	Trace	.83	—	.04	13
14	.09	—	—	.05	.09	—	—	Trace	—	—	.12	.01	14
15	.04	—	—	.02	.37	—	—	—	—	.04	Trace	.03	15
16	.15	—	—	.12	Trace	—	.48	—	—	—	—	Trace	16
17	.03	—	—	.05	—	—	.01	—	—	Trace	—	—	17
18	.02	—	—	Trace	.17	—	.01	—	.08	—	.17	—	18
19	Trace	—	—	—	Trace	—	—	—	.03	.30	—	—	19
20	—	—	—	—	.41	—	.10	.17	—	.86	Trace	—	20
21	.02	—	.11	.07	.25	—	—	Trace	—	.35	.34	.11	21
22	.01	—	.08	Trace	.18	Trace	.13	.09	.53	.40	.02	Trace	22
23	—	Trace	—	.02	.09	—	.32	—	.06	.56	.09	.11	23
24	—	.03	—	—	Trace	—	.59	—	.17	.05	.01	—	24
25	—	—	—	.02	—	—	.28	—	.03	.41	.02	.01	25
26	—	—	.16	.04	—	—	.15	—	—	.05	.01	—	26
27	—	—	.34	.49	.29	.07	.05	—	—	.28	—	.05	27
28	—	—	.02	.08	.06	—	.15	—	—	—	—	.04	28
29	—	—	.41	.09	.24	.35	Trace	.26	.54	.44	.22	.14	29
30	—	X	.02	.30	Trace	1.43	.07	—	.62	.03	.79	.25	30
31	—	X	.01	X	.01	X	.04	—	X	.01	X	.17	31
TOTAL	2.60	.09	1.58	2.73	3.15	2.46	3.03	.94	3.84	5.67	2.13	1.36	YEAR'S TOTAL
*Days with .01 in. or more.	16	3	11	22	18	7	19	7	16	22	15	15	171
*Days with .04 in. or more.	9	1	7	17	17	5	13	5	13	18	9	10	124

Section

A

for the entry of Daily Observations.

Station No.

1616

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Feb 15369/30

Kept at Uplands, Wimburnin the County of DorsetDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 10 in.Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.35	.50	.07	trace	.02	Trace	—	—	—	Trace	—	.25	1
2	.50	—	.71	—	.16	—	—	—	—	—	—	—	2
3	.04	.11	.36	—	trace	—	—	—	—	—	—	—	3
4	.20	.01	.07	—	.15	—	—	—	—	—	—	—	4
5	.09	trace	.34	—	.05	—	—	—	—	—	—	—	5
6	—	.31	.02	—	.22	—	—	—	—	.07	.04	—	6
7	.04	.01	—	—	.09	—	trace	—	—	.14	—	.03	7
8	.02	—	.02	—	.04	—	.24	—	—	.02	—	—	8
9	—	trace	—	—	.03	—	.28	trace	—	.29	.02	—	9
10	—	—	—	—	—	—	.20	trace	—	.19	trace	—	10
11	.27	—	—	—	—	.54	trace	.21	Trace	.01	—	—	11
12	.02	—	—	.09	.01	Trace	.05	—	.72	—	—	.02	12
13	.02	—	—	—	trace	—	.34	.11	Trace	.15	.04	—	13
14	trace	—	—	—	—	—	.03	.09	—	.37	.48	—	14
15	.67	—	.35	—	—	—	.17	.27	—	.09	—	—	15
16	—	—	.89	—	—	.04	trace	.01	.02	.03	—	—	16
17	.01	.13	.28	—	—	.07	trace	.05	.16	—	trace	—	17
18	.14	trace	.17	—	—	.06	—	—	Trace	—	.02	—	18
19	—	.01	.13	—	—	trace	—	.06	.28	—	.21	.07	19
20	—	.06	.02	—	—	.03	—	—	.06	—	—	trace	20
21	—	.02	—	—	.03	.09	—	.19	Trace	.10	.01	—	21
22	—	—	—	—	—	trace	—	.15	.13	.17	—	.12	22
23	—	.19	—	.43	—	.22	—	—	.12	—	—	—	23
24	—	.205	—	.24	—	.02	—	—	.05	—	—	—	24
25	—	.59	—	.33	—	—	—	—	.04	—	—	—	25
26	—	.58	—	.12	.20	—	—	—	—	trace	—	.01	26
27	—	trace	—	trace	.13	—	.06	—	—	.18	trace	.61	27
28	.01	—	—	.42	trace	—	.40	—	Trace	trace	—	.01	28
29	.16	X	—	trace	—	—	.03	—	.01	—	—	.01	29
30	.05	X	.13	—	—	—	.02	—	.02	—	—	.04	30
31	.18	X	.03	X	—	X	—	—	X	trace	X	—	31
TOTAL	2.77	4.57	3.59	1.63	1.13	1.07	1.92	1.14	1.61	1.81	.82	1.17	YEAR'S TOTAL
*Days with .01 in. or more.	17	13	15	6	12	8	11	9	11	13	7	10	132
*Days with .04 in. or more.	12	9	11	6	8	6	8	8	8	10	4	4	94

40-9999

*See Instruction 2 (f) on other side.

(Signed)

E. Percy Snyden

P.T.O.

Section

for the entry of Daily Observations.

Station No. 1616

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934. 7a N. 15369/30

Kept at Uplands, Wimbome

in the County of Dorset

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....ft. 10 in.

Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
1	in. .01	in. —	in. —	in. —	in. —	in. Trace	in. —	in. .62	in. Trace	in. .03	in. .03	in. .80	†	1
2	.17	—	.10	—	.03	—	—	Trace	.91	.17	.01	.28		2
3	.04	.01	—	Trace	—	—	—	.05	.01	.45	—	.26		3
4	.09	—	.12	—	.20	—	—	—	—	.05	Trace	.33		4
5	Trace	—	.03	—	.01	—	—	.79	—	.02	.02	.46		5
6	.04	—	.39	.01	.16	—	—	.01	—	.32	.25	.72		6
7	.05	—	—	.01	—	.01	—	.19	—	.11	—	.46		7
8	—	—	—	—	.22	—	—	.01	.03	—	.76	.10		8
9	.03	—	.15	—	—	—	—	—	.01	—	.80	.47		9
10	.18	—	.34	.33	—	—	—	.01	—	—	.40	.12		10
11	.62	—	.60	.24	—	—	.06	.46	—	—	—	.45		11
12	.03	—	Trace	—	—	—	.08	.16	—	—	—	.32		12
13	.38	—	.03	.19	—	—	.06	—	—	—	.15	.16		13
14	.05	—	.39	Trace	—	—	—	—	—	.07	.04	.72		14
15	.03	—	.01	—	.10	—	—	—	—	.07	.10	.37		15
16	.19	—	.45	—	.01	—	—	—	—	—	—	.15		16
17	.08	—	—	.29	.02	—	—	—	.07	.06	—	.44		17
18	.08	—	.26	.04	—	—	—	—	.07	—	—	.45		18
19	—	—	.17	.01	—	.02	—	.04	.12	—	—	.09		19
20	—	—	.08	.14	—	—	—	—	Trace	.02	—	—		20
21	—	—	.05	.08	—	.15	—	.05	.01	.19	—	.06		21
22	—	—	.01	—	—	—	.08	.40	.22	.05	—	.21		22
23	—	.02	—	.27	—	.82	—	.09	.09	.01	—	.02		23
24	—	.01	.05	.16	—	.02	—	—	.21	—	—	.01		24
25	.40	—	—	.09	—	—	—	—	—	.09	—	.99		25
26	.01	—	—	.20	—	.29	—	—	.15	—	.03	.28		26
27	Trace	—	—	Trace	—	.05	—	—	—	.02	—	.46		27
28	—	—	—	—	—	.06	—	.61	.01	Trace	—	.58		28
29	—	—	—	—	—	—	—	.09	.24	.01	.02	.03		29
30	.08	X	—	—	—	—	.05	.06	.17	—	.01	.25		30
31	—	X	—	X	—	X	—	.18	X	—	X	.03		31
TOTAL	2.53	.04	3.23	2.06	0.75	1.42	.33	3.82	2.32	1.74	2.62	10.07	Year's Total	30.93
*Days with .01 in. or more.	19	3	17	14	8	8	5	17	15	17	13	30		166
*Days with .04 in. or more.	14	0	13	11	4	5	5	14	10	11	7	26		120

† Spare column, no entries required

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1616

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935. File No. 15369/30

Kept at Uplands, Wimborne
in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	—	.32	—	.02	.14	.24	—	.09	.13	.16	.24		1
2	—	—	Trace	—	—	.02	—	—	—	.40	.02	.01		2
3	Trace	—	.08	—	Trace	.06	—	—	.09	1.70	.22	—		3
4	.02	.19	—	.17	—	.08	—	—	.08	.29	.13	.20		4
5	—	.26	.06	.07	—	.06	—	—	.15	.05	.04	.03		5
6	—	—	Trace	.26	—	1.54	—	—	—	.01	.12	.01		6
7	—	—	—	.30	—	Trace	—	—	—	.24	.45	.15		7
8	—	—	Trace	.36	—	—	Trace	Trace	.15	.29	.82	.06		8
9	.25	—	—	.44	—	.87	—	—	.04	.89	.72	—		9
10	.04	—	.31	.06	—	.07	—	—	—	—	.06	Trace		10
11	.20	—	.06	.01	—	.23	—	—	Trace	—	.68	—		11
12	.07	.04	—	—	—	.30	—	Trace	.08	—	.46	—		12
13	.09	.13	—	.26	.02	.20	—	—	.01	Trace	.08	—		13
14	—	.05	—	.17	.01	.10	—	—	.10	.02	.52	.34		14
15	—	.13	—	.62	.31	.06	—	—	.16	.03	.32	Trace		15
16	—	.02	.09	.07	—	.01	—	—	.39	Trace	2.02	—		16
17	—	—	—	.03	.07	.30	Trace	.05	Trace	Trace	.11	—		17
18	—	.01	—	.28	—	.03	.38	Trace	.40	.03	.01	Trace		18
19	—	.01	—	.07	.25	.04	.21	—	.15	.02	.42	—		19
20	—	.52	—	.09	.13	.03	.02	—	.01	—	.60	—		20
21	—	.65	—	.05	—	Trace	Trace	—	Trace	.01	Trace	—		21
22	—	.06	.02	Trace	—	—	—	.17	.04	—	—	—		22
23	—	.03	.08	.01	.02	—	—	.43	.02	.46	—	.27		23
24	.03	.66	.01	—	.16	—	—	1.16	.52	.25	—	.27		24
25	.14	.05	—	.10	Trace	.09	—	—	—	—	—	.55		25
26	—	.41	—	—	Trace	Trace	—	.20	.05	—	Trace	.87		26
27	—	.28	—	—	—	—	—	.02	.10	—	.04	.84		27
28	—	.02	—	—	.02	—	—	.29	.27	—	—	.10		28
29	—	X	—	—	.09	—	—	.01	.30	.04	.01	.56		29
30	—	X	—	.09	Trace	Trace	—	1.12	Trace	.26	.47	.59		30
31	—	X	—	X	—	X	—	.01	X	1.15	X	.35		31
TOTAL	.85	3.52	1.03	3.51	1.10	4.23	.85	3.46	3.20	6.27	8.48	5.44	Year's Total.	41.94
* Days with .01 in. or more.	9	18	9	20	11	19	4	10	21	19	23	17		180
* Days with .04 in. or more.	6	13	7	17	6	4	3	7	18	13	20	14		128

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No.

1616

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936 File No 15369/30

Kept at Uplands, Wimborne
in the County of DorsetDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
Ground Sea Level ft.

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	.07	—	.39	—	.07	.11	Trace	—	—	.06	.02		1
2	.04	.01	—	.01	—	.11	.08	.03	Trace	—	.04	—		2
3	—	—	—	.42	—	—	.07	—	.56	—	.61	—		3
4	Trace	—	.16	—	—	Trace	Trace	—	.23	—	.11	.04		4
5	.38	—	.05	—	.11	—	—	.01	.23	—	—	.07		5
6	.32	—	.01	—	—	.02	Trace	.03	.22	—	.44	.06		6
7	.04	—	.16	—	—	—	.30	—	.01	Trace	.31	.03		7
8	.49	—	.33	—	—	—	.31	—	Trace	—	.35	—		8
9	.46	—	.22	—	—	—	.29	—	.31	—	—	—		9
10	.22	.17	—	—	—	—	.18	—	.01	—	.09	—		10
11	.27	.18	—	—	—	.06	.17	.01	.13	—	.11	—		11
12	.01	—	—	.12	.13	.37	.33	.04	.16	—	.10	—		12
13	.02	—	—	Trace	—	.02	.23	—	Trace	.05	.09	.69		13
14	—	.07	—	—	—	.01	.57	—	.02	.01	—	.45		14
15	—	.06	—	—	Trace	—	Trace	—	.01	—	.02	.42		15
16	.14	.26	—	—	.10	—	.08	—	Trace	—	.05	.08		16
17	Trace	.80	—	—	Trace	—	.07	—	.01	.03	.02	.59		17
18	.10	.15	—	—	—	.31	.37	—	—	.08	—	.24		18
19	.45	.04	.01	.07	—	.14	.03	.07	—	Trace	—	—		19
20	.20	.23	.32	.13	—	.12	.01	—	.79	—	—	Trace		20
21	.01	.36	.01	.44	—	.05	.11	—	.01	—	—	—		21
22	.16	.40	.49	—	.05	—	.21	—	—	.04	—	.07		22
23	.08	—	.21	.16	.02	—	.30	—	—	.12	—	—		23
24	.31	.07	.04	Trace	.10	—	Trace	—	.03	.30	—	—		24
25	.11	—	.41	.15	—	—	—	—	.04	.18	—	—		25
26	.25	.16	.21	.01	—	.60	—	—	.02	.04	—	—		26
27	.35	.17	.11	Trace	—	—	.24	—	.09	.09	—	Trace		27
28	.92	—	.60	—	—	—	.11	—	—	—	—	.26		28
29	.02	.01	.06	—	—	Trace	.07	—	—	.05	.06	.02		29
30	.14	X	Trace	—	—	11	Trace	—	—	.30	—	—		30
31	.10	X	.50	X	.12	X	.24	—	X	.34	X	.68		31
TOTAL	5.69	3.21	3.90	1.90	0.63	1.99	4.48	.19	2.88	1.63	3.46	3.72	Year's Total.	
* Days with .01 in. or more.	26	17	18	10	7	13	23	6	18	13	15	15	3368	✓
* Days with .04 in. or more.	22	15	15	8	6	10	21	2	10	11	13	10	181	✓
													143	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Susan S. Sugden X E. P. Sugden Eng. P.T.O.

Kept at Fields Oak
in the County of Don

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
,, Ground ,, Sea L

1617
BLANKFORD, FIELDS OAK
1931—36

THE MORNING MEASUREMENT

780305 DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	.13.	.	.11.	.	.	.05	-	.16.	.02.	-	-	I
2	.33	.06	-	.43.	.	.	-	-	.60.	-	.02.	.33.	2
3	.03	-	.86.	.	.	.	.01	-	.22.	.	1.55.	.34.	3
4	-	-	.04.	.	.03.	.06.	.62.	.12.	.06	.01.	.14.	-	4
5	-	.16.	.	.16.	.	.31.	.39.	.48.	-	-	.17.	.26.	5
6	-	.14.	.	.10.	.08.	.12.	.29.	.01.	-	.29.	.20.	.13.	6
7	-	.	.	.	.34.	.17.	.10.	.58.	-	.11.	.42.	.10.	7
8	.03	.23.	.	.17.	.31.	.26.	.02.	.01.	-	-	.20.	.08.	8
9	-	.30	.	.01.	.	.07.	.03.	.01.	-	-	.71.	-	9
10	-	-	.	.	.02.	.16.	.04.	-	.07.	-	.53.	-	10
11	.10	.46.	.	.	.	.03.	.01.	-	.01.	-	.07	-	11
12	-	.01.	.	.	.	.	.28.	-	.03.	.03.	-	-	12
13	-	.	.	.	.	.	.09	.06.	-	-	-	-	13
14	-	.11.	.02.	.	.	.57.	1.29.	.15.	-	-	.08	-	14
15	-	.08.	-	.03.	.26.	.	-	.26	-	-	-	.04.	15
16	-	.	.	.13.	.16.	.43.	.01.	.	.09.	-	-	-	16
17	-	.05.	.	.03.	.	.10.	.20.	-	.08.	-	-	-	17
18	.06.	-	.01.	.11.	.	.16.	.02.	1.70.	-	-	.49.	-	18
19	-	-	-	.05.	.	.53.	.11.	.07.	.02	-	.03.	-	19
20	-	.10.	.22.	.	.	-	-	.33.	-	.01.	-	.02.	20
21	.11.	.	.	.	.44.	.	-	-	-	-	-	.13	21
22	.53.	.02.	.08.	.03.	.	.	-	.02.	-	-	-	-	22
23	.32.	-	.	.14.	.71.	.	-	.10.	-	-	.53.	-	23
24	.70.	.	.	.53.	.17.	.40.	.48.	.64.	-	-	.02.	-	24
25	.11.	-	-	.28.	.08.	.	.48.	-	-	-	.24.	-	25
26	-	.01.	-	.26.	.	.	.37.	-	-	-	.25.	-	26
27	.15.	.35.	-	.02.	1.01.	.	.88	-	-	-	-	-	27
28	.04.	.06.	.	.	.10.	.	-	-	-	-	-	-	28
29	.18.	X	.05	.	.03.	-	.10.	.02	-	.07.	.10.	-	29
30	-	X	-	.	.02.	.	.02.	.13.	-	-	.02.	-	30
31	.49.	X	-	X	.06.	X	.02.	-	X	-	X	.07.	31
TOTAL	2.58.	2.27	1.28.	2.59.	3.82.	3.37.	5.91.	4.69.	1.34.	0.54.	5.77	1.50	YEAR'S TOTAL 35.66.
*Days with 0.1 in. or more.	14.	16.	7.	17.	16.	14.	24.	17.	10.	7.	19.	10.	171.
*Days with 0.4 in. or more.	12.	13.	5.	12.	12.	13.	16.	12.	7.	3.	15.	9.	129.

Section

A

for the entry of daily observations.

1617
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Fields Oak, Blunston

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 3/4 in.

„ Ground „ Sea Level — ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.13.	.	.11.	.	.	.05	-	.16.	.02.	-	-	1
2	.33	.06.	-	.43.	.	.	-	-	.60.	-	.02.	.33.	2
3	.03	-	.86.	.	.	.	.01	-	.22.	.	<u>1.55.</u>	.34.	3
4	-	-	.04.	-	.03.	.06.	.62.	.12.	.06	.01.	.14.	-	4
5	-	.16.	.	.16.	.	.31.	.39.	.48.	-	-	.17.	.26.	5
6	-	.14.	.	.10.	.08.	.12.	.29.	.01.	-	.29.	.20.	.13.	6
7	-	-	.	-	.34.	.17.	.10.	.58.	-	.11.	.42.	.10.	7
8	<u>Snow</u> .03	.23.	.	.17.	.31.	.26.	.02.	.01.	-	-	.20.	.08.	8
9	-	.30	.	.01.	.	.07.	.03.	.01.	-	-	.71.	-	9
10	-	-	.	-	.02.	.16.	.04.	-	.07.	-	.53.	-	10
11	.10	.46.	.	.	.	.03.	.01.	-	.01.	-	.07	-	11
12	-	.01	.	.	.	.	.28.	-	.03.	.03.	-	-	12
13	-	-	.	.	.	.	.09	.06.	-	-	-	-	13
14	-	.11.	.02.	.	.	.57.	<u>1.29.</u>	.15.	-	-	.08	-	14
15	-	.08.	-	.03.	.26.	.	-	.26	-	-	-	.04.	15
16	-	-	-	.13.	.16.	.43.	.01.	-	.09.	-	-	-	16
17	-	.05.	.	.03.	.	.10.	.20.	-	.08.	-	-	-	17
18	.06.	-	.01.	.11.	.	.16.	.02.	<u>1.70.</u>	-	-	.49.	-	18
19	-	-	-	.05.	.	.53.	.11.	.07.	.02	-	.03.	-	19
20	-	.10.	.22.	.	.	-	-	.33.	-	.01.	-	.02.	20
21	.11.	-	.	-	.44.	.	-	-	-	-	-	.13	21
22	.53.	.02.	.08.	.03.	.	.	-	.02.	-	-	-	-	22
23	.32.	-	.	.14.	.71.	.	-	.10.	-	-	.53.	-	23
24	.10.	-	-	.53.	.17.	.40.	.48.	.64.	-	-	.02.	-	24
25	.11.	-	-	.28.	.08.	.	.48.	-	-	-	.24.	-	25
26	-	.01.	-	.26.	.	.	.37.	-	-	-	.25.	-	26
27	.15.	.35.	-	.02.	<u>1.01.</u>	.	.88	-	-	-	-	-	27
28	.04.	.06.	-	.	.10	.	-	-	-	-	-	-	28
29	.18.	X	.05	.	.03.	-	.10.	.02	-	.07.	.10.	-	29
30	-	X	-	.	.02.	.	.02.	.13.	-	-	.02.	-	30
31	.49.	X	-	X	.06.	X	.02.	-	X	-	X	.07.	31
TOTAL	2.58.	2.27	1.28.	2.59.	3.82.	3.37.	5.91.	4.69.	1.34.	0.54.	5.77	1.50	YEAR'S TOTAL 35.66.
*Days with or more.	14.	16.	7.	17.	16.	14.	24.	17.	10.	7.	19.	10.	171.
*Days with or more.	12.	13.	5.	12.	12.	13.	16.	12.	7.	3.	15.	9.	129.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *Field's oak. Blunford.*
in the County of *Dorset.*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0 3/4* in.
Ground Sea Level ft.

Station no. *1617.*
File no. *675019/26.*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

41.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.15.</i>	<i>.02.</i>	<i>-</i>	<i>.18.</i>	<i>.52.</i>	<i>.01.</i>	<i>-</i>	<i>.08.</i>	<i>.01.</i>	<i>.02.</i>	<i>.01.</i>	<i>-</i>	1
2	<i>-</i>	<i>-</i>	<i>-</i>	<i>.15.</i>	<i>.30.</i>	<i>.05.</i>	<i>.06.</i>	<i>.01.</i>	<i>.09.</i>	<i>.01.</i>	<i>-</i>	<i>.47.</i>	2
3	<i>-</i>	<i>-</i>	<i>-</i>	<i>.03.</i>	<i>-</i>	<i>.36.</i>	<i>-</i>	<i>-</i>	<i>.44.</i>	<i>.08.</i>	<i>-</i>	<i>.02.</i>	3
4	<i>.02.</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.27.</i>	<i>.01.</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.25.</i>	<i>-</i>	4
5	<i>.53.</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.15.</i>	<i>-</i>	<i>-</i>	<i>-</i>	5
6	<i>.50.</i>	<i>-</i>	<i>-</i>	<i>.23.</i>	<i>.01.</i>	<i>-</i>	<i>.01.</i>	<i>-</i>	<i>.25.</i>	<i>-</i>	<i>-</i>	<i>-</i>	6
7	<i>-</i>	<i>-</i>	<i>.03.</i>	<i>.07.</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.23.</i>	<i>.54.</i>	<i>-</i>	<i>-</i>	7
8	<i>-</i>	<i>-</i>	<i>.38.</i>	<i>.04.</i>	<i>.12.</i>	<i>-</i>	<i>.01.</i>	<i>-</i>	<i>.49.</i>	<i>.35.</i>	<i>-</i>	<i>-</i>	8
9	<i>.55.</i>	<i>-</i>	<i>-</i>	<i>.22.</i>	<i>.03.</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.07.</i>	<i>-</i>	<i>.04.</i>	<i>-</i>	9
10	<i>.40.</i>	<i>.02.</i>	<i>.02.</i>	<i>.35.</i>	<i>.04.</i>	<i>.04.</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.26.</i>	<i>.04.</i>	<i>-</i>	10
11	<i>-</i>	<i>-</i>	<i>-</i>	<i>.04.</i>	<i>-</i>	<i>-</i>	<i>.39.</i>	<i>.01.</i>	<i>.01.</i>	<i>.01.</i>	<i>-</i>	<i>.08.</i>	11
12	<i>.77.</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.17.</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.06.</i>	<i>.15.</i>	<i>-</i>	<i>.01.</i>	12
13	<i>.01.</i>	<i>-</i>	<i>-</i>	<i>.20.</i>	<i>.08.</i>	<i>-</i>	<i>.24.</i>	<i>-</i>	<i>-</i>	<i>.76.</i>	<i>.02.</i>	<i>-</i>	13
14	<i>.14.</i>	<i>-</i>	<i>-</i>	<i>.25.</i>	<i>.04.</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.01.</i>	<i>.03.</i>	<i>.02.</i>	14
15	<i>.07.</i>	<i>-</i>	<i>-</i>	<i>.02.</i>	<i>.28.</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.06.</i>	<i>.01.</i>	<i>.04.</i>	15
16	<i>.26.</i>	<i>-</i>	<i>-</i>	<i>.18.</i>	<i>-</i>	<i>-</i>	<i>.70.</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.01.</i>	16
17	<i>.03.</i>	<i>-</i>	<i>-</i>	<i>.04.</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.05.</i>	<i>-</i>	<i>-</i>	17
18	<i>.01.</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.27.</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.21.</i>	<i>-</i>	<i>.17.</i>	<i>-</i>	18
19	<i>.02.</i>	<i>-</i>	<i>-</i>	<i>.01.</i>	<i>.03.</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.03.</i>	<i>.36.</i>	<i>-</i>	<i>-</i>	19
20	<i>-</i>	<i>-</i>	<i>-</i>	<i>.07.</i>	<i>.43.</i>	<i>-</i>	<i>.02.</i>	<i>.27.</i>	<i>.02.</i>	<i>.79.</i>	<i>.33.</i>	<i>.03.</i>	20
21	<i>.03.</i>	<i>-</i>	<i>.15.</i>	<i>.11.</i>	<i>.15.</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.02.</i>	<i>.30.</i>	<i>.03.</i>	<i>.13.</i>	21
22	<i>-</i>	<i>-</i>	<i>.04.</i>	<i>-</i>	<i>.08.</i>	<i>-</i>	<i>.10.</i>	<i>.03.</i>	<i>.48.</i>	<i>.32.</i>	<i>.45.</i>	<i>-</i>	22
23	<i>.01.</i>	<i>.01.</i>	<i>-</i>	<i>-</i>	<i>.05.</i>	<i>-</i>	<i>.26.</i>	<i>-</i>	<i>.05.</i>	<i>.68.</i>	<i>.13.</i>	<i>.08.</i>	23
24	<i>-</i>	<i>.04.</i>	<i>-</i>	<i>-</i>	<i>.09.</i>	<i>-</i>	<i>.45.</i>	<i>-</i>	<i>.14.</i>	<i>.07.</i>	<i>.01.</i>	<i>.01.</i>	24
25	<i>-</i>	<i>-</i>	<i>-</i>	<i>.10.</i>	<i>-</i>	<i>-</i>	<i>.15.</i>	<i>-</i>	<i>.02.</i>	<i>.47.</i>	<i>.08.</i>	<i>-</i>	25
26	<i>-</i>	<i>-</i>	<i>.17.</i>	<i>.02.</i>	<i>-</i>	<i>-</i>	<i>.07.</i>	<i>-</i>	<i>-</i>	<i>.07.</i>	<i>-</i>	<i>-</i>	26
27	<i>-</i>	<i>-</i>	<i>.52.</i>	<i>.60.</i>	<i>.22.</i>	<i>.05.</i>	<i>.10.</i>	<i>-</i>	<i>-</i>	<i>.47.</i>	<i>-</i>	<i>.08.</i>	27
28	<i>-</i>	<i>-</i>	<i>.02.</i>	<i>.10.</i>	<i>.05.</i>	<i>.04.</i>	<i>.20.</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.01.</i>	28
29	<i>-</i>	<i>-</i>	<i>.48.</i>	<i>.07.</i>	<i>1.75.</i>	<i>.40.</i>	<i>.01.</i>	<i>.35.</i>	<i>.79.</i>	<i>.44.</i>	<i>.25.</i>	<i>.14.</i>	29
30	<i>-</i>	<i>X</i>	<i>.05.</i>	<i>.20.</i>	<i>.01.</i>	<i>1.64.</i>	<i>.12.</i>	<i>.02.</i>	<i>.70.</i>	<i>-</i>	<i>.83.</i>	<i>.34.</i>	30
31	<i>-</i>	<i>X</i>	<i>.08.</i>	<i>X</i>	<i>-</i>	<i>X</i>	<i>.02.</i>	<i>-</i>	<i>X</i>	<i>.01.</i>	<i>X</i>	<i>.31.</i>	31
TOTAL	<i>3.50.</i>	<i>0.09.</i>	<i>1.94.</i>	<i>3.28.</i>	<i>4.72.</i>	<i>2.86.</i>	<i>2.92.</i>	<i>0.77.</i>	<i>4.26.</i>	<i>6.28.</i>	<i>2.68.</i>	<i>1.78.</i>	YEAR'S TOTAL <i>35.08.</i>
*Days with or in. or more.	<i>16.</i>	<i>4.</i>	<i>11.</i>	<i>23.</i>	<i>21.</i>	<i>9.</i>	<i>18.</i>	<i>7.</i>	<i>20.</i>	<i>23.</i>	<i>16.</i>	<i>16.</i>	<i>184.</i>
*Days with .04 in. or more.	<i>9.</i>	<i>1.</i>	<i>8.</i>	<i>19.</i>	<i>17.</i>	<i>8.</i>	<i>12.</i>	<i>3.</i>	<i>14.</i>	<i>18.</i>	<i>10.</i>	<i>9.</i>	<i>128.</i>

X *LT Col. J. L. W. Woodhouse* (Signed)

Section

A

for the entry of Daily Observations.

Station No.

1617

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Field's Oak - Blunford
in the County of Drum.

Station No. 1617.
File No. 675019/26.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 3/4 in.
Ground Sea Level - ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.41.	.47.	.12.	.03.	.03.	-	.01.	-	-	-	-	.21.	1
2	.76.	-	.72.	-	.20.	.02.	-	-	-	-	-	-	2
3	.06.	.10.	.42.	-	.14.	-	-	-	-	-	-	-	3
4	.15.	.03.	.01.	-	.14.	-	-	-	-	-	-	-	4
5	.12.	.01.	.48.	-	.12.	-	-	-	-	-	-	-	5
6	-	.32.	-	-	.13.	-	-	-	-	.20.	-	-	6
7	.05.	.03.	.01.	-	.08.	-	.01.	-	-	.17.	-	-	7
8	-	.01.	.03.	-	.03.	-	.45.	-	-	.01.	-	-	8
9	-	-	-	-	.03.	-	.30.	-	-	.19.	.05.	-	9
10	.02.	.11.	-	-	-	-	.12.	-	-	.39.	.03.	-	10
11	.26.	-	-	-	-	.51.	.09.	.20.	.01.	.01.	-	-	11
12	-	-	-	.06.	.02.	-	.08.	-	1.04.	-	-	.09.	12 <i>show.</i>
13	.03.	-	-	-	-	.13.	.35.	.10.	-	.23.	.03.	-	13
14	.01.	-	-	-	-	-	.12.	.04.	-	.43.	.41.	-	14
15	.78.	-	.34.	-	-	.03.	.16.	.11.	-	.08.	-	-	15
16	-	-	1.17.	-	-	.04.	-	-	.05.	.09.	.03.	-	16
17	-	.12.	.48.	-	-	.15.	-	.04.	.13.	-	.02.	-	17
18	.08.	-	.28.	-	-	.12.	-	-	-	-	-	-	18
19	-	-	.12.	-	-	-	-	.04.	.36.	-	.21.	.04.	19
20	-	.07.	.02.	.03.	-	.30.	-	-	.38.	-	.01.	-	20
21	-	.11.	-	-	.02.	.01.	-	.35.	.01.	.05.	-	-	21
22	-	-	-	-	-	-	-	.26.	.15.	.07.	-	-	22
23	-	.07.	-	.42.	-	.26.	-	-	.21.	.17.	.02.	-	23
24	-	2.57.	-	.21.	-	.07.	-	-	.07.	.01.	-	-	24
25	-	.48.	-	.36.	-	.03.	-	-	.08.	.02.	-	.09.	25
26	-	.58.	-	.10.	.05.	-	-	-	.02.	-	-	.01.	26
27	-	-	-	-	.23.	-	.03.	-	.01.	.26.	-	.57.	27
28	-	-	-	.31.	-	-	.28.	-	-	-	-	.01.	28
29	.13.	X	.01.	.01.	-	-	.02.	-	-	-	-	-	29
30	.01.	X	.13.	-	-	-	.05.	-	.04.	-	.03.	.04.	30
31	.23.	X	.02.	X	-	X	-	-	X	.06.	X	-	31
TOTAL	3.10.	5.08	4.36	1.53	1.22	1.67	2.07	1.14	2.56	2.44	0.84	1.06	27.07
*Days with .01 in. or more.	15.	15.	16.	9.	13.	12.	14.	8.	14.	17.	10	8	151.
*Days with .04 in. or more.	11	11.	10	6.	8.	8.	10.	8.	10.	13.	3	6	104.

Section

A

for the entry of Daily Observations.

Station No.

1614

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Fields Oak, Blandford*
in the County of *Dorsetshire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft *0* in.

,, Ground ,, Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	-												1
2	.24	-												2
3	.04	-												3
4	.09	-												4
5	-	<i>Removed to West Lodge Blandford</i>												5
6	.10													6
7	.04			<i>not continuation</i>										7
8	-													8
9	.04													9
10	.25													10
11	.68													11
12	-													12
13	.44													13
14	.04													14
15	.05													15
16	.19													16
17	.10													17
18	.21													18
19	-													19
20	-													20
21	-													21
22	-													22
23	-													23
24	-													24
25	.34													25
26	.01													26
27	-													27
28	-													28
29	-													29
30	.03	X												30
31	-	X		X		X			X		X			31
TOTAL	3.04												Year's Total	
*Days with .01 in. or more.	18													
*Days with .04 in. or more.	15													

MID-WESSEX
 RAINFALL
 ASSOCIATION

C-1618?
 1617

Month of: January 1940.

Observer's Name and Address:

Brigadier H.S. Woodhouse

West Lodge

Blandford.

District: 4 Number: 8

NOTE: Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

No. of Rain Days

Total Rainfall for Month

7

2.96 ins.

Greatest Fall in
24 Hours

Total for Year
to date

Inches

Date

Inches

Date

1.14

28th

2.96.

Signature:

H.S. Woodhouse

1 ..

2 ..

3 ..

4 ..

5 ..

6 ..

7 .13.

8 ..

9 ..

10 ..

11 ..

12 ..

13 ..

14 ..

15 ..

16 ..

17 ..

18 ..

19 ..

20 ..

21 ..

22 ..

23 ..

24 ..

25 ..

26 1.10.

27 .17.

28 1.14.

29 .20.

30 .18

31 .04

2.96.

Observer's Notes :

Rainfall 4 26/28. frogs on falling.

MID-WESSEX RAINFALL ASSOCIATION

Month of: February 1940.

Observer's Name and Address:

Col. H.S. Woodhouse

West Lodge

Blandford

District: 4 Number: 8

NOTE: Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

No. of Rain Days

Total Rainfall for Month

17.

3.91.

Greatest Fall in
24 Hours

Total for Year
to date

Inches

Date

Inches

Date

0.80

26th

6.87

Jan/74.

Signature:

H.S. Woodhouse

1	.
2	.23.
3	.62.
4	.04.
5	.02
6	.59.
7	.
8	.
9	.
10	.04.
11	.
12	.
13	.03.
14	.
15	.02.
16	.05.
17	.42.
18	.08.
19	.10.
20	.
21	.
22	.05.
23	.
24	.
25	.
26	.80.
27	.38.
28	.03.
29	.41.
30	X
31	X

Observer's Notes :

MID-WESSEX RAINFALL ASSOCIATION

Month of: March. 1940.

Observer's Name and Address:

Col. H. S. Woodhouse
West Lodge.
Blandford.

District: 4 Number: 8

NOTE: Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

No. of Rain Days

Total Rainfall for Month

13

2.73.

Greatest Fall in
24 Hours

Total for Year
to date.

Inches

Date

Inches

Date

0.62

16^a

9.60

37.

Signature:

H. S. Woodhouse

1	.10.
2	.
3	.
4	.
5	.
6	.
7	.
8	.
9	.
10	.
11	.
12	.05.
13	.23.
14	.04.
15	.22.
16	.62.
17	.48.
18	.24.
19	.14.
20	.
21	.
22	.
23	.
24	.27.
25	.02.
26	.
27	.20.
28	.14.
29	.
30	.
31	.

Observer's Notes :

MID-WESSEX RAINFALL ASSOCIATION

Month of:

January 1939

Observer's Name and Address:

Col. H.S. Woodhouse

West Lodge

Blandford.

District:

4

Number:

8

NOTE: Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

Greatest Fall in
24 Hours

Total for Year
to date

Inches

Date

Inches

No. of
Rain Days

0.95

14th

6.57

19

Number of
Rain days

19

TOTAL

6.57

1	.
2	.
3	.55.
4	.02.
5	.
6	.70.
7	.02.
8	.
9	.03.
10	.34.
11	.
12	.
13	.01
14	.95.
15	.51.
16	.23
17	.49.
18	.28
19	.28.
20	.42
21	.07.
22	.59.
23	.
24	.40.
25	.62.
26	.06.
27	.
28	.
29	.
30	.
31	.

Observer's Notes :

Heavy snow July 24/26. about a foot.

Signed :

MID-WESSEX RAINFALL ASSOCIATION

Month of:

February 1939

Observer's Name and Address:

Col. H. S. Woodhouse

West Lodge

Blandford

District:

4

Number:

8

NOTE: Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

Greatest Fall in
24 Hours

Total for Year
to date

Inches

Date

Inches

No. of
Rain Days

0.43

7th

8.80

31.

Number of
Rain days

12

TOTAL

1	..
2	..
3	..
4	..
5	.02
6	..
7	.43
8	.29
9	.08
10	.01
11	..
12	..
13	..
14	..
15	..
16	..
17	.06
18	.03
19	..
20	..
21	.28
22	.88
23	..
24	..
25	.12
26	..
27	.29
28	.24
29	X
30	X
31	X
2.23	

Observer's Notes :

Signed :

MID-WESSEX RAINFALL ASSOCIATION

Month of:

March

1939

Observer's Name and Address:

Col. H. S. Woodhouse

West Lodge

Blandford

District:

4

NOTE: Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

Number:

8

Greatest Fall in
24 Hours

Total for Year
to date

Inches

Date

Inches

No. of
Rain Days

0.49

4th

10.73

50.

Number of
Rain days

19.

TOTAL

1	.17.
2	.01.
3	.03.
4	.49.
5	.02.
6	.09.
7	.
8	.19.
9	.04.
10	.07.
11	.24.
12	.02.
13	.
14	.
15	.
16	.
17	.
18	.05.
19	.
20	.
21	.08.
22	.04.
23	.11.
24	.11.
25	.03.
26	.
27	.11.
28	.03.
29	.
30	.
31	.
1.93	

Observer's Notes :

Signed :

MID-WESSEX RAINFALL ASSOCIATION

Month of:

April

1939

Observer's Name and Address:

Col. H. S. Woodhouse

West Lodge

Blandford.

District:

4

Number:

8

NOTE: Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

Greatest Fall in
24 Hours

Total for Year
to date

Inches

Date

Inches

No. of
Rain Days

0.54

3rd.

13.27

67.

Number of
Rain days

17.

TOTAL

1	.17.
2	.17.
3	.54
4	.16.
5	.21.
6	..
7	..
8	..
9	..
10	..
11	..
12	.02.
13	.08.
14	.08.
15	.02.
16	.12.
17	..
18	..
19	..
20	..
21	..
22	.06.
23	.18.
24	.09.
25	..
26	.01.
27	.01.
28	..
29	.12.
30	.50
31	X

2.54.

Observer's Notes :

Signed :

MID-WESSEX RAINFALL ASSOCIATION

Month of :

May 1939.

Observer's Name and Address :

Col. H. S. Woodhouse
West Lodge
Blandford.

District : **4**

Number : **8**

NOTE : Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

Greatest Fall in
24 Hours

Total for Year
to date

Inches

Date

Inches

No. of
Rain Days

0.25

5th

14.12.

74.

Number of
Rain days

7

TOTAL

1	.08.
2	.
3	.
4	.16.
5	.25.
6	.
7	.
8	.
9	.
10	.
11	.
12	.
13	.
14	.10.
15	.15.
16	.01.
17	.06.
18	.
19	.
20	.
21	.
22	.
23	.
24	.
25	.
26	.
27	.
28	.
29	.
30	.
31	.
<i>0.82.</i>	

Observer's Notes :

Signed :

MID-WESSEX RAINFALL ASSOCIATION

Month of:

June

1939

Observer's Name and Address:

Col. H. S. Woodhouse
West Lodge
Blandford.

District:

4

NOTE: Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Number:

8

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

Greatest Fall in
24 Hours

Total for Year
to date

Inches

Date

Inches

No. of
Rain Days

1.02.

15th

16.56

87.

Number of
Rain days

13

TOTAL

1	.
2	.
3	.
4	.
5	.
6	.
7	<i>.04.</i>
8	.
9	.
10	.
11	.
12	<i>.03.</i>
13	.
14	.
15	<i>1.02</i>
16	<i>.06.</i>
17	<i>.02.</i>
18	<i>.13.</i>
19	.
20	<i>.10.</i>
21	<i>.12.</i>
22	<i>.13.</i>
23	<i>.03.</i>
24	<i>.57.</i>
25	.
26	.
27	.
28	<i>.04.</i>
29	.
30	<i>.15.</i>
31	<i>X</i>

2.44

Observer's Notes :

Signed :

MID-WESSEX RAINFALL ASSOCIATION

Month of :

July 1939

Observer's Name and Address :

*Col. H. S. Woodhouse
West Lodge
Blandford.*

District :

4

Number :

8

NOTE: Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

Greatest Fall in
24 Hours

Total for Year
to date

Inches

Date

Inches

No. of
Rain Days

0.95

6th

22.50

111.

Number of
Rain days

24.

TOTAL

1	.07.
2	.03.
3	.
4	.39.
5	.27.
6	.95.
7	.
8	.12.
9	.
10	.
11	.
12	.
13	.40.
14	.18.
15	.31.
16	.06.
17	.21.
18	.67.
19	.18.
20	.63.
21	.14.
22	.14.
23	.05.
24	.10.
25	.25.
26	.01.
27	.03.
28	.40.
29	.25.
30	.
31	.10.

5.94.

Observer's Notes :

Signed :

MID-WESSEX RAINFALL ASSOCIATION

Month of :

August 1939

Observer's Name and Address :

Brigadier H.S. Woodhouse

West Lodge

Blandford.

District :

4

NOTE: Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Number :

8

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

Greatest Fall in
24 Hours

Total for Year
to date

Inches

Date

Inches

No. of
Rain Days

2.62.

20th.

27.64

129.

Number of
Rain days

18

TOTAL

1	.14.
2	.47.
3	.12.
4	.35.
5	.13.
6	.14.
7	.02.
8	.23.
9	.06.
10	.26.
11	.
12	.
13	.
14	.
15	.
16	.
17	.
18	.
19	.14.
20	2.62.
21	.01.
22	.
23	.
24	.01.
25	.
26	.08.
27	.07.
28	.
29	.
30	.06.
31	.23.

5.14

Observer's Notes :

Very stormy thunderstorm August 20th.

Signed :

MID-WESSEX RAINFALL ASSOCIATION

Month of:

September 1939

Observer's Name and Address:

*Brigadier H. S. Woodhouse
West Lodge
Blandford.*

District:

4

Number:

8

NOTE: Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

Greatest Fall in
24 Hours

Total for Year
to date

Inches

Date

Inches

No. of
Rain Days

1.27

2nd

29.15

135

Number of
Rain days

6

TOTAL

1	.07
2	<u>1.27</u>
3	.
4	.
5	.
6	.
7	.
8	.
9	.08
10	.
11	.
12	.
13	.06
14	.
15	.01
16	.
17	.
18	.
19	.
20	.
21	.
22	.02
23	.
24	.
25	.
26	.
27	.
28	.
29	.
30	.
31	.

1.51

Observer's Notes :

Signed :

MID-WESSEX RAINFALL ASSOCIATION

Month of: 3rd Nov

October

1939

Observer's Name and Address:

Brigadier H. S. Woodhouse

West Lodge

Blandford

District:

4

NOTE: Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Number:

8

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

Greatest Fall in
24 Hours

Total for Year
to date

Inches

Date

Inches

No. of
Rain Days

1.72.

31st

35.10

156.

Number of
Rain days

21

TOTAL

1	.
2	.
3	.
4	.28.
5	.27.
6	.
7	.02.
8	.50.
9	.20.
10	.33.
11	.21.
12	1.23.
13	.28.
14	.15.
15	.
16	.19.
17	.02.
18	.
19	.
20	.
21	.
22	.02.
23	.03.
24	.02.
25	.
26	.33.
27	.01.
28	.01.
29	.02.
30	.11.
31	1.72.
5.95.	

Observer's Notes :

✓

Signed :

MID-WESSEX RAINFALL ASSOCIATION

Month of: 8/12/10.

November 1939

Observer's Name and Address:

Brigadier H. S. Woodhouse

West Lodge

Bluntdon. Dorset.

District:

4

Number:

8

NOTE: Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

Greatest Fall in
24 Hours

Total for Year
to date

Inches

Date

Inches

No. of
Rain Days

0.84

5th

42.73

183.

Number of
Rain days

27

TOTAL

1	.03
2	.20
3	.23
4	.18
5	.84
6	.58
7	.79
8	.52
9	.02
10	.02
11	.02
12	.07
13	.04
14	.39
15	.32
16	.33
17	.11
18	.24
19	.01
20	..
21	..
22	.26
23	.79
24	..
25	.44
26	.40
27	.13
28	.33
29	.12
30	.10
31	X

7.63

Observer's Notes :

Signed :

MID-WESSEX RAINFALL ASSOCIATION

Month of :

December 1939

Observer's Name and Address :

Brig Gen H. J. Woodham

West Lodge

Blanford.

District :

4

Number :

8

NOTE : Observations returned on this form should be made at 9 a.m. (Summer Time 10 a.m.) daily, and entered to the day preceding that on which the amount is measured.

Please use the back of this card for Notes and return in the envelope provided by the Second of the month.

Greatest Fall in
24 Hours

Total for Year
to date

Inches

Date

Inches

No. of
Rain Days

0.60

7th

45.13

197

Number of
Rain days

14.

TOTAL

1	.13
2	.10
3	.30
4	.14
5	.14
6	~~.14~~
7	~~.26~~ ~~.26~~
8	~~.26~~ ~~.26~~
9	.32
10	.02
11	.
12	.
13	.
14	.04
15	.
16	.
17	.
18	.
19	.16
20	.
21	.
22	.
23	.
24	.
25	.02
26	.01
27	.
28	.26
29	.
30	.
31	.

2.54

Observer's Notes :

Signed :

FORM 1090.

for the entry of
AIR MINISTERS

REGIS

Kept at
in the County of

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
 " Ground " Sea Level.....

THE MORNING MEASU

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

COPY FOR OFFICIAL USE.
FALL ORGANIZATION.

33/

DAY.

Jan. 1, following

04

*Days with or in. or more.	15	17	10	15	14	15	22	18	10	6	19	10	171
*Days with or in. or more.	13	12	5	12	11	13	17	13	8	4	14	8	130

40-9999

*See Instruction 2 (f) on other side.

(Signed)

~~P.T.O.~~

REGISTER OF RAINFALL IN 193/ .

Kept at Blandford
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level app 70 ft.

corr. for WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following
.07

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>.32</u>	<u>.49</u>				<u>.06</u>		<u>.12</u>					1
2		<u>x</u>		<u>15</u>			<u>.04</u>	<u>.02</u>	<u>.16</u>				2
3	<u>.35</u>	<u>.24</u>		<u>.46</u>			<u>.02</u>		<u>.68</u>		<u>.01</u>	<u>.27</u>	3
4	<u>.05</u>		<u>.76</u>					<u>.02</u>	<u>.18</u>		<u>1.50</u>	<u>.42</u>	4
5			<u>.12</u>		<u>.02</u>	<u>.09</u>	<u>.55</u>	<u>.10</u>	<u>.06</u>	<u>.03</u>	<u>.17</u>		5
6		<u>.19</u>		<u>.08</u>		<u>.27</u>	<u>.45</u>	<u>.43</u>	<u>.01</u>		<u>.18</u>	<u>.27</u>	6
7		<u>.15</u>		<u>.11</u>	<u>.09</u>		<u>.12</u>			<u>.30</u>	<u>.21</u>	<u>.14</u>	7
8					<u>.36</u>	<u>.10</u>	<u>.07</u>	<u>.60</u>		<u>.11</u>	<u>.38</u>	<u>.09</u>	8
9	<u>.02</u>	<u>.27</u>		<u>.18</u>	<u>.31</u>	<u>.15</u>	<u>.03</u>	<u>.02</u>			<u>.22</u>	<u>.07</u>	9
10		<u>.30</u>				<u>.25</u>	<u>.02</u>	<u>.01</u>			<u>.68</u>		10
11		<u>.01</u>			<u>.01</u>	<u>.05</u>	<u>.05</u>				<u>.56</u>		11
12	<u>.12</u>	<u>.45</u>				<u>.15</u>			<u>.05</u>		<u>.07</u>		12
13		<u>.02</u>				<u>.03</u>	<u>.30</u>		<u>.04</u>	<u>.05</u>			13
14			<u>.02</u>				<u>.11</u>	<u>.05</u>					14
15		<u>.11</u>	<u>.01</u>		<u>.02</u>	<u>.57</u>	<u>1.36</u>	<u>.13</u>			<u>.07</u>		15
16	<u>.01</u>	<u>.07</u>		<u>.03</u>				<u>.27</u>				<u>.02</u>	16
17		<u>.02</u>		<u>.12</u>	<u>.16</u>	<u>.45</u>			<u>.09</u>				17
18		<u>.24</u>		<u>.03</u>		<u>.07</u>	<u>.20</u>		<u>.07</u>				18
19	<u>.07</u>		<u>.02</u>	<u>.12</u>		<u>.16</u>	<u>.03</u>	<u>1.65</u>			<u>.49</u>		19
20	<u>.05</u>	<u>.01</u>	<u>.01</u>	<u>.06</u>		<u>.61</u>	<u>.12</u>	<u>.05</u>	<u>.02</u>		<u>.03</u>		20
21		<u>.10</u>	<u>.22</u>					<u>.34</u>				<u>.01</u>	21
22	<u>.13</u>				<u>.46</u>								22
23	<u>.48</u>	<u>.03</u>	<u>.07</u>	<u>.15</u>				<u>.02</u>			<u>.01</u>		23
24	<u>.28</u>				<u>.65</u>			<u>.08</u>			<u>.50</u>		24
25	<u>.11</u>			<u>.56</u>		<u>.41</u>	<u>.52</u>	<u>.49</u>			<u>.01</u>		25
26	<u>.13</u>			<u>.27</u>	<u>.07</u>	<u>.02</u>	<u>.46</u>						26
27				<u>.28</u>			<u>.41</u>				<u>.23</u>		27
28	<u>.16</u>	<u>.37</u>			<u>1.01</u>		<u>.83</u>						28
29			<u>.01</u>	<u>.03</u>	<u>.08</u>					<u>.02</u>	<u>.01</u>	<u>.12</u>	29
30	<u>.30</u>	<u>x</u>	<u>.04</u>		<u>.06</u>		<u>.10</u>	<u>.04</u>		<u>.08</u>	<u>.11</u>		30
31	<u>.49</u>	<u>x</u>		<u>x</u>	<u>.06</u>	<u>x</u>	<u>.02</u>	<u>.13</u>	<u>x</u>		<u>x</u>		31
TOTAL	<u>2.58</u>	<u>3.07</u>	<u>1.28</u>	<u>2.63</u>	<u>3.30</u>	<u>3.44</u>	<u>5.81</u>	<u>4.57</u>	<u>1.36</u>	<u>.59</u>	<u>5.44</u>	<u>1.48</u>	YEAR'S TOTAL
*Days with .01 in. or more.	<u>15</u>	<u>17</u>	<u>10</u>	<u>15</u>	<u>14</u>	<u>15</u>	<u>22</u>	<u>18</u>	<u>10</u>	<u>6</u>	<u>19</u>	<u>10</u>	<u>171</u>
*Days with .04 in. or more.	<u>13</u>	<u>12</u>	<u>5</u>	<u>12</u>	<u>11</u>	<u>13</u>	<u>17</u>	<u>13</u>	<u>8</u>	<u>4</u>	<u>14</u>	<u>8</u>	<u>130</u>

Section

A

for the entry of Daily Observations.

Station No.

1618

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Blandford
in the County of DorsetDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in.,, Ground ,, Sea Level 1170 152 ft.*former estimate erroneous*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

33

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04			.12	.20		1.72			.70		.77	1
2	.17			.16	.52	.01		.09	.02	.02	.02		2
3	.01			.15	.30	.03		.01	.04	.01			3
4			In.	.03	.01	.38	.07		.44	.08		.47	4
5	.01		In.			.25					.22		5
6	.59												6
7	.58			.20					.26				7
8			.02	.07					.21	.54			8
9			.40	.02	.13				.49	.35			9
10	.56		.02	.20	.04				.11		.05		10
11	.33			.34	.04	.05				.27	.04		11
12	.02			.04			.41			.01		.10	12
13	.70				.15				.07	.15	.02	.01	13
14	.04			.17	.07		.26			.80		.05	14 80
15	.10			.30	.10					.01	.04		15 04
16	.05			.02	.29					.05		.05	16
17	.27			.14			.68					.01	17
18	.02			.03	.28					.03			18
19	.02								.25		.17		19
20	.01			.01	.05				.03	.37			20
21			.14	.03	.39		.02	.26		.80	.30	.04	21
22			.04	.11	.21				.02	.29	.01	.13	22
23	.03	.02	In.	.04			.10	.07	.50	.39	.47		23
24	.01	.04			.06		.27		.04	.67	.14	.08	24
25					.09		.52		.14		.02		25
26				.11			.17		.02	.57	.08		26
27			.18	.01			.02			.08	.02		27
28			.45	.61	.24	.02	.12				.20	.09	28
29			.02	.10	.03	.01	.21						29
30		X	.37	.07	1.28	.39		.38	.83	.42		.17	30
31		X		X		X	.10		X		X	.32	31
TOTAL	3.56	.06	1.64	3.04	4.52	1.72	4.67	.81	3.47	6.61	1.80	2.29	33.61
*Days with ".01 in. or more.	18	2	10	23	20	9	14	5	17	21	16	15	170
*Days with ".04 in. or more.	10	1	7	16	18	5	11	4	13	16	11	12	124
YEAR'S TOTAL													33.90

Section

A

for the entry of Daily Observations.

Station No. 418

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Blandford

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

Ground Sea Level 152 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Rule observed

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	39	48	12		03		01					22	1
2	80		76		20						01		2
3	08	10	40										3
4	14	04	02		16								4
5	13		45		13								5
6		31			22					20			6
7	05	04			08		01			18	04		7
8	02	01			04		48			02			8
9					02		30	01		19	02		9
10		12					10	20		42	03		10
11	27					51	12						11
12					02	14	08		1.01				12
13	03					27	37	11		26	03		13
14	02						12	01		38	39		14
15	76		33			02	16	15			02		15
16		01	13			06			05				16
17		08	48			18		05	13				17
18	08	01	29			13							18
19			12					04	30		23		19
20		10	04	02					31				20
21					01	03		36		06	01		21
22								27	13	08		05	22
23		25		44		22			23	19			23
24		2.05		27		03			08	01			24
25		66		34					08			22	25
26		47		11	13					01			26
27		01			17		04		06	27	01	60	27
28		01		31			30						28
29	13						08					02	29
30	04	X	13						06			03	30
31	23	X	04	X		X			X	05	X		31
TOTAL	3.17	4.75	4.31	1.49	1.21	1.59	2.17	1.20	2.44	2.32	79	1.14	26.58
*Days with "or more.	15	17	13	6	12	10	13	9	11	14	10	6	136
*Days with ".04 in. or more.	12	12	12	5	8	7	11	7	11	11	3	4	103

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1618

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Blandfordin the County of DorsetDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in.,, Ground ,, Sea Level 152 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	'03							'61			'09	'77		1
2	25		'09			'30			'99	'07	01	30		2
3	07	'03						08		43		33		3
4	10		15		'25			10		13		41		4
5					02			95		11		52		5
6	12		41	'09	16			01		36	08	74		6
7	10				27			14		12		73		7
8									06		66	15		8
9	08		20	06							59	14		9
10	23		25	36			'10	04			25	05		10
11	72		65	29				04				50		11
12		01	03				27	20				25		12
13	50		05	24			03				08	66		13
14	06		49	02						09	03	83		14
15	06		04		12					06	10	37		15
16	20		56		01					06		12		16
17	12			16	06				07	05		45		17
18	23		25			~~20~~			05			36		18
19			24			10		09	20			11		19
20			08	23			12		02					20
21			05	10		15		04	02	25				21
22			02				89	20	17			24		22
23		03		33		30		21	10	02		07		23
24		05	06	13		03			22	01				24
25	35			18						14		1'20		25
26	01		02	22		21					02	30		26
27						08				01		55		27
28		01				24	01	51		02		64		28
29									60	03	02	04		29
30	04	×						03	19	01	01	39		30
31		×		×	04	×		01	×	03	×	02		31
TOTAL	3'27	'13	3'64	2'41	'93	1'41	1'42	3'26	2'69	1'94	1'94	11'24	34'28	
*Days with "or in. or more.	18	5	18	13	8	8	6	16	12	18	12	28	162	
*Days with "or in. or more.	16	1	15	12	6	7	4	13	10	11	7	24	129	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 694833/26

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1935.

Kept at

Blandford

in the County of

Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 15.2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			44		02	18	10		21	10	21	36		1
2			08			05			01	51	11	04		2
3				* 21	07	12			19	1.23	26			3
4	02	15		14		05			08	05	23	25		4
5	03	42	03	33		25			18		03	03		5
6		01		25		1.77					09	01		6
7				27						24	20	18		7
8									02	29	42	14		8
9	14			98		22			05	95	87			9
10	07		snow 26	01		01					07	02		10
11	27		03	13		27					76			11
12	12	06				33			19		54			12
13	12	15		51	02	23			02	01	05			13
14		04		20	07	10			07	03	68	29		14
15		16		80	35	03			23		48	01		15
16		04	25	02		07			99		1.73			16
17				05	11	31		X 11	06		21			17
18		03		35		04	28	✓	42		02	01		18
19		02		03	32	09	25		08	04	30			19
20		54		13		02	02			03	47			20
21		80		08		01	01			02				21
22		11	01	02				16	04					22
23		02	17	12	04			28	03	56		21		23
24	02	71	01		07			90	50			44		24
25	15	20			01	03				09		60		25
26		55				03		35	06		01	1.02		26
27		25						02	10	01	06	91		27
28		10						01	14		03	08		28
29		10			04			05	25			76		29
30	01	X		10				99	01	32	69	65		30
31		X		X		X		03	X	1.25	X	39		31
TOTAL	95	436	1.28	4.83	1.05	4.21	66	2.90	3.93	5.73	8.52	6.40	Year's Total. 44.82	" "
* Days with .01 in. or more.	10	19	9	20	10	21	5	(11)	23	17	24	20	189	
* Days with .04 in. or more.	6	15	5	16	7	15	3	(7)	18	12	20	15	139	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section **A** for the entry of Daily Observations.Station No. **1618-694833/26**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at **Blanford**in the County of **Dorset**Diameter of Funnel of Gauge.....**5**.....in.Height of top of Gauge above Ground.....**1**.....ft.....in.,, Ground ,, Sea Level**152**.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.26	.02		.37		.21	.15				.04	.02		1
2	.05	.03		.04		.10	.10	.06			.05			2
3				.42			.04		.65	.10	.61			3
4			.22	—		.19			.55		.08	.03		4
5	.53		.08	—	.10			.10	.37			.14		5
6	.19		.01	—			.02		.30		.73			6
7	.05		.29	—			.22				.31			7
8	.54		.53	—			.14				.35	.02		8
9	.46		.26	—			.28							9
10	.30	.20		—			.27				.01			10
11	.25	.06		—		.04	.11		.22		1.05			11
12				.22		.33	.44	.02	.18		.12			12
13	.03			.02		.03	.14			.03	.09	1.02		13
14		.05		—		.02	.52			.01		.71		14
15				—					X		.02	.53		15
16	.05	.26		—	.17		.12		.04		.06	.06		16
17	.01	1.18		—	.06		.14			.01	.03	.73		17
18	.11	.21		—		.79	.47			.04		.35		18
19	.47	.08	.01	.08		.18		.10						19
20	.09	.22	.08	.19		.15			.90			.01		20
21		.24	.07	.44		.06	X							21
22	.20	.36	.62	.16			X 31			.04		.02		22
23	.10	.03	.23	—	.04		.39			.09				23
24	.28	.16	.05	—	.04				.07	.42				24
25	.09	.15	.38	.20						.18				25
26	.20	.16	.34	—		.17	.01		.11					26
27	.47	.15	.19	.02		.03	.07							27
28	1.06		.80	—			.49					.40		28
29	.01	.05	.05	—			.14			.14	.04	.04		29
30	.12	X		—		.12				.19				30
31	.12	X	.63	X	.20	X	.17		X	.33	X	.58		31
TOTAL	6.04	3.46	4.84	2.16	.61	2.42	4.74	.28	3.39	1.58	3.59	4.66	Year's Total	37.77 ✓
* Days with .01 in. or more.	25	17	18	11	6	14	23	4	10	12	15	15		170 ✓
* Days with .04 in. or more.	22	14	16	9	6	11	21	3	10	9	12	10		143 ✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) **E. Westcott** [P.T.O.]

Section



for the entry of Daily Observations

Station No.

1618

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Blandford*in the County of *Dorset*Diameter of Funnel of Gauge.....*5* in.Height of top of Gauge above Ground....*1* ft.....in.,, Ground ,, Sea Level ...*15.2* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	28	02		19					03		14	1.01		1
2	02	1.05	02	08					16	01		52		2
3	01	40	08	02			02		01					3
4	28	40										27		4
5	16		03	01			23							5
6		26	27	19	04		20			07				6
7		74		11						01		1.42		7
8		01			46						19	03		8
9		03	05	19	17	02	11		70					9
10	08	04	78	19	20	42						54		10
11	05		11	03	47		81							11
12	65	37	06	02		16	01	75	38			50		12
13	12	04	73	12				14	10			05		13
14		01	18	01				05	07			02		14
15	36	25	02	31			70		08		03	04		15
16	05		82	23		02		50	1.50		26			16
17	1.20	07	59				07		44		10			17
18	14	11										21		18
19	05	05	05	24	01	01			11			08		19
20	46	03	22	15								37		20
21	53	37	10	03	14		02				20	12		21
22	33	01	05		52	09	13		04	1.35	81	18		22
23	32	22			27					62	02	03		23
24	63	80	04		01					1.08		01		24
25	65	39	33		60				07	39		14		25
26		32	03		35				03	07		03		26
27	01			07						58				27
28	31	30		02						17				28
29	03									93	02			29
30	61	~~X~~				03				02	09			30
31	18	~~X~~		~~X~~		~~X~~			~~X~~	95	~~X~~			31
TOTAL	7.51	6.59	4.56	2.21	3.24	.75	1.80	1.44	3.72	6.25	1.36	5.57	Year's Total	45.00
* Days with .01 in. or more.	25	24	20	19	12	7	10	4	14	13	10	19	137	
* Days with .04 in. or more.	21	18	16	12	10	3	7	4	11	10	7	14	133	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

1618
694833/26

Section



for the entry of Daily Observations

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Blandford

in the County of Dorset

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft.....in.

„ Ground „ Sea Level 15.2.....ft.

Examine for a/c. (see letter in file.)
Obs. notified of corrections as shown.
Day W.R. 3/39
Observer agrees - 3/3/39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		'01				13	X			'47		'01		1
2	'03						-			'14		'07		2
3					'13		~~'35~~			'76	'505			3
4	'01						X	1.35		'09		'22		4
5							'15			'12				5
6	'01					05	'22		13	'22	'05	'05		6
7	'04						'55	'27	'09	'18	'01	'06		7
8	'22						'06	'10		'44		'03		8
9	'16	'05					'01			'01		'87		9
10	'05					'15	'01	'51				'44		10
11	'23							'10			'40	'33		11
12	'45				'22					'20	'05	'03		12
13	'25									'10	'44	'56		13
14	'65				'04		'25							14
15	'20				'08		'60			'25	'05	'44		15
16	'58	'01	'02		'01			'02				'20		16
17		'17	'02						'13	'10	'04			17
18	'14				'07	'04		'05	'37	'02	'39			18
19								'15	'23		'68			19
20											'80			20
21									'07		'07	'09		21
22								'33			'40	'12		22
23	'03				'01				'14		'06			23
24			'13					'07			'37			24
25	'16	'31			'20			'02	'17	'05	1.45	X		25
26	'36	'39			'32	'04	'11		'01			X	'31	26
27	'04	'02			'08	'27	'72	'08		'03	'45			27
28	'10	'07			'18	'18		'50	'12			'06		28
29	'01				'33				'15	'14	'35	'06		29
30	'02	X			'04	'10	'04		'66	'02	'17	'06		30
31	'21	X		X	'18	X			X	'21	X	'38		31
TOTAL	3.95	1.03	'17	—	1.69	'63	2.88	3.55	2.27	3.55	4.25	4.36	Year's Total	30.33
* Days with .01 in. or more.	22	8	3		14	8	14	13	12	19	20	21	154	
* Days with .04 in. or more.	16	5	1		12	8	11	11	11	15	19	18	127	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

E Westcott

[P.T.O.]

Kept at *Wilvery, Blandford*
in the County of *Dorset*

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
Ground Sea

THE MORNING MEASUREMENT

1619
1931 — 40
780305 DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		15	SNOW TRACE	09	01	TRACE	01	01	10	TRACE			1
2	36	06		44		TRACE	05	TRACE	63	01	01	24	2
3	04		71	TRACE			01	TRACE	23		148	44	3
4			09		02	04	45	10	05	TRACE	20	TRACE	4
5		15		12		27	25	43		FOG TRACE	16	27	5
6		14	SNOW TRACE	10	10		36	02		29	21	14	6
7					35	10	05	56		10	40	09	7
8	SNOW 05	23		16	28	15	03	02		TRACE	22	09	8
9		27	SNOW TRACE	01		25	01	TRACE		TRACE	68	TRACE	9
10		01	SNOW 02	TRACE	01	05	04	TRACE	08		56		10
11	10	48			TRACE	15	01	TRACE	01		07		11
12		02			TRACE	03	29	TRACE	04	03			12
13		TRACE	01		01	TRACE	07	05					13
14		12	01		01	58	130	13			06		14
15		07		03	23		TRACE	27	01			03	15
16	01	SNOW 08		12	15	40	TRACE	TRACE	09				16
17		PART SNOW 14		05	TRACE	08	21		08				17
18	07		01	13		15	02	165			48		18
19	05	TRACE	TRACE	06		48	15	05			03		19
20	01	10	20	TRACE			TRACE	34		01		01	20
21	11	TRACE	01		37			TRACE					21
22	50	03	08	01				02			TRACE		22
23	27			12	50	TRACE		08			51		23
24	12		TRACE	50	21	33	46	49			01		24
25	13	TRACE		31	07		42				23		25
26		01		26			33				24	TRACE	26
27	15	34			107		77				TRACE		27
28	05	SNOW 06	01	03	08					TRACE		13	28
29	13	X	03		02		08	02		08	09		29
30		X	01		TRACE		03	12	TRACE		01		30
31	50	X		X	06	X	01	TRACE	X		X	07	31
TOTAL	265	246	119	254	355	306	541	436	132	52	565	157	YEAR'S TOTAL 3422
*Days with "or in. or more.	17	18	12	17	18	14	24	17	10	6	19	10	182
*Days with "or in. or more.	15	14	4	13	12	13	16	12	8	3	15	8	133

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Wilverley, Mansford
in the County of Dorset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
Ground Sea Level about 195 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		15	SNOW TRACE	09	01	TRACE	01	01	10	TRACE			1
2	36	06		44		TRACE	05	TRACE	63	01	01	24	2
3	04		71	TRACE			01	TRACE	33		148	44	3
4			09		02	04	45	10	05	TRACE	20	TRACE	4
5		15		12		27	25	43		FOG TRACE	16	27	5
6		14	SNOW TRACE	10	10		36	02		29	21	14	6
7					35	10	05	56		10	40	09	7
8	SNOW 05	23		16	28	15	03	02		TRACE	22	09	8
9		27	SNOW TRACE	01		25	01	TRACE		TRACE	68	TRACE	9
10		01	SNOW 02	TRACE	01	05	04	TRACE	08		56		10
11	10	48			TRACE	15	01	TRACE	01		07		11
12		02			TRACE	03	29	TRACE	04	03			12
13		TRACE	01		01	TRACE	07	05					13
14		12	01		01	58	130	13			06		14
15		07		03	23		TRACE	27	01			03	15
16	01	SNOW 08		12	15	40	TRACE	TRACE	09				16
17		PARISH 14		05	TRACE	08	21		08				17
18	07		01	13		15	02	165			48		18
19	05	TRACE	TRACE	06		48	15	05			03		19
20	01	10	20	TRACE			TRACE	34		01		01	20
21	11	TRACE	01		37			TRACE					21
22	50	03	08	01				02			TRACE		22
23	27			12	50	TRACE		08			51		23
24	12		TRACE	50	21	33	46	49			01		24
25	13	TRACE		31	07		42				23		25
26		01		26			33				24	TRACE	26
27	15	34			107		77				TRACE		27
28	05	SNOW 06	01	03	08					TRACE		13	28
29	13	X	03		02		08	02		08	09		29
30		X	01		TRACE		03	12	TRACE		01		30
31	50	X		X	06	X	01	TRACE	X		X	07	31
TOTAL	2.65	2.46	1.19	2.54	3.55	3.06	5.41	4.36	1.32	52	5.65	1.57	YEAR'S TOTAL 34.22
*Days with or in. or more.	17	18	12	17	18	14	24	17	10	6	19	10	182
*Days with or in. or more.	15	14	4	13	12	13	16	12	8	3	15	8	133

Section

A

for the entry of Daily Observations.

Station No.

1619

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Widbury, Blandford
in the County of DorsetDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft - in.,, Ground ,, Sea Level about 195 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	15	-	-	16	54	TR	-	06	-	02	02	-	1
2	01	-	-	14	29	02	07	01	05	02	-	45	2
3	-	-	-	04	01	33	TR	-	49	06	-	04	3
4	02	-	-	-	-	26	TR	-	-	-	23	-	4
5	59	-	-	-	-	-	-	-	15	-	-	-	5
6	58	-	-	22	01	-	-	-	25	-	-	-	6
7	TR	-	02	06	TR	-	-	TR	21	52	-	-	7
8	-	-	36	03	10	-	-	TR	45	35	-	-	8
9	56	SNOW TR	-	19	04	-	-	-	03	01	03	-	9
10	33	SNOW TR	02	35	04	04	-	-	-	27	05	-	10
11	04	SNOW TR	-	04	TR	TR	35	-	TR	01	-	08	11
12	76	-	-	-	15	-	-	-	06	15	01	02	12
13	02	-	-	18	08	02	22	TR	TR	77	-	06	13
14	14	-	-	25	05	-	-	-	-	01	02	01	14
15	05	-	-	04	28	-	-	-	-	05	02	03	15
16	27	-	-	14	-	-	68	-	-	-	-	01	16
17	03	-	-	02	25	-	01	-	-	03	-	-	17
18	01	SNOW TR	-	-	02	-	-	-	22	-	16	-	18
19	TR	-	-	01	-	-	-	-	03	33	-	-	19
20	-	-	-	04	37	-	01	27	-	80	31	03	20
21	01	-	13	11	21	-	-	01	01	29	02	13	21
22	01	TR	05	TR	04	-	12	02	45	30	47	-	22
23	TR	01	TR	-	05	-	26	-	04	66	12	08	23
24	-	04	-	-	08	-	47	-	14	07	02	TR	24
25	-	-	-	12	-	-	13	-	02	49	08	-	25
26	-	-	17	01	-	-	07	-	-	07	02	-	26
27	-	-	51	55	22	04	09	-	-	43	-	06	27
28	-	-	03	09	03	01	21	-	-	-	-	01	28
29	-	-	48	06	128	36	TR	34	73	42	21	09	29
30	-	X	06	18	01	164	08	TR	63	-	77	38	30
31	-	X	06	X	-	X	01	-	X	01	X	31	31
TOTAL	3.58	.05	1.89	3.03	4.15	2.70	2.78	.71	3.96	6.14	2.56	1.79	33.34
*Days with .01 in. or more.	17	2	11	23	22	8	15	6	17	24	17	16	178
*Days with .04 in. or more.	10	1	8	19	17	6	12	3	13	17	9	10	125

40-9999

*See Instruction 2 (f) on other side,

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 1619

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at *Wimbury* *Blandford*
in the County of *Dorset*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *—* in.
,, Ground ,, Sea Level *about 195* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	43	49	11	02	02	01				TRACE	TRACE	21		1
2	78		74		25	TRACE								2
3	06	10	40		01									3
4	14	03	01		15									4
5	13	01	47		09									5
6		31			20		TRACE			20	03			6
7	04	03	01	TRACE	07		TRACE			18		02		7
8	03	01	03		03		43			01				8
9		01			02		27	01		14	02			9
10		09					11			38	03			10
11	25			TRACE		55	08	20	01					11
12				05	01		07		91			SNOW 06		12
13	03				TRACE	13	32	09		21	02			13
14	01						07	01		44	40	TRACE		14
15	77		29			01	09	13		08	03			15
16		TRACE	1-18			04	TRACE		04	08				16
17	TRACE	11	45			17	TRACE	03	10		TRACE			17
18	08	SNOW TRACE	30			14								18
19		SNOW TRACE	13					02	38		24	05		19
20		07		HAIL 02		27		TRACE	29		01	01		20
21		SNOW 09			01	09		27	TRACE	04	TRACE			21
22				TRACE		TRACE		24	15	07				22
23		SNOW 25		38		21			21	14				23
24		2-00		22		02			03	01				24
25		66		35	TRACE	08			06		TRACE	10		25
26		47		09	10				03	01		01		26
27		01			16		02		01	25	TRACE	57		27
28		01		28	01		30			01				28
29	11	X		TRACE			02					01		29
30	04	X	16				04		05			04		30
31	22	X	02	X		X			X	05	X			31
TOTAL	3-12	4-75	4-30	1-41	1-13	1-72	1-82	1-00	2-27	2-30	78	1-08	Year's Total	25-68
*Days with "01 in. or more.	15	18	14	8	14	12	12	9	13	17	8	10		150
*Days with ".04 in. or more.	12	11	10	6	7	8	10	5	9	13	2	5		98

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

1619

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Widbury, Bradford*
in the County of *Dorset*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. in.,, Ground ,, Sea Level *about 195* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03							52	TRACE	01	10	66		1
2	23		07		01			TRACE	91	05	01	28		2
3	06	01						08		45		30		3
4	10		14	TRACE	28			07	TRACE	16	01	38		4
5			TRACE		02			87		06	TRACE	48		5
6	10		38	07	15	TRACE		01		36	08	68		6
7	07				27	05		13		07	TRACE	61		7
8					TRACE			TRACE	05	TRACE	67	12		8
9	06		19	06				TRACE			58	11		9
10	28		28	35				02			19	04		10
11	67	TRACE	59	32			10	03				41		11
12	01	TRACE	02				29	25			TRACE	23		12
13	52		05	21			03	TRACE			08	53		13
14	06		46	01							04	74		14
15	04		04	TRACE	16					11	13	39		15
16	17		49		02				TRACE		01	12		16
17	11			17	06		01		07	04		35		17
18	20		26	15					03			33		18
19			20			04			16			08		19
20		SNOW 01	09	22			04	10	04	01				20
21			03	13		12			01	22		TRACE		21
22			02				68	04	17			20		22
23		FOG 01		32		29		24	07	01		04		23
24		04	04	14		05	TRACE	25	21	TRACE		TRACE		24
25	32	TRACE		17						14		1-10		25
26	01		01	24		18			20		01	20		26
27	TRACE					07				TRACE		48		27
28		SNOW 01		TRACE		21		48		03		61		28
29		X					01	11	55	02	01	05		29
30	04	X					TRACE	04	15	01		32		30
31	TRACE	X		X	03	X		01	X	01	X	02		31
TOTAL	3-08	09	3-31	2-56	1-00	1-01	1-16	3-25	2-62	1-76	1-92	9-86	31-62	Year's Total
* Days with .01 in. or more.	19	5	18	14	9	8	7	17	13	17	13	28	168	
* Days with .04 in. or more.	17	1	14	13	5	8	4	13	11	10	8	27	131	

Section | | for the entry of Daily Observations.Station No. 1619.....

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at WILVERLEY, BLANDFORD.....

in the County of DORSET.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground Sea Level *about 195* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	TRACE	TRACE	33		02	15	10		23	08	20	35		1
2			TRACE			06				47	12	05		2
3	TRACE	TRACE	06	TRACE		10			18	1-16	25			3
4	02	16		20	01	04			08	05	19	17		4
5	02	45	04	13		24			18	TRACE	03	06		5
6		01	TRACE	29		1-60				TRACE	11	04		6
7				22		01			05	21	20	15		7
8			SNOW 01	37					05	31	40	11		8
9	15			59		23				92	59	TRACE		9
10	07		SNOW 26	02		02			TRACE	TRACE	09	02		10
11	26			11		26			TRACE	TRACE	72			11
12	13	08				28		TRACE	11		55			12
13	11	11		43	02	21			01		05			13
14		02		19	05	08			07	03	64	28		14
15		18	01	70	31	03			23	02	39	01		15
16		04	11	04	TRACE	10			1-02	TRACE	1-74			16
17		TRACE	02	06	09	25		10	06		14			17
18		02		34	01	03	21	02	39	03	TRACE			18
19		02		04	31	08	23		08	03	28	01		19
20		49		14	03	02	02				47			20
21		70		08		TRACE	01		01	02	TRACE			21
22		09	03	01	04			13	03					22
23		05	13					26	02	53		24		23
24	03	64	02		07			82	45	08		40		24
25	17	22		10	02	05		TRACE				50		25
26		48			TRACE	01		30	04		01	1-05		26
27		23				TRACE		02	10	01	07	81		27
28		10			TRACE			01	13			10		28
29		X			02			05	26	03	03	75		29
30	TRACE	X		10	TRACE	TRACE		92	01	34	72	61		30
31		X		X		X		02	X	1-15	X	39		31
TOTAL	.96	4-09	1-04	4-46	1-00	3-85	57	2-65	3-79	5-47	8-29	6-10	Year's Total 42-27	
* Days with .01 in. or more.	9	19	11	20	13	21	5	11	23	18	23	20	193	
* Days with .04 in. or more.	6	15	6	18	6	15	3	7	18	11	20	17	142	

Section

A

for the entry of Daily Observations

Station No.

1619

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1936

Kept at WILVERLEY BLANDFORD

(Kings Rd)

in the County of DORSET

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft.....in.

Ground Sea Level...19.5.....ft approx.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	21	03	01	31		27	12	TRACE			04	04		1
2	03	02		04		04	10	05			05			2
3				40		TRACE	05	TRACE	63		58			3
4	TRACE		18	01		12			51		08	07		4
5	50		08		11	TRACE		01	42		02	08		5
6	15		01			TRACE	01	03	31		70			6
7	05		24				25		TRACE		33	01		7
8	53		53				16				41	03		8
9	44		23				26	TRACE	24	TRACE	02			9
10	30	SNOW 25				TRACE	23	TRACE			05			10
11	25	03				03	07		33		1-03			11
12	01			SNOW 19	TRACE	32	38	—	17		13	TRACE		12
13	03			02		01	12			02	09	1-16		13
14		04				03	50		03	01	TRACE	81		14
15	01	04			TRACE	TRACE	TRACE		02		02	62		15
16	04	20			17		10				07	07		16
17	01	1-10		TRACE	10	TRACE	14		01	02	04	96		17
18	11	16				1-08	47			05	TRACE	35		18
19	47		TRACE	10		19	TRACE	08						19
20	09	26	08	13		21	03		84			TRACE		20
21		27	07	40		06			02					21
22	16	30	62		TRACE		25			02		02		22
23	10	TRACE	18	13	06		36			09				23
24	25	04		TRACE	04				06	45				24
25	08		45	18			TRACE		07	13	01			25
26	26	15	35	02		08	TRACE			03				26
27	37	16	20				06		18	09		01		27
28	98		78				31					37		28
29	01	04	06			03	28			03	03	06		29
30	10	X	TRACE			08				23		TRACE		30
31	11	X	56	X	11	X	16		X	35	X	60		31
TOTAL	5-65	3-09	4-53	1-93	5-9	2-55	4-41	1-17	3-84	1-52	3-70	5-26	37-24	✓
* Days with .01 in. or more.	27	16	17	12	6	14	22	4	15	13	18	16	180	✓
* Days with .04 in. or more.	21	13	15	9	6	10	20	2	11	7	13	12	139	✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) D. Mansel [P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No.

1619

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937

Kept at WILVERLEY, KINGS ROAD, BLANDFORDin the County of DORSETDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground....1.....ft.....in.,, Ground ,, Sea Level about 195.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	26	02	TRACE	19			TRACE		03		14	98		1
2	01	1.14	01	07					15		01	55		2
3	01	42		02			01		TRACE					3
4	20	72			TRACE							26		4
5	33		09	01			23							5
6	17	27	SNOW 25	23	04		13			07				6
7		69		07						02		SNOW 1.34		7
8		03			42	TRACE				TRACE	22	SNOW 03		8
9		05	10	25	16	02	08		68			SNOW TRACE		9
10	08	03	71	19	24	40	TRACE					58		10
11	05		10	02	43	TRACE	31							11
12	66	36	06	02	01	17	01	76	36			49		12
13	13	04	7.11 SNOW	12		TRACE		16	09			05		13
14	03	TRACE	13	01					06			04		14
15	32	26	04	32			64		08			03		15
16	04	06	80	19		02	TRACE	47	1.42		04			16
17	1.15	06	58			TRACE	05		41		22			17
18	15	10	TRACE								10	23		18
19	05	06	04	20	01	01			13		TRACE	12		19
20	46	05	16	18								19		20
21	50	36	09	03	20		02		TRACE		19	11		21
22	35	TRACE	SNOW 08		41	09	13		02	1.20	34	16		22
23	31	21	01		29		TRACE			62	02	03		23
24	58	71			01		TRACE		07	1.03		TRACE		24
25	60	38	31		51				03	28		14		25
26		34	SNOW 03		38					07		03		26
27	TRACE	SNOW 31		09						59				27
28	SNOW 25	SNOW 05								16	TRACE			28
29	TRACE	X					TRACE			94	04	TRACE		29
30	63	X					05			01	09			30
31	20	X		X			X		X	95	X			31
TOTAL	7.52	6.72	4.33	2.21	3.11	.76	1.61	1.39	3.53	5.94	1.41	5.36	Year's Total 43.89	✓
* Days with .01 in. or more.	25	24	19	18	13	7	10	3	13	12	11	18	173	✓
* Days with .04 in. or more.	22	21	16	12	10	4	7	3	10	10	9	13	137	✓

† Spare column, no entries required.

(Signed) J. Hanchard [P.T.O.]

*See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 1619

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *Wilsley, Blanford*in the County of *Dorset*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *—* in.,, Ground ,, Sea Level *about 195* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		01			TRACE	11	36			44	TRACE	02		1
2	03	TRACE								12	04	07		2
3					12	05	TRACE			71	12	TRACE		3
4	TRACE					TRACE	12	1.15		14		25		4
5	TRACE			TRACE			14			11	01	TRACE		5
6	03					04	18		14	22	04	05		6
7	05					01	48	18	08	16	TRACE	06		7
8	21					TRACE	05	11	01	47	TRACE	02		8
9	15	05					01	TRACE		TRACE		87		9
10	06					10	01	43			02	31		10
11	23						TRACE	34		TRACE	39	30		11
12	47				20		TRACE	TRACE		22	03	03		12
13	23	SNOW TRACE			TRACE		TRACE			07	42	54		13
14	71	SNOW TRACE			03		23		TRACE			01		14
15	26	SNOW TRACE			07		65	TRACE		23	04	39		15
16	57	SNOW TRACE			TRACE			01		02	02	14		16
17	TRACE	PART SNOW 14	02		TRACE				10	09	02			17
18	14				07	02		04	35	02	39			18
19	01							13	19		61			19
20	TRACE								TRACE		75			20
21	TRACE		TRACE					TRACE	06		08	SNOW TRACE		21
22	02			TRACE		TRACE		30			38	SNOW 11		22
23	TRACE				01			TRACE	18		08	SNOW 07		23
24			13	TRACE		TRACE	TRACE	06	17		37			24
25	17	28	01		18	TRACE	09	02	TRACE		1.64	32		25
26	35	37			29	02	TRACE	06	01	09	01			26
27	05	03			06	27	67		02	02	47			27
28	10	08			17	20	TRACE	54	09	11	TRACE	07		28
29	01	X			32		TRACE		12		35	06		29
30	02	X			02	05	02		63	04	21	07		30
31	24	X		X	17	X			X	25	X	40		31
TOTAL	4.05	.96	.18	.00	1.71	87	3.01	3.37	2.15	3.53	6.49	3.76	Year's Total	
* Days with .01 in. or more.	22	7	4	0	13	10	13	13	14	19	23	22	30.08	160
* Days with .01 in. or more.	16	5	1	0	10	7	10	11	11	16	17	18	122	122

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1619

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at *Widely Blunford*
in the County of *Dorset*Diameter of Funnel of Gauge...*5*...in.Height of top of Gauge above Ground...*1*...ft...*7*...in.,, Ground ,, Sea Level *about 195* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	01		09	12	09		03	08	03		06	11		1
2			TRACE	21			13	44	1-08		23	13		2
3	57			57				09	TRACE	TRACE	21	31		3
4	02	TRACE	54	28	17		35	27	TRACE	26	07	14		4
5			03	18	28		44	10		33	69	06		5
6	69		04				1-04	01		02	81			6
7	02	32					01	01		TRACE	62	51		7
8	01	24	13				07	01		44	30	32		8
9	03	03	02					08		14	07	28		9
10	30		03			TRACE		19	10	39	03	01		10
11		TRACE	22			01				68	01			11
12		01		02		02				01	02			12
13		TRACE		05	TRACE	02	29		02	1-67	02	02		13
14	94		TRACE	TRACE	01	TRACE	11		TRACE	22	39	04		14
15	32			TRACE	12	97	21		TRACE	13	33	01		15
16	24			09	01	04	08			TRACE	23			16
17	43	04			05	05	16			15	09	01		17
18	11		03		01	10	60				38	01		18
19	45	TRACE					01	14				06		19
20	46					02	50	4-02				TRACE		20
21	13	30	07		TRACE	04	13	TRACE						21
22	50	34	18	TRACE		14	11				18			22
23	TRACE	TRACE	TRACE	13		01	07				1-02			23
24	SNOW 60			01		50	11	TRACE						24
25	SNOW 1-09	15	SNOW TRACE	TRACE		TRACE	05			18	49	01		25
26	01	05	SNOW TRACE					10		08	40	01		26
27		19	06				TRACE	TRACE		TRACE	18	SNOW TRACE		27
28		40	03			18	22				35	SNOW 18		28
29		X		02		01	45				02			29
30		X	TRACE	40		02		59		20	02	01		30
31		X		X		X	01	10	X	1-10	X			31
TOTAL	6-93	2-07	1-47	2-08	74	2-13	5-18	6-23	1-23	6-00	7-22	2-23	Year's Total 43-51	✓
* Days with .01 in. or more.	20	11	13	12	8	15	23	15	4	16	26	19	18 2	✓
* Days with .04 in. or more.	14	9	8	9	5	8	19	12	2	14	20	11	13 1	✓

† Spare column, no entries required

(Signed)

* See Instruction 3 (f) on other side.

P.T.O.

Section

A

for the entry of Daily Observations

Station No. *1619*

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19*34*0Kept at *Wimsey, Blandford*
in the County of *Dorset*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground...*1*.....ft.....in.,, Ground ,, Sea Level *ANNEX 195* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					<i>01</i>						<i>13</i>			1
2		<i>23</i>		<i>17</i>			<i>01</i>				<i>37</i>	<i>01</i>		2
3		<i>56</i>		TRACE						<i>19</i>	<i>80</i>	<i>15</i>		3
4	<i>02</i>	<i>06</i>		TRACE			<i>24</i>			<i>27</i>	<i>18</i>	<i>02</i>		4
5		<i>02</i>					TRACE				<i>59</i>	<i>38</i>		5
6	<i>42</i>	<i>60</i>					<i>07</i>			<i>38</i>	<i>02</i>	<i>33</i>		6
7	<i>05</i>	<i>23</i>		TRACE						<i>11</i>		TRACE		7
8	TRACE	TRACE		<i>08</i>	TRACE		<i>02</i>	TRACE	<i>07</i>	<i>52</i>	<i>24</i>	<i>25</i>		8
9				<i>01</i>			<i>17</i>	<i>01</i>	<i>04</i>	<i>10</i>	<i>65</i>	<i>26</i>		9
10							<i>1.00</i>		<i>01</i>	<i>10</i>	<i>15</i>	<i>20</i>		10
11		SNOW TRACE	TRACE	TRACE			<i>25</i>				<i>82</i>	<i>02</i>		11
12		SNOW TRACE	<i>32</i>				<i>35</i>		<i>20</i>	<i>03</i>	<i>06</i>			12
13		SNOW TRACE	<i>52</i>				<i>03</i>		<i>17</i>	<i>12</i>	<i>1.37</i>	TRACE		13
14		SNOW <i>14</i>	<i>06</i>	<i>18</i>			<i>12</i>		<i>23</i>	<i>70</i>		<i>1.15</i>		14
15		SNOW <i>02</i>	<i>01</i>	<i>24</i>	<i>06</i>	<i>43</i>			<i>10</i>	<i>29</i>	<i>57</i>	<i>02</i>		15
16	SNOW TRACE	SNOW <i>74</i>	<i>52</i>	TRACE		<i>01</i>	<i>03</i>		<i>27</i>	<i>69</i>	<i>62</i>	<i>07</i>		16
17		SNOW <i>03</i>	<i>35</i>							<i>01</i>	<i>69</i>			17
18	SNOW <i>02</i>	<i>44</i>	<i>32</i>	<i>30</i>			<i>12</i>	<i>06</i>	<i>02</i>	<i>12</i>	<i>06</i>	<i>05</i>		18
19		<i>06</i>	<i>10</i>	<i>17</i>			<i>20</i>		<i>90</i>		<i>36</i>			19
20		TRACE	<i>01</i>	TRACE				TRACE	TRACE	<i>30</i>	<i>09</i>	TRACE		20
21	SNOW TRACE	TRACE	TRACE		<i>24</i>		TRACE		<i>03</i>	<i>01</i>	<i>64</i>			21
22		<i>02</i>	<i>07</i>	<i>02</i>	TRACE	<i>36</i>		TRACE	<i>24</i>					22
23		<i>03</i>	<i>21</i>	<i>06</i>	TRACE				TRACE	<i>05</i>	<i>06</i>	<i>01</i>		23
24			TRACE				<i>22</i>			TRACE				24
25	<i>01</i>		<i>07</i>	<i>01</i>	<i>02</i>	TRACE	TRACE				<i>01</i>			25
26	<i>1.28</i>	<i>63</i>	TRACE	<i>01</i>	<i>11</i>	TRACE	<i>01</i>							26
27	<i>47</i>	<i>34</i>			<i>32</i>		<i>03</i>							27
28	<i>50</i>	<i>06</i>	SNOW TRACE		TRACE					<i>05</i>				28
29	SNOW <i>28</i>	SNOW <i>46</i>	<i>19</i>	<i>27</i>		TRACE	TRACE			<i>02</i>		<i>40</i>		29
30	<i>12</i>	<i>X</i>	<i>02</i>	<i>15</i>						<i>35</i>		<i>06</i>		30
31	<i>02</i>	<i>X</i>	TRACE	<i>X</i>	TRACE	<i>X</i>			<i>X</i>	<i>86</i>	<i>X</i>	<i>29</i>		31
TOTAL	<i>3.19</i>	<i>4.53</i>	<i>2.85</i>	<i>1.31</i>	<i>1.12</i>	<i>.43</i>	<i>3.30</i>	<i>.07</i>	<i>2.28</i>	<i>5.27</i>	<i>8.67</i>	<i>3.67</i>	Year's Total <i>36.69</i>	
* Days with .01 in. or more.	<i>11</i>	<i>17</i>	<i>14</i>	<i>12</i>	<i>7</i>	<i>3</i>	<i>17</i>	<i>2</i>	<i>12</i>	<i>21</i>	<i>21</i>	<i>17</i>	<i>154</i>	
* Days with .04 in. or more.	<i>8</i>	<i>12</i>	<i>11</i>	<i>8</i>	<i>5</i>	<i>2</i>	<i>11</i>	<i>1</i>	<i>9</i>	<i>17</i>	<i>19</i>	<i>12</i>	<i>115</i>	

† Spare column, no entries required.

(Signed)

A. S. S. S. S.

[P.T.O.]

* See Instruction 3 (f) on other side.

Kept at *Bryans*
in the County of

Diameter of Funnel of G
Height of top of Gauge ab
Ground

1620

1931 - 40

BRYANSTON CONS

780305

1620
COPY FOR OFFICIAL USE.
L ORGANIZATION.

1.
with out 357
35.2
342
5 cliff
m's R

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.13		.19			.06		.28				1
2	.39	.07		.63					.69	.04	.03	.28	2
3	.06		.78	.02			.02		.20		1.79	.50	3
4			.07		.02	.08	.59	.11	.08	.02	.27		4
5		.22		.15		.41	.37	.95			.32	.24	5
6		.19		.12	.10	.25		.03		.33	.23	.09	6
7					.38	.26	.07	.81		.11	.38	.11	7
8		.33		.19	.17	.29	.03	.04			.24	.09	8
9	.08	.30		.02		.10	.05	.03			.77		9
10					.02	.18	.04		.03		.6	.02	10
11	.12	.46				.04		.02	.02		.09		11
12		.03					.28		.11	.04			12
13			.03		.03		.26	.08					13
14	.02	.13			.05	.59	1.44	.10			.09		14
15		.08		.03	.03			.27				.04	15
16				.13	.49	.58	.03	.02	.11				16
17	.03	.21		.04		.08	.24		.05				17
18	.06		.03	.14		.19	.05	1.74			.55		18
19	.07			.08		.77	.12	.11	.04		.08		19
20		.14	.26					.38		.03	.03	.04	20
21	.18	.02			.54								21
22	.55	.04	.09					.03			.02		22
23	.38			.18	.71	.17		.25			.67		23
24	.10			.63	.16	.31	.57	.55					24
25	.14			.22	.07		.61				.28		25
26		.03		.33			.43				.27		26
27	.19	.42			1.15		.76				.02		27
28	.04	.09		.04	.05							.12	28
29	.17	X	.07		.04		.09	.04		.06	.14		29
30		X					.04	.10	.02		.02		30
31	.63	X		X	.08	X	.03		X		X	.09	31
TOTAL	3.21	2.89	1.33	3.14	4.09	4.30	6.18	5.66	1.63	.63	6.89	1.62	YEAR'S TOTAL 41.57
*Days with .01 in. or more.	17	17	7	17	17	15	22	19	11	7	21	11	181
*Days with .04 in. or more.	15	14	5	14	13	15	18	14	8	5	16	10	147

J. Jaques

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Bryanston, Blandford
in the County of Dorset.

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. in.
Ground Sea Level 180-190 ft.

*Blancher
with
Blandford
white cliff
Kemp's Rd*
35.7
35.2
34.2

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.13		.19			.06		.28				1
2	.39	.07		.63					.69	.04	.03	.28	2
3	.06		.78	.02			.02		.20		1.79	.50	3
4			.07		.02	.08	.59	.11	.08	.02	.27		4
5		.22		.15		.41	.37	.95			.32	.24	5
6		.19		.12	.10	.25		.03		.33	.23	.09	6
7					.38	.26	.07	.81		.11	.38	.11	7
8		.33		.19	.17	.29	.03	.04			.24	.09	8
9	.08	.30		.02		.10	.05	.03			.77		9
10					.02	.18	.04		.03		.6	.02	10
11	.12	.46				.04		.02	.02		.09		11
12		.03					.28		.11	.04			12
13			.03		.03		.26	.08					13
14	.02	.13			.05	.59	1.44	.10			.09		14
15		.08		.03	.03			.27				.04	15
16				.13	.49	.58	.03	.02	.11				16
17	.03	.21		.04		.08	.24		.05				17
18	.06		.03	.14		.19	.05	1.74			.55		18
19	.07			.08		.77	.12	.11	.04		.08		19
20		.14	.26					.38		.03	.03	.04	20
21	.18	.02			.54								21
22	.55	.04	.09					.03			.02		22
23	.38			.18	.71	.17		.25			.67		23
24	.10			.63	.16	.31	.57	.55					24
25	.14			.22	.07		.61				.28		25
26		.03		.33			.43				.27		26
27	.19	.42			1.15		.76				.02		27
28	.04	.09		.04	.05							.12	28
29	.17	X	.07		.04		.09	.04		.06	.14		29
30		X					.04	.10	.02		.02		30
31	.63	X		X	.08	X	.03		X		X	.09	31
TOTAL	3.21	2.89	1.33	3.14	4.09	4.30	6.18	5.66	1.63	.63	6.89	1.62	YEAR'S TOTAL 41.57
*Days with "or in. or more.	17	17	7	17	17	15	22	19	11	7	21	11	181
*Days with ".04 in. or more.	15	14	5	14	13	15	18	14	8	5	16	10	147

J. J. Jones

Section

A

for the entry of Daily Observations.

Station No.

1620

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Bryanston, Blandford
in the County of DorsetDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. in.Ground 185' Sea Level 185'

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18	.02		.21	.66			.17		.03	.03		1
2	.02			.18	.25	.06	.08	.03	.16	.03		.46	2
3				.04		.41			.36	.08		.03	3
4	.04					.23					.26		4
5	.64								.18				5
6	.57			.23					.29				6
7			.03	.07					.26	.61			7
8			.46	.05	.14				.52	.31			8
9	.76			.19					.24		.04		9
10	.42		.03	.41	.06	.05			.02	.33	.04		10
11	.03			.04			.38	.02				.11	11
12	1.06			.02	.01				.06	.19	.03		12
13				.23	.03		.23			.78		.09	13
14	.19			.28	.06						.04		14
15	.06			.05	.19					.07			15
16	.30			.17			.41					.08	16
17	.05			.05	.31		.03			.05			17
18	.03								.28		.19		18
19	.02			.04	.04				.04	.36		.06	19
20				.04	.52		.03	.26	.03	.79	.28		20
21	.03		.15	.09	.09					.32	.03	.14	21
22	.02		.04	.03	.04		.09	.05	.50	.39	.47		22
23		.02			.04		.29		.03	.71	.14	.08	23
24		.04			.08		.58		.13	.09	.03	.02	24
25				.11			.07		.02	.46	.09		25
26			.20	.03			.08			.09	.04		26
27			.64	.79	.23	.02	.17			.46		.10	27
28			.05	.10	.03	.02	.21					.03	28
29			.51	.08	.91	.48	.03	.41	.73	.43	.02	.13	29
30		×	.09	.27	.03	1.87	.09	.03	.68		.89	.45	30
31		×	.08	×	.02	×	.04		×		×	.38	31
TOTAL	4.42	.08	2.28	3.8	3.74	3.14	2.81	.97	4.53	6.58	2.67	2.16	37.14
*Days with or more.	17	3	11	25	20	8	16	7	18	20	16	14	172
*Days with or more.	11	1	9	22	17	6	13	14	14	18	41	11	137

40-9999

*See Instruction 2 (f) on other side.

(Signed)

M. J. JAGUES

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 1620

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Bryanston, Blandford
in the County of DorsetDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft inGround Sea Level 185-190

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	41	48	13		05		03				03	26	1
2	94		86		25								2
3	04	11	43										3
4	19	03	03		19								4
5	12	02	55		14								5
6		35			21					24	04		6
7	06	04			09					17		03	7
8			05		04		50			04			8
9		03			04		31	02		22	02		9
10		14					17			46	05		10
11	23					47	06	26	02				11
12				08	03		12		94				12
13	03					13	41	16		29	04		13
14	03						12	04		35	45		14
15	84		34			02	18	13		09	02		15
16		02	118			06		02	06	16			16
17			55			17		04	14				17
18	08		31			15							18
19			14					04	29		16	04	19
20		18	03	02		23			18			06	20
21					03	02		31		08			21
22								32	09	05			22
23				46		24			25	18			23
24		223		25		08			08				24
25		54		32		05			16			09	25
26		59		11	16				14	04		03	26
27					15		04		02	26		61	27
28				30			29						28
29	12	X					05					02	29
30	03	X	15				04		06			04	30
31	24	X	03	X		X			X	06	X		31

TOTAL

3.36 4.76 4.78 1.54 1.38 1.62 2.32 1.34 2.43 2.69 .81 1.18 2.82

*Days with
or in.
or more.

14 12 11 7 12 11 13 10 13 15 8 9 139

*Days with
or in.
or more.

11 9 11 6 10 9 12 8 11 16 6 6 113

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1620

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Bryanston, Blandfordin the County of DorsetDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. in.Ground Sea Level 180-190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.04							.64		.02	.13	.76		1
2	.23		.09						1.07	.06	.02	.30		2
3	.08	.03		.03				.06		.46		.36		3
4	.10		.17		.32			.11		.18		.44		4
5					.04			.93		.07		.52		5
6	.13		.38	.05	.16			.03		.42	.08	.78		6
7	.11					.05		.14		.10		.77		7
8					.23				.05		.63	.15		8
9	.08		.21	.06							.61	.16		9
10	.29		.28	.34				.05			.28	.09		10
11	.78		.49	.26			.29	.06				.46		11
12			.03				.17	.21				.25		12
13	.52		.04	.27			.03	.03			.07	.74		13
14	.08		.53	.03						.08	.04	.73		14
15	.06		.05		.18					.06	.14	.36		15
16	.21		.61		.03							.09		16
17	.11			.16	.07		.02		.11	.05		.43		17
18	.24		.23	.15		.02			.04			.37		18
19			.21			.05		.12	.19			.09		19
20			.07	.24			.08		.03	.03				20
21			.04	.10		.16		.04	.02	.34				21
22			.03				.88	.22	.18			.23		22
23		.04		.36		.24		.19	.09	.02		.04		23
24		.05	.06	.03		.11	.03		.28	.20		.03		24
25	.13			.24					.25			1.19		25
26				.21		.23					.03	.32		26
27	.02					.04						.56		27
28		.02				.33		.54	.12	.04		.67		28
29		X					.03	.05	.53	.03	.03	.06		29
30	.05	X						.04	.19		.03	.33		30
31		X		X	.08	X		.03	X		X	.04		31
TOTAL	3.26	.14	3.52	2.53	1.11	1.23	1.53	3.49	3.15	2.16	2.09	11.32	35.53	(35.53)
* Days with .01 in. or more.	18	4	17	15	8	9	8	18	14	16	12	29	168	
* Days with .04 in. or more.	17	2	15	12	7	8	4	15	12	12	8	28	140	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

J. Jaques

[P.T.O.]



AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1935.

in the County of Dorset

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground....ft.....in.

Ground " Sea Level 185-190 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.36			.17	.09		.26	.13	.21	.32		1
2						.08				.58	.09	.07		2
3			.09		.03	.11			.18	1.25	.32			3
4	.04	.16		.22		.06			.10	.05	.18	.22		4
5	.02	.38	.04	.14		.12			.18		.04	.04		5
6		.03		.32		1.82					.09	.06		6
7				.28						.24	.21	.14		7
8				.37					.03	.28	.41	.12		8
9	.13			.93	~~.03~~	.18			.06	.91	.76			9
10	.08		.05	.03	~~.05~~	.03					.03	.03		10
11	.26		.18	.14		.36			.02	.02	.80			11
12	.11	.07				.29			.18		.45			12
13	.13	.16		.48	.03	.22			.03		.07			13
14		.04		.26	.05	.12			.09	.04	.65	.28		14
15		.16		.81	.36	.04			.26	.03	.57			15
16		.04	.18	.04		.07			1.04		1.64			16
17				.06	.09	.28		.12	.07		.18			17
18		.05		.36	.04	.05	.21	.02	.39	.04				18
19		.03		.04	.32	.10	.24		.08	.05	.25			19
20		.59		.13	.05	.04	.04				.42			20
21		.76		.11					.04	.03				21
22		.06	.12	.03				.22	.04					22
23			.14		.05			.25	.05	.58		.19		23
24	.03	.72	.03		.08			.79	.53	.09		.5-		24
25	.14	.17		.12	.03	.04						.59		25
26		.48				.05		.34	.06		.04	1.04		26
27		.23						.03	.12		.07	.88		27
28		.18						.03	.13		.03	.06		28
29		X			.05			.11	.29	.03		.73		29
30		X		.09				.92	.03	.32	.62	.75		30
31		X		X		X		.04	X	1.28	X	.43		31
TOTAL	.94	4.31	1.19	4.96	1.18	4.23	.58	2.87	4.26	5.95	8.13	6.45	45.05	
* Days with .01 in. or more.	9	18	9	20	12	20	4	11	24	18	33	18	186	
* Days with .04 in. or more.	7	16	8	18	9	19	4	8	20	14	21	17	161	

Section

A

for the entry of Daily Observations.

Station No. 1620

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 90.

REGISTER OF RAINFALL IN 1936.

Kept at Blandford, Bryanston Gdns.

in the County of Dorset

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.32	.04	—	.39	—	.33	.17	—	.03	—	.04	.04		1
2	.04	.04	—	.05	—	.15	.09	.04	—	—	.05	—		2
3	—	—	—	.38	—	.05	.07	.02	.58	—	.59	—		3
4	—	—	.22	—	—	.19	.03	—	.74	—	.07	.04		4
5	.45	—	.10	—	.09	—	—	—	.12	—	—	.17		5
6	.21	—	.03	—	—	.03	.04	.07	.35	—	.75	—		6
7	.06	—	.29	—	—	—	.19	—	—	—	.34	—		7
8	.58	—	.64	—	—	—	.25	—	—	—	.38	—		8
9	.53	—	.28	—	—	—	.16	—	.29	—	.04	—		9
10	.32	—	—	—	—	—	—	—	—	—	.03	—		10
11	.19	.17	—	—	—	.06	.12	—	.08	—	.91	—		11
12	.05	—	—	.26	—	.33	.42	.03	.16	—	.19	—		12
13	.03	—	—	.03	—	.05	.13	—	—	.04	—	1.24		13
14	—	.05	—	—	—	.05	.54	—	.04	.03	.10	.84		14
15	—	.04	—	—	—	—	.03	—	.04	—	.04	.63		15
16	.63	.21	—	—	.16	—	.13	—	—	—	.07	.08		16
17	.03	.09	—	—	—	—	.24	—	.03	.03	.04	.94		17
18	.14	.20	—	—	—	1.02	.49	—	—	.08	—	.34		18
19	.48	.07	.03	.14	—	.09	—	.11	—	—	—	—		19
20	.12	.23	.09	.12	—	.18	—	—	.88	—	—	—		20
21	—	.21	.16	.34	—	.12	.05	—	—	—	—	—		21
22	.16	.35	.63	—	.12	—	.33	—	—	.04	—	.04		22
23	.10	—	.19	.16	.03	—	.44	—	—	.10	—	—		23
24	.25	.04	.05	—	.05	—	—	—	.05	.44	—	—		24
25	.13	—	.34	.21	—	—	.03	—	.13	.15	—	—		25
26	.22	.15	.33	.03	—	.33	—	—	.03	.05	—	—		26
27	.47	.14	.21	—	—	—	.19	—	.10	.11	—	.02		27
28	1.04	—	.79	—	—	—	.33	—	—	—	—	.41		28
29	.02	.06	.06	—	—	.07	.12	—	—	.07	.06	.08		29
30	.14	~~X~~	—	—	—	.08	.02	—	—	.21	—	—		30
31	.12	~~X~~	.58	~~X~~	.14	~~X~~	.17	—	~~X~~	.37	~~X~~	.64		31
TOTAL	6.23	3.09	4.96	2.11	.59	3.13	4.78	.27	3.65	1.72	3.70	5.51	39.74	
* Days with .01 in. or more.	26	16	18	11	6	16	25	5	16	13	16	14	182	
* Days with .04 in. or more.	22	16	17	9	5	15	21	3	13	11	15	13	159	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 1620

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936Kept at *Bryanston, Islandford*in the County of *Dorset*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....*1*.....ft.....in.,, Ground ,, Sea Level *185-190*.....ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.32	.04		.39		.33	.17		.03		.04	.04		1
2	.04	.04		.05		.15	.09	.04			.05			2
3				.38		.05	.07	.02	.58		.59			3
4			.22			.19	.03		.74		.07	.04		4
5	.45		.1		.09				.12			.17		5
6	.21		.03			.03	.04	.07	.35		.75			6
7	.06		.29				.19				.34			7
8	.58		.64				.25				.38			8
9	.53		.28				.16		.29		.04			9
10	.32										.03			10
11	.19	.17				.06	.12		.08		.91			11
12	.05			.26		.33	.42	.03	.16		.19			12
13	.03			.03		.05	.13			.04		.124		13
14		.05				.05	.54		.04	.03	.1	.84		14
15		.04					.03		.04		.04	.63		15
16	.03	.21			.16		.13				.07	.08		16
17	.03	.109					.24		.03	.03	.04	.94		17
18	.14	.2				.102	.49			.08		.34		18
19	.48	.07	.03	.14		.09		.11						19
20	.12	.23	.09	.12		.18			.88					20
21		.21	.1	.34		.12	.05							21
22	.16	.35	.63		.12		.33			.04		.04		22
23	.1		.19	.16	.03		.44			.1				23
24	.25	.04	.05		.05				.05	.44				24
25	.13		.34	.21			.03		.13	.15				25
26	.22	.15	.33	.03		.33			.03	.05				26
27	.47	.14	.21				.19		.1	.11		.02		27
28	.104		.79				.33					.41		28
29	.02	.06	.06			.07	.12			.07	.06	.08		29
30	.14	~~X~~				.08	.02			.21				30
31	.12	~~X~~	.58	~~X~~	.14	~~X~~	.17		~~X~~	.37	~~X~~	.64		31
TOTAL	6.23	3.09	4.96	2.11	.59	3.13	4.78	.27	3.65	1.72	3.7	5.51	Year's Total	39.74
* Days with .01 in. or more.	26	16	18	11	6	16	25	5	16	13	16	14		182
* Days with .04 in. or more.	22	16	~~17~~	9	5	15	21	3	13	11	15	13		160

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 1620

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Bryanston, Islandford

in the County of Donegal

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. in.

Ground Sea Level 185-190 ft. approx.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.27			.19					.06	.03	.15	1.18		1
2	.02	1.17	.04	.07					.16			.54		2
3		.45	.07	.03										3
4	.21	.7										.28		4
5	.3		.05	.02			.34					.03		5
6	.15	.24	.21	.22	.05		.18			.08				6
7		.72		.12						.03		.54		7
8					.43	.03	.03				.23			8
9		.04		.19	.16	.03	.13		.67			.13		9
10	.09	.05	.83	.18	.33	.55	.03					.49		10
11	.05		.09	.04	.26	.04	.33							11
12	.74	.38	.08	.03		.16		.81	.38			.52		12
13	.12	.04	.65	.13				.18	.09			.04		13
14	.04	.03	.17					.05	.09			.07		14
15	.37	.24	.05	.35			.65		.11			.06		15
16	.04	.1	.84	.25		.03	.02	.49	1.46		.05			16
17	1.18	.04	.64				.07		.24		.22			17
18	.16	.13									.08	.19		18
19	.05	.05	.06	.22	.03	.03			.09			.06		19
20	.53	.04	.28	.19								.25		20
21	.59	.39	.12	.04	.24		.05				.23	.11		21
22	.35	.02	.03		.55	.09	.14		.06	1.44	.36	.2		22
23	.28	.19	.09		.19					.79	.05	.04		23
24	.54	.74	.04						.08	1.12				24
25	.59	.38	.28		.76					.34		.13		25
26		.37	.03		.32				.05	.06		.04		26
27	.02	.14		.11						.51				27
28		.11								.19				28
29										.84	.06			29
30	.96	X				.04				.03	.11			30
31	.19	X		X		X			X	.73	X			31
TOTAL	7.84	6.76	4.65	2.38	3.32	1.	1.97	1.53	3.54	6.19	1.54	4.9.	Year's Total 45.62	
* Days with .01 in. or more.	24	24	20	17	11	9	11	4	13	13	10	19	175	
* Days with .04 in. or more.	22	22	18	14	10	5	8	4	13	10	10	18	154	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) J. Jacques [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1620

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at ... *Blundford, Bournemouth*in the County of ... *Dorsetshire*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.27	-	-	.19	-	-	-	-	.06	.03	.15	1.18		1
2	.02	1.17	.04	.07	-	-	-	-	.16	-	-	.54		2
3	-	.45	.07	.03	-	-	-	-	-	-	-	-		3
4	.21	.70	-	-	-	-	-	-	-	-	-	.28		4
5	.30	-	.05	.02	-	-	.34	-	-	-	-	.03		5
6	.15	.24	.21	.22	.05	-	.18	-	-	.08	-	-		6
7	-	.72	-	.12	-	-	-	-	-	.03	-	.54		7
8	-	-	-	-	.43	.03	.03	-	-	-	.23	-		8
9	-	.04	-	.19	.16	.03	.13	-	.67	-	-	.13		9
10	.09	.05	.83	.18	.33	.55	.03	-	-	-	-	.49		10
11	.05	-	.09	.04	.26	.04	.33	-	-	-	-	-		11
12	.74	.38	.08	.03	-	.16	-	.81	.38	-	-	.52		12
13	.12	.04	.65	.13	-	-	-	.18	.09	-	-	.04		13
14	.04	.03	.17	-	-	-	-	.05	.09	-	-	.07		14
15	.37	.24	.05	.35	-	-	.65	-	.11	-	-	.06		15
16	.04	.10	.84	.25	-	.03	.02	.49	1.46	-	.05	-		16
17	1.18	.04	.64	-	-	-	.07	-	.24	-	.22	-		17
18	.16	.13	-	-	-	-	-	-	-	-	.08	.19		18
19	.05	.05	.06	.22	.03	.03	-	-	.09	-	-	.06		19
20	.53	.04	.28	.19	-	-	-	-	-	-	-	.25		20
21	.59	.39	.12	.04	.24	-	.05	-	-	-	.23	.11		21
22	.35	.02	.03	-	.55	.09	.14	-	.06	1.44	.36	.20		22
23	.28	.19	.09	-	.19	-	-	-	-	.79	.05	.04		23
24	.54	.74	.04	-	-	-	-	-	.08	1.12	-	-		24
25	.59	.38	.28	-	.76	-	-	-	-	.34	-	.13		25
26	-	.37	.03	-	.32	-	-	-	.05	.06	-	.04		26
27	.02	.14	-	.11	-	-	-	-	-	.51	-	-		27
28	-	.11	-	-	-	-	-	-	-	.19	-	-		28
29	-	X	-	-	-	-	-	-	-	.84	.06	-		29
30	.96	X	-	-	-	.04	-	-	-	.03	.11	-		30
31	.19	X	-	X	-	X	-	-	X	.73	X	-		31
TOTAL	7.84	6.76	4.65	2.38	3.32	1.00	1.97	1.53	3.54	6.19	1.54	4.90	45.62	✓
* Days with .01 in. or more.	24	24	20	17	11	9	11	4	13	13	10	19	175	✓
* Days with .04 in. or more.	22	22	18	14	10	5	8	4	13	10	10	18	154	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations.

Station No. 1620

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Blandford Bryanston Gdns.

in the County of Dorsetshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level 185.....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.03				.15	.15	—	—	.48	—	.04		1
2	.04						—	—	—	.13	.05	.08		2
3					.13		.02	—	—	.77	.14	—		3
4							.12	1.28	—	.13	—	.29		4
5							.16	—	.03	.12	—	—		5
6	.05					.08	.31	—	.10	.19	.06	.07		6
7	.07					.03	.50	.07	.14	.20	—	.06		7
8	.24						.09	.08	—	.45	—	.03		8
9	.16	.06					—	—	—	.03	—	.95		9
10	.05					.16	.02	1.13	—	—	.02	.34		10
11	.23						—	—	—	—	.41	.33		11
12	.46				.24		—	—	—	.21	.05	.03		12
13	.22				.02		—	—	—	.09	.45	.65		13
14	.63				.05		.32	—	—	—	—	—		14
15	.22				.08		.57	—	—	.25	.04	.48		15
16	.58		.04				—	.03	—	.03	.02	.18		16
17		.12	.03				—	—	.13	.11	.04	—		17
18	.15				.13	.04	—	.07	.31	.03	.42	—		18
19	.03						—	.09	.22	—	.63	—		19
20							—	—	—	—	.78	—		20
21							—	—	.09	—	.09	—		21
22	.04						—	.33	—	—	.40	.14		22
23	.03				.02		—	—	.13	—	.06	—		23
24			.14				—	.08	.16	—	.42	—		24
25	.15	.32	.02		.21		.11	.03	—	.04	1.59	—		25
26	.36	.44			.33	.04	—	—	.02	.06	—	.28		26
27	.06	.04			.07	.25	.56	.07	—	.04	.50	—		27
28	.09	.07			.18	.19	—	.46	.14	—	—	.06		28
29	.02	X			.35		—	—	.22	.14	.39	.06		29
30	.04	X			.05	.06	.04	—	.66	.04	.19	.09		30
31	.23	X		X	.20	X	—	—	X	.24	X	.39		31
TOTAL	4.15	1.08	.23	.00	2.06	1.00	2.97	3.72	2.35	3.78	6.75	4.55	32.64	
* Days with .01 in. or more.	23	7	4	0	14	9	13	12	13	21	21	19	156	
* Days with .04 in. or more.	20	6	2	0	12	8	11	10	11	19	19	17	134	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. Jaques

[P.T.O.]

1.31

Section

for the entry of Daily Observations

Station No. 1620

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *Blandford, Bournemouth Gdn.*in the County of *Dorsetshire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. in.Ground Sea Level *18.5* ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	.12	.13	.08	-	.02	.12	.07	-	.1	.11		1
2	-	-	-	.18	-	-	.03	.43	1.21	-	.14	.12		2
3	.62	-	-	.57	-	-	-	.10	-	-	.25	.35		3
4	-	-	.59	.22	.29	-	.29	.19	.03	.46	.09	.13		4
5	-	-	.03	.18	.24	-	.35	.12	-	.28	.84	.13		5
6	.70	-	.04	-	-	-	1.24	.04	-	-	.73	-		6
7	.03	.32	-	-	-	-	.03	-	-	-	.61	.63		7
8	-	.25	.14	-	-	-	.09	-	-	.50	.23	.36		8
9	.04	.04	.02	-	-	-	-	.05	-	-	.07	.35		9
10	.34	-	-	-	-	-	-	.32	.15	.30	.04	.02		10
11	-	.03	.20	-	-	.03	-	-	-	.79	.03	-		11
12	-	-	-	-	-	.04	-	-	-	.04	.04	-		12
13	-	-	-	.12	-	-	.41	-	-	.62	.05	-		13
14	1.02	-	-	-	.02	.02	.15	-	-	.22	.38	.05		14
15	.38	-	-	-	.12	1.06	.24	-	.04	.13	.45	-		15
16	.23	-	.02	.11	.02	-	.10	-	-	-	.17	-		16
17	.45	.05	-	-	.05	.05	.26	-	-	.15	.35	-		17
18	.15	-	.04	-	.02	.14	.75	-	-	-	.07	.01		18
19	.47	-	-	-	-	-	.04	.09	-	-	-	.09		19
20	.46	-	-	-	-	.03	.48	4.52	-	-	-	-		20
21	.13	.35	.07	.02	-	.04	.10	-	-	-	-	-		21
22	.51	.36	.22	-	-	.17	.12	-	-	-	.23	-		22
23	-	-	-	.17	-	.03	.10	-	-	-	1.07	-		23
24	.31	-	.02	-	-	.42	.14	-	-	-	-	-		24
25	.46	.15	-	.02	-	-	.07	-	-	.14	.46	-		25
26	.14	-	-	-	-	-	-	.08	-	.10	.38	-		26
27	-	.25	.07	-	-	-	.03	-	-	.03	.18	-		27
28	-	.33	.03	-	-	.15	.21	-	-	-	.39	.22		28
29	-	~~X~~	-	.04	-	.03	.30	-	-	.09	.03	-		29
30	-	~~X~~	-	.41	-	.02	-	.36	-	.13	.03	-		30
31	-	~~X~~	-	~~X~~	-	~~X~~	.02	.16	~~X~~	.95	~~X~~	-		31
TOTAL	6.44	2.13	1.61	2.17	.84	2.23	5.57	6.58	1.50	4.93	7.41	2.60	44.01	
* Days with .01 in. or more.	17	10	14	12	8	14	24	13	5	16	26	13	172	
* Days with .04 in. or more.	16	9	9	10	5	8	19	13	4	15	23	12	143	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

1620

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Blanchford, Bryanston Gdns.
in the County of Dorsetshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft....0...in.

,, Ground ,, Sea Level 1.85....ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	-	.03	-	-	-	-	-	.09	-		1
2	-	.22	-	.18	-	-	.02	-	-	-	.43	.08		2
3	-	.54	-	-	-	-	-	-	-	.24	.70	.14		3
4	.05	.07	-	.03	-	-	.25	-	-	.31	.22	-		4
5	-	-	-	-	-	-	.02	-	-	.05	.57	.39		5
6	-	.68	-	-	-	-	.02	-	-	.37	.04	.31		6
7	.05	.25	-	-	-	-	-	-	.05	.16	-	-		7
8	-	-	-	-	-	-	.03	-	-	.54	.33	.34		8
9	-	-	-	-	-	-	.31	.02	.07	.14	.64	.18		9
10	-	-	-	-	-	-	1.02	-	-	.12	.17	.17		10
11	-	-	.02	.03	-	-	.32	-	-	-	.82	-		11
12	-	-	.35	-	-	-	.37	-	.25	.03	.05	-		12
13	-	-	.48	-	-	-	.03	-	.13	.32	1.24	.11		13
14	-	-	.18	.07	.16	-	.19	-	.19	.60	-	1.16		14
15	-	-	-	.02	.29	.06	.36	-	.16	.24	.90	.04		15
16	-	-	.61	-	-	.04	.04	-	.23	.69	.75	-		16
17	-	-	.32	-	-	-	-	-	-	-	.77	-		17
18	-	.94	.39	.29	-	-	.19	-	.04	.12	.04	.14		18
19	-	-	.09	.22	-	-	.20	-	.83	-	.44	-		19
20	-	-	-	.02	-	-	-	-	-	.32	.07	-		20
21	-	-	-	-	.32	-	-	-	.05	-	.70	-		21
22	-	-	.08	.08	-	.39	-	-	.18	-	-	-		22
23	-	.07	.27	.07	-	-	-	-	.02	.07	.05	-		23
24	-	-	-	-	-	-	.28	-	-	-	-	-		24
25	-	-	.06	.03	.03	-	-	-	-	-	-	-		25
26	1.23	.58	-	.02	.12	-	.03	-	-	-	-	-		26
27	.47	.33	-	-	.37	-	.05	-	-	-	-	-		27
28	.44	.15	-	-	-	-	-	-	-	.08	-	-		28
29	-	.26	.23	.35	-	-	-	-	-	.03	-	.42		29
30	-	~~X~~	-	.07	-	-	-	-	-	.42	-	.12		30
31	.35	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	.92	~~X~~	.22		31
TOTAL	9.59	4.09	2.98	1.48	1.32	.49	3.73	.02	2.20	5.77	9.02	3.82	37.51	
* Days with .01 in. or more.	6	11	12	14	7	3	18	1	12	20	20	14	155	
* Days with .04 in. or more.	6	11	11	8	5	3	12	-	11	18	20	14	119	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

f. J. J. J. J.

[P.T.O.]

BLANDFORD

Section



for the entry of
AIR MINIST

FORM 1090.

REGI

Kept at

BRYANSTON SCH

in the County of

DORSET

Diameter of Funnel of Gauge.....

Height of top of Gauge above Gr

Ground Sea

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1									—	—	.03	.04		1
2									—	—	.03	Tr		2
3									.60	Tr	.58	—		3
4									.43	Tr	.06	.03		4
5									.40	—	—	Tr.		5
6									.41	Tr.	.73	.16		6
7									TR	—	.37	.02		7
8									TR	—	.46	.06		8
9									.28	Tr.	.04	.12		9
10									.01	—	.06	Tr		10
11									.06	—	.91	Tr.		11
12									.08	—	.24	Tr		12
13									—	.01	.14	1.33		13
14									.02	.03	Tr.	1.05		14
15									.03	—	.03	.71		15
16									TR	—	.07	.04		16
17									.01	.01	.06	.27		17
18									—	—	Tr.	—		18
19									—	.05	—	—		19
20									.95	Tr	—	—		20
21									.01	Tr	—	—		21
22									—	.02	—	—		22
23									—	.11	—	—		23
24									.02	.50	—	—		24
25									.12	.07	Tr.	—		25
26									.01	.08	—	—		26
27								—	.08	.09	Tr	—		27
28								—	Tr.	Tr.	—	—		28
29								—	—	.07	.04	—		29
30		X						—	Tr.	.14	Tr	—		30
31		X		X		X		—	X	.38	X	—		31
TOTAL									3.52	1.56	3.83	3.83	Year's Total	
* Days with .01 in. or more.									17	13	16	—		
* Days with .04 in. or more.									10	9	13	—		

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

D. O. C. Gumble

[P.T.Q.]

THE HEADMASTER

BLANDFORD

Section

A

for the entry of Daily Observations.

Station No.

1620/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at BRIANSTON SCHOOL BLANDFORD

in the County of DORSET/4

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ...320 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									—	—	.03	.04		1
2									—	—	.03	Tr		2
3									.60	Tr.	.58	—		3
4									.43	Tr.	.06	.03		4
5									.40	—	—	Tr.		5
6									.41	Tr.	.73	.16		6
7									Tr	—	.37	.02		7
8									Tr	—	.46	.06		8
9									.28	Tr.	.04	.12		9
10									.01	—	.06	Tr		10
11									.06	—	.91	Tr.		11
12									.08	—	.24	Tr.		12
13									—	.01	.14	1.33		13
14									.02	.03	Tr.	1.05		14
15									.03	—	.03	.71		15
16									Tr	—	.07	.04		16
17									.01	.01	.06	.27		17
18									—	—	Tr.	—		18
19									—	.05	—	—		19
20									.95	Tr	—	—		20
21									.01	Tr	—	—		21
22									—	.02	—	—		22
23									—	.11	—	—		23
24									.02	.50	—	—		24
25									.12	.07	Tr	—		25
26									.01	.08	—	—		26
27								—	.08	.09	Tr	—		27
28								—	Tr.	Tr.	—	—		28
29								—	—	.07	.04	—		29
30		X						—	Tr.	.14	Tr	—		30
31		X		X		X		—	X	.38	X	—		31
TOTAL									3.52	1.56	3.83	3.83	Year's Total	
* Days with .01 in. or more.									17	13	16	—		
* Days with .04 in. or more.									10	9	13	—		

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) D. O. C. G. G. G.

[P.T.Q.]

THE HEADMASTER

Section



for the entry of Daily Observations

Station No. 1620/2.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at ..Bryanston School.. Blandford..
in the County of ..Dorset..

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground....1....ft....0....in.
Ground Sea Level 280.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25	Tr.	Tr.	)	-	-	Tr.	-	.03	.02	.17	.88		1
2	.02	.50	.35	)	-	-	-	-	.17	Tr.	Tr.	.61		2
3	-	1.28	.05	.28	-	-	.03	-	Tr.	-	Tr.	-		3
4	.20	.51	Tr.	Tr.	-	-	Tr.	Tr.	Tr.	-	Tr.	.26		4
5	.30	1.89	.03	.01	-	-	.25	-	-	-	Tr.	-		5
6	.15	Tr.	.23	.33	.05	-	.18	-	-	.05	Tr.	Tr.		6
7	-	1.25	Tr.	.05	Tr.	.01	Tr.	-	Tr.	.02	Tr.	1.24		7
8	-	1.72	Tr.	Tr.	.54	-	Tr.	-	-	Tr.	.24	.03		8
9	-	.01	.54	.17	.08	.02	.09	-	.68	Tr.	Tr.	.03		9
10	.08	.04	.26	.21	.17	.56	.10	-	Tr.	Tr.	Tr.	.49		10
11	.05	.03	.12	.03	.46	.01	.21	-	-	Tr.	Tr.	.01		11
12	.65	.40	.20	.04	Tr.	.14	.01	.76	.33	Tr.	-	.56		12
13	.12	.03	.66	.10	-	Tr.	Tr.	.17	.10	-	-	.04		13
14	.03	Tr.	-	Tr.	-	Tr.	-	.04	.07	-	-	.05		14
15	.35	.20	.69	.42	-	Tr.	.68	Tr.	.10	-	Tr.	.06		15
16	.04	.15	.40	.18	-	.04	-	.47	1.43	-	.02	.01		16
17	.96	.03	.60	Tr.	-	-	.05	-	.32	-	.29	Tr.		17
18	.07	.13	Tr.	Tr.	-	-	Tr.	-	Tr.	-	.08	.20		18
19	.05	.07	.23	.20	.01	.01	Tr.	-	.13	-	Tr.	.12		19
20	.72	.01	.09	.18	Tr.	-	Tr.	-	Tr.	Tr.	Tr.	.25		20
21	.71	.42	.16	.05	.04	-	.04	-	Tr.	Tr.	.22	.16		21
22	.35	Tr.	-	Tr.	.73	.10	.14	-	.04	1.51	.37	.22		22
23	.32	.20	.01	Tr.	.21	-	.01	-	-	.72	.06	.02		23
24	.59	.96	Tr.	-	Tr.	-	Tr.	-	.05	.94	Tr.	Tr.		24
25	.58	.59	.25	-	.55	-	-	-	.04	.40	Tr.	.15		25
26	-	.16	.02	-	.43	-	-	-	Tr.	.08	Tr.	.02		26
27	-	.27	Tr.	.11	Tr.	-	-	-	Tr.	.54	-	Tr.		27
28	.02	.02	-	Tr.	Tr.	-	-	-	Tr.	.19	Tr.	Tr.		28
29	.22	XXX	-	-	Tr.	.01	-	Tr.	Tr.	.76	.05	Tr.		29
30	.20	XX	-	-	-	.07	-	Tr.	Tr.	.02	.11	Tr.		30
31	.45	XX	-	XX	-	XX	-	Tr.	XX	.76	XX	-		31
TOTAL	7.48	3	4.89	2.36	3.27	.97	1.79	1.44	3.49	5.95	1.61	5.41	46.03	
* Days with .01 in. or more.	25	213	18	15	11	10	12	4	13	13	10	21	175	Less 1-16th. Jan.
* Days with .04 in. or more.	22	118	15	13	10	5	9	4	12	9	9	15	141	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

% Last 15 days only.

X Marks in heavy dew. β Marks in damp mist.

Section



for the entry of Daily Observations

Station No. 1620/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Bryanston School, Blandford.
Dorset.

in the County of

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. 0 in.

,, Ground ,, Sea Level 280 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	.01	Tr	-	Tr <i>few spots</i>	.16	.14	-	-	.53	Tr	.07		1
2	.03	Tr	-	Tr	-	Tr	-	-	-	.13	.04	.08		2
3	-	-	-	-	.13	Tr	Tr <i>few spots</i>	-	-	.82	.16	Tr		3
4	Tr	-	-	-	Tr	Tr	.14	1.22	-	.18	Tr	.36		4
5	Tr	-	-	-	-	Tr	.16	-	Tr	.12	Tr	Tr		5
6	.04	-	-	-	-	.07	.25	-	.12	.22	.04	.03		6
7	.07	-	-	-	-	Tr	.63	.14	.07	.20	.01	.05		7
8	.27	-	-	-	-	Tr	.07	.09	Tr	.55	Tr	.03		8
9	.19	.05	Tr <i>mist</i>	-	-	-	-	-	-	Tr	Tr	1.01		9
10	.02	Tr	-	-	-	.10	.01	.68	-	-	Tr	.32		10
11	.24	-	-	-	-	Tr	.01	-	-	-	.43	.33		11
12	.49	Tr	-	-	.22	-	-	-	-	.22	.05	.01		12
13	.38	-	-	-	Tr	-	Tr	-	-	.09	.58	.69		13
14	.78 <i>Snow</i>	Tr <i>Snow & Mist</i>	Tr	-	.04	-	.23	-	-	-	Tr	Tr		14
15	.21	Tr	-	-	.06	-	.67	.02	-	.23	.06	.41		15
16	.59	Tr	.02	-	.01	-	Tr	-	-	.02	.01	.08		16
17	Tr	.16	.02	-	-	-	-	-	.12	.12	.03	.01		17
18	.16	Tr	-	-	.08	.03	Tr	.18	.26	.03	.48	-		18
19	Tr	Tr	-	-	-	Tr	-	.02	.21	-	.63	Tr <i>Snow</i>		19
20	-	-	-	-	-	-	-	Tr	Tr	-	.83	Tr <i>Snow</i>		20
21	Tr	-	-	-	-	-	-	.04	.08	-	.07	.11 <i>Snow</i>		21
22	.02	-	-	Tr <i>few spots</i>	-	Tr	-	.26	Tr	-	.40	.06 <i>Snow & Drizzle</i>		22
23	.01	-	-	-	.01	Tr	-	Tr	.11	-	.10	Tr <i>Drizzle</i>		23
24	Tr	-	.13	-	Tr	-	Tr	.09	.15	-	.38	Tr <i>Morning Mist</i>		24
25	.16	.33	.02	-	.22	-	.09	.01	Tr	.02	1.63	.07 <i>Snow</i>		25
26	.36	.46	Tr	-	.36	.03	Tr	Tr	Tr	.04	Tr	.22 <i>Shower Morning Mist Drizzle</i>		26
27	.06	.04	Tr	-	.07	.27	.67	.08	Tr	.03	.55	Tr		27
28	.12	.07	-	-	.17	.24	Tr	.43	.09	Tr	Tr	.06		28
29	.01	X	-	-	.34	-	Tr	-	.39	.16	.41	.06		29
30	.01	X	-	-	.02	.10	.03	-	.51	Tr	.21	.09		30
31	.30	X	-	X	.20	X	-	-	X	.25	X	.43		31
TOTAL	4.52	1.12	.19	Tr	1.93	1.00	3.10	3.26	2.11	3.96	7.10	4.58	32.87	Year's Total
* Days with .01 in. or more.	22	7	4	0	14	8	13	13	11	19	21	22	154	
* Days with .04 in. or more.	16	6	1	0	11	6	10	10	11	15	18	18	122	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. A. Hervey

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 1620/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939.

Kept at ... Bryanston School, Blandford.
in the County of Dorset.Diameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground...1.....ft. 0.....in.,, Ground ,, Sea Level 280.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr.	-	.13	.13	.07	-	show Tr.	.14	.09	-	.10	.17		1
2	Tr.	-	.01	.21	Tr.	-	.03	.40	1.29	-	.20	.13		2
3	.62	-	-	.57	-	-	-	.08	Tr.	-	.23	.24		3
4	.01	Tr.	.60	.26	.27	-	Thunder .28	.15	Thunder Tr.	.51	.12	.13		4
5	Tr.	Tr.	.02	.14	.24	-	.34	.11	Tr.	.29	.73	.13		5
6	.68	Tr.	.04	Tr.	Tr.	-	1.29	.03	-	Tr.	1.10	Tr.		6
7	.01	.31	-	Tr.	-	-	.01	Tr.	-	-	.66	.64		7
8	.02	.27	.13	Tr.	-	-	.09	.02	-	.50	.22	.40		8
9	.05	.04	.02	-	-	-	Tr.	.10	-	.12	.06	.37		9
10	.33	-	Tr.	-	-	Tr.	-	.22	.12	.25	.04	.01		10
11	Tr.	.01	.18	-	-	Shower .02	-	Tr.	-	.59	.02	Tr.		11
12	Tr.	Tr.	Tr.	.02	-	.03	-	-	-	Shower Tr.	.02	Tr.		12
13	Tr.	Tr.	Tr.	.10	-	.01	.39	-	.03	1.60	.05	Tr.		13
14	1.12	-	Tr.	Tr.	.01	.01	.07	-	Tr.	.22	.38	.03		14
15	.47	-	Tr.	Tr.	.10	.85	.27	-	-	.11	.29	.01		15
16	.27	-	.01	.13	.01	.21	.08	-	-	Shower Tr.	.30	-		16
17	.49	.02	Tr.	.01	.03	(Rain fell)	.15	-	-	.23	.09	.01		17
18	.16	Tr.	.02	-	Tr.	.17	.87	-	-	Tr.	.33	Tr.		18
19	.48	Tr.	Tr.	-	-	-	.03	.09	-	-	Tr.	.07		19
20	.45	Tr.	-	-	-	.03	.38	4.66	-	-	Tr.	Tr.		20
21	.11	.35	.06	Tr.	-	.04	.16	Tr.	-	Tr.	Tr.	-		21
22	.60	.37	.22	.01	-	.15	.13	Tr.	Tr.	Tr.	.19	-		22
23	Tr.	Tr.	Tr.	.15	-	.02	.03	Tr.	-	.01	1.06	-		23
24	.54	Tr.	.01	.01	-	.44	.16	-	-	Tr.	Tr.	-		24
25	.94	.17	.01	Tr.	-	Tr.	.10	Tr.	-	.12	.55	-		25
26	.01	.05	-	.01	-	-	-	.07	-	.10	.42	.01		26
27	Tr.	.27	.06	Tr.	-	Tr.	Tr.	Tr.	-	.01	.21	Tr.		27
28	Tr.	.36	.03	Tr.	-	.14	.15	-	-	Tr.	.64	.17		28
29	Tr.	X	Tr.	.01	-	.01	.28	-	-	.09	.03	Tr.		29
30	Tr.	X	Tr.	.38	-	.02	Tr.	.33	-	.08	.03	Tr.		30
31	-	X	Tr.	X	-	X	.03	.15	X	1.05	X	-		31
TOTAL	7.36	2.22	1.55	2.14	.73	2.15	5.32	6.55	1.53	5.88	8.07	2.52	46.02	
* Days with .01 in. or more.	19	11	16	15	7	16	22	14	4	17	26	15	182	
* Days with .04 in. or more.	15	9	8	9	4	7	17	12	3	15	22	10	131	

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

P.T.O.

Section



for the entry of Daily Observations

Station No. 1620/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934.

Kept at ..Bryanston School.....
in the County of ..Dorset.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground..1.....ft.....0.....in.

,, Ground ,, Sea Level ..280.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	Tr.	-	Tr.	.01	-	-	-	-	-	.09	-		1
2	-	.25	-	.17	-	-	-	-	-	-	.40	.01		2
3	Drizzle Tr.	.59	-	Snow Tr.	-	-	Shower Tr.	-	-	.24	.85	.19		3
4	.03	.07	-	.01	-	-	.22	-	-	.32	.11	.02		4
5	Fog Tr.	Tr.	-	-	-	-	.01	-	-	.04	.61	.41		5
6	.40	.66	-	-	-	-	.02	-	-	.42	.03	.57		6
7	.04	.27	-	.01	-	-	-	-	Tr.	.10	Tr.	Tr.		7
8	Tr.	.01	-	.01	-	-	.03	Tr.	.06	.64	.30	.29		8
9	-	Tr.	-	Tr.	-	-	.05	.05	.04	.16	.67	.24		9
10	-	Tr.	-	-	-	-	1.20	-	.01	.03	.17	.19		10
11	-	Snow Tr.	Tr.	.01	-	-	.37	-	Tr.	-	.83	.04		11
12	-	Snow Tr.	.33	-	-	-	.36	-	.21	.01	.05	Tr.		12
13	-	Snow Tr.	.57	-	-	-	.04	-	.15	.08	1.24	-		13
14	-	-	.04	.07	.16	-	.18	-	.22	.70	Tr.	1.23		14
15	-	Snow .02	Tr.	.02	.26	.04	.48	-	.13	.51	.80	.14		15
16	Snow Tr.	Snow .76	.64	-	-	.10	.03	-	.28	.73		.17		16
17	-	Snow .10	.25	Hail Tr.	-	-	Tr.	-	Tr.	Tr.	1.60	Tr.		17
18	Tr.	Snow .36	.31	.34	-	-	.12	-	.01	.12	.01	.06		18
19	Frozen Rain .01	.04	.07	.24	-	-	.16	-	.84	Tr.	.44	-		19
20	Frozen Rain Tr.	.01	.03	Tr.	-	-	-	-	Tr.	.34	.12	Tr.		20
21	-	.01	Tr.	-	.28	-	.01	-	.01	.01	.76	-		21
22	-	.02	.06	Thunder .08	Tr.	.37	-	Tr.	.18	Tr.	Tr.	-		22
23	-	.06	.31	.07	-	-	-	-	Tr.	.06	.02	.01		23
24	-	-	Tr.	-	Tr.	-	.29	-	-	-	Tr.	Tr.		24
25	-	Tr.	.06	.02	.02	Shower Tr.	Tr.	-	-	-	.01	-		25
26	-	.76	Tr.	.01	.13	Shower Tr.	.01	-	-	-	Tr.	Tr.		26
27	1.25	.42	Tr.	Tr.	.18	-	-	-	-	-	-	Tr.		27
28	.65	.03	-	-	.17	-	-	-	-	.09	-	-		28
29	Snow .26	Snow .40	.25	.25	-	Shower Tr.	-	-	-	.02	-	.43		29
30	.03	X	.02	.15	-	-	-	-	-	.50	-	.12		30
31	.27	X	Tr.	X	Tr.	X	-	-	X	1.05	X	Snow .25		31
TOTAL	2.94	4.84	2.94	1.46	1.21	.51	3.58	.05	2.14	6.17	9.11	4.17	Year's Total 39.12	
* Days with .01 in. or more.	9	19	13	15	8	3	17	1	12	21	21	17	156	
* Days with .04 in. or more.	6	13	11	8	6	3	11	1	9	17	17	14	116	

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

P.T.O.

Section **A** for the entry of Data
AIR MINISTRY.

FORM 1090.

REGISTER

Kept at LETTON BLANDFORD
in the County of DORSET

Diameter of Funnel of Gauge. 8
Height of top of Gauge above Ground. 8
Ground Sea Level

1620/5
BLANDFORD (LETTON)
1932-40

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

2. Dorey/4

780305

OK print

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

.33 ✓

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13			.06	.18	.02	1.65	.03		.55		.74	1
2	.08			.15	.65	.08	.06	.10		.02	.04		2
3	Trace			.17	.24			.01	.10	.01		.40	3
4	Trace			.03		.34			.40	.10		.03	4
5	.02					.26			.16		.20		5
6	.48	Trace							.23				6
7	.38		Trace	.23					.19				7
8			.39	.03					.42	.55			8
9				.02	.12				.09	.32			9
10	.52			.31						.04	.03		10
11	.34			.30	.06	.04			.01	.34	.04		11
12	Trace			.02	Trace		.44					.10	12
13	.64				.15				.09		.02		13
14	.02			.17	.06		.19			.86		.06	14
15	.14			.20	.04						.08		15
16	.08			.04	.27					.05		.04	16
17	.17			.12			.75						17
18	.02			.03									18
19	Trace				.27				.25		.15		19
20				.12	.02			.30	.03	.31			20
21					.44		.01			.69	.27		21
22	.03		.17		.12					.26	.02	.16	22
23			.02		.03		.08	.02	.47	.36	.42		23
24		Trace			.25		.26		.02	.67	.09	.09	24
25		.04		.10	.05		.52		.11	.10	.02		25
26				.02			.10		.01	.56	.12		26
27			.20				.07			.10			27
28			.45	.62	.25	Trace	.12			.38		.07	28
29			.02	.10	.05	.12	.19					.02	29
30		X	.40	.09	1.00	.30	.01	.32	.70	.40	.23	.18	30 print
31		X	.06	X		X	.08	.02	X	.03	X	.26	31 32.37
TOTAL	2.92 3.05	.04	4.06 4.14	4.18 2.93	4.02 4.09	4.65 2.86	4.03 2.91	.20 77	4.55 3.83	6.04 6.04	4.74 2.47	4.33 1.74	32.37 153
*Days with or in. or more.	13	1	9	21	19	7	15	76	17	20	15	12	153
*Days with .04 in. or more.	10	1	7	18	16	7	12	3	10	17	11	10	121

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

BRIG. GEN. B.F.B. STUART, C.M.G.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at LETTON BLANDFORD
in the County of DORSET
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 240 ft.

Cue A 4/1/33.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

33 ✓

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	—	—	.06	.18	.02	1.65	.03	—	.55	—	.74	1
2	.08	—	—	.15	.65	.08	.06	.10	—	.02	.04	—	2
3	Trace	—	—	.17	.24	—	—	.01	.10	.01	—	.40	3
4	Trace	—	—	.03	—	.34	—	—	.40	.10	—	.03	4
5	.02	—	—	—	—	.25	—	—	.16	—	.20	—	5
6	.48	Trace	—	—	—	—	—	—	.23	—	—	—	6
7	.38	—	Trace	.23	—	—	—	—	.19	—	—	—	7
8	—	—	.39	.03	—	—	—	—	.42	.55	—	—	8
9	—	—	—	.02	.12	—	—	—	.09	.32	—	—	9
10	.52	—	—	.21	—	—	—	—	—	.04	.03	—	10
11	.34	—	—	.30	.06	.04	—	—	.01	.34	.04	—	11
12	Trace	—	—	.02	Trace	—	1.44	—	—	—	—	.10	12
13	.64	—	—	—	.15	—	—	—	.09	—	.02	—	13
14	.02	—	—	.17	.06	—	.19	—	—	.86	—	.06	14
15	.14	—	—	.20	.04	—	—	—	—	—	.08	—	15
16	.08	—	—	.04	.27	—	—	—	—	.05	—	.04	16
17	.17	—	—	.12	—	—	.75	—	—	—	—	—	17
18	.02	—	—	.03	—	—	—	—	—	—	—	—	18
19	Trace	—	—	—	.27	—	—	—	.25	—	.15	—	19
20	—	—	—	.12	.02	—	—	.30	.03	.31	—	—	20
21	—	—	—	—	.44	—	.01	—	—	.69	.27	—	21
22	.03	—	.17	—	.12	—	—	—	—	.26	.02	.16	22
23	—	—	.02	—	.03	—	.08	.02	.47	.36	.42	—	23
24	—	Trace	—	—	.25	—	.26	—	.02	.67	.09	.09	24
25	—	.04	—	.10	.05	—	.52	—	.11	.10	.02	—	25
26	—	—	—	.02	—	—	.10	—	.01	.56	.12	—	26
27	—	—	.20	—	—	—	.07	—	—	.10	—	—	27
28	—	—	.45	.62	.25	Trace	.12	—	—	.38	—	.07	28
29	—	—	.02	.10	.05	.12	.19	—	—	—	—	.02	29
30	—	X	.40	.09	1.00	.30	.01	.32	.70	.40	.23	.18	30
31	—	X	.06	X	—	X	.08	.02	X	.03	X	.26	31
TOTAL	2.92	.04	+.06	+.18	+.02	+1.65	+.03	—	+.55	—	+.74	+.33	YEAR'S TOTAL
*Days with or in. or more.	13	1	9	21	19	7	15	7	17	20	15	12	153
*Days with .04 in. or more.	10	1	7	10	16	7	12	3	10	17	11	10	121

40-9999

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

BRIG. GEN. B.F.B. STUART, C.M.G.

Section

A

for the entry of Daily Observations.

Station No.

1620/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at LETON BLANDFORDin the County of DORSETDiameter of Funnel of Gauge 8 in.Height of top of Gauge above Ground 1 ft. 7 in.Ground Sea Level (about) 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

NIL

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.33	.24	—	.04	—	—	—	—	—	.02	—	—		1
2	.38	.38	.11	—	—	.01	—	—	—	—	.04	.23		2
3	.57	—	.65	—	.35	—	—	—	—	—	—	—		3
4	.06	.10	.35	—	—	—	—	—	—	—	—	—		4
5	.14	.01	.01	—	.15	—	—	—	—	—	—	—		5
6	.13	—	.44	—	.35	—	—	—	—	—	—	—		6
7	—	.32	—	—	.22	—	—	—	—	.23	.04	—		7
8	.03	.03	Trace	—	.11	—	Trace	—	—	.17	—	—		8
9	.04	.01	.02	—	.04	—	.40	—	—	.02	—	—		9
10	—	—	—	—	.03	—	.25	—	—	.20	.02	—		10
11	—	—	—	—	—	—	.10	—	—	.30	.03	—		11
12	.26	—	—	—	Trace	.51	.10	.18	.02	—	—	—		12
13	.02	—	—	.05	Trace	—	.11	—	.88	—	—	.08		13
14	—	—	—	—	—	—	.31	.07	—	—	—	—		14
15	.02	—	—	—	—	.05	.10	.13	—	.65	.36	—		15
16	.74	—	.35	—	—	.06	.04	—	—	Trace	.02	—		16
17	—	—	1.15	—	—	—	—	—	.04	.14	—	—		17
18	—	—	.42	—	—	.22	—	.03	.12	—	—	—		18
19	.07	.24	.35	—	—	.15	—	—	.34	—	—	—		19
20	—	.25	.11	—	—	—	—	.02	.80	—	.23	—		20
21	—	.10	.01	—	—	.21	—	—	Trace	—	Trace	—		21
22	—	—	—	—	Trace	.18	—	.28	—	—	—	—		22
23	—	—	—	—	—	—	—	.25	.14	.15	—	—		23
24	—	—	—	.40	—	.25	—	—	.17	.13	—	—		24
25	—	2.25	—	.23	—	.05	—	—	.05	.02	—	—		25
26	—	.44	—	.32	—	.06	—	—	.05	—	Trace	.12		26
27	—	.53	—	.09	.15	—	.02	—	.12	—	—	.01		27
28	—	—	—	—	.10	—	—	—	.01	.27	—	.51		28
29	—	—	—	.28	—	—	.31	—	—	—	—	—		29
30	.12	X	—	Trace	—	—	.01	—	—	—	—	—		30
31	.06 ₂₄	X	.14 ₀₄	X	—	X	.04	—	X ₀₂	Trace	X	.05		31
TOTAL	.83 2.98	.41 4.88	.5 4.88	.37 1.48	150	1.75	179	.97	2.24	.28 2.32	.74	1.00	Year's total .05 25.88	
*Days with or in. or more.	107	122	134	86	9	11	12	7	13	11	7	6	124 ₃	
*Days with .04 in. or more.	11	109	111	86	8	10	10	5	10	9	4	4	983	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

1620/5
420/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at LETTON, BLANDFORD

in the County of DORSET

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 7 in.

Ground Sea Level 230 ft

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

.03

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	—	—	—	—	.16	—	—		1
2	.03	—	—	—	—	—	—	.55	—	.01	.12	.65		2
3	.22	—	.09	—	.02	—	—	—	.90	.05	—	.26		3
4	.03	<i>Trace</i>	.14	—	—	—	—	.08	—	.40	—	.32		4
5	.10	—	.03	.30	—	—	—	.04	—	.27	—	.41		5
6	—	—	.09	—	.03	—	—	.93	—	.05	—	.45		6
7	.06	—	.31	.07	.19	—	—	.02	—	.37	.10	.67		7
8	.07	—	—	—	—	.02	—	.12	.04	.08	.01	.62		8
9	.04	—	—	.04	.28	—	—	—	—	—	.72	.13		9
10	.29	—	.16	.31	—	—	—	—	—	—	.60	.14		10
11	.53	—	.21	.30	—	—	—	.08	—	—	.17	.03		11
12	—	—	.61	—	—	—	.08	.02	—	—	—	.38		12
13	.03	—	.01	—	—	—	.25	.35	—	—	—	.24		13
14	.44	—	.03	.22	—	—	.02	—	—	—	.08	.52		14
15	.07	—	.40	—	—	—	—	—	—	—	.04	.85		15
16	.02	—	.04	—	.18	—	—	—	—	.10	.11	.32		16
17	.15	—	.45	—	.03	—	—	—	—	—	—	.09		17
18	.08	—	—	.16	.05	—	—	—	.07	.05	—	.37		18
19	.25	—	.28	.15	—	—	—	—	.03	—	—	.34		19
20	—	—	.15	<i>Trace</i>	—	.09	—	.10	.17	—	—	.08		20
21	—	—	.09	.22	—	—	.13	—	.02	.01	—	—		21
22	—	—	.03	.11	—	.15	—	—	.02	.23	—	.01		22
23	—	—	.04	—	—	—	.06	.26	.17	—	—	.20		23
24	—	—	—	.38	—	.35	—	—	.08	.01	—	—		24
25	—	.08	.05	.06	—	.05	.02	—	.23	.01	—	.04		25
26	.33	—	.01	.17	—	—	—	—	—	.14	—	1.08		26
27	—	—	<i>Trace</i>	.19	—	.20	—	.03	.21	—	—	.17		27
28	.02	—	—	—	—	.07	—	—	—	.04	—	.50		28
29	—	—	—	—	—	.20	—	.57	.11	—	—	.56		29
30	—	X	—	—	—	—	<i>Trace</i>	—	.44	.02	.03	.04		30
31	.05	X	—	X	—	X	<i>Trace</i>	.13	X	.02	X	.25		31
TOTAL	2.81	.08	3.19	2.41	1.08	1.13	1.36	3.22	2.65	1.86	1.90	9.75	Year's Total. 31.52	
* Days with .01 in. or more.	19	1	19	14	8	8	5	14	14	10	10	28	158	
* Days with .04 in. or more.	14	1	15	13	5	7	4	11	14	12	8	26	126	

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1620/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at LETTON, ISLANDFORD, DORSET

in the County of DORSET

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 7 in.

Ground Sea Level (approx.) 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

133

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.03	—	.10	—	.10	—	—	—	.02	.04	1.07	.65		1
2	—	—	.32	—	—	.15	.15	—	.22	.26	.21	.25		2
3	—	—	—	—	—	.05	—	—	—	.47	.12	.01		3
4	Trace	.01	.09	—	Trace	.10	—	—	.16	1.20	.25	—		4
5	.02	.18	—	.18	—	.05	—	—	.05	.03	.21	.25		5
6	.02	.44	.06	.13	—	.27	—	—	.18	.01	.02	.05		6
7	—	—	—	.28	—	1.57	—	—	—	—	.10	.03		7
8	—	—	—	.21	—	.02	—	—	—	.30	.21	.16		8
9	.18	—	—	.35	—	—	—	—	.02	.20	.39	.07		9
10	.06	—	—	.85	—	.26	—	—	.05	.83	.80	—		10
11	—	—	.06	.02	—	.02	—	—	—	—	.08	.01		11
12	.19	—	—	.10	—	.30	—	—	—	.01	.58	—		12
13	.11	.15	—	—	—	.26	—	—	.15	—	.82	—		13
14	.10	.07	—	.42	.02	.22	—	—	.03	—	.04	—		14
15	—	.06	—	.15	.04	.11	—	—	.07	.02	.63	.25		15
16	—	.12	—	.68	.27	.05	—	—	.23	.01	.37	.02		16
17	—	.03	.08	.02	—	.07	—	—	.99	—	1.54	—		17
18	—	—	.03	.10	.11	.25	—	.12	.08	—	.13	—		18
19	—	.02	—	.29	.02	.12	.22	.02	.30	.04	—	—		19
20	—	.02	—	.03	.34	—	.23	—	.05	.02	.26	—		20
21	—	.47	—	.14	.02	.06	.03	—	Trace	—	.49	—		21
22	—	.70	—	.08	—	—	.02	—	.02	.02	—	—		22
23	—	.10	.02	.03	—	—	—	.11	.04	—	—	—		23
24	—	.05	.11	—	—	—	—	.27	.03	.55	—	.27		24
25	.03	.58	—	—	.11	—	—	.87	.40	.08	—	.28		25
26	.17	.15	—	.09	.01	.11	—	—	—	—	—	.47		26
27	—	.52	—	—	—	.03	—	.27	.04	—	—	1.10		27
28	—	.17	—	—	—	—	—	.01	.09	—	.07	.80		28
29	—	—	—	—	—	—	—	.07	.13	—	.02	.07		29
30	—	X	—	—	.02	—	—	.04	.20	.02	—	.72		30
31	.01	X	—	X	—	X	—	.88.02	X	.04	1.25	X	.62	31
TOTAL	.89	3.94	.77	4.25	.96	4.01	.65	2.68	3.57	5.42	7.89	5.77	Year's Total	
	.92	3.84	.87	4.15	.95	4.01	.65	2.65	3.55	4.39	8.31	6.04	40.80	
* Days with .01 in. or more.	10	19	8	20	10	20	5	11	23	19	22	19	18	
* Days with .04 in. or more.	5	15	6	16	5	17	3	8	19	11	20	15	14	141

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1620/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at ... L. E. T. T. A. N., BLANDFORD

in the County of ... DORSET

Diameter of Funnel of Gauge..... 0 in.

Height of top of Gauge above Ground... 1 ft. 7 in.

,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

.58

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.33	.10	.05	.53	—	.08	.05	.15	—	—	.30	—		1
2	.19	.02	.01	.25	—	.25	.12	—	.01	—	.04	.02		2
3	.01	.01	—	.04	—	.10	.10	.04	Trace	—	.03	—		3
4	Trace	—	—	.33	—	Trace	.05	.02	.62	—	.55	.10		4
5	—	—	.16	—	—	.10	Trace	—	.52	—	.07	.08		5
6	.49	—	.06	—	.08	—	—	—	.35	—	.01	—		6
7	.17	—	.01	—	Trace	.01	.02	.04	.30	—	.62	—		7
8	.07	—	.17	—	—	—	.31	—	—	—	.41	.05		8
9	.46	—	.51	—	—	—	.21	—	Trace	—	.34	—		9
10	.61	—	.22	—	—	—	.20	—	.21	Trace	.02	—		10
11	.12	—	—	—	—	—	.29	—	—	—	.15	—		11
12	.23	—	—	Trace	—	.04	.03	—	.23	—	.97	—		12
13	.01	—	—	.22	—	.32	.38	.05	.14	—	.12	—		13
14	.02	—	—	Trace	Trace	.02	.11	—	—	.02	.09	1.08		14
15	—	—	—	—	—	.02	.47	—	.06	.04	—	.80		15
16	.01	—	—	—	Trace	.04	Trace	—	.02	—	.02	.51		16
17	—	.60	—	—	.17	—	.09	—	—	—	.05	.08		17
18	.09	1.09	—	—	.02	—	.16	—	.01	.03	.03	.75		18
19	.16	.18	—	—	—	.95	.41	—	.01	.05	—	.23		19
20	.42	.04	.01	.13	—	.12	Trace	.06	—	—	—	—		20
21	.08	.23	.09	.09	—	.28	—	—	1.15	—	—	—		21
22	—	.43	.03	.39	—	.06	.01	—	.02	—	—	—		22
23	.13	.16	.59	—	—	—	.37	—	—	.03	—	—		23
24	.10	—	.18	.14	—	—	.34	—	—	.08	—	—		24
25	.13	.04	.05	—	.09	—	—	—	.05	.40	—	—		25
26	.07	—	.41	.17	—	—	—	—	.04	.12	—	—		26
27	.30	.14	.22	.02	—	.04	.02	—	.01	.03	—	—		27
28	.32	.15	.18	—	—	—	.10	—	.09	.12	—	.03		28
29	.96	—	.77	—	—	—	.29	—	Trace	.05	—	.38		29
30	.02	X	.04	—	—	.12	.06	—	—	—	.05	.06		30
31	.107	X	.83	X	—	.08	.05	.82	—	X	.1730	X	.01.58	31
TOTAL	5.24	3.14	4.24	1.78	.44	2.52	4.21	.21	3.84	1.44	3.57	4.76	Year's Total	35.39
* Days with .01 in. or more.	25	13	19	X10	45	16	24	X5	10	X13	X17	X16	181	✓
* Days with .04 in. or more.	20	11	15	X9	X4	13	19	X4	12	X9	X12	X12	140	✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 14205

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at LETTON, BLANDFORD

in the County of DORSET

Diameter of Funnel of Gauge.....8 in.

Height of top of Gauge above Ground.....1 ft. 7 in.

,, Ground ,, Sea Level.....230 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

NIL

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.58	.19	.02	—	—	—	.05	—	—	—	.85	.09		1
2	.25	.02	Trace	.15	—	—	—	—	.02	—	.13	1.10		2
3	Trace	.90	.02	.08	—	—	—	—	.20	—	.01	.14		3
4	.02	.46	.04	.01	—	—	.02	—	.02	—	—	—		4
5	.19	.68	—	—	—	—	—	—	—	—	—	.23		5
6	.28	—	.03	.01	—	—	.28	—	—	—	—	—		6
7	.15	.25	.11	.26	.06	—	.15	—	—	.06	—	.02		7
8	—	.58	Trace	—	—	—	—	—	—	.02	—	.75		8
9	—	.03	—	—	.39	Trace	.01	—	—	—	.18	.03		9
10	—	.05	.14	.25	.15	.02	.13	—	.67	—	—	—		10
11	.08	.03	.73	.18	.31	.58	Trace	—	—	—	—	.4		11
12	.04	—	.13	.03	.34	—	.34	—	—	—	—	—		12
13	.61	.35	.03	.08	Trace	.20	.01	.62	.39	—	—	.47		13
14	.17	.04	.68	.05	—	—	—	.15	.08	—	—	.06		14
15	.03	.01	.13	—	—	—	—	.01	.05	—	—	.03		15
16	.32	.27	.08	.34	—	Trace	.67	—	.06	—	—	.03		16
17	.03	.06	.74	.17	—	—	Trace	.47	1.30	—	—	—		17
18	.89	.07	.55	—	—	—	.06	—	.19	—	.27	—		18
19	.27	.08	.04	—	—	—	—	—	—	—	.10	.17		19
20	.05	.02	.01	.18	.01	.02	—	—	.16	—	—	.25		20
21	.50	.05	.17	.17	—	—	—	—	—	—	—	.17		21
22	.49	.36	.07	.02	.26	—	.03	—	.02	—	.19	.08		22
23	.40	.01	.08	Trace	.43	.09	.16	—	.03	1.25	.37	.12		23
24	.29	.21	—	—	.17	—	—	—	—	.65	.03	.03		24
25	.60	.64	.02	—	—	Trace	—	—	.06	1.15	—	.04		25
26	.54	.47	.31	—	.53	—	—	—	.03	.28	—	.07		26
27	—	.27	.02	—	.26	—	—	—	—	.12	—	.02		27
28	.01	.24	—	.10	—	—	Trace	—	—	.54	—	—		28
29	.15	—	—	—	—	Trace	—	—	—	.15	—	Trace		29
30	.05	X	—	—	—	.01	—	—	—	.93	.07	—		30
31	.58	X	—	X	—	X	—	—	X	.81	X	—		31
TOTAL	7.19	6.35	4.18	2.10	3.02	.92	1.41	1.25	3.28	5.85	4.28	4.38	Year's Total 41.61	✓
* Days with .01 in. or more.	26	26	22	16	11	8	12	4	15	12	10	20	✓	
* Days with .04 in. or more.	22	20	15	12	10	8	8	3	10	8	8	14	✓	

† Spare column, no entries required.

(Signed)

W. D. Stuart

[P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No.

162075

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at LETTON, BLANDFORDin the County of DORSETDiameter of Funnel of Gauge.....8.....in.Height of top of Gauge above Ground.....1 ft. 7 in.,, Ground ,, Sea Level 230 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

.36

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.21	.07	—	—	.15	.06	<u>Trace</u>	—	.62	.22	.18		1
2	—	<u>Trace</u>	—	—	—	.18	.32	—	—	.45	—	.04		2
3	.03	—	—	—	—	—	—	—	—	.10	.02	.08		3
4	—	—	—	—	.13	—	.04	—	—	.58	.08	—		4
5	—	—	—	—	—	—	.15	<u>1.13</u>	—	.19	—	.17		5
6	.01	—	—	—	—	—	.14	—	—	.12	.01	—		6
7	.04	—	—	—	—	.04	.24	—	.12	.20	.05	.06		7
8	.06	—	—	—	—	.03	.48	.10	.07	.13	<u>Trace</u>	.06		8
9	.19	—	—	—	—	—	.07	.09	—	.35	—	.02		9
10	.14	.05	—	—	—	<u>Trace</u>	.02	—	—	.01	—	.87		10
11	.06	—	—	—	—	.06	<u>Trace</u>	.13	—	—	.02	.32		11
12	.21	—	—	—	—	—	.01	.46	—	—	.41	.27		12
13	.41	—	—	—	.26	—	<u>Trace</u>	.03	—	.18	.04	.05		13
14	.21	—	—	—	—	—	—	—	—	.03	.38	.54		14
15	<u>.58</u>	—	—	—	.04	—	.30	—	—	—	—	—		15
16	.23	—	—	—	.07	<u>Trace</u>	.57	—	—	.26	.03	.40		16
17	.36	<u>Trace</u>	.01	—	<u>Trace</u>	—	—	.02	—	.02	.02	.07		17
18	<u>Trace</u>	.14	.02	—	—	—	—	—	.10	.10	.08	—		18
19	.12	—	—	—	.06	—	—	.08	.30	—	.37	—		19
20	.01	—	—	—	—	—	—	—	.18	.05	.68	—		20
21	.01	—	—	—	—	—	—	.06	—	—	.63	—		21
22	—	—	—	—	—	—	—	.02	.07	—	.07	.09		22
23	.02	—	—	—	—	<u>Trace</u>	—	.31	—	—	.38	.04		23
24	.01	—	—	—	.04	—	—	—	<u>.38</u>	—	.08	—		24
25	—	—	<u>.12</u>	—	.02	—	—	.05	.18	—	.37	—		25
26	.15	.28	.02	—	.21	—	.09	—	—	—	<u>1.42</u>	.09		26
27	<u>.35</u>	<u>.35</u>	—	—	.25	.02	.02	—	.02	.20	—	.24		27
28	.05	.02	—	—	.06	<u>.25</u>	<u>.63</u>	.07	.01	.02	.38	—		28
29	<u>.42</u>	—	—	—	.19	.17	—	.58	.09	—	.01	.06		29
30	.02	<u>.07</u>	—	—	.34	—	<u>Trace</u>	—	.15	.15	.30	.03		30
31	.02	<u>.07</u>	—	—	.92	<u>.06</u>	.02	—	<u>.62</u>	<u>.35</u>	<u>.18</u>	<u>.38</u>		31
TOTAL	<u>.21</u>	.91	.17	NIL	1.84	.81	3.10	2.29	3.41	5.98	3.94	29.28	Year's Total	29.28
* Days with .01 in. or more.	25	6	27	—	14	8	15	14	13	20	23	21	163	✓
* Days with .04 in. or more.	17	5	21	—	12	5	11	11	11	15	17	19	126	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at LEITON, BLANDFORD
in the County of DORSET
Diameter of Funnel of Gauge.....8.....in.
Height of top of Gauge above Ground.....1 ft. 7 in.
Ground Sea Level.....200.....ft.

W.D.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
NIL

Please read the Notes and Instructions Overleaf


Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<u>.36</u>	—	<u>.32</u>	<u>Trace</u>	<u>.43</u>	—	<u>.03</u>	<u>.06</u>	<u>.25</u>	—	<u>1.35</u>	<u>.02</u>		1
2	—	—	<u>.09</u>	<u>.12</u>	<u>.08</u>	—	<u>.25</u>	<u>.13</u>	<u>.02</u>	—	<u>.07</u>	<u>.11</u>		2
3	—	—	<u>Trace</u>	<u>.20</u>	—	—	<u>.08</u>	<u>.40</u>	<u>1.30</u>	—	<u>.31</u>	<u>.13</u>		3
4	<u>.55</u>	—	—	<u>.63</u>	—	—	—	<u>.12</u>	—	—	<u>.14</u>	<u>.30</u>		4
5	<u>.02</u>	—	<u>.52</u>	<u>.20</u>	<u>.29</u>	—	<u>.32</u>	<u>.25</u>	<u>.02</u>	<u>.25</u>	<u>.07</u>	<u>.15</u>		5
6	—	—	—	<u>.18</u>	<u>.19</u>	—	<u>.45</u>	<u>.09</u>	—	<u>.40</u>	<u>.92</u>	—		6
7	<u>.66</u>	—	<u>.08</u>	—	—	—	<u>1.05</u>	<u>.03</u>	—	<u>.02</u>	<u>.66</u>	—		7
8	<u>.02</u>	<u>.32</u>	—	—	—	—	<u>.01</u>	<u>.02</u>	—	—	<u>.62</u>	<u>.56</u>		8
9	<u>.01</u>	<u>.24</u>	<u>.14</u>	—	—	—	<u>.09</u>	<u>.02</u>	—	<u>.47</u>	<u>.27</u>	<u>.21</u>		9
10	<u>.03</u>	<u>.04</u>	<u>.02</u>	—	—	—	—	<u>.10</u>	—	<u>.14</u>	<u>.07</u>	<u>.22</u>		10
11	<u>.31</u>	—	<u>.04</u>	—	—	—	—	<u>.20</u>	<u>.11</u>	<u>.24</u>	<u>.04</u>	<u>.02</u>		11
12	—	<u>.01</u>	<u>.23</u>	—	—	<u>Trace</u>	—	—	—	<u>.65</u>	<u>.02</u>	—		12
13	<u>.01</u>	<u>.01</u>	—	<u>.01</u>	—	<u>.04</u>	—	—	—	<u>.01</u>	<u>.04</u>	<u>.03</u>		13
14	<u>.88</u>	—	—	—	—	~~.88~~	<u>.30</u>	—	<u>.06</u>	<u>1.65</u>	<u>.02</u>	—		14
15	<u>.39</u>	—	—	—	<u>.03</u>	<u>.04</u>	<u>.12</u>	—	—	<u>.26</u>	<u>.38</u>	—		15
16	<u>.25</u>	—	<u>Trace</u>	<u>.05</u>	<u>.12</u>	<u>1.04</u>	<u>.19</u>	—	<u>.01</u>	<u>.13</u>	<u>.42</u>	—		16
17	<u>.57</u>	—	<u>.01</u>	<u>.10</u>	<u>.02</u>	<u>.02</u>	<u>.07</u>	—	—	<u>.01</u>	<u>.18</u>	—		17
18	<u>.47</u>	<u>.04</u>	—	—	<u>.05</u>	<u>.05</u>	<u>.24</u>	—	—	<u>.18</u>	<u>.06</u>	—		18
19	<u>.06</u>	<u>.01</u>	<u>.03</u>	—	<u>.02</u>	<u>.11</u>	<u>.59</u>	—	—	—	<u>.28</u>	<u>.01</u>		19
20	<u>.44</u>	—	—	—	—	—	<u>.04</u>	<u>Trace</u>	—	—	—	<u>.08</u>		20
21	<u>.42</u>	—	—	—	—	<u>.02</u>	<u>.42</u>	<u>3.14</u>	—	—	—	—		21
22	<u>.10</u>	<u>.29</u>	<u>.06</u>	—	<u>Trace</u>	<u>.06</u>	<u>.28</u>	—	—	—	—	—		22
23	<u>.43</u>	<u>.34</u>	<u>.82</u>	—	—	<u>.11</u>	<u>.10</u>	<u>Trace</u>	—	—	<u>.18</u>	—		23
24	<u>.01</u>	<u>.02</u>	<u>Trace</u>	<u>.15</u>	—	<u>.02</u>	<u>.06</u>	—	—	—	<u>.93</u>	—		24
25	<u>.59</u>	—	—	<u>.02</u>	—	<u>.50</u>	<u>.12</u>	<u>.02</u>	—	—	—	—		25
26	<u>.83</u>	<u>.12</u>	<u>.01</u>	<u>.01</u>	—	—	<u>.09</u>	—	—	<u>.25</u>	<u>.47</u>	—		26
27	<u>.01</u>	<u>.04</u>	<u>Trace</u>	—	—	—	—	<u>.12</u>	—	<u>.05</u>	<u>.31</u>	—		27
28	—	<u>.28</u>	<u>.05</u>	—	—	—	<u>Trace</u>	—	—	—	<u>.13</u>	<u>.04</u>		28
29	—	~~X~~	<u>.03</u>	—	—	<u>.16</u>	<u>.23</u>	—	—	—	<u>.35</u>	<u>.20</u>		29
30	—	~~X~~	—	<u>.03</u>	—	<u>.01</u>	<u>.45</u>	—	—	<u>.08</u>	<u>.02</u>	—		30
31	—	~~X~~	<u>.32</u>	~~X~~	—	~~X~~	<u>.06</u>	<u>.38</u>	~~X~~	<u>1.35</u>	~~X~~	—		31
TOTAL	<u>7.06</u> ~~7.42~~	<u>2.08</u> ~~4.76~~	<u>1.43</u> ~~4.75~~	<u>2.13</u> ~~4.72~~	<u>.80</u> ~~1.23~~	<u>2.41</u> ~~2.70~~	<u>5.61</u> ~~5.58~~	<u>5.27</u> ~~5.00~~	<u>1.52</u> ~~1.77~~	<u>1.35</u> ~~1.69~~	<u>8.98</u> ~~8.31~~	<u>2.06</u> ~~2.08~~	Year's Total <u>43.44</u> ~~42.80~~	
* Days with .01 in. or more.	<u>22</u> ~~22~~	<u>14</u> ~~13~~	<u>14</u> ~~15~~	<u>13</u> ~~12~~	<u>8</u> ~~9~~	<u>13</u> ~~14~~	<u>23</u> ~~23~~	<u>15</u> ~~15~~	<u>X6</u> ~~X6~~	<u>17</u> ~~18~~	<u>26</u> ~~26~~	<u>13</u> ~~14~~	<u>18</u> ~~18~~	✓
* Days with .04 in. or more.	<u>15</u> ~~15~~	<u>10</u> ~~10~~	<u>9</u> ~~9~~	<u>9</u> ~~9~~	<u>5</u> ~~5~~	<u>X10</u> ~~X10~~	<u>21</u> ~~21~~	<u>11</u> ~~11~~	<u>X3</u> ~~X3~~	<u>X13</u> ~~X13~~	<u>23</u> ~~23~~	<u>X9</u> ~~X9~~	<u>14</u> ~~14~~	✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) W.D. Hunt [P.T.O.]

Section



for the entry of Daily Observations

Station No. 1620/5-

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at LETTON BLANDFORD

in the County of DORSET

Diameter of Funnel of Gauge.....8 in.

Height of top of Gauge above Ground...1 ft. 7 in.

Ground Sea Level...200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

15

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.02	.34	—	.08	Trace	—	—	—	—	.80	—		1
2	—	.08	—	Trace	.03	—	—	—	—	—	.10	—		2
3	—	.26	—	.14	—	—	.04	—	—	—	.36	.07		3
4	.04	.45	—	.02	—	—	—	—	—	.18	.81	.11		4
5	—	.06	—	.01	—	—	.18	—	—	.25	.18	.02		5
6	.01	.02	—	—	—	—	.01	—	—	.03	.70	.37		6
7	.38	.61	—	—	—	—	.10	—	—	.31	.02	.27		7
8	.04	.17	—	.01	—	—	Trace	—	.04	.16	.30	Trace		8
9	—	—	—	.03	—	—	.07	—	—	.47	—	.30		9
10	—	—	—	.01	—	—	.20	.01	.08	.12	.61	.28		10
11	—	—	—	.01	—	—	.90	Trace	.02	.13	.17	.14		11
12	—	—	.33	Trace	—	—	.30	—	—	—	.69	.02		12
13	—	—	—	—	—	—	.29	—	.20	.04	.05	.11		13
14	—	Trace	.57	.05	.13	—	.10	—	.10	.26	1.25	.05		14
15	—	—	.07	.02	.22	.05	.09	—	.21	.52	.02	1.04		15
16	—	—	—	Trace	—	.01	.50	—	.16	.37	.56	.02		16
17	—	.35	.36	—	—	—	.02	—	.19	.62	.85	.09		17
18	—	.48	.30	—	—	—	.01	—	—	Trace	.78	—		18
19	—	.48	.27	.32	—	—	.11	.02	.01	.13	.03	.07		19
20	—	.06	.03	.18	—	—	.20	—	.80	—	.31	—		20
21	—	.01	.03	Trace	—	—	—	.03	.01	.29	.06	Trace		21
22	—	.01	—	—	.22	—	.01	—	.04	—	.56	—		22
23	—	.01	.06	.06	—	—	—	—	.23	.06	—	—		23
24	—	.03	.21	.08	Trace	—	—	—	—	—	.06	—		24
25	—	—	.01	—	—	—	.25	—	—	—	—	—		25
26	—	—	.10	—	.02	—	—	—	—	—	—	—		26
27	1.30	.63	—	.02	.14	—	—	—	—	—	.02	—		27
28	.40	.33	—	—	.35	—	.11	—	—	—	—	—		28
29	.43	.12	—	—	.02	—	—	Trace	—	.08	—	—		29
30	.25	—	.17	.32	—	.01	—	—	—	.02	—	.37		30
31	.12	—	.05	—	—	—	—	—	—	.37	—	.14		31
TOTAL	.02	.34	—	.08	.07	.07	.357	.06	.209	.80	.15	—	Year's Total	35.35
* Days with .01 in. or more.	10	4	2	1	1	3	19	3	13	5	8	3	16	
* Days with .04 in. or more.	8	13	11	8	5	1	15	—	9	18	18	14	12	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section
FORM 1090.

A

for the entry of
AIR MINISTR
REGIS

1621.
COPY FOR OFFICIAL USE.
NFALL ORGANIZATION.
93/.

Kept at
in the County of CHANVILLE
Diameter of Funnel of Gauge
Height of top of Gauge above Groun
Ground Sea I

1621
SHERBOURNE
CHANVILLES WLOOTON
1931 — 40

780305

THE MORNING MEASU

DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	5	19	-	04	02	-	-	01	18	05	-	-	1
2	29	06	-	42	-	-	01	-	70	01	05	20	2
3	15	-	68	-	-	-	02	07	18	-	1.84	19	3
4	05	-	04	-	19	-	28	08	17	03	18	-	4
5	-	17	-	19	07	32	17	51	-	301	05	15	5
6	-	11	-	20	0718	20	57	17	21	3018	28	30	6
7	01	21	-	21	18	35	54	09	-	18	40	18	7
8	01	21	-	21	-	35	-	09	4	-	14	08	8
9	02	24	-	03	-	03	-	-	4	-	61	-	9
10	-	02	-	-	02	18	03	11	-	-	69	-	10
11	12	42	-	-	-	05	03	-	03	-	27	-	11
12	01	03	-	-	-	-	35	-	04	-	-	-	12
13	-	04	-	-	-	-	18	08	-	-	-	-	13
14	-	14	-	4	-	71	1.12	12	03	-	14	-	14
15	02	08	-	02	21	-	01	26	04	4	-	09	15
16	-	10	-	09	12	55	-	19	10	-	-	-	16
17	-	17	-	15	-	-	15	-	22	-	-	-	17
18	07	-	02	04	-	14	05	1.40	-	-	62	-	18
19	07	-	02	06	-	05	11	05	-	1	05	-	19
20	02	08	20	02	-	-	-	40	-	-	02	02	20
21	41	04	07	-	25	-	-	-	-	-	-	-	21
22	67	02	-	04	05	-	-	01	-	-	-	-	22
23	34	-	-	09	02	-	-	20	-	-	61	-	23
24	18	-	07	70	15	13	33	40	-	-	02	-	24
25	06	03	-	25	-	-	31	-	-	-	19	-	25
26	-	02	-	18	-	-	48	-	-	-	37	-	26
27	09	22	-	-	1.15	-	65	-	-	62	03	-	27
28	06	06	05	05	14	-	-	-	-	02	-	17	28
29	11	-	08	-	07	-	05	04	-	07	09	03	29
30	-	X	03	-	02	-	04	03	10	-	-	-	30
31	45	X	-	X	06	X	-	-	X	01	X	11	31
TOTAL	2.90	2.45	1.14	2.81	3.16	2.76	4.91	4.20	1.79	.70	6.66	1.50	YEAR'S TOTAL 34.98
*Days with "or in. or more.	20	21	10	18	16	16	20	20	11	10	21	11	190
*Days with "04 in. or more.	15	16	5	15	12	11	15	16	9	4	17	9	144

40-9999

*See Instruction 2 (f) on other side.

(Signed)

H. D. Debenham P.T.O.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931.

Kept at
in the County of **GLANVILLE'S WOOTTON,**
SHERBORNE.
Diameter of Funnel of Gauge **5** in.
Height of top of Gauge above Ground **9** ft.
Ground Sea Level **350** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	19	—	04	02	—	—	01	18	05	—	—	—	1
2	29	06	—	42	—	—	01	—	70	01	05	20	2
3	15	—	68	—	—	—	02	07	18	—	1.84	19	3
4	05	—	04	—	19	—	28	08	17	03	18	—	4
5	—	17	—	19	07	22	17	51	—	301	05	15	5
6	—	11	—	20	07.18	20	57	17	71	30.18	28	30	6
7	07	21	—	21	18	35	54	09	—	18	40	18	7
8	01	21	—	21	—	35	—	09	4	—	14	08	8
9	02	24	—	03	—	03	—	—	4	—	61	—	9
10	—	02	—	—	02	18	03	11	—	—	69	—	10
11	12	42	—	—	—	05	03	—	03	—	27	—	11
12	01	03	—	—	—	—	35	—	04	—	—	—	12
13	—	04	—	—	—	—	18	08	—	—	—	—	13
14	—	14	—	6	—	71	1.12	12	03	—	14	—	14
15	02	08	—	02	21	—	01	26	04	4	—	09	15
16	—	10	—	09	12	55	—	19	10	—	—	—	16
17	—	17	—	15	—	—	15	—	22	—	—	—	17
18	07	—	02	04	—	14	05	1.40	—	4	63	—	18
19	07	—	02	06	—	05	11	05	—	1	05	—	19
20	02	08	20	02	—	—	—	40	—	—	02	02	20
21	41	04	07	—	25	—	—	—	—	—	—	—	21
22	67	02	—	04	05	—	—	07	—	—	—	—	22
23	34	—	—	09	52	—	—	20	—	—	61	—	23
24	18	—	07	70	15	13	33	40	—	—	02	—	24
25	06	03	—	25	—	—	31	—	—	—	19	—	25
26	—	02	—	18	—	—	48	—	—	—	37	—	26
27	09	22	—	—	1.15	—	65	—	—	02	03	—	27
28	06	06	05	05	14	—	—	—	—	02	—	17	28
29	11	—	08	—	01	—	05	04	—	07	09	03	29
30	—	×	03	—	02	—	04	03	10	—	—	—	30
31	45	×	—	×	06	×	—	—	×	01	×	11	31
TOTAL	2.90	2.45	1.14	2.81	3.16	2.76	4.91	4.20	1.79	.70	6.66	1.50	YEAR'S TOTAL
*Days with or in. or more.	20	21	10	18	16	12	20	20	11	10	21	11	190
*Days with or in. or more.	15	16	5	15	12	11	15	16	9	4	17	9	144

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

GLANVILLE'S WOOTTON, GLANVILLE'S WOOTTON,

Register of Rainfall in 1922

Kept at SHERBORNE. SHERBORNE.

in the County of Dorset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" Ground " Sea Level 350 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section -C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	—	—	15	33	—	01	05	—	03	02	—	1
2	—	—	—	13	43	01	01	04	02	06	—	26	2
3	05	—	—	05	02	26	—	—	62	10	—	02	3
4	04	—	—	—	—	20	—	—	—	—	38	—	4
5	38	—	01	—	—	—	—	—	15	—	—	—	5
6	32	—	02	11	02	—	—	—	34	—	—	—	6
7	—	—	01	08	01	—	—	—	20	105	—	—	7
8	—	—	55	02	—	—	02	—	25	10	—	—	8
9	92	02	—	16	10	—	—	—	—	10	—	—	9
10	39	02	—	54	—	04	—	—	—	43	01	—	10
11	03	—	—	08	01	03	08	01	—	8	—	06	11
12	80	—	—	05	23	—	—	—	02	18	02	02	12
13	10	—	—	26	06	—	20	01	02	79	—	09	13
14	24	—	—	20	04	—	—	01	—	02	20	02	14
15	05	—	—	03	31	—	—	—	—	07	22	02	15
16	33	—	—	18	06	—	92	—	—	—	—	—	16
17	01	—	—	07	—	—	02	—	—	09	—	—	17
18	01	—	—	—	24	—	—	—	30	—	13	—	18
19	—	—	—	—	24	—	—	—	04	32	—	—	19
20	02	—	—	14	122	—	—	24	01	63	24	03	20
21	—	—	14	04	03	—	—	03	04	28	03	08	21
22	—	—	06	—	03	—	03	—	80	55	39	—	22
23	—	—	—	—	06	11	27	02	01	60	12	06	23
24	—	—	—	—	03	—	63	—	10	12	02	02	24
25	—	—	—	29	—	—	05	—	08	48	04	02	25
26	—	—	23	05	—	—	11	—	—	06	03	—	26
27	—	—	53	40	32	—	09	—	—	37	01	05	27
28	—	—	—	10	03	02	16	—	—	—	—	02	28
29	—	—	56	05	59	25	—	50	60	30	13	31	29
30	02	X	—	21	08	221	08	—	60	02	85	26	30
31	—	X	11	X	04	X	11	—	X	02	X	52	31
TOTAL	3.76	04	2.22	3.41	4.32	3.19	2.77	.91	4.20	6.85	2.84	1.86	YEARS TOTAL 36.37
Days with .01 in. or more.	16	2	10	23	23	9	16	9	18	25	17	17	160
Days with .04 in. or more.	11	—	7	22	15	4	11	4	13	21	10	9	134

(Signed)

H.B. Debenham

(P.T.O.)

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at GLANVILLE'S WOOTTON,

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

Ground Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.53	.31	.11	—	.04	—	—	—	.01	—	.03	.18	1
2	.86	—	.75	—	.18	—	—	—	—	—	—	—	2
3	.03	.07	.39	—	.04	—	—	—	—	—	—	—	3
4	.26	.01	—	—	.20	—	—	—	—	—	—	—	4
5	.09	.01	.51	—	.04	—	—	—	—	—	.04	—	5
6	—	.37	—	—	.33	—	.02	—	—	.22	.02	—	6
7	.06	.03	.01	—	.10	—	.01	—	—	.24	—	—	7
8	.02	—	.03	—	.03	—	.46	—	—	.08	—	—	8
9	—	.02	—	—	.09	—	.30	.01	—	.25	.04	—	9
10	—	.13	—	—	—	.02	.05	.03	—	.60	.04	—	10
11	.21	—	—	—	—	.09	.21	.09	—	.01	—	—	11
12	.01	—	—	.10	.02	—	.03	—	1.08	—	—	—	12
13	.02	—	—	—	.02	—	.34	.14	—	.15	.03	—	13
14	.02	—	—	—	—	—	.01	—	—	.12	.44	—	14
15	.95	—	.22	—	—	.07	.15	.06	—	.05	—	—	15
16	—	.01	.99	—	—	.02	—	—	.04	.08	—	.03	16
17	—	.13	.34	—	—	.14	—	.06	.12	—	—	—	17
18	.07	—	.46	—	—	.20	—	—	—	—	.42	—	18
19	.01	—	.18	—	—	.04	—	—	.30	—	.12	.04	19
20	—	.08	—	.02	—	.06	—	.04	.14	—	.02	—	20
21	—	—	—	—	.05	.25	—	.55	.01	.05	.01	—	21
22	—	—	—	.02	—	.10	—	.14	.10	.02	—	—	22
23	—	.04	—	.23	—	.23	—	—	.32	.18	—	—	23
24	—	1.65	—	.70	—	.04	—	—	.08	.06	—	—	24
25	—	.54	—	.64	—	.38	—	—	.08	—	—	.07	25
26	—	.71	—	.10	.12	—	—	—	.01	.07	—	.01	26
27	—	.03	—	—	.53	—	.01	—	.02	.30	—	.57	27
28	—	—	—	.21	—	—	.25	—	—	.02	—	.02	28
29	.08	—	—	—	—	—	.11	—	—	—	—	.03	29
30	.03	×	.16	—	.13	—	—	—	.08	—	—	.08	30
31	.27	×	.13	×	—	×	—	—	×	.06	×	—	31
TOTAL	3.52	4.14	4.28	1.22	1.92	1.64	1.95	1.78	2.42	2.36	.79	1.03	YEAR'S TOTAL 26.45
*Days with .01 in. or more.	17	16	13	8	15	13	13	9	14	18	10	9	145
*Days with .04 in. or more.	10	10	11	6	12	11	8	4	10	15	4	5	115

Section

A

for the entry of Daily Observations.

Station No. 1621

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1934.

Kept at

in the County of

GLANVILLE'S WOOTTON,

SHERBORNE.

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 9 ft.

Ground Sea Level 3250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	02	-	-	-	-	01	-	74	06	-	19	70		1
2	12	-	12	-	-	-	-	-	92	03	06	27		2
3	05	01	-	-	-	-	-	-	02	52	-	26		3
4	07	-	08	03	29	-	-	02	02	15	-	46		4
5	-	-	-	-	05	-	-	43	-	05	04	50		5
6	15	-	39	02	26	-	-	-	-	25	04	67		6
7	17	-	01	-	-	02	-	12	-	10	-	74		7
8	-	-	-	-	22	-	-	03	06	-	52	25		8
9	04	-	23	-	-	-	-	-	-	-	63	22		9
10	36	-	35	37	-	-	-	03	-	-	08	12		10
11	77	-	31	26	-	-	13	09	-	-	-	25		11
12	01	01	01	-	-	-	32	02	-	-	-	23		12
13	47	-	-	36	-	-	03	-	-	-	11	44		13
14	26	-	54	02	11	-	-	-	-	03	07	44		14
15	10	-	06	-	03	-	-	-	-	16	17	20		15
16	10	01	51	-	44	-	-	-	-	-	01	11		16
17	07	-	-	18	04	-	-	-	15	07	01	30		17
18	08	-	18	32	-	07	-	-	02	-	-	34		18
19	-	-	16	08	-	01	-	04	15	-	-	08		19
20	-	-	06	19	-	-	03	-	-	-	-	-		20
21	-	-	02	15	-	10	-	04	01	48	-	07		21
22	-	-	08	-	-	-	-	24	14	-	-	28		22
23	-	03	-	28	-	48	-	17	10	05	-	08		23
24	01	08	06	04	-	-	02	-	12	-	-	02		24
25	64	-	-	28	-	-	-	-	-	30	-	82		25
26	-	02	02	50	-	11	-	-	25	-	04	31		26
27	-	-	-	-	-	14	-	-	-	01	-	48		27
28	-	-	-	20	-	18	-	56	01	02	-	76		28
29	-	-	-	-	-	-	05	06	45	05	-	03		29
30	05	X	-	-	-	-	-	04	15	02	01	65		30
31	-	X	-	X	-	X	01	12	X	-	X	02		31
TOTAL	3.54	.14	3.19	3.28	1.00	1.05	.59	3.08	2.63	2.29	1.98	10.10	32.87	
*Days with "or in. or more.	19	5	18	16	7	8	7	16	16	16	14	30	172	
*Days with ".04 in. or more.	16	1	14	13	6	5	3	12	11	11	11	27	180	

† Spare column, no entries required.

(Signed)

H. S. Debenham

[P.T.O.]

Section



for the entry of Daily Observations.

Station No.

1621

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at BRANVILLE'S WATTON in the County of SHERBORNE

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....9.....in.,, Ground ,, Sea Level 3250.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	36	—	03	12	20	—	29	16	16	32		1
2	—	—	—	—	—	—	—	—	01	26	07	02		2
3	—	03	12	—	—	22	—	—	46	70	41	05		3
4	03	22	—	23	01	20	—	—	24	33	39	27		4
5	—	34	05	09	—	05	—	—	20	02	08	03		5
6	—	05	—	29	—	141	—	—	—	—	04	08		6
7	—	—	—	30	—	20	—	—	—	21	12	05		7
8	—	—	—	32	—	—	—	—	08	43	23	13		8
9	01	—	—	71	—	15	—	—	02	81	80	—		9
10	05	—	38	04	—	03	—	—	—	—	05	03		10
11	20	—	03	12	—	42	—	—	—	04	65	01		11
12	09	08	—	—	—	32	—	—	04	—	19	—		12
13	14	09	—	15	02	08	—	—	01	—	08	01		13
14	—	03	—	22	02	06	—	—	08	03	128	22		14
15	—	03	—	63	13	08	—	—	16	01	47	05		15
16	—	06	04	28	—	16	—	—	82	—	143	—		16
17	—	—	—	02	55	17	01	23	05	—	18	—		17
18	—	03	—	22	—	—	18	—	32	05	—	03		18
19	—	05	—	—	34	04	01	—	10	19	11	—		19
20	—	44	—	24	02	—	—	—	—	—	40	—		20
21	—	64	05	06	—	—	—	—	09	04	—	—		21
22	—	09	06	05	—	—	—	08	02	—	—	—		22
23	—	05	20	—	06	—	—	28	02	35	—	13		23
24	03	65	02	—	11	—	—	63	42	19	—	35		24
25	18	04	—	11	03	—	—	—	—	—	—	43		25
26	—	36	—	—	—	02	—	29	05	—	02	87		26
27	—	24	—	—	—	—	—	02	07	02	09	85		27
28	01	01	—	—	—	—	—	08	10	—	02	05		28
29	—	—	—	—	04	—	—	01	25	05	01	73		29
30	04	~~X~~	—	06	—	—	—	73	03	34	62	62		30
31	+	~~X~~	—	~~X~~	—	~~X~~	—	4	~~X~~	152	~~X~~ 0	47		31
TOTAL	78	3.53	1.31	4.14	1.36	3.73	.40	2.39	3.93	5.75	7.95	5.80	41.02	2
* Days with .01 in. or more.	10	20	10	19	12	18	4	10	24	20	24	23	194	
* Days with .04 in. or more.	6	15	8	18	6	15	2	8	8	16	21	17	150	

Section



for the entry of Daily Observations.

Station No.

1621

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Glammis, Wotton*in the County of *Shropshire - Daresbury*

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....9.....ft.

,, Ground ,, Sea Level.....350.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	34	05	04	26	—	41	29	—	—	—	04	04		1
2	02	01	05	08	—	05	25	03	—	—	02	—		2
3	—	—	54	54	—	—	07	—	38	—	47	—		3
4	—	—	16	—	—	03	—	—	35	—	09	04		4
5	43	—	14	—	—	—	—	01	28	—	—	15		5
6	11	—	—	—	—	02	02	01	34	—	42	—		6
7	03	—	13	—	—	—	39	—	—	—	40	02		7
8	66	—	55	—	—	—	06	—	—	—	26	04		8
9	64	—	41	—	—	—	32	—	15	—	04	—		9
10	11	13	—	—	—	02	07	—	—	—	02	—		10
11	24	10	—	—	—	03	—	—	10	—	1.03	—		11
12	—	—	—	10	—	25	19	03	18	—	23	—		12
13	05	02	—	—	—	04	10	—	—	04	10	9.9		13
14	—	03	—	—	—	02	55	—	15	06	01	1.02		14
15	01	04	—	—	25	—	06	—	19	—	02	4.5		15
16	05	16	—	—	25	—	07	—	05	—	08	06		16
17	—	1.05	—	—	05	—	35	—	01	02	04	61		17
18	18	11	—	—	—	18	78	—	—	—	—	28		18
19	44	10	—	04	—	53	02	05	—	10	—	—		19
20	11	28	19	14	—	07	01	—	59	—	—	01		20
21	—	09	18	39	—	05	14	—	—	—	—	—		21
22	15	42	73	—	—	—	22	—	—	—	—	02		22
23	05	03	11	18	03	—	37	—	—	19	—	—		23
24	05	04	—	—	02	—	—	—	04	29	—	—		24
25	07	—	34	14	—	—	15	—	10	13	03	—		25
26	28	16	27	04	—	—	—	—	—	07	—	—		26
27	58	39	13	—	—	—	14	—	04	18	—	—		27
28	97	—	67	—	—	—	14	—	—	—	—	27		28
29	04	06	04	—	—	03	02	—	—	03	05	05		29
30	10	X	—	—	02	04	—	—	—	22	—	—		30
31	15	X	35	X	02	X	27	—	X	28	X	63		31
TOTAL	586	3.27	4.44	1.91	.39	1.77	4.95	13	2.95	161	3.35	4.68	35.31	✓
* Days with .01 in. or more.	25	19	16	10	6	15	25	5	15	12	18	16	167	✓
* Days with .04 in. or more.	21	15	16	10	2	8	21	1	14	10	13	13	132	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

H. B. Debenham

[P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No.

1621

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at

GLANVILLE'S WOOTTON

SHERBORNE.

in the County of

Dorset

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....9 in.

Ground

Sea Level

250 ft.

350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	19	03	-	17	-	-	-	-	04	-	09	1.10		1
2	-	84	04	12	-	-	-	-	10	-	-	38		2
3	08	29	08	05	01	-	02	-	-	-	-	-		3
4	20	85	-	15	-	-	-	-	-	-	-	.33		4
5	20	-	04	02	-	-	28	-	-	-	-	-		5
6	12	20	27	17	04	-	20	-	-	07	-	-		6
7	-	41	01	06	-	-	-	-	-	04	-	94	Snow	7
8	-	-	-	-	30	-	-	-	-	-	20	.38	"	8
9	-	02	08	24	15	-	03	-	70	-	-	-		9
10	10	01	86	15	-	35	-	-	-	-	-	.55		10
11	02	-	39	04	61	-	38	-	-	-	-	-		11
12	87	20	22	03	-	26	01	77	30	-	-	36		12
13	10	03	66	21	-	-	-	11	15	-	-	08		13
14	06	03	16	04	-	02	-	20	05	-	-	07		14
15	39	12	04	26	-	-	1.89	-	15	-	-	14		15
16	09	10	87	16	-	03	-	27	96	-	02	-		16
17	67	04	64	-	-	-	-	-	15	-	38	-		17
18	09	08	02	-	-	-	-	-	10	-	18	16		18
19	05	06	06	11	02	06	-	-	-	-	-	-		19
20	55	-	14	16	01	-	-	-	-	-	-	38		20
21	55	43	19	04	15	20	03	-	-	04	53	08		21
22	22	-	08	-	56	-	11	-	05	2.03	45	14		22
23	29	21	-	-	08	-	-	-	-	45	06	02		23
24	49	59	-	-	-	-	-	-	09	1.05	-	01		24
25	28	44	33	-	60	-	-	-	02	.63	-	03		25
26	-	45	04	-	58	-	-	-	-	.07	03	16		26
27	03	26	-	27	-	-	-	-	-	.73	-	-		27
28	52	05	-	-	-	-	-	-	-	.20	-	-		28
29	04	-	-	-	-	-	-	-	-	.48	02	-		29
30	72	~~21~~	-	-	-	04	-	-	-	.09	11	-		30
31	20	~~21~~	-	~~21~~	-	~~21~~	-	-	~~21~~	.28	~~21~~	-		31
TOTAL	7.07	5.74	5.22	2.25	3.11	.96	2.95	1.35	2.86	6.16	2.07	5.21	Year's Total	
* Days with .01 in. or more.	26	23	21	19	12	7	9	4	13	13	11	18	44.95	✓
* Days with .04 in. or more.	23	18	19	18	8	5	5	4	12	13	8	15	128	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. B. Debenham

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1621

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Glauvilles Woottonin the County of Dorset

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....ft. 9 in.

,, Ground ,, Sea Level 350 ft. from map

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	02	-	-	-	24	02	-	-	86	-	04		1
2	02	-	-	-	-	-	-	-	-	23	19	08		2
3	-	-	-	-	19	01	-	-	-	75	10	-		3
4	01	-	-	-	-	-	28	80	-	06	-	18		4
5	-	-	-	-	-	-	19	03	-	14	-	-		5
6	02	-	-	-	-	06	41	-	14	05	05	08		6
7	10	-	-	-	-	06	52	-	07	30	04	05		7
8	13	-	-	-	-	09	08	05	03	38	-	03		8
9	18	05	-	-	-	-	-	09	-	-	01	78		9
10	05	-	-	-	-	08	03	33	-	-	03	54		10
11	17	-	-	-	-	-	-	-	-	-	34	48		11
12	38	-	-	-	16	-	-	-	-	20	08	01		12
13	28	-	-	-	-	-	-	-	-	03	39	53		13
14	84	-	-	-	04	-	31	-	-	-	-	-		14
15	19	-	-	-	07	-	58	-	-	17	04	55		15
16	32	-	-	-	03	-	-	03	-	05	03	01		16
17	-	16	02	-	-	-	-	-	10	15	03	03		17
18	14	-	-	-	03	06	-	-	26	04	44	-		18
19	-	-	-	-	-	-	-	11	21	-	74	-		19
20	-	-	-	-	-	-	-	05	02	-	48	-		20
21	01	-	-	-	-	-	-	-	10	-	14	09		21
22	02	-	-	15	-	01	-	23	-	-	29	07		22
23	02	-	-	02	-	-	-	-	05	-	06	-		23
24	-	-	14	-	-	-	-	10	13	-	27	-		24
25	15	22	04	-	23	-	17	02	-	03	1.52	06		25
26	30	37	-	-	29	-	-	-	-	04	02	24		26
27	05	-	-	-	06	23	67	22	-	11	45	-		27
28	09	07	-	-	27	12	-	86	06	-	-	02		28
29	-	-	-	-	26	-	-	-	15	15	40	08		29
30	03	~~X~~	-	-	03	10	02	-	88	-	25	03		30
31	29	~~X~~	-	~~X~~	22	~~X~~	-	-	~~X~~	21	~~X~~	28		31
TOTAL	3.59	.95	20	17	1.88	1.06	3.28	2.90	2.20	3.86	6.89	4.26	Year's Total	
* Days with .01 in. or more.	23	6	3	2	13	11	12	13	13	19	26	21	31.26	4
* Days with .04 in. or more.	15	5	2	1	10	9	9	10	11	17	19	15	123	2

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) 16-13 Debenham P.T.O.

Section



for the entry of Daily Observations

Station No. 16 21

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at
in the County of
Diameter of Funnel of Gauge..... in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	14	08	06	—	02	29	24	—	01	06		1
2	—	—	02	21	—	—	03	42	56	—	07	11		2
3	61	—	02	44	—	—	—	14	—	—	13	41		3
4	—	—	50	16	26	—	17	11	—	54	07	16		4
5	—	—	02	16	10	—	16	06	—	53	78	04		5
6	76	—	06	—	—	—	103	09	—	—	81	—		6
7	02	28	—	—	—	—	02	—	—	10	74	46		7
8	03	22	07	—	—	—	11	07	—	32	44	32		8
9	05	—	06	—	—	—	—	04	—	16	03	27		9
10	10	—	—	—	—	—	—	26	18	09	03	05		10
11	—	02	15	—	—	—	—	—	—	86	02	02		11
12	—	02	02	—	—	03	—	—	—	05	04	—		12
13	—	—	—	13	—	—	41	—	05	119	04	08		13
14	97	—	01	01	02	01	17	—	—	20	30	10		14
15	38	—	01	—	08	89	53	—	—	16	21	02		15
16	22	—	—	10	03	07	52	—	—	—	19	—		16
17	37	—	—	—	07	01	11	—	—	11	09	01		17
18	23	—	04	—	03	20	56	—	—	—	34	03		18
19	31	01	—	—	—	—	06	—	—	—	—	10		19
20	24	—	—	—	—	06	69	69	—	—	—	02		20
21	12	41	09	—	—	07	16	28	—	—	—	—		21
22	39	34	10	—	—	41	26	—	—	—	20	—		22
23	—	—	—	15	—	03	05	—	—	—	105	—		23
24	20	—	—	02	—	60	22	—	—	—	—	—		24
25	37	12	02	—	—	—	12	—	—	12	38	02		25
26	374	04	—	—	—	—	—	25	—	16	26	01		26
27	—	52	05	03	—	—	—	—	—	02	18	—		27
28	—	09	05	25	—	05	45	—	—	—	32	26		28
29	02	—	—	07	—	—	34	—	—	11	03	—		29
30	—	X	—	46	—	04	—	—	—	13	03	—		30
31	—	X	—	X	—	X	03	12	X	46	X	—		31
TOTAL	5.85	2.07	1.43	2.27	65	2.47	6.22	2.82	1.03	4.81	6.79	2.50	Year's Total	38.91
* Days with .01 in. or more.	19	11	18	14	8	13	23	13	4	18	26	20		197
* Days with .04 in. or more.	16	8	10	11	5	9	19	13	4	17	20	12		144

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) H. B. Debenham F.T.O.

Section



for the entry of Daily Observations

Station No. 1621

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at G. Llanvilles Woodman, Sherborne
in the County of Dorset

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....ft. 9 in.

Ground Sea Level 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	04	—	—	—	—	—	04	—		1
2	—	25	—	08	—	—	03	—	—	—	58	04		2
3	02	57	—	—	—	—	—	—	—	26	77	16		3
4	03	16	—	02	—	—	14	—	—	20	11	—		4
5	—	03	—	—	—	—	01	—	—	04	77	23		5
6	16	47	—	—	—	—	02	—	—	34	09	13		6
7	05	06	—	—	—	—	—	—	—	05	—	02		7
8	—	—	—	01	—	—	—	01	02	64	23	25		8
9	—	—	—	—	—	—	16	03	—	07	73	20		9
10	—	—	—	—	—	—	1.40	—	04	06	14	22		10
11	—	01	—	—	—	—	18	—	—	—	78	02		11
12	—	—	30	02	—	—	29	—	27	—	06	—		12
13	—	—	57	02	—	—	06	—	—	05	1.27	01		13
14	—	—	10	06	24	—	07	—	24	64	01	84		14
15	—	05	—	—	1.24	—	55	—	13	37	81	07		15
16	—	34	31	—	—	—	04	—	14	1.56	68	05		16
17	—	03	38	—	—	—	—	—	01	—	73	01		17
18	—	28	37	42	—	—	24	04	01	13	04	09		18
19	—	04	06	19	—	—	07	—	53	—	33	—		19
20	—	—	03	—	—	—	—	01	02	44	07	—		20
21	—	01	—	—	47	—	—	—	—	—	74	—		21
22	—	—	12	05	—	45	—	—	04	03	—	—		22
23	—	07	26	06	—	—	—	—	01	11	03	01		23
24	—	—	—	—	—	—	27	—	—	—	—	—		24
25	06	—	08	05	—	—	—	—	—	—	—	—		25
26	1.04	55	—	03	09	02	—	—	—	—	01	—		26
27	42	20	—	—	17	—	19	01	—	—	—	—		27
28	37	04	—	—	03	—	—	—	—	—	—	—		28
29	29	36	14	88	—	04	—	—	—	—	—	23		29
30	12	X	01	13	—	—	—	—	—	56	—	07		30
31	14	X	03	X	—	X	—	—	X	84	X	38		31
TOTAL	2.70	3.46	2.85	2.02	2.28	51	3.72	10	1.46	6.39	8.97	3.03	Year's Total	37.49
* Days with .01 in. or more.	11	18	14	14	7	3	16	5	12	18	22	19		159
* Days with .04 in. or more.	9	14	11	9	6	2	13	1	7	17	19	14		132

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

H. S. Delverden

P.T.O.

1622

1622
COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

31.

Kept at Howell
in the County of

HOWELL

Diameter of Funnel of
Height of top of Gauge
Ground

1931-40

780305 DAY.

Jan. 1, following

.05

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.21		.06	.02		.02		.45	.05			1
2	.26	.04		.45				G	.40		.04	.31	2
3	.15		.67		.17		.05	.02	.16		1.86	.05	3
4			.04				.24	.10	.16		.13	G	4
5		.12		.20		.29	.15	.62					5
6		.11		.21	.06	.08		.07		.28	.31	.27	6
7					.13	.15	.66	.17		.20	.36	.19	7
8	shw .02	.19		.25	.13	.41	.01	.06			.18	.03	8
9		.19				.01		.01			.54	.02	9
10						.13	.03	.10			.68		10
11	.14	.38				.05		.01	.03		.44		11
12		.03					26 G -1.11		.05				12
13		.03					23 G -1.11	.10					13
14		.14				.90	1.10	.09	.04		.15	.08	14
15	.03	.07		.04	.24			.18	G			.02	15
16		shw .19		.12		.44	.01	.12	.11				16
17	.01			.17	.10		.19						17
18	.10	.10	.01	.04		.14	.05	1.18			.58		18
19	.08		.22	.06		.10	.23	.05		G	.06		19
20	G	.07		.04			G	.36					20
21	.12				.22								21
22	.71			G	.03			.03			.01		22
23	.12	G		.09	.53	.03		.36			.47		23
24	.13	.01		.67	.11	.15	.29	.41			G		24
25	.12	.02		.21			.23				.18	G	25
26				.18			.56			G	.37		26
27	.11	.23			1.59						.02		27
28	.06	.06		.05	.10		.27				.01	.18	28
29	.09	X	.07		.02		.03	.04		.05	.10	G	29
30		X	.02		.02		.07	.03	.12				30
31	.57	X		X		X	G		X	G	X	.17	31
TOTAL	2.83	2.19	1.03	2.84	3.47	2.88	4.68	4.44	1.52	.58	6.49	1.32	33.89
*Days with or in. or more.	18	18	6	16	15	13	19	21	9	4	19	10	168
*Days with .04 in. or more.	14	14	4	16	11	11	14	16	8	4	16	7	136

REGISTER OF RAINFALL IN 1931.

Kept at Hotwell
in the County of Dorset
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

05

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.21		.06	.02		.02		.45	.05			1
2	.26	.04		.45				tr	.40		.04	.31	2
3	.15		.67		.17		.05	.02	.16		1.86	.05	3
4			.04				.24	.10	.16		.13	tr	4
5		.12		.20		.29	.15	.62					5
6		.11		.21	.06	.08		.07		.28	.31	.27	6
7					.13	.15	.66	.17		.20	.36	.19	7
8	show .02	.19		.25	.13	.41	.01	.06			.18	.03	8
9		.19				.01		.01			.54	.02	9
10						.13	.03	.10			.68		10
11	.14	.38				.05		.01	.03		.44		11
12		.03					26 4 -1.11		.05				12
13		.03					23 4	.10					13
14		.14				.90	1.10	.09	.04		.15	.08	14
15	.03	.07		.04	.24			.18	tr			.02	15
16		show .19		.12		.44	.01	.12	.11				16
17	.01			.17	.10		.19						17
18	.10	.10	.01	.04		.14	.05	1.18			.58		18
19	.08		.22	.06		.10	.23	.05		tr	.06		19
20	tr	.07		.04			tr	.36					20
21	.12				.22								21
22	.71			tr	.03			.03			.01		22
23	.12	tr		.09	.53	.03		.36			.47		23
24	.13	.01		.67	.11	.15	.29	.41			tr		24
25	.12	.02		.21			.23				.18	tr	25
26				.18			.56			tr	.37		26
27	.11	.23			1.59						.02		27
28	.06	.06		.05	.10		.27				.01	.18	28
29	.09	X	.07		.02		.03	.04		.05	.10	tr	29
30		X	.02		.02		.07	.03	.12				30
31	.57	X		X		X	tr		X	tr	X	.17	31
TOTAL	2.83	2.19	1.03	2.84	3.47	2.88	4.68	4.46	1.52	.58	6.49	1.32	33.27
*Days with "or in. or more.	18	18	6	16	15	13	19	21	9	4	19	10	168
*Days with ".04 in. or more.	14	14	4	16	11	11	14	16	8	4	16	7	136

Section

A

for the entry of Daily Observations.

Station No. 1622

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Holwellin the County of Dorset.Diameter of Funnel of Gauge 2.5 in.Height of top of Gauge above Ground 4.5 ft.,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05			.12	.57		.03	.09		.04	.02		1
2	<u>5</u>			.15	.26	.09		.03	<u>5</u>	.02		.23	2
3					.01	.22	.03			.14		.02	3
4	.04					.12					.41	<u>5</u>	4
5	.45								.17				5
6	.18		.01							.01			6
7	.04		<u>5</u>	.19	.03			<u>5</u>		<u>1.22</u>	<u>5</u>		7
8			<u>5</u>	.01						.15	.03		8
9	<u>1.00</u>		<u>.46</u>	.06	.09				.65	.02			9
10	.33	<u>show</u> <u>.04</u>		.63	.02	.04	.13			.51		.09	10
11	.02			.29	<u>5</u>			<u>5</u>				.03	11
12	.59			.06	.19				.05	.23		.01	12
13	.08			.12	.04		.16			.73		.04	13
14	.25			.26	.04					.01	.29		14
15	.05			.06	.33					.06			15
16	.27			.16	.09		.87			.02	.16		16
17				.06								<u>5</u>	17
18	.01				.20				.22			.02	18
19				.10	.10		.08	.25	.02				19
20				<u>2.10</u> <u>2.18</u>	<u>1.08</u>			.03		.28	.23		20
21			.16	<u>3.02</u>	.04		<u>5</u>		.20	.55	.07		21
22			.03		.01				.68	.24	.35		22
23					.10	.35	.25			.42	.07	.13	23
24					.08		.59			.65	.03	.10	24
25				.03			.10		.11	.53	.03	.01	25
26				.05			.14		.08	.12	.01	.02	26
27			.20	.45	.30		.07			.34	<u>5</u>	<u>5</u>	27
28			.46	.09	.13	.01	.17					.13	28
29			.39	.02	.70	.23		<u>53.18</u>	.60	.30	.15	.56	29
30	.02	X	.03	.22	.12	<u>2.10</u>	.05	.54	.61	.02	.73	.01	30
31		X	.10	X	.05	X	.15	.07	X	.02	X	.57	31
TOTAL	3.38	.04	1.84	3.25	4.58	3.16	2.82	1.54	3.39	6.63	2.58	1.97	35.18
*Days with ".01 in. or more.	15	1	9	21	23	8	14	7	11	24	14	15	162
*Days with ".04 in. or more.	12	1	6	18	19	7	12	5	10	17	9	8	164

Section

A

for the entry of Daily Observations.

Station No.

H. 22

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Weston House, Holwellin the County of DorsetDiameter of Funnel of Gauge 2 in.Height of top of Gauge above Ground 4 ft.Ground Sea Level 2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.84	.29	tr		.05	.02						.18	1
2	.32		1.10		.14								2
3	.27	.09	.52		.03								3
4	.14	tr			.23								4
5	.09		.46		.03						.05		5
6		.33	tr		.34		.17			.24			6
7	.08	.03			.05		.02			.24	.02	.02	7
8	.03						.38			.12			8
9		.13			.06		.25			.19	.05		9
10					.03	.02	.15	.04		.36	.07		10
11	.16					.07	.11	.11					11
12	.02			.12			.09		1.04				12
13	tr						.20	.25		.18	.04		13
14							.10	.04		.22	.39		14
15	.91		.18				.15	.09		.04			15
16			.98			.02		.04	.05	.07			16
17	.02	.17	.31			.24	.01	.01	.09				17
18	.07		.34			.20							18
19	.01		.13	tr		.03			.21		.15		19
20		.08				.05			.11				20
21					.05	.48		.59	.05	.15	.05		21
22						.05		.09	.20	.02			22
23		.30		.25		.25			.36	.14			23
24		1.84		.12		.03	tr		.06	.07			24
25		.60		.10		.41			.09		.13		25
26		.02		.24	.32				.03	.03		.02	26
27				.10	.40		.01			.30		.58	27
28	.01	.11		.13			.19		.02	.02		.02	28
29	.09	X			.09		.06						29
30		X	.20				.09		.05	.10		.07	30
31	.22	X	.12	X		X	.01		X		X		31
TOTAL	3.28	3.99	4.34	1.06	1.82	1.87	1.99	1.26	2.36	2.49	.82	1.02	26.30
*Days with .01 in. or more.	16	12	10	6	12	13	15	9	13	17	8	7	138
*Days with .04 in. or more.	11	10	10	6	10	8	12	8	11	14	7	4	111

40-9999

*See Instruction 2 (f) on other side.

(Signed) H.B. Warr.

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 1622

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at

in the County of

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft. in.

Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02							.65	.08	.5	.24	.53		1
2	.15								.81	.03		.23		2
3		.02	.10					.05		.49		.34		3
4	.08			.02	.40					.5	.03	.33		4
5								.73		.08	.05	.55		5
6	.08		.41		.24			.03		.39		.56		6
7	.03			.01		.06		.13	.06	.08		.65		7
8										.04	.55	.33		8
9	.02		.26								.57	.23		9
10	.45		.30	.38			.08	.08			.10	.13		10
11	.75		.40	.21			.12					.05		11
12	.03		.01				.29					.25		12
13	.47			.36			.12					.33		13
14	.27		.44									.42		14
15	.08		.04		.12					.18	.21	.14		15
16	.05	.02	.38		.01					.06		.13		16
17	.05		.01	.16	.05					.03		.35		17
18	.05		.19	.27					.15			.29		18
19			.20	.02		.08		.02	.14			.12		19
20			.06	.25			.03		.01					20
21						.10		.09				.10		21
22								.45			.5	.30		22
23		.03	.15	.42				.14	.09	.05		.10		23
24	.07	.06	.03				.04		.12	.22				24
25	.55											.82		25
26	.01		.01						.19		.05	.30		26
27												.47		27
28								.49	.12	.02		.65		28
29		X						.08	.29	.02	.03	.03		29
30	.05	X						.03	.09	.06		.38		30
31		X		X		X	.02	.21	X		X	.03		31
TOTAL	3.26	.13	2.99	2.30	.82	.24	.41	3.47	2.15	1.75	1.83	9.14	28.49	
* Days with .01 in. or more.	19	4	16	12	5	3	6	15	12	14	9	29	144	
* Days with .04 in. or more.	14	1	12	9	4	3	4	13	11	10	7	27	115	

Section

A

for the entry of Daily Observations.

Station No. 1622

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at HOLWELL

in the County of DORSET

Diameter of Funnel of Gauge in.
 Height of top of Gauge above Ground ^{as before} in.
 „ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			.34		.04	.13	.20		.25	.67	.18	.42		1
2	.02	.03				.01			.03	.24	.07	.09		2
3			.12		.01	.30		.01	.30	.15	.33	.03		3
4		.21		.20		.23			.14	.10	.50	.26		4
5		.37	.06	.13		.17			.05	.03	.10	.05		5
6				.24		1.28					.09			6
7				.28						.28	.09	.04		7
8				.34		.01				.30	.26	.17		8
9	.03			.60		.11			tr	.67	.78			9
10	.07		snow .26	.15		.10				tr	.05			10
11	.15			.03		.34			.02		.64	.01		11
12	.10	.21		.30		.26				.06	.06			12
13	.14	.02		.14	.04	.09			.02		.07	tr		13
14		.08		.28		.06			.08	.03	1.19	.23		14
15				.68		.09			.35		.33	.05		15
16		.05	.05	.34	.03	.08			.59	.02	1.44			16
17				.05	.54	.20		.26		.06	.15			17
18				2.17 2.18		.05	.03	.02	.15		tr	.03		18
19		2.10 2.00		2.01 2.01	.49	.08	.14		.06	.13	.15			19
20		2.28		.15		.01	.08				.43			20
21		.68	.05	.07			.03		.10	.06	.03			21
22		.13	.17	.08	.07		.01	.13						22
23		.08	.18		.10			.25	.10	.40		.17		23
24	.03	.62	.02		.05			.70	.27	.14		.29		24
25		.57				.01		.26				.45		25
26		.12	tr			.02			.11	.03		.82		26
27		.26		.07			.01	.02	.06			.76		27
28		.08						.05	.12	tr	.05	.04		28
29		X								.06	.01	.64		29
30	.04	X		.04		.01		.63		.23	.51	.67		30
31		X		X		X		.01	X	1.45	X	.45		31
TOTAL	.58	3.89	1.25	4.35	1.37	3.64	.50	2.34	2.80	5.11	7.51	5.67	39.01	
* Days with .01 in. or more.	8	17	9	21	9	22	7	11	18	20	23	20	185	
* Days with .04 in. or more.	5	15	8	20	7	16	3	7	15	16	21	17	150	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

Hazel Wany.

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 1622

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ... Holwell in the County of ... Donser

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above usual ground.....ft.....in.,, Ground ,, as Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.45	.18	.07	~~.16~~ ~~.06~~		.42	.34				.06			1
2		<u>tr</u>				.02	.34	<u>tr</u>			.03			2
3				.50		.02		.02			.49	.04		3
4	.34		.18			.05	.04	<u>tr</u>	.39		.12	.09		4
5			.10			.01		.01	.33		<u>tr</u>			5
6	.19		.02		<u>tr</u>		.02		.29		.44	.05		6
7	.04		.14				.47		.02		.44	.06		7
8	.60		.51				.20		.01		.26			8
9	.69		.39				.20		.26		⁰⁴ ~~.04~~			9
10	.08	.26					.12				.02			10
11	.24					.05	.05		.02		.88			11
12				<u>snow.</u> .14		.30	.04		.27		.14			12
13	.05						.08		.07		.11	.83		13
14							.53			.06	.04	.63		14
15	.01	.07					.07		.29	.05	.02	.43		15
16	.05	.16			.18		.07		.07		.06	.06		16
17	.05	<u>1.22</u>		.04	.07		.31		.02	.02	.01	.46		17
18	.18					.14	.55		<u>tr</u>		.06	.26		18
19	.52	.12	<u>tr</u>			.56			<u>tr</u>			.01		19
20	.10	.17	.20	.08		.11		.04	.54 ~~.14~~			<u>tr</u>		20
21		.10	.13	.34		.05	.05		.06					21
22	.15	³⁹ ~~.14~~	.77		.05		.18							22
23	.15	.02	.20				.22			.17				23
24	.11	.02	.01	.13	.07					.26	.02			24
25	.09		.40	.08			.18		.12	.13	.05			25
26	.33	.17	.20				.02		.01	.07				26
27	.44	.27	.15				.17		.04	.10				27
28	.93		.67			.02	.07					.31		28
29	.09	.08	.03							.04	.06	.05		29
30	.08	<u>X</u>	.01		.04	.05				.27		<u>tr</u>		30
31	.02	<u>X</u>	.39	<u>X</u>	.03	<u>X</u>	.27		<u>X</u>	.29	<u>X</u>	.53		31
TOTAL	5.98	3.23	4.57	1.53	.44	1.80	4.59	.07	2.81	1.46	3.35	3.81	33.64	
* Days with .01 in. or more.	25	14	19	9	6	13	24	3	17	11	20	14	175	
* Days with .04 in. or more.	23	12	15	9	5	9	22	1	13	10	15	13	147	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ... H. Warry ... (Miss) [P.T.O.]

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937.

At Holwell
In the County of Dorset

Rain Gauge (Diameter of Funnel.....in.
Height of Top above Ground.....ft.
Height of Ground above Sea Level.....ft.)

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Number of Days with 0.1 in. or more 0.4 in. or more
JAN.	7.40	7.8	17
FEB.	5.29	8.3	4
MAR.	5.28	8.5	10
APRIL	1.97	2.4	9
MAY	3.04	6.4	11
JUNE	9.8	4.2	10
JULY	3.57	2.26	15
AUG.	1.37		
SEPT.	2.98	6.2	9
OCT.	4.99	1.78	22
NOV.	2.05	4.9	21
DEC.	4.45	1.00	1
TOTAL	43.37		

Signature Hazel Warry

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge.....

Height of objects.....

Distances.....


Directions from gauge.....

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7

- 8 JAN 1938

* See Instruction 3 (f) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } 14 would show that the reading on the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 1622

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ... HOLWELL in the County of ... DORSET

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.22	.19			.26	.05	.11		1
2							.04			.17		.11		2
3						.02				.60	.04	.01		3
4					.23		.24	.64		.10		.14		4
5							.27	.05		.09				5
6	.03					.06	.47			.17	.05	.07		6
7	.06					.06	.23		.25		.04			7
8	.15						.03	.11		.26	.01	.04		8
9	.16	.07				.07	.14			.01		.74		9
10	.12						.03				.02	.53		10
11	.07										.30	.40		11
12	.27				.14					.17	.08	.02		12
13	.25									.02		.49		13
14	.60				.04		.30				.05			14
15	.15				.06		.56	.03		.17	.02	.43		15
16	.23				.02						.01	.01		16
17		.10							.07	.14				17
18	.15		.01			.08		.02	.25	.04	.40			18
19					.03			.05	.11		.72			19
20	.01										.41			20
21	.03										.25	.15		21
22						.01		.29	.03		.07			22
23				.17					.05		.27			23
24			.18	.01				.14	.20		.34			24
25	.17	.25	.04		.25		.25		.03	.05	1.56			25
26	.27	.37	.02		.28					.05	.02	.36		26
27	.07	.03			.11	.20	.64	.14		.13	.24			27
28	.13	.07			.37	.14		.84	.07					28
29		X			.22				.23	.15	.25			29
30	.03	X			.07	.11			.51		.25			30
31	.27	X		X	.27	X			X	.05	X	.35		31
TOTAL	3.22	.89	.25	.18	2.09	.97	3.25	2.31	1.80	3.24	5.45	3.96	27.61	
* Days with .01 in. or more.	20	6	4	2	13	10	12	10	11	19	23	16	147	146
* Days with .04 in. or more.	16	5	2	1	11	8	10	8	9	17	18	13	119	118

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) H. Warr.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1622

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at Little Westow, Holwell

in the County of Dorset

Diameter of Funnel of Gauge. 4.5 in.

Height of top of Gauge above Ground. 4 ft. in.

Ground Sea Level

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	.14	—	.06	—	—	.18	.23	—	—	.04		1
2	—	—	—	.15	.24	—	—	.43	—	—	.06	.14		2
3	.49	—	.04	.33	—	—	.06	.17	—	—	.20	.41		3
4	—	—	.19	.19	.08	—	.15	.13	—	.40	.11	.20		4
5	.01	—	.15	.09	—	—	.07	.04	—	.47	.53	—		5
6	—	—	.14	—	—	—	—	.05	—	—	.60	.02		6
7	—	.30	.11	—	—	—	.77	—	—	—	.58	.37		7
8	.01	.14	—	—	—	—	.12	—	—	.23	.38	.17		8
9	.05	.02	.01	—	—	—	.14	.02	—	.17	.02	.08		9
10	.20	—	.02	—	—	—	—	.24	.18	.15	.03	.04		10
11	—	.01	.19	—	—	—	—	.01	—	.23	.02	—		11
12	.01	—	.03	—	—	.02	—	—	—	.01	.03	—		12
13	.12	—	—	.10	.12	—	.38	—	.04	1.06	.02	.02		13
14	.70	—	.03	—	.04	.02	.14	—	.12	.23	.23	.05		14
15	.50	—	.02	—	.09	.89	.43	—	—	.15	.20	.02		15
16	.20	—	—	.09	.05	—	.40	—	—	.01	.21	—		16
17	.49	—	—	—	.04	.04	.09	—	—	.09	.12	—		17
18	.17	.04	.04	—	—	.13	.55	—	—	—	.43	.02		18
19	.24	—	—	—	—	—	1.04	—	—	—	.12	.06		19
20	.24	—	—	—	—	—	.28	1.67	—	—	—	.01		20
21	.24	.31	.04	—	—	.04	.28	.30	—	—	—	—		21
22	.41	.30	.14	—	—	.24	.17	—	—	—	.14	—		22
23	.02	—	—	.20	—	.04	.10	—	—	.12	.80	—		23
24	.64	.02	.04	.05	—	.52	.25	—	—	.01	.12	—		24
25	.83	.12	—	—	—	—	.19	.06	—	.16	.31	—		25
26	.03	.06	.06	—	—	—	—	.08	—	.12	.23	—		26
27	—	.39	.04	—	—	—	.12	.09	—	.02	.37	—		27
28	—	.12	—	.23	—	—	.48	—	—	—	.38	.25		28
29	—	X	—	.08	—	—	.30	—	—	.13	.04	—		29
30	—	X	—	.43	—	.05	.07	—	—	.10	.06	—		30
31	—	X	.12	X	—	X	—	.06	X	—	X	—		31
TOTAL	5.48	1.83	1.63	2.00	.69	1.99	6.34	3.65	.45	3.74	6.10	1.88	35.78	
* Days with .01 in. or more.	19	12	19	11	8	10	22	14	3	18	25	15	174	
* Days with .04 in. or more.	14	9	13	11	8	8	20	12	3	14	20	11	143	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

H. A. Warry

P.T.O.

Section



for the entry of Daily Observations

Station No. 1622

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at ... HOLLWELL

in the County of ... DORSET

Diameter of Funnel of Gauge ... 2.5 in.

Height of top of Gauge above Ground ... 4 ft. in.

,, Ground ,, Sea Level ... 10 ft.

159382/32

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	tr	—	—	.09	—	—	—	—	—	—	—		1
2	—	.21	—	.06	—	—	.02	—	—	—	.49	.03		2
3	.02	.40	—	—	—	—	—	—	—	.23	.83	.22		3
4	.01	.12	—	.04	—	—	.15	—	—	.19	.08	—		4
5	—	.05	—	—	—	—	.05	—	—	.02	.80	.30		5
6	.12	.36	—	—	—	—	.08	—	—	.28	—	.20		6
7	.04	.10	—	tr	—	—	.02	—	.01	.04	.08	.02		7
8	—	—	—	.02	—	—	.03	—	.05	.47	.18	.22		8
9	—	—	—	.02	—	—	.18	.06	—	.08	.62	—		9
10	—	—	—	—	—	—	1.53	—	—	.15	.16	.22		10
11	—	—	—	—	—	—	.15	—	—	—	.52	.02		11
12	—	—	.19	—	—	—	.28	—	.24	—	.07	tr		12
13	—	—	.46	.03	—	—	.07	—	.13	.05	1.35	—		13
14	—	—	.17	.08	.25	—	.07	—	.26	.48	—	.57		14
15	—	snow .05	—	.03	.88	.01	.50	—	.14	.33	.65	.04		15
16	—	snow .41	.29	—	—	tr	.04	—	.12	1.12	.68	—		16
17	—	snow .01	.45	tr	—	—	—	.02	—	—	.74	—		17
18	snow .04	snow .30	.33	.29	—	—	.11	—	.04	.08	.10	.13		18
19	—	.03	.08	.14	—	—	.05	—	.55	—	.16	—		19
20	—	—	.02	.01	—	—	—	.03	—	.56	.03	—		20
21	snow .01	tr	.02	—	.43	—	—	—	—	.10	.60	—		21
22	—	.01	.11	.02	—	.45	—	—	.05	.01	—	—		22
23	snow .01	.10	—	.07	—	—	.25	—	—	—	—	—		23
24	—	—	—	—	—	—	—	—	—	—	.03	—		24
25	.04	—	.08	.03	—	—	—	—	—	—	—	—		25
26	.93	.42	—	.04	.10	—	.01	—	—	—	—	—		26
27	.45	.14	—	—	.21	—	.28	—	—	—	—	—		27
28	.33	.01	—	—	.05	—	—	.01	—	—	—	—		28
29	.22	.46	.07	.68	—	.08	—	—	—	—	—	.25		29
30	—	X	.02	.16	—	—	—	—	—	3.40	—	.10		30
31	.06	X	.01	X	—	X	—	—	X	.71	X	snow .28		31
TOTAL	2.28	3.18	2.30	1.72	2.01	.54	3.87	.12	1.59	5.26	8.17	2.60	33.64	
* Days with .01 in. or more.	13	17	14	16	7	3	19	4	10	18	19	14	154	
* Days with .04 in. or more.	9	13	0	9	7	2	15	1	9	16	17	11	119	

† Spare column, no entries required.

(Signed) H. A. Waring. [P.T.O.]

* See Instruction 3 (f) on other side.

OKEFORD FITZPAINE

Section

A

for the entr

AIR MINI

FORM 1090

REC

1622/5

Station No.

1622/5

AINFALL ORGANIZATION

1938

Kept at ...

in the County of ...

Diameter of Funnel of Gauge.

Height of top of Gauge above

Ground

THE MORNING MEAS

780305

EVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	NIL	.201	NIL	NIL	NIL	.108	.06	NIL	NIL	.508	.20X	.102		1
2	NIL	NIL	NIL	NIL	NIL	NIL	.206	NIL	NIL	.50	NIL	NIL		2
3	.01	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	.10	NIL	.103		3
4	NIL	NIL	NIL	NIL	.104	NIL	NIL	NIL	NIL	.503	.08	NIL		4
5	NIL	NIL	NIL	NIL	NIL	NIL	.205	.706	NIL	.104	NIL	.202		5
6	NIL	NIL	NIL	NIL	NIL	.03	.104	NIL	NIL	NIL	NIL	NIL		6
7	.03	NIL	NIL	NIL	NIL	.01	.309	NIL	.105	.07	.02	.02		7
8	.06	NIL	NIL	NIL	NIL	NIL	.704	NIL	.205	.202	NIL	.04		8
9	.01	NIL	NIL	NIL	NIL	.10	.09	.06	NIL	.304	NIL	.02		9
10	.20	.05	NIL	NIL	NIL	.02	NIL	NIL	NIL	NIL	NIL	.803		10
11	.05	NIL	NIL	NIL	NIL	NIL	.02	.101	NIL	NIL	.20X	.20		11
12	.105	NIL	NIL	NIL	.102	NIL	NIL	NIL	NIL	NIL	.104	.70		12
13	.20	.03	NIL	NIL	NIL	NIL	.01	NIL	NIL	.108	.303	NIL		13
14	.301	NIL	NIL	NIL	.03	NIL	NIL	NIL	NIL	.01	NIL	.905		14
15	.90	NIL	NIL	NIL	.07	NIL	.403	NIL	NIL	NIL	NIL	NIL		15
16	.50	NIL	NIL	NIL	NIL	NIL	.503	NIL	NIL	.108	.102	.409		16
17	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	.04		17
18	NIL	NIL	.01	NIL	NIL	NIL	NIL	NIL	.04	.103	.308	NIL		18
19	.105	NIL	NIL	NIL	.09	.04	NIL	.101	NIL	NIL	.90X	NIL		19
20	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	.405	NIL	.405	NIL		20
21	NIL	NIL	NIL	NIL	NIL	NIL	NIL	.106	NIL	NIL	.405	NIL		21
22	.01	NIL	NIL	NIL	NIL	NIL	NIL	NIL	.05	NIL	.07	NIL		22
23	NIL	NIL	NIL	.02	NIL	NIL	NIL	.30	NIL	NIL	.30X	NIL		23
24	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	.06	NIL	.08	NIL		24
25	NIL	.204	.104	NIL	.205	NIL	NIL	.102	.106	NIL	.205	NIL		25
26	NIL	.308	NIL	NIL	.207	NIL	.01	NIL	NIL	NIL	1.103	NIL		26
27	.306	NIL	NIL	NIL	.03	NIL	NIL	NIL	.01	NIL	NIL	.03		27
28	.03	NIL	NIL	NIL	.105	.202	.703	.104	NIL	.103	.401	NIL		28
29	.08		NIL	NIL	.40	.102	NIL	.50	.04	NIL	NIL	NIL		29
30	NIL	X	NIL	NIL	.03	NIL	NIL	NIL	.204	NIL	.208	NIL		30
31	.01	X	NIL	X	.109	X	NIL	NIL	X	.102	X	.201		31
TOTAL	2.91	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	2.907	✓	798	✓	11A	✓	.02	✓	1.47X	✓	.61X	✓	3.33	✓
* Days with .01 in. or more.	17	5	2	1	12	8	13	9	10	14	18	14	123	✓
* Days with .04 in. or more.	11	4	1	—	9	5	10	9	9	13	17	11	99	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required
(Signed) ...

[P.T.O.]

Kept at *The Gardens, Wimbourne (St Giles House)*
in the County of *Dorset*
Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
Ground Sea Level.....

1931 — 40

780305

THE MORNING MEASUREMENT IS OBSERVED ON JANUARY DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03	.19	.08					.14				1
2	.31			.53			.03		.54	.03		.16	2
3	.08		.66	.05			.02		.34		.98	.34	3
4			.14		.05		.32	.25	.11	.02	.22		4
5		.22		.14		.55		.20			.12	.36	5
6		.15		.11	.04	.08	.12			.34	.30	.10	6
7					.20	.20		.41		.07	.65	.05	7
8		.30		.12		.31	.09	.03			.10	.09	8
9		.31		.04		.07	.03				1.12		9
10	.02	.02				.20	.06				.57		10
11	.13	.35				.04	.04				.22		11
12	.02						.34		.09	.15			12
13							.09						13
14		.14			.02	.40	1.60	.13			.05		14
15		.05		.04	.14		.11	.15				.02	15
16		.03		.11	.15	.34		.04	.18				16
17		.20		.10		.03	.12		.14				17
18	.02		.01	.16		.15	.03	2.00			.69		18
19	.07			.14		.15	.02	.12					19
20	.10	.13	.13					.38			.05		20
21	.42		.04		.38								21
22	.28		.04										22
23	.24			.15	.54	.03					.39		23
24	.23			.49	.23	.34	.42	.48				.02	24
25				.25	.20		.36				.25	.01	25
26	.28	.02		.07			.46				.27		26
27	.11	.36			.62		.40				.03		27
28	.19	.19		.04	.20							.15	28
29					.10		.08	.04		.07	.09		29
30	.55	×					.06	.07			.04		30
31		×		×	.08	×	.02		×		×		31
TOTAL	3.05	2.50	1.21	2.62	2.95	2.89	4.82	4.30	1.54	.68	6.04	1.30	33.90
*Days with "or in. or more.	16	15	7	17	14	14	22	13	7	6	18	10	159
*Days with ".04 in. or more.	13	12	6	17	13	12	16	12	7	4	17	7	136

FORM 1090.

REGISTER OF RAINFALL IN 193/.

Kept at The Gardens, St Giles House
in the County of Dorsetshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 165 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03	.19	.08					.14				1
2	.31			.53			.03		.54	.03		.16	2
3	.08		.66	.05			.02		.34		.98	.34	3
4			.14		.05		.32	.25	.11	.02	.22		4
5		.22		.14		.55		.20			.12	.36	5
6		.15		.11	.04	.08	.12			.34	.30	.10	6
7					.20	.20		.41		.07	.55	.05	7
8		.30		.12		.31	.09	.03			.10	.09	8
9		.31		.04		.07	.03				1.12		9
10	.02	.02				.20	.06				.54		10
11	.13	.35				.04	.04				.22		11
12	.02						.34		.09	.15			12
13							.09						13
14		.14			.02	.40	1.60	.13			.05		14
15		.05		.04	.14		.11	.15				.02	15
16		.03		.11	.15	.34		.04	.18				16
17		.20		.10		.03	.12		.14				17
18	.02		.01	.16		.15	.03	2.00			.69		18
19	.07			.14		.15	.02	.12					19
20	.10	.13	.13					.38			.05		20
21	.42		.04		.38								21
22	.28		.04										22
23	.24			.15	.54	.03					.39		23
24	.23			.49	.23	.34	.42	.48				.02	24
25				.25	.20		.36				.25	.01	25
26	.28	.02		.07			.46				.27		26
27	.11	.36			.62		.40				.03		27
28	.19	.19		.04	.20							.15	28
29					.10		.08	.04		.07	.09		29
30	.55	×					.06	.07			.04		30
31		×		×	.08	×	.02		×		×		31
TOTAL	3.05	2.50	1.21	2.62	2.95	2.89	4.82	4.30	1.54	.68	6.04	1.30	YEAR'S TOTAL
*Days with .01 in. or more.	16	15	7	17	14	14	22	13	7	6	18	10	159
*Days with .04 in. or more.	13	12	6	17	13	12	16	12	7	4	17	7	136

40-9999

*See Instruction 2 (f) on other side.

(Signed) G. A. Farrant.

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1623

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at *The Gardens, St. Giles.*in the County of *Dorsetshire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *16.5* in.,, Ground ,, Sea Level *16.5* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.21			.15	.93			.14		.03	.01		1
2				.23	.40	.01		.05	.02			.43	2
3				.15		.21			.54	.05		.03	3
4	.01					.24					.18		4
5	.39								.22				5
6	.44			.30			.03		.20				6
7	.02		.01	.03					.10	.52			7
8			.30	.02	.08				.62	.20			8
9	.60	snow .01		.18	.03 .08					.02	.02		9
10	.26			.34	.05 .05					.23	.05		10
11	.05				~~.29~~		.36		.01			.05	11
12	.65				.08				.12	.13	.02		12
13	.03			.16	.10		.31		.01	.85		.08	13
14	.09			.58	.04							.01	14
15	.03			.02	.29					.03	.19	.03	15
16	.20			.12			.98					.01	16
17	.03			.04						.03			17
18	.02			.11	.15				.17		.19		18
19				.16					.02	.41			19
20					.43			.20		.75	.30	.06	20
21	.02		.14		.25					.27		.19	21
22	.01		.06		.04		.10		.34	.25	.42		22
23					.09		.28		.02	.70	.07	.10	23
24		.10			.01		.60		.15	.04	.02		24
25							.22		.04	.60	.09		25
26			.13	.01		~~.06~~	.13			.08	.01		26
27			.53	.54	.27	.06	.03			.20		.05	27
28			.01	.07	.16		.24					.02	28
29			.47	.13	.40	.28		.14	.52	.37	.22	.08	29
30		x	.10	.30	.13	2.06	.06	.03	.61		.70	.40	30
31		x	.06	x		x			x		x	.16	31
TOTAL	3.06	.11	1.81	3.64	3.93	2.86	3.34	.56	3.71	5.76	2.49	1.70	32.94
*Days with .01 in. or more.	17	1	10	20	19	6	12	5	17	20	15	15	154
*Days with .04 in. or more.	9	1	8	16	17	5	10	4	12	16	10	10	118

40-9999

*See Instruction 2 (f) on other side.

(Signed) *G. A. Farnant.*

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 1623

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .Kept at The Gardens. St. Giles
in the County of DonetDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 165 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.50	.43	.08	.05	.06							.23		1
2	.77		.78		.19									2
3	.04	.15	.45											3
4	.21	.03			.14									4
5	.11		.63		.02									5
6		.40	.02		.28					.08	.03			6
7	.02	.03			.25		.01			.15		.01		7
8	.01	.01	.03		.01		.29			.02				8
9					.04		.20			.11				9
10		.14					.16			.38				10
11	.32					.12	.06	.10						11
12				.04	.01		.01		.90			snow. .04		12
13	.05				.02		.35	.24		.10	.04			13
14	.01						.04			.35	.60			14
15	.70		.26				.11	.15		.15				15
16		snow	1.12			.08	.05			.10				16
17		.03	.39			.11		.05	.11					17
18	.10	snow	.36			.10								18
19		.07	.10					.02	.42		.12			19
20		.02				.85			.06					20
21		.01			.25			.10	.04	.12				21
22						.01		.30	.10	.18				22
23		11.5 snow		.43		.28			.21	.09				23
24		2.63		.34		.01			.01					24
25		.63		.31	.10	.11			.14			.09		25
26		.80		.14	.10				.09					26
27					.22		.04		.01	.27		.67		27
28				.30			.25					.01		28
29	.09			.03	.01					.01		.05		29
30	.04	x	.14				.04		.03			.09		30
31	.11	x	.03	x		x			x		x			31
TOTAL	3.11	5.38	4.39	1.64	1.70	1.67	1.61	.96	2.12	2.11	.79	1.19	26.67	Year's Total
*Days with .01 in. or more.	15	14	13	8	15	9	13	7	12	14	4	8	132	
*Days with .04 in. or more.	12	8	10	7	10	7	11	6	9	12	3	6	101	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) S. O. Faranti

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1623

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Gardens, St. Giles,
in the County of Donset

Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in.,, Ground ,, Sea Level 165 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								.65			.09	.67		1
2	.20		.07						.80	.10		.36		2
3	.04			.01						.31		.25		3
4	.12		.20		.22					.16	.03	.45		4
5					.02			.81		.09		.54		5
6	.06		.45		.14					.36	.21	.70		6
7	.10			.01				.15		.11		.65		7
8					.32				.06		.51	.11		8
9	.03		.18								.73	.39		9
10	.12		.32	.30				.02			.21	.05		10
11	.79		.65	.39			.09	.01				.65		11
12	.10						.02	.32			.03	.17		12
13	.49		.12	.17			.03				.13	.22		13
14	.08		.54								.02	.58		14
15			.05		.13					.06	.12	.32		15
16	.22		.47									.05		16
17	.09			.22					.07	.03		.42		17
18	.18		.22	.10					.03			.35		18
19			.27	.03		.05		.03	.13			.11		19
20			.12	.25			.36		.10	.01				20
21			.02	.18		.15		.01		.24				21
22			.02				.28	.30	.28			.14		22
23				.30		.76		.10	.06			.03		23
24		.02	.05	.10		.03			.22			.01		24
25	.40			.12						.13		1.10		25
26				.06		.18			.24		.01	.43		26
27						.06						.44		27
28						.02		.53	.01			.72		28
29								.31	.31			.04		29
30	.05	X						.27	.20	.02		.32		30
31		X		X		X		.06	X	.01	X	.04		31
TOTAL	3.07	.02	3.75	2.24	.83	1.25	.78	3.57	2.51	1.63	2.09	10.31	32.05	
*Days with "or in. or more.	16	1	16	14	5	7	5	14	13	13	11	29	144	
*Days with .04 in. or more.	15	-	14	11	4	5	3	10	11	9	7	27	116	

† Spare column, no entries required.

(Signed) S. A. Fanant.

P. T. O.

Section



for the entry of Daily Observations.

Station No. 1623

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at St. Giles Gardens.

in the County of Dorset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

Ground Sea Level 165 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02		.21		.05	.10	.23		.13	.23	.20	.13		1
2		.01				.08				.41	.05	.01		2
3		.04	.10			.12			.13	1.22	.25			3
4		.17		.10		.23			.05	.13	.27	.18		4
5		.31	.08	.10		.24			.23		.01	.04		5
6				.27		1.69					.19	.01		6
7				.26		.01				.10	.28	.20		7
8				.33					.01	.48	.47	.02		8
9	.12		snow	.55		.64			.04	.81	.79			9
10	.04		.16	.01		.05					.07	.01		10
11	.21		if snow	.01	.07	.18					.64			11
12	.05	.16				.37			.07		.42			12
13	.08	.18		.25	.02	.16			.06		.07			13
14		.01		.10	.03	.21			.14	.01	.92	.26		14
15		.23		.70	.20	.15			.30	.03	.35	.05		15
16		.04		.10		.46			.86	.01	1.61			16
17				.08	.05	.32		.13	.09		.15			17
18		.04	.08	.32			.02		.36	.02	.03			18
19		.02		.09	.44	.09	.21		.04	.04	.33			19
20		.55		.08	.20	.04	.06		.02		.76			20
21		.61		.07					.02	.02	.01			21
22		.07		.04				.10	.02					22
23			.03		.01			.30	.03	.64		.20		23
24	.05	.77	.20		.08			1.14	.42	.22		.45		24
25	.14	.34		.09	.02							.57		25
26		.54				.02		.25	.03			1.15		26
27		.27							.10	.01	.07	.81		27
28		.05			.08			.07	.28		.02	.10		28
29					.09			.21	.25			.61		29
30		X		.10	.08			.91	.01	.30	.55	.58		30
31		X		X		X			X	1.58	X	.46		31
TOTAL	0.71	4.41	0.87	3.71	1.35	5.16	0.52	3.11	3.69	6.26	8.51	5.84	44.14	Year's Total.
* Days with .01 in. or more.	8	19	8	20	13	19	4	8	24	18	24	19	184	
* Days with .04 in. or more.	7	16	6	19	9	17	3	8	17	12	20	15	149	

Section

A

for the entry of Daily Observations.

Station No. 1623

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Wimborne St. Giles.

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 7 in.

Ground Sea Level 165 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.12	.08		~~.44~~		.12	.14				.05	.03		1
2	.08	.03	.01	.02		.03	.00	.15			.01			2
3				.28		.02	.03		.63		.53	.01		3
4			.20						.47		.05	.02		4
5	.54		.03		.08				.27			.07		5
6	.28					.02	.01	.04	.48		.52			6
7	.07		.21				.35				.40	.05		7
8	.46		.34				.08				.25	.05		8
9	.57		.15				.35		.11					9
10	.35	.05					.20				.01			10
11	~~.22~~	.32				.03	.06		.21		1.35			11
12	.01			.10		.43	.60		.17		.18			12
13	.02			.01		.03	.06				.07	.46		13
14		.04				.07	.54		.10	.02		.81		14
15		.03							.01		.01	.44		15
16	~~.03~~	.21			.08		.06				.06	.03		16
17	.10	.98			.01		.13				.10	.65		17
18	~~.15~~	.10				.17	.37			.05		.45		18
19	.55	.08		.05		.05		.06						19
20	.11	.27	.25	.24		.05			1.42					20
21	~~.10~~	.18		~~.44~~		.03								21
22	.10	.45	.35		.01		.25			.01				22
23	.12	.01	.15	.15	.02		.34			.09				23
24	.23	.07			.19				.01	.34				24
25	.13		.28	.22			.04		.14	.12				25
26	.20	.15	.25	.03		.06			.01	.06				26
27	.49	.12	.16				.16		.05	.22		.03		27
28	.96		.60				.42					.37		28
29	.02	.03	.06			.89	.01			.09	.07			29
30	.16	~~×~~				.10				.27				30
31	.13	~~×~~	.48	~~×~~	.04	~~×~~	.22		~~×~~	.59	~~×~~	.52		31
TOTAL	6.20	3.20	3.52	1.98	0.43	2.10	4.51	0.25	4.08	1.86	3.66	4.49	36.28	✓
* Days with .01 in. or more.	26	18	15	11	7	15	22	3	14	11	15	15	172	✓
* Days with .04 in. or more.	22	13	13	8	4	9	19	3	11	9	12	10	133	✓

Year's total

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 1623

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Wimborne St Giles

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

Ground Sea Level 165 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.22	.02		.15					.02		.24	.86		1
2	.03	.99		.07					.18			.30		2
3	.03	.35		.05										3
4	.18	.75										.25		4
5	.28		.08				.22							5
6	.09	.21	.29	.13	.04		.16			.02				6
7		.78		.14						.02				7
8		.05			.36						.11			8
9		.04	.30	.10	.07	.13			.82					9
10	.06	.02	.80	.11	.10	.31	.05	.05				.43		10
11	.05		.03	.03	.53		.22							11
12	.55	.33	.13	.08	.03	.10	.01	.36	.32			.47		12
13	.13	.03	.65	.11				.10	.10					13
14	.01		.30	.01				.24	.03			.12		14
15	.28	.22	.01	.36			.76		.11			.03		15
16	.01	.13	.82	.16		.07		.46	1.71		.05			16
17	.93	.04	.50				.03		.24		.12			17
18	.26	.08									.10	.23		18
19	.11	.09	.07	.27								.09		19
20	.54	.06	.15	.16								.20		20
21	.53	.29	.03	.07	.08		.09				.06	.11		21
22	.35		.02		.41	.04	.29		.22	1.29	.66	.17		22
23	.38	.22			.30		.04			.35	.07	.02		23
24	.56	.62			.10				.10	1.03		.05		24
25	.25	.36	.30		.95				.07	.39		.05		25
26		.31	.04		.21					.06		.04		26
27	.01	.11		.09						.72				27
28	.01	.31								.15				28
29	.06									.64	.08			29
30	.68					.01				.29	.21			30
31	.21									.91				31
TOTAL	6.79	6.41	4.22	2.29	3.21	.60	2.00	1.21	2.92	5.87	1.70	4.74	42.96	Year's Total
* Days with .01 in. or more.	27	24	16	17	12	6	11	5	12	12	10	19	171	
* Days with .04 in. or more.	21	21	11	15	11	5	9	5	10	10	10	17	145	

† Spare column, no entries required

(Signed) E. A. Garrant

[P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No. 1623

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at St. Giles House Gardens,

in the County of WIMBORNE DORSET.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 165 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.03				.08	.38			.47		.07		1
2	.01									.14		.06		2
3					.10					.60	.08			3
4							.15	.41		.10		.24		4
5							.08			.11	.01			5
6	.05					.06	.20		.13	.17	.02	.04		6
7	.03					.03	.50	.10	.05	.27		.09		7
8	.19					.02	.06	.34		.46				8
9	.15	.07										1.15		9
10	.08					.02	.03	.02			.02	.38		10
11	.21										.31	.25		11
12	.44				.21					.25	.03	.03		12
13	.25									.10	.31	.77		13
14	.62				.08		.20							14
15	.10				.04		.53			.17	.04	.50		15
16	.47	hatched	.01		.01			.01			.05	.04		16
17		.13	.03						.06	.09	.03			17
18	.19				.12	.01			.28	.02	.45			18
19	.01							.13	.17		.91			19
20								.30			.65			20
21	.02								.09		.05			21
22	.03							.33			.39	.12		22
23									.07		.07			23
24			.15					.03	.17		.38			24
25	.18	.23	.01		.17			.01		.02	1.25			25
26	.32	.37			.10	.01			.08	.05		.36		26
27	.09	.02			.37	.24	.57	.01	.01		.43			27
28	.07	.08			.27	.13		.52	.15			.03		28
29	.03				.30				.14	.09	.35	.06		29
30	.03	X			.05				.97	.02	.19	.02		30
31	.21	X		X	.15	X			X	.36	X	.34		31
TOTAL	3.78	.93	.20	-	1.97	.60	2.70	2.21	2.37	3.49	6.02	4.55	28.62	✓
* Days with .01 in. or more.	23	7	4	-	13	9	10	12	13	18	21	18	148	✓
* Days with .04 in. or more.	16	5	1	-	12	4	9	7	12	15	16	15	112	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) J. A. Farrent

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1623

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The Landers, St. Giles House

in the County of Wiltshire, Dorset.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....0.....in.

,, Ground ,, Sea Level 165.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.01		.14	.08	.08		.02	.22	.10		.15	.16		1
2				.16				.54	1.08		.43	.10		2
3	.80			.53				.20			.16	.24		3
4			.47	.24	.17		.34	.21		.37	.05	.12		4
5			.03	.24	.38		.36	.02		.33	.79	.08		5
6	.71		.10				.06	.01			1.01			6
7	.03	.39					.01				.67	.55		7
8	.03	.23	.12				.06	.08		.43	.17	.31		8
9	.04	.04						.09		.18	.05	.24		9
10	.32		.06					.20	.07	.23	.04			10
11			.16							.35				11
12						.11					.09			12
13				.03			.45		.01	1.83	.03			13
14	.81				.12		.16			.21	.45	.04		14
15	.28				.17	.94	.20			.34	.41	.02		15
16	.22			.07	.01	.12	.25				.39			16
17	.45	.07			.10	.04	.09			.25	.09			17
18	.18					.05	.52				.43			18
19	.49						.20					.05		19
20	.47						.37	3.15						20
21	.17	.30	.09			.07	.36	1.06						21
22	.54	.23	.07			.12	.07				.26			22
23				.11			.10				.93			23
24	.29		.16	.01		.55	.05							24
25	.09	.12	.01	.02			.07			.12	.40			25
26	.05	.02						.03		.08	.43			26
27		.20	.03					.03			.20			27
28		.45	.02			.13	.26	.01			.35	.16		28
29				.05			.43			.04	.05			29
30		X		.45		.06		.08		.07	.10			30
31		X		X		X	.04	.12	X	.34	X			31
TOTAL	6.86	2.05	1.48	1.99	1.03	2.19	5.37	6.05	1.26	5.17	8.13	2.07	43.65	✓
* Days with .01 in. or more.	19	10	13	12	7	10	22	16	4	25	25	12	165	✓
* Days with .04 in. or more.	16	9	9	9	6	10	20	11	3	24	24	11	143	✓
Year's Total														✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) S. A. S. S. S.

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 1623

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1924

Kept at Wimborne St. Giles

in the County of Dorset

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1.....ft....6.....in.

,, Ground ,, Sea Level 16.5.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1											.70			1
2		.15		.12	.02						.27	.02		2
3		.67								.26	.98	.16		3
4	.05	.16					.02			.26	.12	.03		4
5		.04								.02	.91	.34		5
6	.40	.62					.02			.32		.21		6
7	.08	.17					.10			.02				7
8							.02			.52	.12	.23		8
9							.13		.03	.13	.78	.27		9
10							1.34		.03	.05	.10	.17		10
11							.12				.85	.01		11
12			.20				.23		.12		.09			12
13			.55				.05		.15		1.44			13
14			.16	.10	.07		.07		.06	.53		.96		14
15		encl.	.01		.15	.09	.40		.10	.65	.46	.02		15
16		1.20	.47				.02		.31	.78	1.22	.08		16
17			.45								.43			17
18		.30	.38	.20					.02	.14	.05	.05		18
19		.11	.04	.14			.11		1.04		.30			19
20			.01				.15	.01	.01	.20	.07			20
21					.20						.64			21
22		.05	.05	.06		.33	.19		.32					22
23		.05	.17	.05						.19	.02			23
24														24
25			.19	.01			.21							25
26	1.14	.56	.07		.10									26
27	.46	.41		.08	.15									27
28	.54	.01			.28		.01							28
29	.39	.48	.17	.15	.03							.37		29
30	encl.	X	.06	.09						.43		.05		30
31		X		X		X			X	.85	X	.15		31
TOTAL	3.09	4.98	2.98	1.00	1.00	.42	3.19	.01	2.19	5.35	8.95	3.12	36.28	✓
* Days with .01 in. or more.	7	15	15	10	8	2	17	1	11	16	19	16	137	✓
* Days with .04 in. or more.	7	14	13	9	6	2	12	1	8	14	18	12	116	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

S. A. Tarrant

[P.T.O.]

Kept at *Gussage Manor*
in the County of *Dorset*
Diameter of Funnel of Gauge *5*
Height of top of Gauge above Ground
Ground Sea Level

1624
GUSSAGE MANOR
1931 — 33

750305

THE MORNING MEASURE

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		10	01	09		08	03		24	03			1
2	37	05		43			01	02	77	02	02	19	2
3	07		69	06				03	10	01	1 08	22	3
4			08		08	20	33	20	30	03	20	02	4
5		25		17	01	30	19	27	01		16	16	5
6				09	06	12	05			32	30	12	6
7				01	19	14	T	56		11	55	09	7
8	<i>Shad</i> 03	17		14	T	32	05	05		01	12	09	8
9		28			T	04	07	05			64	01	9
10	T	01			T	06	05	T			45	T	10
11	10	30				14	04				14		11
12	03	T				03	40		10	08	01		12
13	T						29	15		01			13
14	T	14			05		1 16	07	T		06	T	14
15	T	07		07	14	24	09	18	02		01	02	15
16		04		17	16	37	T	01	28		T		16
17	<i>slut rain.</i> 17			16	02	05	16		03				17
18	05	T	02	13		25	03	1 70			60	01	18
19	06	T	01	08		12		53			02		19
20	T	13	18	01			01						20
21	13		01		34	T		T					21
22	39	01	03	T	T			01			02		22
23	24	T		14	65	05		02			38	01	23
24	19		T	50	13	15	43	55			01	01	24
25	19	T		20	19		35				21		25
26		03		12	01		34				27		26
27	27	35		01	1 01		52				07	17	27
28	09	07		05	05		T			02			28
29	23		<i>Hail etc.</i> 02		08		06	05		07	13		29
30		X	01		T		04	12	02		04		30
31	54	X		X	08	X	04		X		X		31
TOTAL	2 98	2 17	1 06	2 63	3 25	2 56	4 74	4 68	1 87	71	5 49	1 12	23 16
*Days with "or in. or more.	16	16	10	19	14	17	23	19	10	11	23	13	19 4
*Days with "04 in. or more.	14	13	3	16	14	16	19	13	6	4	17	7	14 2

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Gussage Manor
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
Ground Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		10	01	09		08	03		24	03			1
2	37	05		43			01	02	77	02	02	19	2
3	07		69	06				03	10	01	108	22	3
4			08		08	20	33	20	30	03	20	02	4
5		25		17	01	30	19	27	01		16	16	5
6				09	06	12	05			32	30	12	6
7				01	19	14	T	55		11	55	09	7
8	Shower 03	17		14	T	32	05	05		01	12	09	8
9		28			T	04	07	05			64	01	9
10	T	01			T	06	05	T			45	T	10
11	10	30				14	04				14		11
12	03	T				03	40		10	08	01		12
13	T						29	15		01			13
14	T	14			05		116	07	T		06	T	14
15	T	07		07	14	24	09	18	02		01	02	15
16		04		17	16	37	T	01	28		T		16
17	Scattered rain. 17			16	02	05	16		03				17
18	05	T	02	13		25	03	170			60	01	18
19	06	T	01	08		12		55			02		19
20	T	13	18	01			01						20
21	13		01		34	T		T					21
22	39	01	03	T	T			01			02		22
23	24	T		14	65	05		02			38	01	23
24	19		T	50	13	15	43	55			01	01	24
25	19	T		20	19		35				21		25
26		03		12	01		34				27		26
27	27	35		01	101		52				07	17	27
28	09	07		05	05		T			02			28
29	23		Hail etc. 02		08		06	05		07	13		29
30		X	01		T		04	12	02		04		30
31	54	X		X	08	X	04		X		X		31
TOTAL	298	217	106	263	325	256	474	458	187	71	549	112	YEAR'S TOTAL 2316
*Days with "or in. or more.	16	16	10	19	17	17	23	19	10	11	23	13	194
*Days with "or in. or more.	14	13	3	16	14	16	19	13	6	4	17	7	142

Section

A

for the entry of Daily Observations.

Station No. 1624

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at Gussage Manor Dorset.in the County of Dorset.Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 4 in.,, Ground ,, Sea Level 200 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	23			13	94			39			02	T	1
2	01			23	33	02	02	07		04		38	2
3	T			07	01	25		T	52	04		02	3
4	01					22					16		4
5	35	01							22				5
6	34		T	30			05		21				6
7	04		03	04					18	54			7
8			33	02	10				44	29			8
9	37			16	05					02	06		9
10	31		03	37	05					24	10		10
11	03			01	01	01	35		03	01	T	09	11
12	59				10				14	12	02	03	12
13	02			14	09		32	02		84	10	14	13
14	12			22	06		T						14
15	02			03	31					05		02	15
16	19			11	01		41					01	16
17	04			02			T			04	03	T	17
18	01				21				26		20		18
19	01			T	04				04	34	T		19
20	T			10	39			35		65	27	05	20
21	02			09	20			01		28	03	15	21
22	01		17		05		12		40	27	35		22
23	T		04		06		33		16	62	05	07	23
24			T	02	02		64			60	02	01	24
25		09					11		03	09	06	01	25
26			17	50			11			17	01	01	26
27			41		29	13	14			32		06	27
28			03	15	04	02	19					01	28
29			37	13	61	35	01	25	47	36	25	17	29
30		X	06	22	T	178	09	01	58	01	62	36	30
31		X	03	X		X	01		X		X	18	31
TOTAL	286	10	167	306	397	278	290	110	368	594	235	177	32' 18
*Days with 0.1 in. or more.	19	2	11	21	22	8	15	7	14	22	17	18	176
*Days with 0.4 in. or more.	9	1	7	16	18	5	12	4	12	19	11	10	124

40-9999

*See Instruction 2 (f) on other side,

(Signed) W. H. Good

[P.T.O.]

Section



for the entry of Daily Observations.

Station No.

1624

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Gussage Manor.
in the County of Somerset.Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 4 in.
Ground Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	35	32	10		05		01					21		1
2	57		73		35							T		2
3	07	15	39		T							01		3
4	15	02	02		29									4
5	10	T	57		10									5
6		35	01		28			04		28	04			6
7	02	05	04		24					19	01			7
8	03	01	03		03		32			06	01			8
9		07			06		20			18				9
10	01	14			T		18			40				10
11	29				03	14	10	29		T				11
12				05	02		11					snor 05		12
13	03				02	03	27	08	1.07	20	04			13
14	02				01	02	06	04		49	49			14
15	75		24				60	03		15	T			15
16			1.10			08	04	T	05	15				16
17			4.5			19		03	10					17
18	08	snor 01	4.3				02				03			18
19	T	01	15					03	37		22	02		19
20		04	01			61			11		02	01		20
21		sleet rain 04			09			17	15	04	T			21
22						05		22	23	09				22
23		snor 14		4.3		26				14				23
24		snor sleet rain 2.24		26		12			02	01	02			24
25		53		33	05	06			17		01	10		25
26		72		15	16	01			24			01		26
27		03		T	17		04		02	26	T	51		27
28				33	01		29			T		01		28
29	12				01		05					04		29
30	03	X	17	01			06		05			09		30
31	19	X	08	X		X			X	03	X			31
TOTAL	2.81	4.87	4.82	1.56	1.97	1.57	2.35	.93	2.58	2.67	.89	1.06	27.78	
*Days with or in. or more.	16	17	16	7	18	11	15	9	12	15	10	11	1.57	
*Days with .04 in. or more.	10	12	12	6	11	8	13	6	10	13	4	6	11	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

W. H. Good.

P.T.O.

REGISTE

Kept at **CHILDE OKEFORD**
in the County of **DORSET**

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
Ground Sea Level

CHILDE OKEFORD MANOR
1931 — 40

1624/5
COPY FOR OFFICIAL USE.
LL ORGANIZATION.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.14	—	.09	—	—	.02	—	.27	.01	—	—	1
2	.29	.06	—	.51	.02	$\frac{1}{2}$	—	—	.66	.02	.04	.20	2
3	.06	—	.65	$\frac{1}{2}$	—	—	.02	—	.13	—	1.89	.18	3
4	—	—	.10	—	.20	.15	.41	.21	.07	.01	.25	.01	4
5	—	.20	—	.24	—	.37	.14	.16	—	.01	.14	.14	5
6	—	.11	—	.12	.06	.05	.02	.03	—	.21	.21	.13	6
7	—	—	—	—	.12	.15	.23	.26	—	.22	.39	.08	7
8	.04	.19	—	.14	.06	.32	.03	.04	—	$\frac{1}{2}$	.25	—	8
9	—	.18	—	$\frac{1}{2}$	—	.01	$\frac{1}{2}$	—	—	—	.86	$\frac{1}{2}$	9
10	—	—	.01	—	$\frac{1}{2}$	.15	.01	$\frac{1}{2}$	$\frac{1}{2}$	—	.59	—	10
11	.05	.40	—	—	—	.04	$\frac{1}{2}$	.01	.02	—	.32	—	11
12	—	$\frac{1}{2}$	—	—	—	—	.28	—	.06	—	—	—	12
13	—	—	—	—	—	—	.15	.14	—	—	—	—	13
14	—	.11	—	—	.03	.90	1.56	.08	—	—	.13	.07	14
15	.02	.07	—	.05	.22	—	$\frac{1}{2}$	.83	$\frac{1}{2}$	—	—	—	15
16	—	$\frac{1}{2}$	—	.11	.09	.41	—	.05	.21	—	—	—	16
17	.10	.31	—	.03	$\frac{1}{2}$	.04	.16	—	.04	—	—	—	17
18	—	—	.02	.12	—	.17	—	1.35	—	—	.50	—	18
19	—	—	.01	.06	—	.98	.04	.07	—	—	.06	—	19
20	$\frac{1}{2}$	.06	.25	$\frac{1}{2}$	—	$\frac{1}{2}$	—	.42	—	.02	.01	—	20
21	.12	$\frac{1}{2}$	.03	—	.44	—	—	—	—	—	—	—	21
22	.45	.05	$\frac{1}{2}$	$\frac{1}{2}$	—	—	—	.11	—	—	$\frac{1}{2}$	—	22
23	.21	—	—	.19	.61	.34	—	.07	—	—	.41	$\frac{1}{2}$	23
24	.18	.01	—	.66	.16	.31	.40	.57	—	—	$\frac{1}{2}$	—	24
25	.16	—	—	.21	.03	—	.43	—	—	—	.12	.01	25
26	—	.04	—	.29	—	—	.42	—	—	—	.28	$\frac{1}{2}$	26
27	.13	.25	—	$\frac{1}{2}$	1.19	—	.41	—	—	$\frac{1}{2}$	.03	—	27
28	.15	.08	.02	.02	.03	—	—	—	—	$\frac{1}{2}$	$\frac{1}{2}$	.15	28
29	.12	—	.04	—	.04	—	.04	.02	$\frac{1}{2}$	.08	.09	—	29
30	—	×	—	—	$\frac{1}{2}$	—	.04	.12	.02	—	—	—	30
31	.53	×	—	×	.04	×	.01	$\frac{1}{2}$	×	—	×	.09	31
TOTAL	2.61	2.26	1.13	2.84	3.34	4.39	4.82	4.54	1.48	.58	6.57	1.06	35.62
*Days with or in. or more.	15	16	9	15	16	15	20	18	8	8	19	10	169
*Days with .04 in. or more.	14	15	4	13	12	14	14	15	7	3	17	8	136

REGISTER OF RAINFALL IN 193/.

Kept at CHILDE OXFORD MANOR
in the County of DORSET

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 256 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.14	—	.09	—	—	.02	—	.27	.01	—	—	1
2	.29	.06	—	.51	.02	$\frac{1}{2}$	—	—	.66	.02	.04	.20	2
3	.06	—	.65	$\frac{1}{2}$	—	—	.02	—	.13	—	1.89	.18	3
4	—	—	.10	—	.20	.15	.41	.21	.07	.01	.25	.01	4
5	—	.20	—	.24	—	.37	.14	.16	—	.01	.14	.14	5
6	—	.11	—	.12	.06	.05	.02	.03	—	.21	.21	.13	6
7	—	—	—	—	.12	.15	.23	.26	—	.22	.39	.08	7
8	.04	.19	—	.14	.06	.32	.03	.04	—	$\frac{1}{2}$	.25	—	8
9	—	.18	—	$\frac{1}{2}$	—	.01	$\frac{1}{2}$	—	—	—	.86	$\frac{1}{2}$	9
10	—	—	.01	—	$\frac{1}{2}$	.15	.01	$\frac{1}{2}$	$\frac{1}{2}$	—	.59	—	10
11	.05	.40	—	—	—	.04	$\frac{1}{2}$	.01	.02	—	.32	—	11
12	—	$\frac{1}{2}$	—	—	—	—	.28	—	.06	—	—	—	12
13	—	—	—	—	—	—	.15	.14	—	—	—	—	13
14	—	.11	—	—	.03	.90	1.56	.08	—	—	.13	.07	14
15	.02	.07	—	.05	.22	—	$\frac{1}{2}$	.83	$\frac{1}{2}$	—	—	—	15
16	—	$\frac{1}{2}$	—	.11	.09	.41	—	.05	.21	—	—	—	16
17	.10	.31	—	.03	$\frac{1}{2}$	.04	.16	—	.04	—	—	—	17
18	—	—	.02	.12	—	.17	—	1.35	—	—	.50	—	18
19	—	—	.01	.06	—	.98	.04	.07	—	—	.06	—	19
20	$\frac{1}{2}$	.06	.25	$\frac{1}{2}$	—	$\frac{1}{2}$	—	.42	—	.02	.01	—	20
21	.12	$\frac{1}{2}$	.03	—	.44	—	—	—	—	—	—	—	21
22	.45	.05	$\frac{1}{2}$	$\frac{1}{2}$	—	—	—	.11	—	—	$\frac{1}{2}$	—	22
23	.21	—	—	.19	.61	.34	—	.07	—	—	.41	$\frac{1}{2}$	23
24	.18	.01	—	.66	.16	.31	.40	.57	—	—	$\frac{1}{2}$	—	24
25	.16	—	—	.21	.03	—	.43	—	—	—	.12	.01	25
26	—	.04	—	.29	—	—	.42	—	—	—	.28	$\frac{1}{2}$	26
27	.13	.25	—	$\frac{1}{2}$	1.19	—	.41	—	—	$\frac{1}{2}$	.03	—	27
28	.15	.08	.02	.02	.03	—	—	—	—	$\frac{1}{2}$	$\frac{1}{2}$	.15	28
29	.12	—	.04	—	.04	—	.04	.02	$\frac{1}{2}$	.08	.09	—	29
30	—	×	—	—	$\frac{1}{2}$	—	.04	.12	.02	—	—	—	30
31	.53	×	—	×	.04	×	.01	$\frac{1}{2}$	×	—	×	.09	31
TOTAL	2.61	2.26	1.13	2.84	3.34	4.39	4.82	4.54	1.48	.58	6.57	1.06	YEAR'S TOTAL 35.62
*Days with "or in. or more.	15	16	9	15	16	15	20	18	8	8	19	10	169
*Days with ".04 in. or more.	14	15	4	13	12	14	14	15	7	3	17	8	136

Section **A** for the entry of Daily Observations.
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *Child Okeford Manor*
in the County of *DORSET*

depth below 0.14.

orig 3" low. See Sept.

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
Ground Sea Level *250* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
			in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	—	—	.12	.79	—	—	.06	<i>h</i>	.04	.01	—	1
2	.05	—	—	.19	.28	.02	.05	.01	.20	<i>h</i>	<i>h</i>	.32	2
3	—	—	—	.02	.01	.24	—	—	.36	.07	—	.01	3
4	.02	—	—	—	—	.14	<i>h</i>	—	—	—	.27	—	4
5	.28	—	—	—	—	—	—	—	.18	—	—	—	5
6	.31	—	<i>h</i>	.22	—	—	—	—	.23	—	—	—	6
7	.05	—	.06	.11	.03	—	—	—	.24	.76	—	—	7
8	—	—	.41	<i>h</i>	.03	—	—	—	.44	.19	—	—	8
9	1.01	<i>h</i>	—	.16	.03	—	—	.01	.19	.17	.04	—	9
10	.29	<i>h</i>	—	.49	.02	<i>h</i>	—	—	—	.30	.02	—	10
11	.01	—	—	.03	.01	<i>h</i>	.33	<i>h</i>	.04	.01	—	.08	11
12	.59	—	—	—	.12	—	—	—	.13	.30	.01	.02	12
13	.06	—	—	.15	.04	—	.25	—	.01	.76	—	.05	13
14	.22	—	—	.44	.04	—	—	—	—	—	.03	.01	14
15	.02	—	—	.06	.33	—	—	—	—	.09	.04	.04	15
16	.40	—	—	.11	<i>h</i>	—	1.15	—	<i>h</i>	—	—	.01	16
17	.01	—	—	.02	—	—	—	—	—	.07	<i>h</i>	—	17
18	—	—	—	—	.22	—	—	—	.26	—	.16	—	18
19	—	—	—	—	.06	—	—	—	.04	.29	—	<i>h</i>	19
20	<i>h</i>	—	—	.09	.55	—	.01	.27	<i>h</i>	.55	.24	.07	20
21	<i>h</i>	—	.15	.08	.06	—	—	.03	.01	.19	.03	.10	21
22	.01	—	.03	.01	.01	—	.06	—	.55	.34	.38	—	22
23	—	<i>h</i>	—	—	.03	—	.24	—	.01	.48	.11	.06	23
24	—	<i>h</i>	—	—	.10	—	.56	—	.12	.05	.02	<i>h</i>	24
25	—	—	—	—	—	—	.12	—	.10	.75	.03	.01	25
26	—	—	.15	.03	—	—	.13	—	—	.18	.06	<i>h</i>	26
27	—	—	.48	.64	.21	—	.09	—	—	.38	—	.09	27
28	—	—	—	.12	.18	<i>h</i>	.15	—	—	—	—	<i>h</i>	28
29	—	—	.58	.11	.46	.31	<i>h</i>	.40	.71	.36	.20	.23	29
30	—	<i>X</i>	.01	.23	.02	2.07	.06	.01	.43	—	.72	.37	30
31	—	<i>X</i>	.02	<i>X</i>	<i>h</i>	<i>X</i>	.05	—	<i>X</i>	<i>h</i>	<i>X</i>	.44	31
TOTAL	3.48	—	1.89	3.43	3.68	2.78	3.25	.79	4.25	~~6.33~~ 2.37	2.37	1.91	YEAR'S TOTAL 34.16
* Days with .01 in. or more.	16	—	9	21	23	5	14	7	19	17	17	16	168
* Days with .04 in. or more.	11	—	6	16	15	4	13	3	16	10	10	11	128

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1624/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Childs Street, Blandford*
in the County of *Dorset* /4Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
,, Ground ,, Sea Level *256* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.44	.33	.13	—	.01	—	—	—	—	—	.2	.22		1
2	.90	.2	.77	—	.49	—	—	—	—	—	—	—		2
3	.08	.10	.26	—	.2	—	—	—	—	—	—	—		3
4	.29	.2	—	—	.18	—	—	—	—	—	—	—		4
5	.10	.2	.56	—	.12	—	—	—	—	—	.01	—		5
6	—	.35	—	—	.21	—	—	—	—	.28	.03	—		6
7	.03	.06	.2	—	.17	—	.02	—	—	.11	—	.01		7
8	.05	.2	—	—	.03	—	.45	—	—	.15	—	—		8
9	—	—	—	—	.03	—	.22	.01	—	.21	.04	—		9
10	—	.16	—	—	—	.2	.07	.2	—	.47	.03	—		10
11	.28	—	—	—	—	.43	.29	.17	—	—	—	—		11
12	.2	—	—	.21	.01	—	.16	—	1.07	—	—	.06		12
13	.02	—	—	—	.2	.07	.06	.08	—	.08	.02	—		13
14	.2	—	—	—	—	—	.05	.10	—	.19	.39	—		14
15	.77	—	.28	—	—	—	—	.2	—	.13	—	—		15
16	—	.2	1.03	—	—	.05	—	.01	.04	.05	—	—		16
17	.2	.15	.33	—	—	.29	—	.02	.13	—	—	—		17
18	.05	—	.27	—	—	.25	—	—	—	—	—	—		18
19	—	—	.16	—	—	.2	—	—	.20	—	.17	.02		19
20	—	.09	.2	.2	—	.31	—	.41	.06	—	.01	—		20
21	—	.09	—	—	.01	.45	—	—	—	.06	.2	—		21
22	—	—	—	—	—	.29	—	.26	.30	.06	.01	—		22
23	—	.22	—	.25	—	.25	—	—	.26	.14	—	—		23
24	—	.231	—	.11	—	.14	—	—	.05	.2	—	—		24
25	—	.61	—	.28	—	—	—	—	.02	.2	—	.08		25
26	—	.59	—	.10	{—}	—	—	—	.08	.04	—	—		26
27	—	.01	—	—	{.35}	—	.02	—	.01	.28	—	.66		27
28	—	—	—	.24	—	—	.25	—	—	.2	—	.2		28
29	.09	—	.02	—	—	—	—	—	—	—	—	.01		29
30	.03	×	.21	—	—	—	.04	—	.03	—	—	.10		30
31	.14	×	.11	×	—	×	—	—	×	.02	×	—		31
TOTAL	3.27	5.07	14.13	1.19	1.61	2.43	1.61	1.8	2.35	2.27	.71	1.10	26.70	
*Days with .01 in. or more.	14	13	12	6	11	10	10	8	12	15	9	8	128	
*Days with .04 in. or more.	11	12	11	6	6	10	9	5	9	14	3	5	101	

† Spare column, no entries required.

(Signed) *W. J. H. H. H.*

[P.T.O.]

40-9999

*See Instruction 2 (f) on other side.

Section

A

for the entry of Daily Observations.

Station No.

1624/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Red Ship's Manor*
in the County of *Dorset*Diameter of Funnel of Gauge *5 in* in.Height of top of Gauge above Ground *1* ft *in*.,, Ground ,, Sea Level *255* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	—	—	—	—	.01	—	.84	.04	<i>tr</i>	.12	.49		1
2	.17	—	.07	—	—	—	—	.02	1.00	.05	—	.30		2
3	.02	.03	—	—	—	—	—	.03	—	.54	—	.26		3
4	.09	—	.08	<i>tr</i>	.31	—	—	.05	—	.14	.01	.46		4
5	—	—	.01	—	.06	—	—	.79	—	.14	.01	.48		5
6	.05	—	.40	.01	.23	—	—	.01	—	.35	.05	.65		6
7	.12	—	—	—	—	—	—	.15	—	.07	—	.87		7
8	—	—	—	—	.26	<i>tr</i>	—	<i>tr</i>	.07	—	.48	.24		8
9	.05	—	.31	—	—	—	—	—	—	—	.69	.16		9
10	.34	—	.30	.41	—	—	—	.05	—	—	.11	.05		10
11	.93	—	.35	.21	—	—	.39	.06	—	—	—	.43		11
12	.05	.01	.02	—	—	—	.01	.66	—	—	—	.31		12
13	.61	—	—	.28	—	—	.10	—	—	—	.06	.74		13
14	.23	—	.57	<i>tr</i>	—	—	—	—	—	.01	.01	.52		14
15	.03	—	.08	—	.17	—	—	—	—	.06	.11	.17		15
16	.06	—	.48	—	.01	—	—	—	—	—	.01	.08		16
17	.04	—	—	.16	.09	—	—	—	.08	.06	—	.35		17
18	.07	—	.24	.19	—	—	—	—	.01	—	—	.13		18
19	—	—	.23	.13	—	.05	.19	.04	.23	—	—	.10		19
20	—	—	.12	.25	—	—	—	—	.04	—	—	—		20
21	—	—	.04	.12	—	.07	—	.02	—	—	—	.01		21
22	—	—	.03	—	—	—	.22	.15	.20	—	—	.23		22
23	—	.01	<i>tr</i>	.31	—	.23	—	.15	.05	—	—	.02		23
24	—	.05	.08	.12	—	.06	.01	—	.15	—	—	.02		24
25	.29	—	—	.34	—	—	—	—	—	—	—	1.06		25
26	—	—	.08	.08	—	.16	—	—	.21	.03	.03	.12		26
27	<i>tr</i>	—	—	—	—	.25	—	—	—	—	—	.76		27
28	—	<i>tr</i>	—	<i>tr</i>	—	.24	—	.44	.09	—	—	.62		28
29	—	—	—	—	—	—	.02	.14	.72	—	—	.03		29
30	.05	X	—	—	—	—	—	.01	.09	—	—	.36		30
31	—	X	—	X	—	X	—	.04	X	—	X	.01		31
TOTAL	3.24	.10	3.49	2.61	1.13	1.07	.94	3.65	2.90	2.12	1.69	10.03	32.97	
* Days with .01 in. or more.	18	4	18	13	7	8	7	18	14	15	12	30	164	
* Days with .04 in. or more.	16	1	15	12	6	7	4	13	13	11	6	25	129	
Year's Total.														

Section

A

for the entry of Daily Observations.

Station No.

16245

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at

Child Street Manor

in the County of

Dorset

Diameter of Funnel of Gauge

5

in.

Height of top of Gauge above Ground

ft. 12

in.

Ground

Sea Level

252

ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	.31	—	.01	.43	.12	—	.35	.33	.19	.27		1
2	—	—	—	—	—	.05	—	—	—	.14	.07	.02		2
3	—	.04	.09	—	.01	.20	—	—	.33	.95	.37	—		3
4	.01	.25	—	.17	.01	.10	—	—	.08	.02	.25	.20		4
5	.03	.46	.09	.20	—	.07	—	—	.12	.04	.06	.05		5
6	—	.01	—	.36	—	.49	—	—	—	—	.07	.08		6
7	—	—	—	.28	—	.03	—	—	—	.21	.08	.15		7
8	—	—	—	.32	—	—	—	—	.03	.20	.22	.13		8
9	.07	—	—	.63	—	.22	—	—	.08	.86	.78	—		9
10	.12	—	.23	.11	—	.02	—	—	—	tr	tr	tr		10
11	.13	—	.01	.06	—	.20	—	—	—	.03	.69	tr		11
12	.11	.10	—	—	—	.27	—	—	.07	—	.28	—		12
13	tr	.13	—	.30	.02	.24	—	—	.01	—	.03	—		13
14	—	.02	—	.34	.06	.12	—	—	.09	.03	.89	.17		14
15	—	.14	—	.81	.31	.10	—	—	.28	—	.50	.65		15
16	—	.06	.10	.21	—	.27	—	—	.76	—	1.45	—		16
17	—	tr	.01	.07	.11	.29	—	.22	.09	—	.20	—		17
18	—	tr	—	.25	tr	.02	.13	—	.28	—	—	—		18
19	—	.02	—	tr	.53	.11	.21	—	.08	.05	.23	—		19
20	—	.50	—	.17	.07	.03	.13	—	—	.04	.61	—		20
21	—	.67	—	.21	—	tr	.01	—	.05	—	—	—		21
22	—	.10	.40	.03	—	—	—	—	.03	.02	—	—		22
23	—	.02	.45	—	.04	—	—	.13	.06	—	—	.18		23
24	.06	.61	.03	—	.01	—	—	.22	.31	.64	—	.55		24
25	.23	.15	—	.10	—	.06	—	.74	—	.40	—	.56		25
26	—	.62	—	—	—	.02	—	—	.04	—	—	.99		26
27	—	.19	—	—	—	tr	—	.37	.10	.01	.08	.88		27
28	—	.06	—	—	.03	—	—	.02	.14	—	.02	.08		28
29	—	x	—	—	.02	—	—	.01	.19	.03	tr	.70		29
30	.01	x	—	.08	—	—	—	.17	tr	.41	.66	.70		30
31	—	x	—	x	—	x	—	.72	x	.96	x	.34		31
TOTAL	.87	.415	.142	.470	.123	.404	.602	.543	.387	.535	.773	.610	.420	10
* Days with .01 in. or more.	9	19	40	19	13	21	5	9	22	19	21	18	182	
* Days with .04 in. or more.	6	15	7	17	6	16	4	7	19	13	19	17	147	

Section **A**

for the entry of Daily Observations

Station No. 1624/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at *Child thespad Manor*in the County of *Dorset*Diameter of Funnel of Gauge *5" 4 1/2"* in.Height of top of Gauge above Ground *1* ft. in.,, Ground ,, Sea Level *250* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.14	.06	.03	.23		.27	.24				.03	.05		1
2	.03	.02		.06		.20	.31	.04			.03			2
3				.42			.02	.02	.39		.56			3
4	<i>T₂</i>		.16			.16			.54		.10	.04		4
5	.44		.07	.08					.27			.13		5
6	.12		.01			.01		.01	.37		.81			6
7	.04		.28				.36				.37	.82		7
8	.59		.49				.24				.18	.03		8
9	.69		.19				.37		.20		.03			9
10	.16	.11	.				.29				.02			10
11	.22	.04		.14		.07	.23		.15		.86			11
12				.03		.29	.30	.01	.07		.26			12
13	.03					.02	.05			.02	.10	1.28		13
14							.57		.08	.04		.85		14
15	.01	.07					.02		.09		.02	.48		15
16	.02	.21			.18		.30		<i>T₂</i>		.06	.04		16
17	.01	1.43			.10		.35				.07	.62		17
18	.15	.11				1.25	.47			.06		.25		18
19	.62	.04	.03	.08		.20		.01						19
20	.10	.28	.12	.09			.07		1.06			.01		20
21	<i>T₂</i>	.21	.11	.58		.30	.01		.04					21
22	.14	.38	.67	.15	.09		.34					.02		22
23	.09	.01	.23				.23			.13				23
24	.16	.03	.02		.08		.01			.30				24
25	.08		.35	.13			.24		.07	.15	<i>T₂</i>			25
26	.32	.10	.45	.01		.24	.01			.06	.02			26
27	.53	.19	.20				.15		.08		.01			27
28	.97	.01	.69				.11					.41		28
29	.02	.02	.07			.10	.01			.19	.03	.10		29
30	.71	~~X~~				.01	.01			.05		.01		30
31	.12	~~X~~	.40	~~X~~		~~X~~	.25		~~X~~	.50	~~X~~	.52		31
TOTAL	5.91	3.32	4.57	1.72	.53	3.12	5.57	.09	3.41	1.50	3.56	4.96	38.26	✓
Days with .01 in. or more.	26	18	18	11	5	10	20	2	13	10	18	17	168	✓
Days with .04 in. or more.	20	13	15	9	5	10	19	1	13	9	10	12	136	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *W. H. H. H. H.*

[P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No.

1624/5
19968

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Child Okeford Manor*

in the County of *Dorset*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level *250*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.26	.05		.18					.04		.18	1.02		1
2		.61	.05	.06					.14			.34		2
3	.03	.42	.04				.03							3
4	.23	.86						.12				.35		4
5	.31		.03				.29							5
6	.25	.27	.25	.18	.08		.21			.07				6
7		.48		.11								1.10		7
8		.04			.37					.02	.28	.06		8
9		.05		.05	.15	.16	.01		.72					9
10	.03	.02	1.0	.13	.58	.45	.04					.40		10
11			.16	.03		.02	.46							11
12	.64	.24	.19	.01		.16	.56	.27				.49		12
13	.10	.03	.65	.14			.44	.23				.04		13
14			.22	.01				.04	.02			.03		14
15	.37	.11	.05	.22			1.29		.12		.02	.07		15
16	.09	.11	.94	.19			.01	.38	1.04		.19			16
17	1.07	.07	.62						.31		.12			17
18	.12	.05	.7						.05			.22		18
19	.06	.07	.05	.16	.01				.23			.13		19
20	.78	.04	.29	.15								.21		20
21	.60	.40	.12	.08	.12		.09		.01		.21	.04		21
22	.37			.09	.65	.20	.23		.06	1.16	.35	.11		22
23	.30	.20	.01		.18					.69	.03	.01		23
24	.63	.54	.02						.06	1.07				24
25	.33	.41	.29		.32				.01	.27		.19		25
26		.45	.02		.52					.08		.02		26
27	.01	.40		.14						.52				27
28	.28	.10								.19				28
29	.03					.01				.64	.10			29
30	.62	~~X~~				.05				.01	.25			30
31	.22	~~X~~		~~X~~		~~X~~			~~X~~	.72	~~X~~			31
TOTAL	7.73	6.0	5.05	1.91	2.99	.89	2.66	1.12	3.31	5.44	1.73	4.83	43.66	✓
* Days with .01 in. or more.	24	24	20	17	10	6	10	4	15	12	10	18	170	✓
* Days with .04 in. or more.	21	21	16	14	9	4	7	4	12	10	8	14	140	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[Signature] [P.M.O.]

Section

A

for the entry of Daily Observations

Station No.

162415

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at *Child Okeford Manor*in the County of *Dorset*Diameter of Funnel of Gauge.....*5* in.Height of top of Gauge above Ground...*1* ft...*1* in.,, Ground ,, Sea Level...*3.45* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							.10			.66		.06		1
2	.03				.17	.20	~~.25~~			.18	.04	.12		2
3										.59	.04			3
4	.01					.01	.32	.15		.02		.23		4
5	.75					.01	.68		.07	.13				5
6	.04					.03	.34	.06		.09	.04	.04		6
7	.19						.67	.07	.12	.18	.01	.05		7
8	.20					.08	.08		.01	.29		.03		8
9	.13	.09				.03	~~.04~~	.02				.89		9
10	.09					.01	.04					.35		10
11	.15										.33	.41		11
12	.31	.01			.11		.02			.20	.04	.05		12
13	.22										.36	.84		13
14	.95				.04		.27							14
15	.17				.08		.76			.21	.04	.60		15
16	.31				.01						.07	.09		16
17	-	.13							.03	.18				17
18	.24				.12	.14		.03	.26		.43			18
19	.01							.02	.32		.69			19
20	-							.02			.83			20
21	.01								.07		.08	.13		21
22	T			T				.39			.31	.09		22
23	T			.01	.05				.16		.12			23
24	-		.17		.03				.16	.02	.26			24
25	.15	.25	.04		.23		.08	.06		.06	.13	.06		25
26	.27	.37			.29					.03		.27		26
27	.13	.02			.03	.22	.64	.04			.15			27
28	.04	.08			.28	.11		.57	.05			.05		28
29	-				.29				.15	.06	.36	.08		29
30	.03	~~X~~			.14	.04			.53	.07	.14	.12		30
31	.22	~~X~~		~~X~~	.19	~~X~~			~~X~~	.27	~~X~~	.25		31
TOTAL	9.80	.97	.21	.01	2.6	.88	.349	2.45	2.13	3.18	5.41	4.81	Year's Total	29.40
* Days with .01 in. or more.	22	7	2	1	15	11	12	12	12	17	20	21		152
* Days with .04 in. or more.	17	5	2	-	12	6	11	7	16	14	16	20		120

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *D. H. Hawkins* (Observer) for *J. H. L. Stallock Esq.*

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

1624/15

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Chile de la Playa, Grand...*in the County of *Surrey*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....*1* ft.....*6*.....in.,, Ground ,, Sea Level*320*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.14	.19	.07			.37	.02		.07	.06		1
2				.19				.42	1.15		.15	.15		2
3	.58		.01	.46				.18			.19	.30		3
4	.01		.57	.13	.17		.34	.36			.19	.14		4
5	.52	.40	.02	.19	.26		.25	.02		.26	.74	.10		5
6	.54		.12				.90	.03		.20	.80			6
7	T	.32						.02			.71	.43		7
8	.23	.19	(.19)				.10	.19		.44	.46	.19		8
9	.03	.06	.02					.03		.14	.03	.23		9
10	.22		.08					.25	.10	.28	.02	.02		10
11			.17							.32	.02			11
12		.01				.06					.05			12
13				.08			.36			1.41	.04			13
14	.89				.03	.80	.09			.16	.31	.02		14
15	.46				.14	.07	.38			.13	.29	.05		15
16	.28		.01	.17	.02		.18				.22			16
17	.46				.02		.10			.15	.08			17
18	.25	.01	.02			.13	.70				.30	.01		18
19	.29						.09							19
20	.34						.93	2.22						20
21	.13	.38	.10			.17	.19		.06					21
22	.48	.43	.08			.15	.12		.01	.01	.15			22
23	.58			.15			.07		.4	1.01	.08			23
24	.58			.04		.63	.17							24
25	.81	.10					.16			.42	.02	.02		25
26	.11	.05		.03						.03	(.48)			26
27		.33	.10							.35				27
28		.24	.04			.04	.33				.26	.19		28
29				.08			.32			.09	.36			29
30		X		.43				.16		.08	.04			30
31		X		X		X	.08	.07	X	.96	X	.01		31
TOTAL	6.46	2.02	1.61	2.14	.71	2.05	5.86	4.32	1.34	4.73	6.97	1.92	Year's Total 40.23	
* Days with .01 in. or more.	17✓	11	15✓	12	7	8	22	13	5✓	18	26✓	18	171✓	
* Days with .04 in. or more.	15✓	9	10✓	10	4	8	20	9	3✓	15	23✓	10	135✓	

† Spare column, no entries required

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 1624/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1930

Kept at Chis Opeford Manor
in the County of Dorset

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft.....in.
" Ground " Sea Level 250.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											.08			1
2		.17		.15	.02						.38			2
3		.54									.85	.18		3
4		.05								.24	.11	.50		4
5	.05						.09			.19	.69	.34		5
6	.26	.60									.30	.38		6
7	.08	.24		.01						.20				7
8				.01							.26	.25		8
9								.06		.13	.64	.35		9
10							.12				.15	.25		10
11				.05			1.18		.16	.70	.48			11
12			.13				.14			.17				12
13			.48				.24		.32	.11	1.48			13
14			.13	.07	.29		.10		.04	.61	.02	.10		14
15			.01	.01	.42	.03	.64		.23	.27	.55			15
16		.08	.49			.01	.04		.10	.68	.71			16
17		.75	.40						.17		.74			17
18		.40	.24	.45					.09	.11	.60	.15		18
19		.05	.08	.15			.10		.45	.52	.21			19
20			.02		.28		.08		.05		.40			20
21		.01					.35				.75			21
22		.01	.05	.06		.41								22
23		.05	.19	.10					.06	.32	.03			23
24							.24							24
25	.05		.07		.02									25
26	.99	.71		.02	.10									26
27	.44	.27	.01	.19	.28		.81							27
28	.50				.02					.7		.39		28
29		.32	.12	.30						.4				29
30	.07	~~X~~	.04	.27						.34		.10		30
31	.42	~~X~~		~~X~~		~~X~~			~~X~~	.83	~~X~~	.14		31
TOTAL	2.86	4.25	2.46	1.84	1.43	.45	3.41	.06	1.67	5.43	9.43	3.13	Year's Total	36.42
* Days with .01 in. or more.	9	15	15	14	8	3	13	1	10	17	20	12	137	✓
* Days with .04 in. or more.	9	13	12	10	5	1	13	1	10	16	17	12	119	✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

P.T.O.

Kept at **PRESTON HO**
in the County of **DO R**
Diameter of Funnel of Gauge **6**
Height of top of Gauge above Ground
Ground Sea Le

1625
WEREMINSTER
PRESTON HOUSE
1931-39

780305
THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.14	—	.08	—	.05	—	—	.25	—	—	—	1
2	.32	—	—	.50	.04	—	—	—	.69	.01	.04	.23	2
3	.04	—	.67	—	—	—	—	—	.07	—	1.78	.10	3
4	—	—	.12	—	.15	—	.46	.17	.10	—	.26	—	4
5	—	.20	—	.24	—	.45	.10	.20	—	—	.19	.13	5
6	—	.13	—	.12	.08	.07	—	.01	—	.23	.24	.14	6
7	—	—	—	—	.13	.15	.16	.36	—	.20	.43	.12	7
8	—	.23	—	.16	.03	.35	.03	.05	—	—	.22	.05	8
9	—	.18	—	—	—	.03	.01	—	—	—	.69	—	9
10	—	—	—	—	—	.10	—	.02	—	—	.62	.01	10
11	.14	.32	—	—	—	.05	—	.01	—	—	.27	—	11
12	—	.01	—	—	—	—	.31	—	.07	.02	—	—	12
13	—	—	.03	—	—	—	.26	.12	—	—	—	—	13
14	—	.12	—	—	.07	.73	1.61	.10	—	—	.13	.01	14
15	.02	.08	—	.08	.21	—	.02	.71	—	—	—	.06	15
16	—	.05	—	.12	.12	.46	—	.08	.24	—	—	—	16
17	—	.28	—	.06	—	.09	.14	—	.02	—	—	—	17
18	.08	—	.01	.15	.6	.16	.06	1.31	—	—	.53	—	18
19	.04	—	—	.08	—	.81	—	.08	—	—	.04	—	19
20	—	.08	.20	—	—	—	—	.57	—	.01	—	—	20
21	.17	—	.05	—	.37	—	—	—	—	—	—	—	21
22	.42	.03	—	—	—	—	—	.10	.6	—	—	—	22
23	.23	—	—	.19	.64	.27	—	.03	—	—	.39	—	23
24	.19	—	—	.56	.13	.17	.43	.53	—	—	—	—	24
25	.16	—	—	.18	.03	—	.35	—	—	—	.12	.02	25
26	—	.05	—	.23	—	—	.42	—	—	—	.25	—	26
27	.17	.28	—	—	.93	—	.43	—	—	—	.06	—	27
28	.13	.09	.05	.04	.07	—	—	—	—	.02	—	.12	28
29	.20	—	—	—	.05	—	.05	.05	.6	.07	.11	—	29
30	—	×	—	—	—	—	.02	.09	.01	—	—	—	30
31	.58	×	—	×	—	×	.01	—	×	—	×	.09	31
TOTAL	2.89	2.27	1.13	2.79	3.05	3.94	4.87	4.53	1.45	.56	6.37	1.08	34.98
*Days with ".01 in. or more.	15	16	7	15	15	15	18	19	9	7	18	12	166
*Days with ".04 in. or more.	14	14	5	15	13	14	13	15	7	3	18	9	140

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at **PRESTON HOUSE, IWERNE MINSTER**
in the County of **DORSET**

Diameter of Funnel of Gauge **5** in.
Height of top of Gauge above Ground **1** ft. in.
Ground Sea Level **220** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.14	—	.08	—	.05	—	—	.25	—	—	—	1
2	.32	—	—	.50	.04	—	—	—	.69	.01	.04	.23	2
3	.04	—	.67	—	—	—	—	—	.07	—	1.78	.10	3
4	—	—	.12	—	.15	—	.46	.17	.10	—	.26	—	4
5	—	.20	—	.24	—	.45	.10	.20	—	—	.19	.13	5
6	—	.13	—	.12	.08	.07	—	.01	—	.23	.24	.14	6
7	—	—	—	—	.13	.15	.16	.36	—	.20	.43	.12	7
8	—	.23	—	.16	.03	.35	.03	.05	—	—	.22	.05	8
9	—	.18	—	—	—	.03	.01	—	—	—	.69	—	9
10	—	—	—	—	—	.10	—	.02	—	—	.62	.01	10
11	.14	.32	—	—	—	.05	—	.01	—	—	.27	—	11
12	—	.01	—	—	—	—	.31	—	.07	.02	—	—	12
13	—	—	.03	—	—	—	.26	.12	—	—	—	—	13
14	—	.12	—	—	.07	.73	1.61	.10	—	—	.13	.01	14
15	.02	.08	—	.08	.21	—	.02	.71	—	—	—	.06	15
16	—	.05	—	.12	.12	.46	—	.08	.24	—	—	—	16
17	—	.28	—	.06	—	.09	.14	—	.02	—	—	—	17
18	.08	—	.01	.15	.16	.16	.06	1.31	—	—	.53	—	18
19	.04	—	—	.08	—	.81	—	.08	—	—	.04	—	19
20	—	.08	.20	—	—	—	—	.57	—	.01	—	—	20
21	.17	—	.05	—	.37	—	—	—	—	—	—	—	21
22	.42	.03	—	—	—	—	—	.10	.16	—	—	—	22
23	.23	—	—	.19	.64	.27	—	.03	—	—	.39	—	23
24	.19	—	—	.56	.13	.17	.43	.53	—	—	—	—	24
25	.16	—	—	.18	.03	—	.35	—	—	—	.12	.02	25
26	—	.05	—	.23	—	—	.42	—	—	—	.25	—	26
27	.17	.28	—	—	.93	—	.43	—	—	—	.06	—	27
28	.13	.09	.05	.04	.07	—	—	—	—	.02	—	.12	28
29	.20	×	—	—	.05	—	.05	.05	.16	.07	.11	—	29
30	—	×	—	—	—	—	.02	.09	.01	—	—	—	30
31	.58	×	—	×	—	×	.01	—	×	—	×	.09	31
TOTAL	2.89	2.27	1.13	2.79	3.05	3.94	4.87	4.53	1.45	.56	6.37	1.08	34.98
*Days with or in. or more	15	16	7	15	15	15	18	19	9	7	18	12	166
*Days with or in. or more	14	14	5	15	13	14	13	15	7	3	18	9	140

(Signed) *CH W Preston*

Section

A

for the entry of Daily Observations.

Station No. 1625

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at PRESTON HOUSE, IWENNE MINSTER

in the County of DORSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	—	—	.11	.80	—	—	.11	—	.07	—	—	1
2	.03	—	—	.23	.34	—	.08	.02	.20	.01	.01	.32	2
3	—	—	—	.03	.02	.21	—	—	.32	.17	—	.01	3
4	—	—	—	—	—	.16	—	—	—	—	.24	—	4
5	.24	—	—	—	—	—	—	—	.20	—	—	—	5
6	.24	—	—	.08	.02	—	—	—	.24	—	—	—	6
7	.05	—	.05	.06	.03	—	—	—	.19	.69	—	—	7
8	—	—	.41	.01	.07	—	—	—	.48	.21	—	—	8
9	.95	—	—	.19	—	—	—	—	.03	.04	.06	—	9
10	.26	.03	—	.47	.05	.02	—	—	—	.33	.01	—	10
11	.03	—	—	.01	h.	—	.45	—	.05	—	—	.10	11
12	.59	—	—	—	.11	—	—	—	.15	.32	.02	.01	12
13	—	—	—	.16	.05	—	.25	—	—	.79	—	.03	13
14	.25	—	.02	.41	—	—	—	—	—	.13	.04	.01	14
15	.62	—	—	.03	.33	—	—	—	—	—	.04	.04	15
16	.32	—	—	.14	—	—	.83	—	—	—	—	.01	16
17	.01	—	—	—	—	—	—	—	—	—	—	—	17
18	—	—	—	—	.22	—	—	—	.22	—	.15	—	18
19	—	—	—	—	.05	—	—	—	.03	.33	—	—	19
20	—	—	—	.17	.58	—	.01	.19	.01	.55	.21	.06	20
21	—	—	.16	.12	.12	—	—	—	.01	.18	.05	.09	21
22	—	—	.04	—	.07	—	.06	—	.43	.32	.35	—	22
23	—	h.	.01	h.	.02	—	.29	—	—	.44	.09	.05	23
24	—	.05	—	—	.10	—	.64	—	.16	.07	.02	—	24
25	—	—	—	—	—	—	.06	—	.09	.55	.02	—	25
26	—	—	.15	.02	—	—	.09	—	—	.12	.02	—	26
27	—	—	.46	.53	.23	—	.09	—	—	.37	—	.06	27
28	—	—	—	.07	.21	.03	.47	—	—	—	—	.01	28
29	—	—	.55	.09	.42	.35	—	.37	.61	.35	.20	.21	29
30	—	×	.01	.21	.06	.02	—	—	.45	.02	.67	.30	30
31	—	×	.03	×	—	×	.09	—	×	—	×	.44	31
TOTAL	3.07	.08	1.89	3.24	3.90	2.79	3.11	.69	3.87	6.06	2.20	1.75	32.65
*Days with ".01 in. or more.	13	2	11	20	21	6	13	4	18	21	17	16	162
*Days with ".04 in. or more.	9	1	7	15	17	4	12	3	14	19	11	10	122

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. **1625**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Preston House, Swerma Minster
in the County of Derbet

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" Ground " Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	DEC	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.41	.30	.12	—	.06	—	—	—	—	—	—	.26	FROST	1
2	.82	—	.76	—	.28	—	—	—	—	—	—	—	DEG	2
3	.03	.09	.28	—	—	—	—	—	—	—	—	—		3
4	.25	—	—	—	.15	—	—	—	—	—	—	—		4
5	.09	—	.52	—	.19	—	—	—	—	—	.01	—	12	5
6	—	.33	—	—	.20	—	—	—	—	.28	.04	—	9	6
7	.02	.06	—	—	.18	—	.05	—	—	.10	—	—	17	7
8	—	—	.02	—	.03	—	.40	—	—	.13	—	—	9	8
9	—	—	—	—	.06	—	.21	—	—	.23	.03	—	13	9
10	—	.14	—	—	—	.5	.08	—	—	.49	—	—	14	10
11	.37	—	—	—	—	.49	.25	.18	—	—	—	—	12	11
12	.07	—	—	.19	.07	—	.14	—	.93	—	—	—	17	12
13	.02	—	—	—	—	.02	.17	.08	—	.07	.01	—	7	13
14	.07	—	—	—	—	—	.05	.06	—	.26	.47	—	14	14
15	.78	—	.26	—	—	—	.49	.01	—	.12	—	—	15	15
16	—	.07	.97	—	—	.07	—	.01	.04	.06	—	—	9	16
17	.06	.04	.30	—	—	.25	.07	.02	.10	—	—	—	12	17
18	—	.05	.26	—	—	.26	—	—	—	—	—	—	16	18
19	—	—	.13	—	—	—	—	—	.17	—	.20	—	16	19
20	—	.17	.07	.5	—	.27	—	—	.05	—	—	—	4	20
21	—	.08	—	—	.07	.21	—	.39	—	.07	.01	—	6	21
22	—	—	—	—	—	—	—	.33	.18	.05	—	—	—	22
23	—	.07	—	.33	—	.27	—	—	.29	.11	—	—	9	23
24	—	.53	—	.12	—	.22	—	—	.04	—	—	—	—	24
25	—	.52	—	.27	—	.09	—	—	.04	—	.01	.09	3	25
26	—	.55	—	.09	.15	—	—	—	.08	.03	—	.01	—	26
27	—	—	—	.07	.20	—	.03	—	.01	.25	—	.59	—	27
28	—	—	—	.24	—	—	.24	—	—	—	—	—	—	28
29	.12	X	.07	—	—	—	—	—	—	—	—	—	—	29
30	.02	X	.15	—	—	—	—	—	.03	.01	—	.07	—	30
31	.11	X	.11	X	—	X	—	—	X	.02	X	—	15	31
TOTAL	3.12	4.88	3.90	1.25	1.58	2.15	2.12	1.08	1.96	2.28	.78	1.02	26.12	
*Days with .01 in. or more.	15	14	14	7	12	10	12	8	12	16	8	5	133	
*Days with .04 in. or more.	9	12	11	6	10	9	10	5	10	13	3	4	102	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

W. W. Weston

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1625

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Preston House, Swere Minister
in the County of Dorset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
Ground Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	—	—	—	.01	—	.70	.23	.01	.09	.53		1
2	.19	—	.06	—	—	—	—	.01	1.02	.04	—	.29		2
3	.01	.03	—	—	—	—	—	.01	—	.42	—	.28		3
4	.05	—	.09	.02	.29	—	—	.09	—	.10	.01	.42		4
5	.03	—	.01	—	.06	—	—	.80	—	.20	.01	.48		5
6	.05	—	.39	—	.20	—	—	.03	—	.35	.07	.50		6
7	.11	—	—	—	—	—	—	.13	—	.06	—	.74		7
8	—	—	—	—	.26	—	—	.6	.07	—	.40	.21		8
9	.04	—	.28	—	—	—	—	—	—	—	.69	.22		9
10	.44	—	.25	.36	—	—	—	.05	—	—	.13	.07		10
11	.77	—	.56	.22	—	—	.27	.03	—	—	—	.39		11
12	.08	—	.02	—	—	—	.01	.71	—	—	—	.26		12
13	.57	—	—	.27	—	—	.03	—	—	—	.07	.58		13
14	.23	—	.47	.6	—	—	—	—	—	.01	.02	.62		14
15	.03	—	.06	—	.14	—	—	—	—	.06	.12	.15		15
16	.06	—	.44	—	—	—	—	—	—	—	—	.06		16
17	.04	—	—	.16	.09	—	—	—	.08	.06	—	.32		17
18	.06	—	.24	.12	—	—	—	—	.01	—	—	.16		18
19	—	—	.23	.05	—	.04	—	.03	.22	—	—	.10		19
20	—	—	.06	.22	—	—	.09	—	.08	—	—	—		20
21	—	—	.05	.07	—	.09	—	.01	—	.28	—	.01		21
22	—	—	.02	—	—	—	.25	.18	.22	—	—	.21		22
23	—	—	—	.29	—	.26	—	.06	.04	—	—	.03		23
24	—	.01	.06	.08	—	.10	—	—	.05	—	—	.02		24
25	.26	.04	—	.31	—	—	—	—	.02	.24	.03	1.00		25
26	—	—	.02	.07	—	.16	—	—	.21	—	—	.12		26
27	—	—	—	—	—	.30	—	—	—	—	—	.74		27
28	—	—	—	—	—	.17	—	.47	.09	.02	—	.66		28
29	—	—	—	—	—	—	.02	.11	.72	.01	—	.04		29
30	.04	x	—	—	—	—	—	—	.08	.02	.01	.29		30
31	—	x	—	x	—	x	—	.04	x	—	x	.01		31
TOTAL	3.08	.08	3.31	2.24	1.04	1.13	.67	3.46	3.14	1.88	1.65	9.51	31.19	
* Days with .01 in. or more.	19	3	18	13	6	8	6	17	15	15	12	30	162	
* Days with .04 in. or more.	15	1	14	12	6	7	3	11	13	10	7	26	125	

† Spare column, no entries required.

(Signed)

dl. W. R. Sta

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 1625

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at PRESTON HOUSE IWEANE MINSTER
in the County of DORSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	—	.35	—	—	.09	.26	—	.22	.46	.18	.19		1
2	—	—	—	—	—	.05	—	—	—	.38	.08	.05		2
3	—	.04	.10	—	—	.17	—	—	.26	1.09	.42	—		3
4	.02	.25	.01	.14	—	.03	—	—	.07	.05	.24	.23		4
5	—	.38	.07	.17	—	.07	—	—	.21	—	.02	.04		5
6	—	—	—	.32	—	1.43	—	—	—	.03	.06	.05		6
7	.02	—	—	.28	—	—	—	—	—	.23	.15	.11		7
8	—	—	—	.80	—	—	—	—	.03	.12	.23	.07		8
9	.10	—	—	.32	—	.22	—	—	.05	.77	.68	—		9
10	.04	—	.06	.12	—	.02	—	—	—	—	.08	—		10
11	.21	—	—	.14	—	.21	—	—	—	.03	.70	—		11
12	.09	.11	—	—	—	.26	—	—	.05	—	.26	—		12
13	.09	.11	—	.29	.02	.20	—	—	—	—	—	—		13
14	—	.03	—	.26	.03	.11	—	—	.08	.02	.93	.18		14
15	—	.14	—	.71	.27	.08	—	—	.22	—	.48	.11		15
16	—	.05	.13	.20	—	.61	—	—	.30	—	1.58	—		16
17	—	—	.03	.07	.08	.24	—	.20	.08	—	.14	—		17
18	—	.02	—	.24	.04	.02	.13	—	.27	.03	—	—		18
19	—	.02	—	—	.50	.10	.18	—	.02	—	.22	—		19
20	—	.50	—	.16	.07	.04	.07	—	.02	—	.62	—		20
21	—	.59	—	.16	—	—	—	—	—	.06	—	—		21
22	—	.11	.21	.04	—	—	—	.23	.09	—	—	—		22
23	—	.02	.14	—	—	—	—	.19	.02	.69	—	.04		23
24	.05	.54	.03	—	.07	—	—	.72	.33	.07	—	.37		24
25	.15	.15	—	.09	—	.08	—	—	—	—	—	.53		25
26	—	.61	—	—	—	.03	—	.36	.04	—	.02	.95		26
27	—	.16	—	—	—	—	—	.6	.11	.02	.06	.71		27
28	—	.17	—	—	.02	—	—	.02	.20	.03	.03	.09		28
29	—	—	—	—	.01	—	—	.10	.12	.35	—	.69		29
30	.01	×	—	.09	—	—	—	.69	—	.99	.67	.59		30
31	—	×	—	×	—	×	—	.5	×	—	×	.26		31
TOTAL	.79	4.00	1.13	4.60	1.11	4.06	.64	2.51	2.79	5.42	7.85	5.26	40.16	
* Days with .01 in. or more.	11	19	10	19	10	20	4	8	21	18	22	18	180	
* Days with .04 in. or more.	7	15	7	19	6	16	4	7	17	12	19	18	147	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

H. W. Rastan

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 1625

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at PRESTON HOUSE, IWERNE
in the County of DORSET MINSTER

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft.....in.

,, Ground ,, Sea Level...2.20.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.20	.09	—	.22	—	.34	.20	—	—	—	.02	.03		1
2	.04	—	—	.05	—	.03	.50	.03	—	—	.03	—		2
3	—	—	—	.35	—	—	.01	.01	.57	—	.53	—		3
4	.01	—	.18	—	—	.09	—	—	.63	—	.08	.02		4
5	.39	—	.06	—	.05	—	—	—	.16	—	.01	.10		5
6	.09	—	.01	—	—	—	.01	.01	.30	—	.63	—		6
7	.05	—	.19	—	—	—	.33	—	.01	—	.35	.01		7
8	.55	—	.47	—	—	—	.23	—	—	—	.15	.02		8
9	.60	—	.21	—	—	—	.25	—	.24	—	.02	.02		9
10	.16	.01	—	—	—	—	.25	—	—	—	.02	—		10
11	.19	—	—	—	—	.07	.12	—	.15	—	.77	—		11
12	—	—	—	.09	—	.29	.30	—	.04	—	.18	—		12
13	.01	—	—	.25	—	.03	.07	—	—	.03	.10	1.01		13
14	—	—	—	—	—	.01	.54	—	.02	.04	—	.62		14
15	—	.03	—	—	—	—	.01	—	.08	—	.01	.38		15
16	—	.07	—	—	—	—	.07	—	—	—	—	.01		16
17	—	1.18	—	—	.22	—	.30	—	—	.03	.12	.43		17
18	.14	.12	—	—	—	.74	.50	—	—	.04	—	.80		18
19	.63	.05	—	.13	—	.01	.02	—	—	—	—	—		19
20	.08	.14	.09	.04	—	.28	.02	—	.98	—	—	—		20
21	—	.20	.06	.44	—	.08	—	—	.04	—	—	—		21
22	.04	.32	.58	—	.06	—	.40	—	—	.03	—	.01		22
23	.15	.01	.18	.14	.02	—	.13	—	—	.09	—	—		23
24	.15	.03	.02	—	.14	—	—	—	.01	.28	.01	—		24
25	.13	—	.35	.13	—	—	.19	—	.08	.14	—	—		25
26	.26	.07	.27	.01	—	.11	—	—	—	.06	—	—		26
27	.47	.14	.22	—	—	—	.11	—	.09	.15	—	—		27
28	.97	—	.74	—	—	—	.19	—	—	—	—	.28		28
29	.01	.02	.06	—	—	.02	.03	—	—	.04	.04	.06		29
30	.10	—	—	—	—	.03	.01	—	—	.12	—	—		30
31	.12	—	.40	—	.10	—	.25	—	—	.43	—	.48		31
TOTAL	5.54	2.48	4.09	1.85	.59	2.13	5.04	.05	3.34	1.48	3.07	4.29	33.94	✓
* Days with .01 in. or more.	24	15	17	11	6	14	26	3	15	13	17	16	177	✓
* Days with .04 in. or more.	21	10	15	10	5	8	19	—	12	10	10	9	129	✓

Year's Total

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 1625

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Preston House, Lwern, Marnet

in the County of Dorset

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft.....in.

,, Ground ,, Sea Level ...220.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	.23	.04	—	.15	—	—	—	—	.02	.02	.15	.83		1	
2	—	.51	.05	.05	—	—	—	—	.03	—	—	.22		2	
3	.02	.35	.01	.06	—	—	.03	—	—	—	—	—		3	
4	.18	.76	—	—	—	—	—	—	—	—	—	.27		4	
5	.22	—	.03	—	—	—	.41	—	—	—	—	—		5	
6	.17	.24	.10	.16	.07	—	.19	—	—	.06	—	—		6	
7	—	.47	—	.11	—	—	—	—	—	.03	—	.76		7	
8	—	.05	—	—	.33	—	.07	—	.69	—	.24	.21		8	
9	—	.05	.04	.15	.18	—	.12	—	—	—	—	—		9	
10	.01	.01	.79	.13	.21	.36	.01	.02	—	—	—	.37		10	
11	—	—	.18	.02	.23	—	.34	—	.34	—	—	—		11	
12	.58	.22	.17	—	.01	.21	—	.46	.06	—	—	.33		12	
13	.10	.02	.74	.10	—	—	—	.13	.02	—	—	.01		13	
14	.01	—	.18	—	—	—	.86	.04	.15	—	—	.04		14	
15	.30	.10	.03	—	—	—	.86	—	—	—	—	.07		15	
16	.05	.09	1.02	.19	—	.01	.01	.36	1.03	—	.03	—		16	
17	.94	.06	.60	—	—	—	.04	—	.97	—	.21	—		17	
18	.16	.03	—	—	.01	—	—	—	—	—	.12	.21		18	
19	.03	.05	.02	.17	—	.02	—	—	.07	—	—	.02		19	
20	.63	.07	.05	.16	.23	—	—	—	—	—	—	.23		20	
21	.61	.34	.13	.09	.48	—	.04	—	—	—	.19	.08		21	
22	.27	—	.09	—	.18	.13	.24	—	.04	1.23	.43	.11		22	
23	.29	.20	—	—	—	—	—	—	—	.72	.04	.01		23	
24	.65	.46	—	—	—	—	—	—	—	1.19	—	.03		24	
25	.37	.38	.21	.11	.61	—	—	—	.07	.28	—	.21		25	
26	—	.39	.05	—	.30	—	—	—	.6	.10	—	.02		26	
27	.02	.16	—	—	—	—	—	—	—	.40	—	—		27	
28	.06	.08	—	—	—	—	—	—	—	.17	—	—		28	
29	—	X	—	—	—	.01	—	—	—	.63	.08	—		29	
30	.64	X	—	—	—	.01	—	—	—	.01	.24	—		30	
31	.20	X	—	X	—	X	—	—	X	.88	X	—		31	
TOTAL	6.74	5.13	4.59	1.88	2.84	.75	2.30	1.01	3.49	5.72	1.73	4.03	Year's Total	40.21	✓
* Days with .01 in. or more.	24	24	19	15	12	7	12	5	12	13	10	19		172	✓
* Days with .04 in. or more.	19	21	15	14	10	3	8	4	9	10	9	14		136	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

H. W. Weston

[P.T.O.]

Kept at PRESTON HOUSE, IWERNE MINSTER
in the County of DORSET

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	02	—	—	—	12	12	—	—	36	—	10	I
2	02	—	—	01	—	—	—	—	—	—	01	11	2
3	—	—	—	—	12	—	30	—	—	45	03	—	3
4	01	—	—	—	2	01	12	91	—	02	—	21	4
5	—	—	—	—	—	—	14	—	01	11	—	—	5
6	03	—	—	—	—	03	36	03	02	07	04	02	6
7	07	—	—	—	—	—	56	06	02	14	01	06	7
8	19	—	—	—	—	01	10	—	—	24	—	04	8
9	14	08	—	—	—	05	—	—	—	—	—	88	9
10	07	—	—	—	—	—	02	05	—	—	01	33	10
11	12	—	—	—	—	—	01	—	—	21	37	37	11
12	26	—	—	—	12	—	02	—	—	—	04	04	12
13	21	—	—	—	—	—	—	—	—	—	31	72	13
14	88	—	—	—	03	—	27	—	—	—	—	—	14
15	15	—	—	—	05	—	36	02	—	21	04	58	15
16	24	—	—	—	—	04	—	—	—	—	04	06	16
17	—	10	—	—	—	—	—	—	03	12	01	—	17
18	17	—	—	—	15	—	—	02	34	—	47	—	18
19	—	—	—	—	—	—	—	01	26	—	64	—	19
20	—	02	—	—	—	—	—	06	07	—	80	—	20
21	—	—	—	—	—	—	—	02	06	—	08	07	21
22	—	—	—	—	—	—	—	37	—	—	30	10	22
23	—	—	—	—	03	—	—	—	21	—	10	—	23
24	—	—	16	—	06	—	—	03	15	—	21	—	24
25	10	24	03	—	12	—	07	—	—	02	112	03	25
26	26	40	—	—	30	—	—	—	01	05	—	30	26
27	04	01	—	—	02	21	67	03	—	04	—	—	27
28	08	08	—	—	39	30	—	55	06	—	—	—	28
29	02	X	—	—	29	—	—	—	27	07	29	06	29
30	03	X	—	—	22	—	—	—	61	05	13	06	30
31	20	X	—	X	12	X	—	—	X	28	X	20	31
TOTAL	329	95	19	01	217	82	357	216	206	249	505	434	2740
Days with "or in. or more.	21	8	2	1	14	8	14	13	14	16	21	20	159
Days with "04 in. or more.	16	5	1	NIL	11	5	11	6	8	14	16	18	145

Section

A

for the entry of Daily Observations

Station No. 1625

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939Kept at Preston House, Lucerne, Münsterin the County of DorsetDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground...1.....ft.....in.,, Ground ,, Sea Level...220.....ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	.13	.16	.06	—	.21	.29	—	—	.06	.05		1
2	—	—	—	.15	—	—	.02	.38	.92	—	.17	.12		2
3	.55	—	—	.48	—	—	—	.20	—	—	~~.32~~	~~.32~~		3
4	—	—	.45	.10	.20	—	.28	.45	—	.55	.39	~~.22~~		4
5	—	—	.01	.19	.21	—	.29	.07	—	~~.55~~	1.35	~~.22~~		5
6	.60	—	.09	—	—	—	.87	.07	—	—	.16	—		6
7	—	.35	—	—	—	—	—	.08	—	—	—	~~.86~~		7
8	—	.22	.17	—	—	—	.09	.13	—	.48	1.24	~~.86~~		8
9	.01	.07	.03	—	—	—	—	.02	—	.23	.03	—		9
10	.26	—	.04	—	—	—	—	.25	.07	~~.50~~	~~.03~~	~~.02~~		10
11	—	—	.19	—	—	—	—	—	—	~~.50~~	~~.03~~	—		11
12	—	—	—	—	—	.05	—	—	.10	—	.04	.02		12
13	—	—	—	.06	.07	.01	.33	—	~~.6~~	~~1.63~~	.04	.02		13
14	.79	—	—	.05	.14	.02	.11	—	—	~~.63~~	.32	—		14
15	.40	—	—	—	.02	.82	.29	—	—	.10	.39	—		15
16	.22	—	—	.13	.02	.01	.04	—	—	—	.19	—		16
17	.44	.01	—	—	—	.02	.20	—	—	.18	~~.31~~	—		17
18	.20	—	.02	—	—	.09	.59	—	—	~~.6~~	~~.31~~	—		18
19	.28	.01	—	—	—	—	.08	.08	—	—	—	.08		19
20	.24	—	—	—	—	.09	.81	~~.85~~	—	—	—	—		20
21	.10	.28	.06	—	—	.12	.16	—	.01	—	~~.17~~	—		21
22	.44	.40	.06	.01	—	.11	.20	—	~~.6~~	~~.31~~	~~.17~~	—		22
23	—	—	—	.15	—	—	.06	—	—	~~.31~~	.66	—		23
24	.48	—	—	.07	—	.60	.08	—	—	—	—	—		24
25	.50	.07	.01	—	—	—	.12	—	—	~~.31~~	~~.22~~	—		25
26	.03	.05	—	—	—	—	—	.05	—	—	~~.22~~	—		26
27	—	.24	.10	.01	—	~~.6~~	—	~~.6~~	—	.03	.20	—		27
28	—	.25	.04	—	—	.03	.33	—	—	—	.30	.18		28
29	—	~~X~~	—	.09	—	—	.30	—	—	—	.05	—		29
30	—	~~X~~	—	.49	—	.04	—	.11	—	—	.04	—		30
31	—	~~X~~	—	~~X~~	—	~~X~~	.09	.11	~~X~~	1.60	~~X~~	—		31
TOTAL	5.64	1.95	1.40	2.14	.72	2.01	5.60	5.10	1.10	5.61	6.86	1.89	40.02	
* Days with .01 in. or more.	16	11	14	14	7	13	22	15	4	15	25	13	169	
* Days with .04 in. or more.	14	9	10	12	5	8	21	13	3	12	22	10	139	

† Spare column, no entries required

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

Section **A** for the entry
AIR MINIS
FORM 1090.

Kept at Iwerne Minster Vicarage
in the County of Dorset

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
,, Ground ,, Sea

1626
IWERNE MINSTER VICARAGE
1931-39

1626
FOR OFFICIAL USE.
AINFALL ORGANIZATION.
193/ .

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.15	—	.07	—	—	.01	—	.17	.01	—	—	I
2	.34	.07	—	.48	.02	—	—	—	.73	.02	.03	.16	2
3	.05	—	.70	—	—	—	.02	—	.09	—	1.58	.13	3
4	—	—	.10	—	.16	.12	.41	.14	.07	.01	.24	.02	4
5	—	.21	—	.27	—	.33	.07	.17	—	—	.22	.09	5
6	—	.13	—	.11	.09	.06	.03	.01	—	.23	.24	.14	6
7	—	—	—	.17	.13	.16	.14	.37	—	—	.44	.13	7
8	.04	.19	—	—	.01	.36	.06	.04	—	.18	.21	.06	8
9	—	.14	—	—	—	.02	.01	—	—	—	.67	—	9
10	—	—	.02	—	—	.13	—	.01	—	—	.61	—	10
11	.09	.27	—	—	—	.04	.01	.01	.01	—	.25	.01	11
12	.01	.02	—	—	—	—	.31	—	—	.01	—	.01	12
13	—	—	.01	—	—	.01	.20	.13	—	—	—	—	13
14	—	.11	—	—	.04	.64	1.52	.09	—	—	.12	—	14
15	.02	.07	—	.07	.21	—	.02	.60	—	—	—	.07	15
16	—	.19	—	.12	.10	.44	—	.16	.20	—	—	—	16
17	—	.18	—	.06	—	.08	.15	—	.09	—	.52	—	17
18	—	.12	.01	.15	—	.11	.05	1.37	—	—	.52	—	18
19	.09	—	.01	.09	—	.74	—	.06	—	—	.02	.02	19
20	.04	.06	.20	.01	—	—	—	.52	—	—	.01	—	20
21	.15	.01	.05	—	.34	—	—	—	—	.02	—	—	21
22	.39	.02	.01	.16	—	—	—	.11	—	—	—	—	22
23	.18	—	—	.56	.63	.10	—	.02	—	—	.36	—	23
24	.19	—	.01	.56	.10	.35	.41	.54	—	—	—	—	24
25	.16	.01	—	.17	.03	—	.32	—	—	—	.11	—	25
26	—	.05	—	.22	—	—	.41	—	—	—	.27	.01	26
27	.17	.28	—	—	.90	—	.34	—	—	—	.04	—	27
28	.12	.08	.01	.05	.05	—	—	—	—	.01	—	.10	28
29	.20	—	.02	—	.05	—	—	.04	—	.08	.12	—	29
30	—	X	—	—	—	—	.02	.07	—	—	—	—	30
31	.56	X	—	X	.03	X	.01	—	X	—	X	.09	31
TOTAL	2.80	2.36	1.17	2.76	2.89	3.69	4.52	4.46	1.36	.57	6.06	1.04	33.68
*Days with "or in. or more.	17	20	12	16	16	16	21	19	7	9	19	14	186
*Days with ".04 in. or more.	15	16	4	15	12	14	13	15	6	3	16	9	138

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Swansea Minster Vicarage
in the County of Dorset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
„ Ground „ Sea Level 234 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.15	—	.07	—	—	.01	—	.17	.01	—	—	I
2	.34	.07	—	.48	.02	—	—	—	.73	.02	.03	.16	2
3	.05	—	.70	—	—	—	.02	—	.09	—	1.58	.13	3
4	—	—	.80	—	.16	.12	.41	.14	.07	.01	.24	.02	4
5	—	.21	—	.27	—	.33	.07	.17	—	—	.22	.09	5
6	—	.13	—	.11	.09	.06	.03	.01	—	.23	.24	.14	6
7	—	—	—	.17	.13	.16	.14	.37	—	—	.44	.13	7
8	.04	.19	—	—	.01	.36	.06	.04	—	.18	.21	.06	8
9	—	.14	—	—	—	.02	.01	—	—	—	.67	—	9
10	—	—	.02	—	—	.13	—	.01	—	—	.61	—	10
II	.09	.27	—	—	—	.04	.01	.01	.01	—	.25	.01	II
12	.01	.02	—	—	—	—	.31	—	—	.01	—	.01	12
13	—	—	.01	—	—	.01	.20	.13	—	—	—	—	13
14	—	.11	—	—	.04	.64	1.52	.09	—	—	.12	—	14
15	.02	.07	—	.07	.21	—	.02	.60	—	—	—	.07	15
16	—	.19	—	.12	.10	.44	—	.16	.20	—	—	—	16
17	—	.18	—	.06	—	.08	.15	—	.09	—	.52	—	17
18	—	.12	.01	.15	—	.11	.05	1.37	—	—	.52	—	18
19	.09	—	.01	.09	—	.74	—	.06	—	—	.02	.02	19
20	.04	.06	.20	.01	—	—	—	.52	—	—	.01	—	20
21	.15	.01	.05	—	.34	—	—	—	—	.02	—	—	21
22	.39	.02	.01	.16	—	—	—	.11	—	—	—	—	22
23	.18	—	—	.56	.63	.10	—	.02	—	—	.36	—	23
24	.19	—	.01	.56	.10	.35	.41	.54	—	—	—	—	24
25	.16	.01	—	.17	.03	—	.32	—	—	—	.11	—	25
26	—	.05	—	.22	—	—	.41	—	—	—	.27	.01	26
27	.17	.28	—	—	.90	—	.34	—	—	—	.04	—	27
28	.12	.08	.01	.05	.05	—	—	—	—	.01	—	.10	28
29	.20	—	.02	—	.05	—	—	.04	—	.08	.12	—	29
30	—	×	—	—	—	—	.02	.07	—	—	—	—	30
31	.56	×	—	×	.03	×	.01	—	×	—	×	.09	31
TOTAL	2.80	2.36	1.17	2.76	2.89	3.69	4.52	4.46	1.36	.57	6.06	1.04	33.68
*Days with .01 in. or more.	17	20	12	16	16	16	21	19	7	9	19	14	186
*Days with .04 in. or more.	15	16	4	15	12	14	13	15	6	3	16	9	138

REGISTER OF RAINFALL IN 1932.

Kept at Juarre Winter Vicarage
in the County of Dorset

Station no 1626

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
Ground Sea Level 234 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	—	—	.10	.70	—	.06	.18	—	.06	.01	—	1
2	.03	—	—	.24	.49	—	—	.03	.08	.01	Tr	.33	2
3	—	—	—	.02	.02	.20	—	—	.46	.21	—	.01	3
4	.01	—	—	—	—	.15	—	—	—	—	.18	—	4
5	.17	—	.03	—	—	—	—	Tr	.19	—	—	—	5
6	.23	—	—	.20	.01	—	.02	—	.24	—	—	—	6
7	.03	—	.02	.05	.03	—	—	—	.17	.65	—	—	7
8	—	T	.40	.01	.05	—	—	—	.46	.19	—	—	8
9	.82	.01	—	.21	.05	—	—	—	.03	.03	.04	—	9
10	.24	—	.02	.36	.02	—	—	—	—	.34	.02	—	10
11	—	—	—	.01	—	—	.46	Tr	.05	.01	—	.10	11
12	.55	—	—	—	.11	—	—	—	.14	.32	—	.02	12
13	.06	—	—	.12	.04	—	.28	—	.01	.76	.01	.03	13
14	.18	—	—	.46	.02	—	—	—	—	—	—	.01	14
15	.01	—	—	.04	.29	—	—	—	—	.08	.06	.05	15
16	.30	—	—	.14	—	—	.47	—	—	—	—	.01	16
17	.01	—	~~.47~~	.03	—	—	—	—	—	.06	—	—	17
18	—	—	~~.04~~	—	.21	—	—	—	.21	—	.16	—	18
19	—	—	~~.04~~	—	.05	—	T	—	.03	.33	—	Tr	19
20	—	—	—	.20	.53	—	.01	.15	.01	.54	.21	.05	20
21	—	—	.17	.10	.16	—	—	.05	.02	.16	.03	.11	21
22	—	—	.04	—	—	—	.11	.01	.43	.28	.38	—	22
23	—	.01	.01	—	.12	—	.30	—	Tr	.42	.08	.05	23
24	—	.05	—	—	.05	—	.56	—	.16	.06	.02	—	24
25	—	—	—	—	—	—	.15	—	.08	.58	.01	Tr	25
26	—	—	.16	.02	—	—	.07	—	—	.10	.03	.01	26
27	—	—	.46	.51	.25	—	.07	—	—	.38	—	.05	27
28	—	—	—	.07	.26	.11	.20	—	—	.33	—	—	28
29	—	—	.48	.08	.44	.35	.01	.37	.64	—	.19	.15	29
30	—	×	—	.21	.07	1.90	.03	—	.43	—	.63	.35	30
31	—	×	.02	×	—	×	.05	—	×	.02	×	.42	31
TOTAL	2.73	.07	1.81	3.18	3.97	2.71	2.85	.79	3.84	5.92	2.06	1.75	YEAR'S TOTAL 31.68
*Days with ".01 in. or more.	14	3	11	21	22	5	16	6	19	23	16	16	172
*Days with ".04 in. or more.	9	1	6	16	17	5	12	4	14	19	9	10	122

REGISTER OF RAINFALL IN 1933.

Kept at *Lewes Minster Vicarage*
in the County of *Down*

station no: *1626*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *3* in.
Ground Sea Level *234* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.41	.33	.11	-	.06	-	-	-	-	-	-	-	1
2	.73	-	.70	-	.29	-	-	-	-	-	-	.28	2
3	.03	.10	.25	-	-	-	-	-	-	-	-	-	3
4	.26	-	<i>T</i>	-	.15	-	-	-	-	-	.02	-	4
5	.09	-	.49	-	.17	-	-	-	-	-	-	-	5
6	-	.33	-	-	.19	-	-	-	-	.28	.04	<i>Tr</i>	6
7	.01	.07	-	-	.17	-	.05	-	-	.11	-	-	7
8	.06	-	.02	-	-	-	.40	-	-	.13	-	-	8
9	-	-	-	-	.02	-	.21	-	-	.17	.05	-	9
10	.32	.14	-	-	.06	.01	.04	<i>T2</i>	-	.44	-	-	10
11	-	-	-	-	-	.51	.27	.15	-	-	.01	-	11
12	.01	-	-	.18	.02	-	.02	-	.93	.01	-	.04	12
13	.02	-	-	-	-	.02	.26	.07	-	-	.03	-	13
14	.01	-	-	-	-	-	.05	-	-	.24	.50	-	14
15	.79	-	.24	-	-	-	.45	.08	-	.16	-	-	15
16	-	.01	.97	-	-	.06	-	-	.05	.07	-	-	16
17	-	.17	.34	-	-	.23	-	-	.09	-	-	-	17
18	.05	-	.27	-	-	.21	-	.03	-	-	-	.05	18
19	-	-	.12	-	-	-	-	-	.17	-	.23	-	19
20	-	.09	.01	.01	-	.23	-	.34	.07	-	-	-	20
21	-	.06	-	-	.06	.25	-	.35	-	.05	.01	-	21
22	-	-	-	-	-	-	-	-	.25	.05	.01	-	22
23	-	.02	-	.34	-	.28	-	-	.33	.11	-	-	23
24	-	<i>2.53</i>	-	.10	-	.12	-	-	.03	-	-	-	24
25	-	.58	-	.28	-	.19	-	-	.04	-	<i>T2</i>	.06	25
26	-	.60	-	.09	.10	-	-	-	.05	.03	-	.01	26
27	-	-	-	.01	.22	-	-	-	.01	.28	-	.63	27
28	-	-	-	.27	-	-	.03	-	-	-	-	.01	28
29	.12	-	.02	-	-	-	.25	-	-	-	-	-	29
30	.03	<i>X</i>	.15	-	-	-	.02	-	.03	-	-	.08	30
31	.10	<i>X</i>	.11	<i>X</i>	-	<i>X</i>	-	-	<i>X</i>	.03	<i>X</i>	-	31
TOTAL	3.04	5.03	3.80	1.28	1.51	2.11	2.05	1.02	2.05	2.16	.90	1.16	26.11
*Days with or in. or more.	16	13	14	8	12	11	12	6	12	15	9	8	136
*Days with .04 in. or more.	10	11	11	6	10	9	9	5	10	12	4	6	103

Section

A

for the entry of Daily Observations.

Station No. 1626

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Durran Minster Vicarage
in the County of Dorset

Station No: 1626

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 234 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	T2	—	—	—	.02	—	.70	.28	—	.08	.52		1
2	.23	—	.06	—	T2	—	—	.01	1.05	.04	—	.30		2
3	.01	.03	—	—	—	—	—	.02	—	.42	—	.30		3
4	.07	—	.10	.01	.29	—	—	.12	—	.10	.02	.43		4
5	—	—	—	—	.05	—	—	.90	—	.22	.02	.48		5
6	.03	—	.40	—	.19	—	—	.03	—	.55	.08	.63		6
7	.10	—	—	—	—	—	—	.13	—	.06	—	.70		7
8	—	—	—	—	.29	—	—	.01	.07	—	.41	.24		8
9	.05	—	.31	—	—	—	—	.05	—	—	.82	.24		9
10	.35	—	.27	.44	—	—	—	.02	—	—	.13	.07		10
11	.82	—	.60	.44	—	—	.26	.41	—	—	—	.35		11
12	.08	.01	.02	.23	—	—	.02	—	—	—	—	.27		12
13	.60	—	—	.28	—	—	.02	—	—	—	.07	.57		13
14	.22	—	.52	.28	—	—	—	—	—	.02	.02	.57		14
15	.04	—	.05	—	—	—	—	—	—	.05	.13	.15		15
16	.05	—	.42	—	.16	—	—	—	—	—	—	.05		16
17	.04	—	—	.16	.09	—	—	—	.08	.06	—	.30		17
18	.05	—	.25	.11	—	—	—	—	.01	—	—	.17		18
19	—	—	.27	.04	—	.03	—	.03	.22	—	.01	.11		19
20	—	—	.06	.22	—	—	.07	—	.12	.01	.01	—		20
21	—	—	.04	.07	—	.07	—	.02	—	.21	—	.02		21
22	—	.02	.08	—	—	—	.33	.19	.21	—	—	.20		22
23	—	.05	—	.31	—	.24	—	.06	.04	—	—	.02		23
24	—	.01	.07	.08	—	.09	—	—	.16	.01	—	.02		24
25	.26	—	—	.32	—	—	—	—	—	.21	—	.95		25
26	.01	—	.02	.08	—	.15	—	—	.14	—	.03	.12		26
27	.01	—	—	.01	—	.28	—	—	—	—	—	.77		27
28	—	—	—	—	—	.19	—	.47	.08	.03	—	.63		28
29	.04	—	—	—	—	—	.03	.11	.72	.01	.01	.03		29
30	—	X	—	—	—	—	T2	—	.07	.03	.01	.32		30
31	—	X	—	X	—	X	—	.04	X	—	X	.03		31
TOTAL	3.09	.12	3.49	2.36	1.07	1.07	.73	3.32	3.25	1.83	1.85	9.56	31.74	
*Days with or in. or more.	20	5	17	14	6	8	6	18	14	16	15	30	169	
*Days with .04 in. or more.	15	1	14	12	6	6	3	11	13	10	12	25	128	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

R. a. Bond

[P.T.O.]

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 1626

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Luxembourg Vineyard
in the County of Dorset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
Ground Sea Level 234 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.01	.33	—	.09	.10	.30	—	—	.40	.18	.15		1
2	.05	—	—	—	—	.05	—	—	.22	.37	.08	.05		2
3	—	.07	.10	.01	—	.13	—	—	.24	1.04	.39	—		3
4	—	.25	—	.15	Tr	.05	—	—	.07	.06	.26	.25		4
5	—	.45	.08	.16	—	.17	—	—	.26	.03	.01	.04		5
6	—	.01	—	.33	—	1.36	—	—	—	—	.07	.07		6
7	—	—	—	.28	—	.02	—	—	—	.20	.15	.12		7
8	—	—	—	.32	—	—	—	—	.03	.16	.24	.07		8
9	.10	—	—	.57	—	.23	—	—	.06	.71	.70	—		9
10	.04	—	.20	.13	—	.03	—	—	—	—	.02	—		10
11	.19	—	—	—	—	.18	—	—	—	.03	.67	.01		11
12	.08	.10	—	—	—	.26	—	—	.04	—	.37	—		12
13	.10	.13	—	.30	.03	.20	—	—	—	—	.05	—		13
14	—	.03	—	.24	.05	.08	—	—	.10	.02	.84	.20		14
15	—	.15	—	.73	.27	.07	—	—	.21	—	.48	.13		15
16	—	.05	.13	.21	—	.70	—	—	.68	.01	1.61	—		16
17	—	—	.03	.07	.08	.24	—	.21	.12	—	.16	—		17
18	—	.01	—	.24	.02	.01	.11	Tr	.16	.03	—	—		18
19	—	.01	—	.01	.41	.10	.17	—	.05	.01	.18	.01		19
20	—	.48	—	.15	.07	.04	.08	—	—	—	.63	—		20
21	—	.60	—	.17	—	—	—	—	.08	.02	—	—		21
22	—	.11	.19	.05	—	—	—	.16	.01	—	—	—		22
23	—	.01	.15	—	.02	—	—	.22	.05	.71	—	.17		23
24	.05	.55	.03	—	.08	—	—	.74	.28	.07	—	.45		24
25	.14	.23	—	.09	—	.07	—	Tr	.05	—	—	.58		25
26	—	.63	—	—	—	.02	—	.36	.11	—	.02	.96		26
27	—	.16	—	—	—	—	—	.01	.15	.01	.06	.72		27
28	—	.07	—	—	.02	—	—	—	.13	—	.02	.08		28
29	.02	X	—	—	.02	—	—	.09	.01	.02	—	.67		29
30	—	X	—	—	—	—	—	.65	—	.35	.70	.69		30
31	—	X	—	X	—	X	—	.01	X	.94	X	.38		31
TOTAL	.78	4.11	1.24	4.21	1.16	4.13	.66	2.45	3.11	5.19	7.89	5.80	40.73	Year's Total
*Days with ".01 in. or more.	10	21	9	19	12	21	4	9	22	20	23	20	190	
*Days with ".04 in. or more.	8	15	7	17	7	17	4	7	19	11	19	18	149	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

R. A. Bond

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1626

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.Kept at *Swan Hunter Vicarage*
in the County of *Dorset**Appt. Cor. by observer's letter*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft *3* in.
,, Ground ,, Sea Level *234* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.38	.09	.01	.17	—	.37	.19	—	—	—	.02	.04	1
2	.12	.02	—	.05	—	.02	.46	.03	—	—	.06	—	2
3	.02	—	—	.42	—	—	T ₂	.04	.52	—	.51	—	3
4	.01	—	.17	—	—	.13	—	—	.47	—	.08	.05	4
5	.40	—	.05	—	.06	—	—	—	.33	—	.01	.08	5
6	.08	—	.01	—	—	T ₂	—	.01	.31	—	.64	—	6
7	.06	—	.16	—	—	—	.33	—	.01	—	.35	.02	7
8	.51	—	.51	—	—	—	.15	—	—	—	.12	.04	8
9	.57	—	.22	—	—	—	.29	—	.24	—	.04	—	9
10	.13	.18	—	—	—	—	.28	—	—	—	.03	—	10
11	.21	—	—	—	—	.06	.08	—	.15	—	.74	—	11
12	T ₂	—	—	.13	—	.30	.28	—	.05	—	.20	.01	12
13	.02	—	—	.21	—	.03	.13	—	—	.03	.11	1.06	13
14	—	T ₂	—	—	—	.02	.53	—	—	.03	~~T₂~~	.85	14
15	.01	.05	—	—	—	—	.02	—	.09	—	.02	.31	15
16	.01	.20	—	.01	.20	—	.07	—	—	—	.04	.03	16
17	.01	1.24	—	—	—	—	.26	—	—	.04	.13	.38	17
18	.14	.12	—	—	—	.47	.38	—	—	.04	—	.23	18
19	.58	.05	.01	.10	—	.05	—	.01	—	—	—	—	19
20	.09	.28	.08	.07	—	.27	—	.01	1.04	—	—	.01	20
21	—	.24	.05	.45	—	.08	T ₂	—	.04	—	—	—	21
22	.16	.33	.55	—	.02	—	.37	—	—	.02	—	.02	22
23	.05	.02	.17	.13	.03	—	.18	—	—	.10	—	—	23
24	.09	.05	.04	—	.15	—	—	—	.01	.26	—	—	24
25	.14	—	.38	.14	—	—	—	—	.13	.04	.03	—	25
26	.82	.10	.25	T ₂	—	.15	—	—	—	.04	—	—	26
27	.40	.16	.20	—	—	—	.09	—	.10	.16	—	T ₂	27
28	.99	—	.76	—	—	—	.24	—	—	—	—	.33	28
29	.01	.05	.06	—	—	.09	.05	—	—	.05	.05	.06	29
30	.09	×	—	—	—	.02	—	—	—	.17	—	—	30
31	.12	×	.40	×	.12	×	.25	—	×	.46	×	.46	31
TOTAL	5.82	3.18	4.08	1.88	.58	2.06	4.53	.10	3.49	1.40	3.18	3.98	34.28
*Days with or in. or more.	28	16	19	24	6	14	20	6	14	12	19	17	182
*Days with .04 in. or more.	20	14	16	22	4	10	19	2	12	11	13	12	155

40-9999

*See Instruction 2 (f) on other side.

(Signed) *R. C. Bond*

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 16 26

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at *Swerne Minister Vicarage*in the County of *Dorset*

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1....ft..3.....in.

,, Ground ,, Sea Level .2.3.4.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.22	—	—	.14	—	—	—	—	.04	—	.75	1.19		1
2	.01	.42	~~.48~~	.05	—	—	—	—	.12	—	—	.11		2
3	—	.33	.08	—	—	—	.02	—	—	—	.01	—		3
4	.18	.76	—	.03	.02	—	—	.02	—	—	—	.28		4
5	.28	—	.04	—	—	—	.35	—	—	.05	T ₂	—		5
6	.17	.26	.26	.11	.07	—	.30	—	—	.03	—	—		6
7	—	.46	—	.11	—	—	—	—	.02	—	—	1.36		7
8	—	.08	—	—	.27	—	—	—	—	—	.23	.06		8
9	—	.02	—	.15	.16	—	.07	—	.67	—	—	—		9
10	—	—	.90	.12	—	—	.08	.07	—	—	—	.26		10
11	.03	—	.11	.02	.48	.39	.32	—	—	—	—	.01		11
12	.52	.22	.16	—	—	.23	.01	.42	.30	—	—	.38		12
13	.15	.02	.82	.10	—	—	—	.19	.07	—	—	.03		13
14	—	T ₂	.22	—	.2	—	—	.16	.02	—	—	.03		14
15	.34	.10	.04	—	—	—	.85	—	.09	—	—	.08		15
16	.06	.11	1.02	.20	—	T ₂	.01	.36	1.14	—	.03	—		16
17	1.17	.05	.58	.18	—	—	.02	—	1.21	—	.19	—		17
18	.07	.06	—	—	.02	—	—	—	—	—	.11	.21		18
19	.07	.05	.03	.17	—	.03	—	—	.05	—	—	.12		19
20	.68	.07	.14	.16	—	—	—	—	—	—	—	.17		20
21	.48	.35	.10	.09	.13	—	.04	—	.01	—	.20	.03		21
22	.39	—	.11	—	.56	.13	.25	—	.05	1.42	.36	.57		22
23	.27	.17	.01	—	.18	—	—	—	—	.74	.03	.01		23
24	.73	.44	—	—	—	—	.01	—	.07	1.23	—	—		24
25	.37	.37	.27	—	.48	—	—	—	—	.31	—	.16		25
26	—	.42	.02	—	—	—	—	—	—	.07	—	.02		26
27	.03	.08	—	.10	—	—	—	—	—	.55	—	—		27
28	.20	.24	—	—	—	—	—	—	—	.15	—	—		28
29	—	—	—	—	—	—	—	—	—	.64	.12	—		29
30	.60	~~.4~~	—	—	—	.01	—	—	—	—	.20	—		30
31	.20	~~.4~~	—	~~.4~~	—	~~.4~~	—	—	~~.4~~	.70	~~.4~~	—		31
TOTAL	7.22	5.08	4.91	1.73	2.37	.79	2.33	1.22	3.86	5.89	1.63	4.58	41.61	✓
* Days with .01 in. or more.	23	22	19	15	10	5	13	6	14	11	11	19	168	✓
* Days with .04 in. or more.	20	20	16	13	8	8	8	5	11	10	8	13	134	✓

Year's total

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 1620

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *Liverpool Victoria Viaduct*in the County of *Dorset*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground....*1*...ft..*3*.....in.,, Ground ,, Sea Level *234*.....ft.*May part W.D.*

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.06	—	—	—	—	.03	—	—	.56	—	.10		1
2	.02	—	—	.01	—	—	—	—	—	.18	.01	.11		2
3	—	—	—	—	.18	—	—	—	—	.45	—	—		3
4	.01	—	—	—	—	—	.38	.85	—	.02	.03	.19		4
5	—	—	—	—	—	.01	.12	.85	—	.12	.01	—		5
6	—	—	—	—	—	.01	.27	—	.06	.05	.04	.03		6
7	.03	—	—	—	—	—	.64	.05	—	.13	.01	.06		7
8	.07	.08	—	—	—	.05	.10	.07	.02	.21	—	.05		8
9	.20	—	—	—	—	.01	.01	—	—	—	—	.93		9
10	.14	—	—	—	—	.06	—	.06	—	—	—	.32		10
11	.10	—	—	—	—	—	—	—	—	—	.37	.38		11
12	.11	—	—	—	.11	—	.01	—	—	.10	.05	.04		12
13	.25	—	—	—	—	—	—	—	—	.13	.30	.75		13
14	.84	—	—	—	.03	—	.31	—	T ₂	—	—	—		14
15	.13	—	—	—	.05	—	.77	—	—	.22	.05	.58		15
16	.17	—	—	—	.01	—	—	.02	—	.01	.05	.07		16
17	—	.15	T ₂	—	—	—	—	—	.03	.16	—	—		17
18	.13	—	—	—	.16	.05	—	—	.32	.01	.45	—		18
19	.01	—	—	—	—	—	—	.02	.24	—	.63	—		19
20	—	—	—	—	—	—	—	—	—	—	.78	—		20
21	.01	—	—	—	—	—	—	.07	.07	—	.08	.09		21
22	.01	—	—	.01	—	T ₂	—	—	—	—	.31	.05		22
23	—	—	—	—	.04	—	—	.35	.22	—	.07	—		23
24	—	—	.15	—	.24	—	—	—	.15	—	.20	—		24
25	.11	.26	.03	—	.30	—	.08	.04	—	.02	1-10	—		25
26	.28	.40	—	—	.03	—	—	—	.01	.06	—	.37		26
27	.05	.01	—	—	.45	.19	.65	—	—	.03	.30	—		27
28	.09	.08	—	—	.27	.09	—	.04	.06	—	.27	.07		28
29	.03	—	—	—	.23	—	—	.55	.27	.11	.17	.06		29
30	.03	X	—	—	.16	.03	—	—	.57	—	—	.07		30
31	.17	X	—	X	—	X	—	—	X	.28	X	.20		31
TOTAL	2.99	1.04	.18	.02	2.26	.50	3.38	2.12	2.02	2.85	5.18	4.52	27.06	✓
* Days with .01 in. or more.	23	7	2	2	14	9	12	11	12	19	21	20	158	2✓
* Days with .04 in. or more.	15	6	1	—	11	6	9	9	10	14	17	19	114	7✓

Year's Total

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

R. E. Bond

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

1626

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Durham Minster Vicarage*in the County of *Durham*

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft...2...in.

,, Ground ,, Sea Level 254...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	.18	.17	.06	—	.20	—	—	—	.05	.06		1
2	—	—	—	.20	—	—	.02	.42	.84	—	.19	.12		2
3	.54	—	—	.43	—	—	—	.15	—	—	.25	.17		3
4	.02	—	.44	.12	—	—	.27	.36	—	.23	.15	.19		4
5	—	—	.01	.19	.24	—	.25	.12	—	.33	.85	.07		5
6	.60	—	.07	—	—	—	.74	.04	—	—	.55	—		6
7	.01	.37	—	—	—	—	—	.04	—	—	.68	.39		7
8	—	.24	.18	—	—	—	.09	.11	—	.37	.58	.17		8
9	—	.08	.03	—	—	—	—	.02	—	.17	.02	.16		9
10	.30	—	.04	—	—	—	—	.24	.08	.28	.02	.02		10
11	—	—	—	—	—	—	—	—	—	.25	.02	—		11
12	—	—	—	—	—	.05	—	—	—	—	.05	—		12
13	—	—	—	.07	—	T2	.34	—	—	1.38	.03	.01		13
14	.78	—	—	.07	.08	.01	.10	—	—	.23	.30	.03		14
15	.44	—	—	—	.13	.79	.26	—	.09	.12	.31	—		15
16	.23	—	.01	.11	.02	.06	.03	—	—	—	.21	—		16
17	.55	—	—	—	.02	.02	.30	—	—	.21	.08	T2		17
18	.09	.02	.03	—	—	.09	.61	—	—	.01	.33	.02		18
19	.18	.02	—	—	—	—	.06	.11	—	—	—	.07		19
20	.35	—	—	—	—	.10	.83	2.80	—	—	—	—		20
21	.11	.28	.08	—	—	.14	.15	—	—	—	—	—		21
22	.53	.41	.07	.03	—	.11	.21	—	—	—	.25	—		22
23	.01	—	—	.16	—	.01	.04	—	—	—	.70	.01		23
24	.65	—	—	—	—	.58	.09	—	—	—	—	—		24
25	.92	.08	.02	—	—	—	.22	—	—	T2	.37	—		25
26	.02	.05	—	—	—	—	—	.04	—	.20	.28	.01		26
27	—	.22	.10	.05	—	T2	—	T2	—	.11	.17	—		27
28	—	.28	.04	—	—	.03	.35	—	—	—	.29	.17		28
29	—	X	—	.10	—	—	.27	.11	—	.12	.06	—		29
30	—	X	—	.48	—	.05	—	—	—	.14	.05	—		30
31	—	X	—	X	—	X	.12	.04	X	1.59	X	.01		31
TOTAL	6.33	2.05	1.30	2.18	.55	2.04	5.45	4.60	1.01	4.74	6.84	1.68	38.77	✓
* Days with .01 in. or more.	18	11	14	13	6	13	22	14	3	16	26	17	173	✓
* Days with .04 in. or more.	14	9	9	12	4	9	20	13	3	15	22	10	140	✓

Year's Total

† Spare column, no entries required.

(Signed)

R.A. Bond P.T.O.

* See Instruction 3 (f) on other side.

Kept at **STURMINSTER NE**
in the County of.....

Diameter of Funnel of Gauge.....
Height of top of Gauge above Grou.....
,, Ground ,, Sea

1626/8
STURMINSTER NEWTON
BROAD OAK
1932

1626/8
COPY FOR OFFICIAL USE.
NFALL ORGANIZATION.
932.

Done / 4
Ad with King gauge by
Shaplington Rd.) & commenced

780305 / 28

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10			.19									1
2	.03			.27									2
3	.			.02									3
4	.02												4
5	.23		.01										5
6	.28			.17									6
7	.06			.07									7
8			.42	.01									8
9	.23			.25									9
10	.32			.38									10
11	.06	.01 ^S		.04									11
12	.61	.02 ^S											12
13	.11	.02 ^S		.18									13
14	.23			.36									14
15	.02			.07									15
16	.49			.10									16
17	.01			.03									17
18				.20									18
19				.06									19
20				.10									20
21													21
22				.21 ^f									22
23	.03		.01										23
24													24
25													25
26			.16	.03									26
27			.52	.45									27
28			.49	.10									28
29	.01			.05									29
30	.01	X		.25									30
31		X	.02	X	#	X			X		X		31
TOTAL	2.85	.05	1.83	3.29									YEAR'S TOTAL
*Days with ".01 in. or more.	18	3	8	22									WAT
*Days with ".04 in. or more.	11	0	5	18									30/4/32

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at STURMINSTER NEWTON (BROAD OAK)
in the County of DORSET
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 400 ft.

*The Duffett was presented with his gauge by
H. Davies of S. Newton (Shaftsbury Rd.) & commenced
at Broad Oak 1/1/32.
see Enc 12A file P20948/28*

Dorset/4

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10			.170									1
2	.03			.27									2
3	.			.02									3
4	.02												4
5	.23		.01										5
6	.28			.17									6
7	.06			.07									7
8			.42	.01									8
9	.23			.25									9
10	.32			.38									10
11	.06	.01 ^S		.04									11
12	.61	.02 ^S											12
13	.11	.02 ^S		.18									13
14	.23			.36									14
15	.02			.07									15
16	.49			.10									16
17	.01			.03									17
18				.20									18
19				.06									19
20				.10									20
21													21
22			.21 ^f										22
23	.03		.01										23
24													24
25													25
26			.16	.03									26
27			.62	.45									27
28			.49	.10									28
29	.01			.05									29
30	.01	X		.25									30
31		X	.02	X	#	X			X		X		31
TOTAL	2.85	.05	1.83	3.29									YEAR'S TOTAL
*Days with ".01 in. or more.	18	3	8	22									W.H.T. 30/4/32
*Days with ".04 in. or more.	11	0	5	18									

Kept at *Sturminster*
in the County of *Dorset*
Diameter of Funnel of Gauge *5*
Height of top of Gauge above Ground
Ground Sea Level

1626/4
STURMINSTER VICARAGE
1932, 1934

1626/4
COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

2.
Dorset
(Broadoak) on May 1st.

780305

site in Bath Rd.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

gate S. Newton (Broadoak)

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	-	-	.10	.58	-	-	.08	-	.37	.02	-	1
2	.03	-	-	.24	.35	.09	.03	-	.25	.06	-	.02	2
3	-	-	-	.03	-	.16	-	-	.31	.08	-	.37	3
4	.02	-	-	-	-	-	-	-	-	-	.28	-	4
5	.23	-	.01	-	-	-	-	-	.24	-	-	-	5
6	.28	-	-	.17	-	-	-	-	.25	-	-	-	6
7	.06	-	-	.07	.05	-	-	-	.17	1.01	-	-	7
8	-	-	.42	.01	-	-	-	-	.34	.19	-	-	8
9	.23	-	-	.35	.09	-	-	-	.16	.04	.02	-	9
10	.32	-	-	.28	-	-	-	-	-	.34	.02	-	10
11	.06	.01 S	-	.04	.01	-	.16	-	-	-	-	.09	11
12	.61	.02 S	-	-	.17	.02	-	-	.15	.23	-	-	12
13	.11	.02 S	-	.18	.04	.01	.23	-	-	.78	-	.08	13
14	.23	-	-	.26	.06	-	-	-	-	.08	.11	.02	14
15	.02	-	-	.07	.22	-	-	-	-	.07	-	.03	15
16	.49	-	-	.10	-	-	.40	-	-	-	-	-	16
17	.01	-	-	.03	-	-	-	-	-	-	-	-	17
18	-	-	-	.20	.17	-	-	-	-	.31	.17	-	18
19	-	-	-	.06	.06	-	-	.27	-	.53	-	-	19
20	-	-	-	.10	1.07	-	.02	.09	-	.31	.21	-	20
21	-	-	-	-	.03	-	-	-	-	.25	.07	.09	21
22	-	-	.21	-	-	-	.11	-	-	.25	.28	-	22
23	.03	-	.01 F	-	.03	.03	.23	-	-	.46	.05	-	23
24	-	-	-	-	.10	-	.53	-	-	.05	.04	-	24
25	-	-	-	-	-	-	.10	-	-	.17	.03	-	25
26	-	-	.15	.03	-	-	.10	-	1.06	.13	.08	-	26
27	-	-	.52	.45	.23	-	.14	-	-	.21	-	.63	27
28	-	-	.49	.10	.05	-	.19	-	-	.35	-	.05	28
29	.01	-	-	.05	.45	.21	.01	.51	-	.40	.16	.20	29
30	.01	×	-	.25	-	1.59	.02	-	.62	-	.55	.21	30
31	-	×	.02	×	-	×	.13	-	×	.02	×	.48	31
TOTAL	2.85	.05	1.83	3.29	3.86	2.11	2.40	.95	3.55	6.79	2.29	2.15	28.85
*Days with or in. or more.	18	5	8	22	18	7	15	4		24	15	12	-
*Days with or in. or more.	11	-	5	18	15	4	11	4		23	11	9	-

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Banti Duffett

[P.T.O.]

Mr B. DUFFETT.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at S.minster Newton Vicarage
in the County of Dorset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
Ground Sea Level 225 ft.

*gauge moved from S. Newton (Broadoak) on May 1st.
See Enc. 124 f 820948/28.*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

g at S. Newton (Broadoak)

Please read the Notes and Instructions Overleaf.

Jan. r, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	-	-	.10	.58	-	-	.08	-	.37	.02	-	1
2	.03	-	-	.27	.35	.09	.03	-	.25	.06	-	.03	2
3	-	-	-	.03	-	.16	-	-	.31	.08	-	.37	3
4	.02	-	-	-	-	-	-	-	-	-	.38	-	4
5	.23	-	.01	-	-	-	-	-	.24	-	-	-	5
6	.28	-	-	.17	-	-	-	-	.25	-	-	-	6
7	.06	-	-	.07	.05	-	-	-	.17	1.01	-	-	7
8	-	-	.42	.01	-	-	-	-	.34	.19	-	-	8
9	.23	-	-	.25	.09	-	-	-	.16	.04	.02	-	9
10	.32	-	-	.38	-	-	-	-	-	.34	.02	-	10
11	.06	.01 S	-	.04	.01	-	.16	-	-	-	-	.09	11
12	.61	.02 S	-	-	.17	.02	-	-	.15	.23	-	-	12
13	.11	.02 S	-	.18	.04	.01	.23	-	-	.78	-	.08	13
14	.23	-	-	.36	.06	-	-	-	-	.08	.11	.02	14
15	.02	-	-	.07	.22	-	-	-	-	.07	-	.03	15
16	.49	-	-	.10	-	-	.40	-	-	-	-	-	16
17	.01	-	-	.03	-	-	-	-	-	-	-	-	17
18	-	-	-	.20	.17	-	-	-	-	.31	.17	-	18
19	-	-	-	.06	.06	-	-	.27	-	.53	-	-	19
20	-	-	-	.10	1.07	-	.02	.09	-	.31	.21	-	20
21	-	-	-	-	.03	-	-	-	-	.25	.07	.09	21
22	-	-	.21	-	-	-	.11	-	-	.35	.38	-	22
23	.03	-	.01 F	-	.03	.03	.23	-	-	.46	.05	-	23
24	-	-	-	-	.10	-	.53	-	-	.05	.04	-	24
25	-	-	-	-	-	-	.10	-	-	.17	.03	-	25
26	-	-	.15	.03	-	-	.10	-	1.06	.13	.08	-	26
27	-	-	.32	.45	.23	-	.14	-	-	.21	-	.63	27
28	-	-	.49	.10	.05	-	.19	-	-	.35	-	.05	28
29	.01	-	-	.05	.45	.21	.01	.51	-	.40	.16	.20	29
30	.01	X	-	.25	-	1.59	.02	-	.62	-	.55	.21	30
31	-	X	.02	X	-	X	.13	-	X	.02	X	.48	31
TOTAL	2.85	.05	1.83	3.29	3.86	2.11	2.40	.95	3.55	6.49	2.29	2.15	28.85
*Days with ".01 in. or more.	18	5	8	22	18	7	15	4		24	15	12	-
*Days with ".04 in. or more.	11	-	5	18	15	4	11	4		23	11	9	-

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Mr B. DUFFETT.

P.T.O.

Section



for the entry of Daily Observations.

Station No. 1626/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM IO90.

REGISTER OF RAINFALL IN 1934.

V/Dorset/4
C. 1932
NR 1933

Kept at *St. Mary's Vicarage (The Vicarage)*
in the County of *Dorset*.

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *9* ft.
" Ground " Sea Level *9* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.04	-	-	-	-	.02	-	.51	.07	-	.15	.48		1
2	.22	-	.08	-	-	-	-	.02	.76	.03	.01	.31		2
3	.03	.03	-	-	-	-	-	.04	-	.44	-	.27		3
4	.06	-	.08	.03	.26	-	-	.04	-	.13	.02	.28		4
5	-	-	-	-	.07	-	-	.62	-	.08	.03	.52		5
6	.10	-	-	-	-	-	-	-	-	.38	.04	.48		6
7	.11	-	.44	-	-	-	-	.18	.01	.07	-	.60		7
8	-	-	-	-	.24	-	-	.01	.17	-	.51	.29		8
9	.03	-	.27	-	-	-	-	-	-	-	.50	.23		9
10	.33	-	.26	.43	-	-	-	-	-	-	.09	.03		10
11	.71	-	.38	.20	-	-	.41	.07	-	-	-	.30		11
12	.03	-	.02	-	-	-	.06	.58	-	-	-	.23		12
13	.41	-	.01	.31	-	-	.13	-	-	-	.13	.91		13
14	.28	-	.42	-	-	-	-	-	-	.05	.01	.30		14
15	.05	-	.07	-	.17	-	-	-	-	-	.11	.12		15
16	.06	-	.33	-	.02	-	-	-	-	.08	.02	.10		16
17	.04	-	.02	.15	.10	-	-	-	.10	.07	-	.20		17
18	.06	-	.32	.15	-	-	-	-	.08	-	-	.33		18
19	-	-	.14	.02	-	.06	-	-	.19	-	.03	.08		19
20	-	.03	.17	.25	-	-	.03	.01	-	.01	.01	-		20
21	-	-	.07	.07	-	.08	-	.01	.01	.26	-	.02		21
22	-	-	.04	-	-	-	.16	.23	.20	-	-	.29		22
23	-	.02	-	.32	-	.27	-	.21	.14	-	-	.03		23
24	-	-	.08	.03	-	.03	-	-	.05	.04	-	-		24
25	.54	-	-	.32	-	.02	-	-	-	.23	-	.74		25
26	-	-	.06	.11	-	.11	-	-	.21	-	.02	.15		26
27	.01	-	-	.02	-	.19	-	-	-	-	-	.48		27
28	-	-	-	-	-	.41	.05	.45	-	.07	-	.56		28
29	-	-	-	-	-	-	-	.15	.65	-	-	.03		29
30	.06	X	-	-	.30	-	-	-	.09	.05	-	.39		30
31	-	X	-	X	-	X	-	.09	X	-	X	.03		31
TOTAL	3.17	.08	3.26	2.41	1.16	1.19	.84	3.22	2.73	1.99	1.68	8.58	30.31	
*Days with .01 in. or more.	19	3	19	14	7	9	6	16	14	15	15	29	166	
*Days with .04 in. or more.	15	0	16	10	6	6	5	12	12	13	7	24	126	
Year's Total														30.31

† Spare column, no entries required.

(Signed)

40-9999

*See Instruction 2 (f) on other side.

[P.T.O.]

Kept at *Rosecroft, Sta*
in the County of *De*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Gr.....
Ground Sea

1626/5
STURMINSTER NEWTON
ROSE CROFT
1931—40
780305

COPY FOR OFFICIAL USE.
AINFALL ORGANIZATION.
1931. *Donet*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		19		09			01		13				1
2	29	06		44					92		05	19	2
3	09		76				03		19	03	185	18	3
4			09		09	01	36	10	04		15	03	4
5		14		22		29		14			12	11	5
6		11		14	04	04	20	02		23	25	10	6
7					12	17	42	19		11	37	15	7
8	06	15		14	08	55	04	03			26	03	8
9		14				02					50	01	9
10						13			03		61		10
11	10	32				06	17	01	02		36		11
12		01					23		08				12
13							10	10					13
14	01	10				64	142	05	03				14
15	03	07		04	21			30				07	15
16		06		12	09	35		33	12				16
17		20		08	01		13		12				17
18	10		01	11		12	03	140			42		18
19	06		02	07		54	02	04	02		05		19
20	01	07	25					37					20
21	08	01	02		36								21
22	37	03						03			01		22
23	24			06	55	05		13			40	02	23
24	19	01		65	19	13	31	45			01		24
25	16			23	03		31				08		25
26		03		27			52				34		26
27	11	25			91		40				02		27
28	12	05	03	03	11							17	28
29	12		05				05	03		05	12		29
30		X			03			06	03				30
31	39	X		X	04	X	03		X		X	12	31
TOTAL	253	205	123	267	286	310	478	378	173	42	591	118	YEAR'S TOTAL 3224
*Days with "or in. or more.	18	19	8	15	15	14	19	18	12	4	19	12	173
*Days with "or in. or more.	15	14	4	14	12	12	14	13	7	3	16	8	132

Section

STURMINSTER

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Donner

Kept at Rosecroft, Sturminster Newton
in the County of Dorset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		19		07			01		13				1
2	29	06		44					92		05	19	2
3	09		76				03		19	03	185	18	3
4			09		09	01	36	10	04		15	03	4
5		14		22		29		14			12	11	5
6		11		14	04	04	20	02		23	25	10	6
7					12	17	42	19		11	37	15	7
8	06	15		14	08	55	04	03			26	03	8
9		19				02					50	01	9
10						13			03		61		10
11	10	32				06	17	01	02		36		11
12		01					23		08				12
13							10	10					13
14	01	10				64	142	05	03				14
15	03	07		04	21			30				07	15
16		06		12	09	35		33	12				16
17		20		08	01		13		12				17
18	10		01	11		12	03	140			42		18
19	06		02	07		54	02	04	02		05		19
20	01	07	25					37					20
21	08	01	02		36								21
22	37	03						03			01		22
23	24			06	55	05		13			40	02	23
24	19	01		65	19	13	31	45			01		24
25	16			23	03		31				08		25
26		03		27			52				34		26
27	11	25					40				02		27
28	12	05	03	03	11							17	28
29	12		05				05	03		05	12		29
30		X			03			06	03				30
31	39	X		X	04	X	03		X		X	12	31
TOTAL	253	205	123	267	286	310	478	378	173	42	591	118	YEAR'S TOTAL
*Days with "or in. or more.	18	19	8	15	15	14	19	18	12	4	19	12	173
*Days with "or in. or more.	15	14	4	14	12	12	14	13	7	3	16	8	132

40-9999

*See Instruction 2 (f) on other side.

(Signed) Louis Dawes ESQ P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 1626/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Rosecroft, Sturminster Newton
in the County of Dorset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	14			12	59			12	01		03		1
2	04			32	42	03	03	02	09			24	2
3				02	01	14			48	06		02	3
4	03					17					24		4
5	28								24				5
6	22			15					24				6
7	04		02	13 ^{H.R.}	04				13	100			7
8			40		05				25	16			8
9	06	04 ^S		13	04				13	34 ^{H.R.}			9
10	31			42 ^{R.S.H.}		02				34	04		10
11	06			06 ^{R.H.}			15		03	01		07	11
12	49			01 ^{R.H.}	17				11	22	01	02	12
13	05			12	03		20	02		75		08	13
14	25			28	06						05	01	14
15	02			06	36					14	04	03	15
16	35			08			23 ^{T.S.}					01	16
17				03						04			17
18					16				20		19		18
19					06				04	30			19
20				11 ^{R.H.}	110 ^{T.S.}			28 ^{T.S.}		53	22	01	20
21	01		14	05	03			10	03	22	04	08	21
22			04		02		15	03	58	37	40		22
23						03	22		02	50	07	05	23
24					13		48		12	05	05		24
25							15		07	60	04		25
26			16	03			06			12	07		26
27			44	36	22		14			26		05	27
28			01	09	04		19					02	28
29			45	05	41	22	03	49	64	32	13	19	29
30		X	01	25		161	02		38		47	28	30
31		X	03	X		X	10		X		X	45	31
TOTAL	325	04	170	287	394	222	215	103	382	633	209	161	YEAR'S TOTAL 3105
*Days with "or in. or more.	15	1	10	21	19	7	14	7	19	20	16	16	165
*Days with "or in. or more.	12	1	6	17	15	4	11	4	15	19	14	9	127

Section

A

for the entry of Daily Observations.

Station No. 1626/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Rosecroft, Hamminster Newton.*
in the County of *Dorset*

May 1st High

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
Ground Sea Level *225* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>39</i>	<i>31</i>	<i>08</i>		<i>08</i>							<i>18</i>		1
2	<i>61</i>		<i>59</i>		<i>53</i>									2
3	<i>15</i>	<i>10</i>	<i>25</i>											3
4	<i>30</i>				<i>17</i>									4
5	<i>10</i>		<i>43</i>		<i>08</i>						<i>03</i>			5
6		<i>33</i>	<i>01</i>		<i>36</i>					<i>21</i>	<i>02</i>			6
7	<i>04</i>	<i>09</i>	<i>03</i>		<i>20</i>		<i>02</i>			<i>22</i>				7
8		<i>01</i>			<i>05</i>		<i>47</i>			<i>09</i>				8
9					<i>03</i>		<i>22</i>			<i>12</i>	<i>06</i>			9
10		<i>19</i>					<i>03</i>	<i>02</i>		<i>34</i>				10
11	<i>29</i>					<i>46</i>	<i>37</i>	<i>11</i>						11
12				<i>09</i>	<i>02</i>		<i>07</i>		<i>110</i>			<i>02</i>		12
13	<i>02</i>					<i>04</i>	<i>19</i>	<i>09</i>		<i>14</i>	<i>02</i>			13
14							<i>03</i>	<i>22</i>		<i>24</i>	<i>31</i>			14
15	<i>74</i>		<i>23</i>				<i>34</i>	<i>05</i>		<i>10</i>				15
16			<i>96</i>			<i>04</i>			<i>06</i>	<i>05</i>				16
17		<i>16</i>	<i>34</i>			<i>29</i>	<i>02</i>	<i>04</i>	<i>08</i>					17
18	<i>07</i>		<i>28</i>			<i>24</i>								18
19			<i>12</i>						<i>33</i>		<i>21</i>	<i>02</i>		19
20		<i>09</i>				<i>22</i>			<i>12</i>		<i>01</i>			20
21		<i>03</i>			<i>01</i>	<i>35</i>		<i>39</i>	<i>01</i>	<i>09</i>	<i>01</i>			21
22						<i>01</i>		<i>35</i>	<i>22</i>	<i>06</i>	<i>01</i>			22
23		<i>32</i>		<i>29</i>		<i>24</i>			<i>43</i>	<i>17</i>				23
24		<i>225</i>		<i>09</i>		<i>09</i>			<i>04</i>		<i>01</i>			24
25		<i>54</i>		<i>34</i>		<i>45</i>			<i>02</i>			<i>08</i>		25
26		<i>70</i>		<i>13</i>	<i>14</i>				<i>12</i>	<i>04</i>		<i>02</i>		26
27					<i>147</i>		<i>03</i>		<i>03</i>	<i>29</i>		<i>50</i>		27
28				<i>25</i>			<i>25</i>							28
29	<i>10</i>		<i>01</i>				<i>02</i>					<i>01</i>		29
30	<i>03</i>	<i>x</i>	<i>13</i>				<i>05</i>		<i>03</i>			<i>11</i>		30
31	<i>15</i>	<i>x</i>	<i>06</i>	<i>x</i>		<i>x</i>			<i>x</i>	<i>02</i>	<i>x</i>			31
TOTAL	<i>303</i>	<i>512</i>	<i>352</i>	<i>119</i>	<i>314</i>	<i>243</i>	<i>211</i>	<i>127</i>	<i>239</i>	<i>222</i>	<i>69</i>	<i>94</i>	<i>2825</i>	
*Days with 0.1 in. or more.	<i>14</i>	<i>13</i>	<i>14</i>	<i>6</i>	<i>12</i>	<i>11</i>	<i>14</i>	<i>8</i>	<i>13</i>	<i>15</i>	<i>10</i>	<i>8</i>	<i>138</i>	
*Days with 0.4 in. or more.	<i>12</i>	<i>11</i>	<i>11</i>	<i>6</i>	<i>9</i>	<i>10</i>	<i>8</i>	<i>7</i>	<i>9</i>	<i>14</i>	<i>3</i>	<i>4</i>	<i>104</i>	

† Spare column, no entries required.

(Signed) *L. Dawes*

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1626/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Ranecroft, Hurminster Newton*

in the County of *Dorset*

Diameter of Funnel of Gauge *5* in.

Height of top of Gauge above Ground *1* ft. in.

Ground Sea Level *225* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>03</i>							<i>47</i>	<i>11</i>		<i>12</i>	<i>48</i>		1
2	<i>22</i>		<i>07</i>					<i>02</i>	<i>28</i>	<i>03</i>	<i>01</i>	<i>23</i>		2
3	<i>04</i>	<i>02</i>						<i>04</i>		<i>39</i>		<i>27</i>		3
4	<i>08</i>		<i>10</i>	<i>02</i>	<i>24</i>			<i>05</i>		<i>08</i>		<i>31</i>		4
5			<i>02</i>		<i>06</i>			<i>62</i>		<i>09</i>	<i>05</i>	<i>55</i>		5
6	<i>06</i>		<i>41</i>		<i>22</i>					<i>37</i>	<i>04</i>	<i>48</i>		6
7	<i>11</i>							<i>18</i>		<i>06</i>	<i>01</i>	<i>68</i>		7
8					<i>24</i>			<i>01</i>	<i>15</i>		<i>46</i>	<i>39</i>		8
9	<i>02</i>		<i>25</i>								<i>50</i>	<i>29</i>		9
10	<i>27</i>		<i>26</i>	<i>42</i>				<i>06</i>	<i>03</i>		<i>12</i>	<i>03</i>		10
11	<i>75</i>		<i>31</i>	<i>19</i>			<i>38</i>	<i>07</i>				<i>31</i>		11
12	<i>03</i>		<i>02</i>				<i>01</i>	<i>54</i>				<i>19</i>		12
13	<i>50</i>			<i>30</i>			<i>10</i>				<i>10</i>	<i>42</i>		13
14	<i>25</i>		<i>50</i>							<i>02</i>		<i>30</i>		14
15	<i>05</i>		<i>07</i>		<i>15</i>					<i>07</i>		<i>10</i>		15
16	<i>05</i>		<i>27</i>		<i>01</i>					<i>07</i>	<i>12</i>	<i>09</i>		16
17	<i>04</i>			<i>11</i>	<i>09</i>				<i>11</i>			<i>24</i>		17
18	<i>06</i>		<i>22</i>	<i>17</i>					<i>08</i>			<i>33</i>		18
19			<i>23</i>			<i>03</i>		<i>02</i>	<i>18</i>			<i>10</i>		19
20			<i>17</i>	<i>23</i>			<i>03</i>		<i>01</i>	<i>01</i>				20
21			<i>04</i>	<i>07</i>		<i>06</i>		<i>05</i>		<i>26</i>		<i>03</i>		21
22			<i>04</i>				<i>15</i>	<i>21</i>	<i>20</i>			<i>29</i>		22
23		<i>02</i>	<i>01</i>	<i>26</i>		<i>23</i>		<i>15</i>	<i>10</i>	<i>01</i>	<i>03</i>	<i>03</i>		23
24		<i>03</i>	<i>07</i>	<i>13</i>		<i>02</i>			<i>09</i>	<i>02</i>				24
25	<i>55</i>			<i>28</i>						<i>24</i>		<i>75</i>		25
26	<i>02</i>		<i>07</i>	<i>11</i>		<i>10</i>			<i>19</i>		<i>03</i>	<i>12</i>		26
27						<i>19</i>						<i>50</i>		27
28				<i>03</i>		<i>42</i>	<i>01</i>	<i>48</i>	<i>08</i>	<i>05</i>		<i>58</i>		28
29							<i>03</i>	<i>13</i>	<i>60</i>	<i>01</i>	<i>02</i>	<i>03</i>		29
30	<i>05</i>	<i>x</i>			<i>44</i>				<i>08</i>	<i>02</i>		<i>42</i>		30
31		<i>x</i>		<i>x</i>		<i>x</i>		<i>05</i>	<i>x</i>		<i>x</i>	<i>03</i>		31
TOTAL	<i>318</i>	<i>08</i>	<i>323</i>	<i>233</i>	<i>145</i>	<i>106</i>	<i>71</i>	<i>315</i>	<i>279</i>	<i>180</i>	<i>161</i>	<i>898</i>	<i>3037</i>	
* Days with .01 in. or more.	<i>19</i>	<i>3</i>	<i>19</i>	<i>13</i>	<i>8</i>	<i>7</i>	<i>7</i>	<i>17</i>	<i>15</i>	<i>17</i>	<i>13</i>	<i>29</i>	<i>167</i>	
* Days with .04 in. or more.	<i>15</i>	<i>0</i>	<i>16</i>	<i>11</i>	<i>7</i>	<i>5</i>	<i>3</i>	<i>14</i>	<i>13</i>	<i>10</i>	<i>8</i>	<i>24</i>	<i>126</i>	

† Spare column, no entries required.

40-9999

* See Instruction 2 (f) on other side.

(Signed) *Louis James*

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 1626/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Rosecroft, Hurminster, Newton*in the County of *Dorset*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....*1*.....ft.....in.,, Ground ,, Sea Level *22.5*.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>01</i>		<i>2.9</i>			<i>0.7</i>	<i>1.0</i>		<i>3.0</i>	<i>3.9</i>	<i>1.2</i>	<i>2.6</i>		1
2						<i>0.5</i>			<i>0.1</i>	<i>2.2</i>	<i>0.5</i>	<i>0.5</i>		2
3		<i>0.5</i>	<i>0.9</i>	<i>0.1</i>		<i>1.7</i>			<i>2.4</i>	<i>1.5</i>	<i>2.8</i>			3
4	<i>0.2</i>	<i>2.4</i>		<i>1.4</i>	<i>0.3</i>	<i>2.4</i>			<i>0.8</i>	<i>0.2</i>	<i>3.6</i>	<i>3.5</i>		4
5		<i>4.5</i>	<i>0.8</i>	<i>2.2</i>		<i>1.5</i>			<i>2.8</i>	<i>0.5</i>	<i>0.5</i>	<i>0.5</i>		5
6		<i>0.3</i>		<i>2.5</i>		<i>1.24</i>					<i>0.6</i>	<i>0.9</i>		6
7				<i>2.4</i>		<i>0.3</i>				<i>1.0</i>	<i>1.3</i>	<i>1.1</i>		7
8				<i>3.0</i>			<i>0.1</i>		<i>0.3</i>	<i>2.0</i>	<i>2.3</i>	<i>1.2</i>		8
9	<i>0.4</i>			<i>6.7</i>		<i>1.5</i>			<i>0.7</i>	<i>6.9</i>	<i>8.4</i>			9
10	<i>0.8</i>		<i>S.R.</i> <i>2.4</i>	<i>2.9</i>		<i>0.3</i>								10
11	<i>7.6</i>					<i>2.9</i>				<i>R.H.</i> <i>0.6</i>	<i>6.2</i>			11
12	<i>1.1</i>	<i>0.9</i>				<i>1.9</i>			<i>0.3</i>		<i>2.2</i>			12
13	<i>1.1</i>	<i>1.3</i>		<i>2.2</i>	<i>0.2</i>	<i>1.0</i>			<i>0.1</i>		<i>0.5</i>			13
14		<i>0.3</i>		<i>3.5</i>	<i>0.4</i>	<i>1.2</i>			<i>0.5</i>	<i>0.2</i>	<i>8.6</i>	<i>2.1</i>		14
15		<i>1.2</i>		<i>6.1</i>	<i>S.R.</i> <i>2.7</i>	<i>0.4</i>			<i>1.8</i>		<i>5.0</i>	<i>0.6</i>		15
16		<i>0.7</i>	<i>0.3</i>	<i>R.H.</i> <i>1.8</i>		<i>4.0</i>			<i>6.4</i>		<i>1.30</i>			16
17			<i>0.2</i>	<i>R.H.</i> <i>0.9</i>	<i>1.7</i>	<i>2.5</i>		<i>2.1</i>	<i>0.6</i>		<i>2.4</i>			17
18		<i>0.2</i>		<i>2.0</i>	<i>0.2</i>	<i>0.7</i>	<i>1.4</i>	<i>0.2</i>	<i>2.2</i>	<i>0.3</i>		<i>0.1</i>		18
19		<i>0.1</i>		<i>0.1</i>	<i>4.5</i>	<i>1.1</i>	<i>1.4</i>		<i>0.5</i>	<i>0.5</i>	<i>1.7</i>	<i>0.1</i>		19
20		<i>3.2</i>		<i>1.8</i>	<i>0.3</i>	<i>0.4</i>	<i>0.4</i>				<i>3.4</i>			20
21		<i>5.4</i>	<i>0.2</i>	<i>1.4</i>			<i>0.2</i>		<i>0.5</i>	<i>0.3</i>				21
22		<i>1.0</i>	<i>0.8</i>	<i>0.5</i>				<i>1.1</i>	<i>0.4</i>					22
23		<i>0.1</i>	<i>1.5</i>		<i>0.5</i>			<i>1.7</i>	<i>0.6</i>	<i>6.8</i>		<i>1.4</i>		23
24	<i>0.4</i>	<i>5.3</i>	<i>0.1</i>		<i>0.9</i>			<i>7.9</i>	<i>2.5</i>	<i>0.8</i>		<i>3.4</i>		24
25	<i>2.0</i>	<i>S.R.</i> <i>0.8</i>		<i>1.1</i>								<i>4.6</i>		25
26		<i>6.5</i>				<i>0.2</i>		<i>3.5</i>	<i>0.5</i>		<i>0.2</i>	<i>8.5</i>		26
27		<i>2.4</i>						<i>0.2</i>	<i>0.5</i>		<i>1.0</i>	<i>8.5</i>		27
28		<i>0.8</i>			<i>0.1</i>			<i>0.9</i>	<i>1.0</i>		<i>0.5</i>	<i>0.6</i>		28
29					<i>0.2</i>			<i>0.2</i>	<i>1.4</i>	<i>0.3</i>		<i>6.1</i>		29
30	<i>0.3</i>	~~<i>0.1</i>~~		<i>0.8</i>				<i>6.7</i>		<i>2.7</i>	<i>7.2</i>	<i>5.2</i>		30
31		~~<i>0.1</i>~~		~~<i>0.1</i>~~		~~<i>0.1</i>~~		<i>0.3</i>	~~<i>0.1</i>~~	<i>1.31</i>	~~<i>0.1</i>~~	<i>2.9</i>		31
TOTAL	<i>80</i>	<i>3.79</i>	<i>1.01</i>	<i>4.40</i>	<i>1.20</i>	<i>3.76</i>	<i>4.5</i>	<i>2.48</i>	<i>2.99</i>	<i>5.38</i>	<i>7.51</i>	<i>5.44</i>	<i>39.21</i>	Year's Total
* Days with .01 in. or more.	<i>10</i>	<i>20</i>	<i>10</i>	<i>20</i>	<i>12</i>	<i>20</i>	<i>6</i>	<i>11</i>	<i>23</i>	<i>18</i>	<i>22</i>	<i>20</i>	<i>192</i>	
* Days with .04 in. or more.	<i>7</i>	<i>15</i>	<i>6</i>	<i>18</i>	<i>6</i>	<i>17</i>	<i>4</i>	<i>7</i>	<i>19</i>	<i>13</i>	<i>21</i>	<i>18</i>	<i>151</i>	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) *L. Dawes*

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1626/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Rosecroft, Hurminster Newton

in the County of Dorset

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level 22.5.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	28	08	09	13		50	22				04	05		1
2	05			05		05	72	05			04			2
3				37			02	03	38		64			3
4			24			26			40		11	05		4
5	64		09		10				36			14		5
6	08					02			25		49			6
7	06		12				53				41	03		7
8	44		56				15				14	03		8
9	68		27				38		19		03			9
10	09	S.H.R. 10					21		03		03			10
11	22	S.H.R. 04				02	07		03		71			11
12				08		38	27	01	10		19			12
13	06			02		04	07			03	12	97		13
14		03				02	55		05	06		73		14
15	02	05					04		08		02	37		15
16	04	18		02	14		05		01		08	04		16
17	01	127			08		39			04	14	45		17
18	18	10				93	47			04		29		18
19	50	06	02	05		34	01	03						19
20	09	23	21	09		26			113					20
21		17	14	42		07			02					21
22	15	41	76				15			01		01		22
23	17	03	25	13	15		19			15				23
24	11	03			10				07	36				24
25	11		32	09			21		06	14	04			25
26	26	15	34	02		05				07				26
27	50	18	13				18		13	18		01		27
28	01	05	59				24				01	21		28
29	02	04	06			01	07			09	04	02		29
30	11					05				21				30
31	19		46				24			20		42		31
TOTAL	597	320	465	147	57	300	543	12	329	158	328	382	3638	Year's Total
* Days with .01 in. or more.	26	18	17	12	5	15	23	4	16	13	18	16	183	
* Days with .04 in. or more.	23	15	16	9	5	11	21	1	12	11	14	11	149	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

L. Dawes

[P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 1626/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Rosecroft, Bath Road, Murrumbidgee

in the County of Dorset

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft.....in.

,, Ground ,, Sea Level...22.5.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	23	02		17					05	02	09	103		1
2	01	46	06 ^S	05					09			37		2
3	02	24		03			02							3
4	18	81		02				02				38		4
5	32		20				29				02			5
6	20	26	21 ^{S.R.}	10	08		29			06				6
7		42		10			01		01	03		95		7
8		06			26						47	21		8
9		04	06 ^S	19	12		08		74					9
10	04	05	86 ^{S.R.}	11	02	32 ^S	04	13				27		10
11	01		19	06	45	01	35					01		11
12	48	29	25			27	01	69 ^S	31			53		12
13	08	02	55	13		01		10	06			05		13
14	03	01	21 ^{S.R.}	01				08	03			05		14
15	29	09	04	20			271 ^S		14			10 ^{S.R.}		15
16	09	07	87	18			02	42	86		02			16
17	38	08	60						56		30			17
18	11	07							24		17	20		18
19	05	08	06	76	02	06			02			14		19
20	71	02	15	15								15		20
21	32	40	17 ^{S.R.}	07	15		03				25	06		21
22	30	01	08 ^S		46	27	29		01	100	40	08		22
23	28	16	01 ^S		12					53	03	01		23
24	72	52	03				02		06	99		04		24
25	28	34	28		39				02	42		07		25
26		37	04 ^S		69					07		03		26
27		30 ^{S.R.}		06						54				27
28	30 ^S	10 ^S								18				28
29	03 ^S					02				32	09			29
30	52	×				01					25			30
31	20	×		×		×			×	84	×			31
TOTAL	678	529	492	179	276	97	416	144	320	520	209	473	4333	✓
* Days with .01 in. or more.	26	26	20	17	11	8	13	6	15	12	11	20	185	✓
* Days with .04 in. or more.	21	21	18	14	9	4	7	5	10	10	8	17	144	✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

L. Davies

[P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 1626/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Rosecroft, Hurminster Newton

in the County of Dorset

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1.....ft.....in.

,, Ground ,, Sea Level...22.5.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		02				17				58		09		1
2	03			02						17	05	15		2
3					18		03			50	04			3
4	01						32	65 ^{T.S.}		03		16		4
5							10	04		15	01			5
6	03					04	33		06	07	04	07		6
7	12					02	75	05 ^{T.S.}	26	76	02	05		7
8	18					10	12	09		25	04	03		8
9	14	09				06	02	07				86		9
10	10					07 ^{R.H.}	03	04			03	52		10
11	16										27	50		11
12	26	05			12		04			22	07	01		12
13	30									01	36	55		13
14	71				04		28					01		14
15	15				04		59			20	05	35		15
16	25				01			02			05	03		16
17		12 ^{S.R.}	02						06	75	02	01		17
18	17					09			27	01	40			18
19	02								16		59			19
20								04 ^{T.S.}			47			20
21	01							04 ^{T.S.}	05		11	07 ^{S.}		21
22				04		01		43			26	04 ^{S.}		22
23					03				06		07			23
24			18					10	18		18			24
25	12	17	02		25		12			03	135	08 ^{S.}		25
26	20	42			22				02	06		27 ^{S.R.}		26
27	06	03			06	20	65	05		09	30			27
28	10	08			53	18		65	04			04		28
29	01				23				13	12	26	08		29
30	03	~~X~~			24	08			50	02	20	14		30
31	23	~~X~~		~~X~~	20	~~X~~			~~X~~	27	~~X~~	23		31
TOTAL	339	98	22	06	215	102	338	227	179	309	524	434	2793	✓
* Days with .01 in. or more.	23	8	3	2	13	11	13	13	12	19	24	23	164	✓
* Days with .04 in. or more.	16	6	1	1	11	9	10	12	11	14	20	18	129	✓
													Year's Total	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) L. Dawes [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1626/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at STURMINSTER NEWTON

in the County of DORSET

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 225 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			10	13	08		05	13	05		10	04		1
2				12	03		02	46	58		25	15		2
3	39		01	32				11			18	28		3
4			39	18	09		30	35		34	11	17		4
5		02	02	15	26		20	03		37	67	11		5
6	26		03				70	03		01	70			6
7		31					01	05		04	63	38		7
8		20	15				10	19		33	27	20		8
9	05	05	03					02		16	09	16		9
10	18		04					25	08	10	01	04		10
11			16							31				11
12			01			06				01	04			12
13				06		03	41		04	1.15	03			13
14	74			10	03	01	20			17	27	02		14
15	50				09	84	11			14	35			15
16	22	01		11	03	08	15				22			16
17	34	01			02	01	15			10	09			17
18	23		04			15	55				30			18
19	24	02					08	25			01	10		19
20	35					09	64	1.83						20
21	12	25	10		01	12	62	03						21
22	47	43	08			18	18				18			22
23				13		02	10				75			23
24	60		08	09		60	19							24
25	95	08	01				24			12	40			25
26		04		02				06		06	27	02		26
27		30	08	04						08	14			27
28		12	04	08		05	49				37			28
29				06			23			09	07			29
30		X		38		07		02		07	06	30		30
31		X		X		X	03	03	X	98	X			31
TOTAL	5.64	1.84	1.37	1.97	.64	2.31	5.75	3.84	.75	4.63	6.56	1.97	37.27	✓
* Days with .01 in. or more.	15	13	17	15	9	14	23	16	4	19	26	13	184	✓
* Days with .04 in. or more.	15	9	11	14	4	10	20	10	4	17	23	11	148	✓

Year's Total

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. Lawrence

[P. 10.]

Section

A

for the entry of Daily Observations

Station No. 1626/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at STURMINSTER NEWTON

in the County of DORSET

Diameter of Funnel of Gauge. 2 1/2 in.

Height of top of Gauge above Ground. 1 ft. 6 in.

Ground Sea Level 22.5 Sea ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		.03			.16						.06			1
2		.19		.06						.20	.26			2
3		.53									1.10	.20		3
4	.06	.10					.12				.10			4
5							.04			.15		.23		5
6	.20	.40					.06			.30	.65	.36		6
7		.23					.02			.09				7
8	.05								.03	.49	.23	.27		8
9							.16		.04	.03	.57	.27		9
10							.96	.03		.21	.17	.25		10
11							.16		.03		.45			11
12			.12				.25			.07	.06			12
13			.60				.05		.15	.14	1.20	.08		13
14					.45		.09		.23	.74		.92		14
15		.05	.04		.53	.03	.61		.12	.32	.67			15
16		.90	.49				.05		.23	.76	.79	.06		16
17			.59								.64	.08		17
18		.33	.23	.41			.11			.16	.06			18
19		.05	.17	.18			.03		.40		.20			19
20			.03					.10	.08	.66	.04			20
21		.01			.45		.20				.69			21
22			.07	.10		.35			.15	.16				22
23		.09	.20	.09								.02		23
24			.02			.03	.22				.02			24
25	.05		.06											25
26	1.06	.45		.04	.11						.01			26
27	.53	.20		.18	.25		.07							27
28	.42	.34		.05						.03				28
29			.07	.40		.03								29
30	.71	~~X~~	.04	.16						.26		.40		30
31		~~X~~		~~X~~		~~X~~			~~X~~	.80	~~X~~	.15		31
TOTAL	3.08	3.90	2.73	1.67	1.95	.44	3.20	.13	1.46	5.57	7.97	3.29	Year's Total 35.39	✓
* Days with .01 in. or more.	8	15	14	10	6	4	17	2	10	18	20	13	137	✓
* Days with .04 in. or more.	8	13	12	10	6	1	15	1	8	16	18	12	120	✓

† Spare column, no entries required.

(Signed)

J. Jones

[P.T.O.]

* See Instruction 3 (f) on other side.

Section **A** for the entry
AIR MINIST
FORM 1090. **REGIS**
Kept at *West Lodge*
in the County of *8*
Diameter of Funnel of Gauge
Height of top of Gauge above Grou
Ground Sea

1626/7
WIERNE MINISTER
WEST LODGE
1934-40
780305

Station No. *1626/7*
INFALL ORGANIZATION.
934 *V/Dover*
to separate 1090 No 1617 for
1617 *1019/26*
Range of address

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following
.04

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03.							.84.	.41.	.05.	.09.	.69.		1
2	.24.		.08.						<u>1.01.</u>	.02.		.30.		2
3	.07.								.01.	.39.		.84.		3
4	.09.		.18.	.05.	.31.			.11.		.10.	.03.	.48.		4
5			.02.		.07.			<u>1.02.</u>		.15.		.58.		5
6	.10.		.46.		.22.			.02.		<u>.40.</u>	.12.	.66.		6
7	.07.							.16.		.07.	.01.	.76.		7
8					.30.				.07.		.50.	.23.		8
9	.07.	.03.	.30.								<u>.73.</u>	.46.		9
10	.25.		.27.	.36.				.08.			.17.	.10.		10
11	<u>.68.</u>		<u>.61.</u>	.34.			.23.	.03.				.47.		11
12		.03.	.03.				.10.	.25.				.32.		12
13	.47.			.30.							.08.	.76.		13
14	.07.		.48.	.01.						.04.	.03.	.57.		14
15	.05.		.02.		.09.	.02.				.07.	.14.	.17.		15
16	.19.		.38.								.04.	.05.		16
17	.10.			.15.	.10.		.02.		.09.	.10.		.40.		17
18	.21.		.23.	.21.					.02.			.23.		18
19			.28.	.02.		.04.		.04.	.23.			.13.		19
20			.07.	.27.			.13.		.25.	.03.				20
21			.04.	.05.		.14.		.03.		.29.		.02.		21
22			.04.				<u>1.65.</u>	.19.	.30.			.21.		22
23				.31.		.27.		.03.	} .25			.04.		23
24		.08.	.08.	.12.		.09.				.03.				24
25	.34.	.02.		.31.		.05.	.02.			.22.	.01.	<u>1.08.</u>		25
26	.01.			.16.		.15.			.23.		.07.	.13.		26
27						<u>.43.</u>						.92.		27
28				.01.		.17.	.01.	.55.	.07.	.07.		.67.		28
29		X						.18.	.58.	.04.	.02.	.06.		29
30	.03.	X					.06.		.40.	.04.	.03.	.41.		30
31		X		X		X		.02.	X		X	.03.		31
TOTAL	(3.01)	.16	3.57	2.67	1.09	1.36	2.22	3.55	3.62	2.11	2.07	11.27	Year's Total	(36.70)
*Days with .01 in. or more.	18(18)	4	17.	15.	6.	9.	8.	15.	15.	17.	15.	24.		168
*Days with .04 in. or more.	15(15)	1	14.	12.	6.	8.	5.	10.	13.	14.	9.	27.		134

Section **A** for the entry of Daily Observations.

Station No. 1626/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at West Lodge, Lyme Minister
in the County of Dorset.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 3/4 in.
Ground Sea Level 600 ft.

Jan 1st to Feb 4th 1934 copied on to separate 1090 No 1617. Jan 1617.
Station No. 1617.
File No. 675019/26
But Note Change of address.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

04

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03.							84.	41.	05.	09.	69.		1
2	24.		08.						1.01.	02.		30.		2
3	07.								01.	39.		184.		3
4	09.		18.	05.	31.			11.		10.	03.	48.		4
5			02.		07.			1.02.		15.		58.		5
6	10.		46.		22.			02.		40.	12.	66.		6
7	07.							16.		07.	01.	76.		7
8					30.				07.		50.	23.		8
9	07.	03.	30.								73.	46.		9
10	25.		27.	36.				08.			17.	10.		10
11	68.		61.	34.			23.	03.				47.		11
12		03.	03.				10.	25.				32.		12
13	47.			30.							08.	76.		13
14	07.		48.	01.						04.	03.	57.		14
15	05.		02.		09.	02.				07.	14.	17.		15
16	19.		38.								04.	05.		16
17	10.			15.	10.		02.		09.	10.		40.		17
18	21.		23.	21.					02.			23.		18
19			28.	02.		04.		04.	23.			13.		19
20			07.	27.			13.		25.	03.				20
21			04.	05.		14.		03.		29.		02.		21
22			04.				1.65.	19.	30.			21.		22
23				31.		27.		03.	25.			04.		23
24		08.	08.	12.		09.				03.				24
25	34.	02.		31.		05.	02.			22.	01.	1.08.		25
26	01.			16.		15.			23.		07.	13.		26
27						43.						92.		27
28				01.		17.	01.	55.	07.	07.		67.		28
29		X						18.	58.	04.	02.	06.		29
30	03.	X					06.		10.	04.	03.	41.		30
31		X		X		X		02.	X		X	03.		31
TOTAL	(3.01) 3.07	0.16 0.16	3.57	2.67	1.09	1.36	2.22	3.55	3.62	2.11	2.07	11.27	Year's Total	(36.70) 36.70
*Days with or in. or more.	18(18)	4	17.	15.	6.	9.	8.	15.	15.	17.	15.	24.		168
*Days with .04 in. or more.	15(15)	1	14.	12.	6.	8.	5.	10.	13.	14.	9.	27.		134

Section

A

for the entry of Daily Observations.

Station No. 1626/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at West Lodge, Wrotham, Wiltshire.

in the County of Dorset.

File No. 675019/26.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 3/4 in.

,, Ground ,, Sea Level 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.04.	.	.26.	.	.03.	.11.	.38.	.	.18.	.19.	.20.	.13.		1
2	.	.03.	.	.	.	.12.	.	.	.	.44.	.12.	.04.		2
3	.	.18.	.12.	.02.	.	.13.	.	.	.20.	1.00.	.	.		3
4	.01.	.23.	.	.13.	.	.04.	.	.	.08.	.02.	.50.	.27.		4
5	.04.	.47.	.12.	.15.	.	.20.	.	.	.29.	.02.	.01.	.04.		5
6	.	.04.	.	.37.	.	1.60.	.	.	.	.	.08.	.05.		6
7	.	.	.	.34.	.	.04.	.	.	.	.14.	.16.	.15.		7
8	.	.	.	.35.	.	.	.	.	.04.	.16.	.34.	.03.		8
9	.12.	.	.	.69.	.	.25.	.	.	.06.	.95.	.80.	.		9
10	.04.	.	.25.	.24.	.	.02.	.	.	.	.	.03.	.07.		10
11	.21.	.	.	.	.	.24.	.	.	.	.03.	.72.	.		11
12	.06.	.13.	.	.	.	.28.	.	.	.08.	.	.27.	.		12
13	.10.	.16.	.	.26.	.04.	.19.	.	.	.03.	.	.06.	.		13
14	.01.	.04.	.	.22.	.04.	.06.	.	.	.14.	.02.	.79.	.24.		14
15	.	.19.	.	.76.	.28.	.19.	.	.	.19.	.	.49.	.17.		15
16	.	.09.	.11.	.23.	.	.51.	.	.	.80.	.03.	1.50.	.		16
17	.	.	.05.	.10.	.09.	.29.	.	.20.	.08.	.01.	.20.	.		17
18	.	.05.	.	.26.	.	.02.	.10.	.	.32.	.03.	.	.		18
19	.	.05.	.	.02.	.39.	.17.	.21.	.	.06.	.06.	.25.	.		19
20	.	.59.	.	.16.	.06.	.04.	.14.	.	.02.	.	.62.	.		20
21	.	.63.	.03.	.22.	.	.01.	.03.	.02.	.02.	.03.	.	.02.		21
22	.	.12.	.17.	.13.	.	.	.	.14.	.	.	.01.	.		22
23	.	.03.	.16.	.	.	.	.	.22.	.05.	.75.	.	.21.		23
24	.04.	.53.	.03.	.	.13.	.	.	.82.	.45.	.07.	.	.12.		24
25	.14.	.22.	.	.12.	.03.	.15.	.	.	.	.	.	1.06.		25
26	.	.56.	.	.	.	.05.	.	.40.	.07.	.	.05.	1.03.		26
27	.	.13.	.	.	.	.	.02.	.02.	.11.	.04.	.10.	.77.		27
28	.	.12.	.	.	.03.	.	.	.17.	.15.	.01.	.	.07.		28
29	.	X	.	.	.05.	.	.	.06.	.19.	.	.	.67.		29
30	.03.	X	.	.11.	.	.02.	.	.73.	.02.	.61.	.77.	.76.		30
31	.	X	.	X	.02.	X	.	.	X	1.08.	X	.45.		31
TOTAL	0.84.	4.59.	1.30.	4.88.	1.19.	4.73.	0.88.	2.78.	3.63.	5.49.	8.07.	6.35.	44.73.	
* Days with .01 in. or more.	12.	21.	10.	20.	12.	23.	6.	10.	23.	21.	22.	20.	200.	
* Days with .04 in. or more.	9.	19.	8.	18.	8.	19.	4.	8.	19.	12.	19.	18.	161.	

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No.

1626/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at *West Lodge, Huron Minister*in the County of *Dorset*

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground....1 ft. 0 3/4 in.

,, Ground ,, Sea Level 600 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

0.22.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.18	.11	.02	.31	-	.55	.23	.	.02	.	.04	.04		1
2	.05	.	.	.07	-	.13	.49	.05	.	.	.07	~~.01~~		2
3	.	.	.	.41	-	.01	.02	.08	.77	.	.48	~~.01~~		3
4	.02	.	.23	.	.	.08	.01	.	.50	.	.07	~~.03~~		4
5	.39	.	.05	.	.06	.	.	.	.43	.	.	.12		5
6	.11	.	.03	.	.	.03	.03	.05	.39	.	.56	.		6
7	.08	.	.20	.	.	.	.43	.	.	.	.34	.		7
8	.59	.	.62	.	.	.	.13	.	.	.	.12	.10		8
9	.53	.	.30	.	.	.	.18	.	.27	.02	.03	.		9
10	.15	.15	.	.	.	.	.35	.	.04	.	.05	.		10
11	.19	.10	.	.	.	.08	.05	.	.25	.	.88	.		11
12	.	.	.	<i>Snow</i> .06	.01	.30	.38	.	.14	.	.22	.		12
13	.	.	.	.04	.	.07	.12	.	.	.05	.15	<u>1.25</u>		13
14	.04	.	.	.	.	.03	.54	.	.03	.08	.02	.81		14
15	.01	.	.	.	.	.	.03	.03	.07	.	.02	.48		15
16	.	.31	.	.	.21	.	.10	.	.01	.	.06	.06		16
17	.	<u>1.24</u>	.	.	.02	.	.35	.	.	.04	.19	.51		17
18	<i>Snow</i> .13	.18	.	.	.	.15	.51	.	.	.05	.	.40		18
19	.70	.07	.02	.13	.	.09	.	.06	.	.	.	.		19
20	.10	.26	.07	.15	.	.11	.01	.01	.95	.	.	.02		20
21	.	.23	.04	.47	.	.07	.01	.	.05	.	.	.		21
22	<i>Snow</i> .14	.38	.54	~~.14~~	.	.	.39	.	.	.04	.	.		22
23	.09	.02	.17	.14	.08	.	.30	.	.01	.10	.	.		23
24	.21	.05	.02	~~.14~~	.20	.	.01	.	.02	.31	.	.		24
25	.12	.14	.34	~~.19~~	.	.	.21	.	.07	.16	.	.		25
26	.29	.	.21	.02	.	.22	.02	.	.	.07	.04	.		26
27	.46	.13	.23	.	.	.	.32	.	.09	.25	.	.05		27
28	.95	.	.82	.	.	.	.36	.	.	.	.	.43		28
29	.01	.07	.08	.	.	.05	.03	.	.	.08	.06	.08		29
30	.15	~~.15~~	.	.	.02	.13	.01	.	.	.16	.	.06		30
31	.14	~~.14~~	.49	~~.14~~	.	~~.14~~	.30	.	~~.14~~	.40	~~.14~~	.43		31
TOTAL	5.83	3.44	4.48	1.99	0.60	2.10	5.92	0.28	4.11	1.81	3.41	4.88	38.85	✓
* Days with .01 in. or more.	25	15	19	11	7	16	29	6	18	14	18	17	195	✓
* Days with .04 in. or more.	22	14	15	10	4	13	19	4	13	13	15	14	156	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

H. J. Woodhouse

P.T.O.

Section **A** for the entry of Daily Observations.Station No. 16267

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.Kept at West Lodge, Warringtonin the County of DorsetDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft 0 3/4 in.Ground Sea Level 600 ft.File no. 675019/26**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.22.	.03.	.	.20.	.	.	.	.	.08.	.02.	.15.	<u>1.21.</u>		1
2	.05.	.62.	.	.13.	.	.	.	.	.13.	.	.	.12.		2
3	.04.	.40.	.09.	.05.	.	.	.04.	.	.	.	.	.		3
4	.21.	.84.	.	.	.01.	.	.	.03.	.	.	.	.30.		4
5	.05.	.01.	.05.	.	.	.	.32.	.	.	.	.	.		5
6	.44.	.41.	<u>Snow</u> .27.	.16.	.08.	.	.37.	.	.	.06.	.01.	.		6
7	.	.48.	.03.	.17.	.01.	.02.	.	.	.04.	.06.	.	<u>Snow</u> .54.		7
8	.	.04.	.	.	.37.	.02.	.01.	.	.	.	.23.	<u>Snow</u> .09.		8
9	.	.04.	.	.25.	.24.	.62.	.23.	.	.72.	.	.	<u>Snow</u> .12.		9
10	.03.	.01.	.98.	.15.	.15.	.47.	.11.	.13.	.	.	.	.25.		10
11	.04.	.	.08.	.	.27.	.	.33.	.37.	.	.	.	.		11
12	.61.	.27.	.19.	.04.	.03.	.23.	.01.	.20.	.28.	.	.	.49.		12
13	.19.	.03.	.78.	.11.	.02.	.05.	.	.03.	.18.	.	.	.09.		13
14	.01.	.01.	.30.	.	.	.	.	.	.03.	.	.	.01.		14
15	.34.	.15.	.18.	.25.	.	.	.79.	.	.08.	.	.	.09.		15
16	.04.	.08.	.92.	.16.	.	.01.	.	.40.	<u>1.40.</u>	.	.05.	.		16
17	<u>1.14.</u>	.08.	.61.	.	.	.	.10.	.	.53.	.	.26.	.		17
18	.19.	.05.	.	.	.	.	.02.	.	.	.	.08.	.27.		18
19	.10.	.09.	.10.	.23.	.03.	.03.	.	.	.33.	.	.	.14.		19
20	.71.	.08.	.15.	.22.	.	.	.	.	.	.	.01.	.18.		20
21	.62.	.35.	.12.	.11.	.21.	.	.08.	.	.02.	.	.18.	.07.		21
22	.39.	.01.	.11.	.	.61.	.09.	.28.	.	.08.	<u>1.53.</u>	.39.	.14.		22
23	.36.	.22.	.	.	.15.	.	.	.	.	.64.	.05.	.02.		23
24	.65.	.24.	.	.	.	.	.	.	.09.	<u>1.20.</u>	.	.		24
25	.46.	.75.	.25.	.	.47.	.	.	.	.03.	.40.	.	.13.		25
26	.	.40.	.03.	.	.41.	.	.	.	.	.07.	.	.02.		26
27	.02.	.60.	.	.12.	.	.	.	.	.	.66.	.	.01.		27
28	<u>Snow</u> .24.	.04.	.	.	.	.	.	.	.	.15.	.	.		28
29	.	X	.	.	.	.02.	.	.	.	.80.	.	.		29
30	.69.	X	.	.	.	.03.	.	.	.	.	.36.	.		30
31	.24.	X	.	X	.	X	.	.	X	.73.	X	.		31
TOTAL	8.08.	6.33	5.24	2.35	3.06	0.99	2.69	1.16	4.02	6.32	1.77	4.29	46.30	✓
* Days with .01 in. or more.	26.	27.	18.	15.	15.	11.	13.	6.	15.	12.	11.	20	189	✓
* Days with .04 in. or more.	23.	21.	16.	15.	10.	4.	9.	5.	12.	11.	9.	16	154	✓

Year's Total

Section

A

for the entry of Daily Observations

Station No. 1626/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at West Lodge, Lyme Ministerin the County of DorsetDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground....1 ft. 0 3/4 in.,, Ground ,, Sea Level 600 ft.

File No. 675019/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.07	-	-	-	.23	.01	-	-	.56	-	.07		1
2	.02	.01	-	.03	-	-	.04	-	-	.17	.03	.12		2
3	-	-	-	-	.18	-	.03	-	-	.54	.06	-		3
4	-	-	-	-	-	.04	.35	.90	-	.03	-	.26		4
5	-	-	-	-	-	-	.11	.03	-	.14	-	.01		5
6	.03	-	-	-	-	.04	.33	-	.19	.09	.06	.04		6
7	.04	-	-	-	-	.02	.66	.24	.13	.19	.02	.06		7
8	.25	-	-	-	-	.04	.17	.06	-	.33	-	.09		8
9	.15	.08	-	-	-	.02	.02	.02	-	.01	-	1.03		9
10	.08	-	-	-	-	.09	.03	.26	-	-	.03	.44		10
11	.16	-	-	-	-	-	.01	-	-	-	.40	.38		11
12	.30	-	-	-	.15	-	.05	.01	-	.28	.07	.04		12
13	.20	-	-	-	-	-	.02	-	-	.02	.39	.69		13
14	.81	-	-	-	.05	-	.26	-	-	-	-	.01		14
15	.19	-	-	-	.10	-	.85	-	-	.27	.06	.48		15
16	.22	.02	.02	-	.03	-	-	.04	-	.01	.09	.07		16
17	-	.14	-	-	.02	-	-	-	.10	.15	.04	-		17
18	.18	-	-	-	.10	.04	-	.01	.21	.02	.52	-		18
19	-	-	-	-	-	-	-	.04	.27	-	.63	-		19
20	.03	-	-	-	-	-	-	.10	.01	.02	.83	-		20
21	-	-	-	-	-	-	-	.01	.08	.01	.07	.20	Shaw	21
22	.01	-	-	-	-	.02	-	.40	-	-	.37	.06	Shaw	22
23	.01	-	-	.01	.02	.02	-	-	.28	-	.05	-		23
24	-	-	.16	-	-	-	-	.04	.17	-	.17	-		24
25	.74	.24	.08	.01	.26	-	.08	.01	-	-	1.22	.09	Shaw	25
26	.26	.43	-	-	.32	.04	-	-	.04	.08	.01	.32		26
27	.08	.02	-	-	.03	.21	.67	.05	.01	.02	.44	-		27
28	.09	.10	-	-	.69	.16	-	.58	.13	-	-	.06		28
29	.04	-	-	-	.32	-	-	-	.38	.16	.28	.09		29
30	.05	X	-	-	.27	.06	.01	-	.65	.02	.26	.18		30
31	.20	X	-	X	.22	X	-	-	X	.31	X	.12		31
TOTAL	3.54	1.11	0.23	0.05	2.76	1.03	3.70	2.80	2.65	3.43	6.10	4.91	Year's Total	32.31
* Days with .01 in. or more.	23	9	3	3	15	14	18	17	14	22	23	23		184
* Days with .04 in. or more.	18	6	2	0	11	10	11	11	12	13	19	21		134

† Spare column, no entries required

(Signed)

* See Instruction 3 (f) on other side.

P.T.O.

Section



for the entry of Daily Observations

Station No.

1626/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *West Lodge, Wrentham*in the County of *Dorset*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *0 3/4* in.Ground Sea Level *600* ft.

File no. 675019/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	.17	.17	.08	.	.07	.14	.07	.	.03	.13		1
2	-	-	.01	.17	.	.	.03	.47	<u>1.27</u>	.	.20	.10		2
3	.55	.	.03	.54	.	.	.	.12	.	.	.23	.30		3
4	.02	.	.49	.16	.16	.	.39	.35	.	.28	.18	.14		4
5	-	.02	.02	.21	.25	.	.27	.13	.	.27	.84	.14		5
6	.70	-	.09	.	.	.	.95	.14	.	.	.58	.		6
7	.02	.43	-	.	.	.04	.	.02	.	.02	.79	.60		7
8	-	.29	.19	.	.	.	.12	.23	.	.50	.52	.26		8
9	.03	.08	.04	.	.	.	.	.06	.08	.20	.02	.32		9
10	.34	.01	.07	.	.	.	.	.26	.	.33	.02	.02		10
11	-	-	.24	.	.	.	.	.	.	.21	.02	.04		11
12	-	-	.02	.02	.	.03	.	.	.	<u>1.23</u>	.09	.		12
13	.01	.	.	.08	.	.	.40	.	.06	.28	.04	.		13
14	.95	.	.	.08	.10	.	.18	.	.	.15	.39	.04		14
15	.51	.	.	.02	.15	<u>1.02</u>	.31	.	.01	.	.32	.		15
16	.23	-	-	.12	.02	.06	.06	.	.	.19	.33	.		16
17	.49	.06	.	.	.06	.02	.21	.	.	.03	.11	.		17
18	.28	.03	.05	.	.	.13	.67	.	.	.	.34	.		18
19	.28	.	.	.	.	.	.18	.14	.	.	.01	.16		19
20	.42	.	-	.	.	.10	.63	<u>2.62</u>	.	.	.	.		20
21	.07	.28	.08	.	.	.12	.14	.01	.02	.	.	.		21
22	.59	.38	.04	.06	.	.13	.14	.	.	.02	.26	.		22
23	.	.	.	.18	.	.03	.05	.	.	.03	.79	.		23
24	.40	.	.11	.09	.	.57	.10	.01	.	.02	~~.11~~	.		24
25	.62	.12	.03	.	.	.	.25	.	.	.	.44	.02		25
26	.06	.	.	.01	.	.	.01	.08	.	.33	.40	.01		26
27	.	.29	.11	.01	.	.	.03	.07	.	.01	.13	.		27
28	.	.24	.03	.	.	.04	.40	.	.	.01	.33	.26		28
29	.	X	.	.12	.	.	.25	.	.	.02	.12	.		29
30	.	X	.	.50	.	.15	.	.06	.	.11	.10	.		30
31	.	X	.	X	.	X	.10	.23	X	<u>1.72</u>	X	.		31
TOTAL	6.57	2.23	1.82	2.54	0.82	2.44	5.94	5.14	1.51	5.95	7.63	2.54	4.513	✓
* Days with .01 in. or more.	19	12	18	17	7	13	24	18	6	21	27	15	197	✓
* Days with .04 in. or more.	15	9	12	13	6	10	21	15	4	13	22	12	152	✓

Year's Total

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

Ed Woodhouse

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 1626/7.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1934Kept at *West Lodge, Twickenham*in the County of *Dorset*

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. 0 3/4 in.

,, Ground ,, Sea Level 600 ft.

File No. 625019/26.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Nil

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.	.	.10	-	.09	.	.	.	.	.	.06	.		1
2	.	.23	-	.17	.	.	.	.	.	.	.44	.01		2
3	.	.62	.	.01	.	.	.	.	.	.17	1.01	.15		3
4	.	.04	-	.02	.	.	.06	.	.	.30	.14	.03		4
5	.	.02	-	-	.	.	.	.	.	.01	.50	.28		5
6	.	.59	-	-	.	.	.	.	.	.33	.02	.18		6
7	.13	.	-	-	.	.	.	.	.	.10	.	.		7
8	.	.	-	-	.	.	.	.	.	.61	.27	.24		8
9	.	.	-	.11	.	.	.24	.	.04	.15	.71	.34		9
10	.	.04	-	.	.	.	1.05	.05	.03	.03	.13	.18		10
11	.	.	-	.	.	.	.10	.07	.	.	.66	.02		11
12	.	.	.03	.03	.	.	.25	.	.15	.09	.07	.		12
13	.	.03	.23	-	.	.	.06	.	.05	.07	1.43	.		13
14	.	.	.04	.	.29	.	.09	.	.16	.17	.	1.06		14
15	.	.02	.22	.09	.26	.05	.67	.	.18	.61	.71	.04		15
16	.	.05	.62	.02	.	.02	.06	.	.27	.92	.69	.11		16
17	.	.42	.48	.	.	.	.02	.	.	.	.50	.		17
18	.	.08	.24	.32	.	.	.08	.02	.01	.19	.07	.07		18
19	.	.10	.14	.19	.	.	.11	.10	.61	.	.25	.		19
20	.	.	.	.	.	.	.	.	.06	.29	.04	.		20
21	.	.	-	.	.20	.	.	.	.01	.	.92	.		21
22	.	.05	-	.10	.	.40	.29	.	.13	.	.01	.		22
23	.	.	-	.	.	.	.	.	.	.29	.05	.		23
24	.	.	.27	.	.	.	.	.	.	.	.	.		24
25	.	.	.02	.04	.03	.	.05	.	.	.	.01	.		25
26	1.10	.80	.	.	.13	.	.	.	.	.	.02	.		26
27	.17	.38	.20	.	.19	.	.	.	.	.	.	.		27
28	1.14	.03	.14	~~.25~~	.15	.	.09	.	.	.02	.	.02		28
29	.20	.41	.	.56	.	.07	.	.	.	.02	.	.40		29
30	.18	~~.20~~	-	.26	.	.	.	.	.	.50	.	.05		30
31	.04	~~.20~~	-	~~.26~~	.	~~.07~~	.	.	~~.20~~	.96	~~.20~~	.15		31
TOTAL	2.96	3.91	2.73	1.92	1.34	0.54	3.22	0.24	1.70	5.83	8.71	3.33	Year's Total	36.43
* Days with .01 in. or more.	7	17	13	13	8	4	15	4	12	20	23	17		153
* Days with .04 in. or more.	7	13	11	9	7	3	14	3	9	16	19	13		124

† Spare column, no entries required.

(Signed) *W. L. Good*

* See Instruction 3 (f) on other side.

Section **A** for the entry of
AIR MINISTR
FORM 1090.

Kept at Fontwell
in the County of Dorset

Diameter of Funnel of Gauge.....
Height of top of Gauge above Groun
,, Ground ,, Sea I

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.08	—	.04	—	.03	—	—	.27	—	—	—	I
2	.34	.05	—	.36	.05	—	—	—	.67	—	—	.23	2
3	—	—	.54	—	—	—	—	—	.12	—	1.62	.14	3
4	—	—	.14	.02	.13	.16	.38	.25	—	.04	.08	—	4
5	—	.12	—	.23	—	.24	.05	.10	—	—	.19	—	5
6	.06	.14	—	.14	.09	—	—	—	.05	.21	.03	—	6
7	—	—	—	—	.10	.16	.13	.15	—	.08	.66	.38	7
8	—	.20	—	.14	—	.51	—	.10	—	—	.34	.05	8
9	—	.14	—	—	—	.04	—	.01	—	—	.44	—	9
10	—	—	—	—	—	.10	—	—	—	—	.53	—	10
II	.05	.22	—	—	—	.05	.03	—	.01	—	.22	—	II
12	—	—	—	—	—	—	.36	—	.05	—	—	—	12
13	—	—	—	—	.01	—	.21	.20	—	—	—	—	13
14	—	.12	—	—	—	.62	1.51	.08	—	—	—	.05	14
15	.10	.08	—	.03	.20	—	.04	.64	—	—	—	—	15
16	—	.02	—	.14	.09	.34	—	.17	.23	—	—	—	16
17	—	.38	—	.05	—	—	.05	—	.03	—	—	—	17
18	.10	—	—	.01	.01	.31	.13	1.64	—	—	.53	—	18
19	—	.01	.01	.09	—	.63	—	.04	—	—	.06	—	19
20	—	.05	.19	—	—	—	—	.54	—	—	—	—	20
21	.20	—	.05	—	.28	—	—	—	—	—	—	—	21
22	.38	—	—	—	—	—	—	—	—	—	—	—	22
23	.10	—	—	.15	.58	—	—	.03	.02	—	.29	—	23
24	.22	.01	—	.47	.14	.23	.33	.57	—	—	—	—	24
25	—	—	—	.28	.03	—	.26	—	—	—	.08	—	25
26	—	—	—	.21	—	—	.45	—	—	—	.27	—	26
27	.26	.35	—	—	.64	—	.39	—	—	—	.03	—	27
28	—	.06	—	—	—	—	—	—	—	.01	—	.15	28
29	.35	—	—	—	.20	—	.06	.02	—	.09	—	—	29
30	—	×	—	—	.02	—	—	—	—	—	—	—	30
31	.55	×	—	×	.04	×	.04	—	×	—	×	—	31
TOTAL	2.71	1.95	.93	2.36	2.61	3.42	4.42	4.54	1.45	.43	5.37	1.00	31.19
*Days with or in. or more.	12	16	5	15	16	13	16	15	9	5	15	6	143
*Days with .04 in. or more.	12	13	4	12	12	12	15	12	6	4	13	6	121

Section

A

for the entry of

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Fontwell Ragua
in the County of Dorset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level about 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.08	—	.04	—	.03	—	—	.27	—	—	—	I
2	.34	.05	—	.36	.05	—	—	—	.67	—	—	.23	2
3	—	—	.54	—	—	—	—	—	.12	—	1.62	.14	3
4	—	—	.14	.02	.13	.16	.38	.25	—	.04	.08	—	4
5	—	.12	—	.23	—	.24	.05	.10	—	—	.19	—	5
6	.06	.14	—	.14	.09	—	—	—	.05	.21	.03	—	6
7	—	—	—	—	.10	.16	.13	.15	—	.08	.66	.38	7
8	—	.20	—	.14	—	.51	—	.10	—	—	.34	.05	8
9	—	.14	—	—	—	.04	—	.01	—	—	.44	—	9
10	—	—	—	—	—	.10	—	—	—	—	.53	—	10
11	.05	.22	—	—	—	.05	.03	—	.01	—	.22	—	11
12	—	—	—	—	—	—	.36	—	.05	—	—	—	12
13	—	—	—	—	.01	—	.21	.20	—	—	—	—	13
14	—	.12	—	—	—	.62	1.51	.08	—	—	—	.05	14
15	.10	.08	—	.03	.20	—	.04	.64	—	—	—	—	15
16	—	.02	—	.14	.09	.34	—	.17	.23	—	—	—	16
17	—	.38	—	.05	—	—	.05	—	.03	—	—	—	17
18	.10	—	—	.04	.01	.31	.13	1.64	—	—	.53	—	18
19	—	.01	.01	.09	—	.63	—	.04	—	—	.06	—	19
20	—	.05	.19	—	—	—	—	.54	—	—	—	—	20
21	.20	—	.05	—	.28	—	—	—	—	—	—	—	21
22	.38	—	—	—	—	—	—	—	—	—	—	—	22
23	.10	—	—	.15	.58	—	—	.03	.02	—	.29	—	23
24	.22	.01	—	.47	.14	.23	.33	.57	—	—	—	—	24
25	—	—	—	.28	.03	—	.26	—	—	—	.08	—	25
26	—	—	—	.21	—	—	.45	—	—	—	.27	—	26
27	.26	.35	—	—	.64	—	.39	—	—	—	.03	—	27
28	—	.06	—	—	—	—	—	—	—	.01	—	.15	28
29	.35	—	—	—	.20	—	.06	.02	—	.09	—	—	29
30	—	×	—	—	.02	—	—	—	—	—	—	—	30
31	.55	×	—	×	.04	×	.04	—	×	—	×	—	31
TOTAL	2.71	1.95	.93	2.36	2.61	3.42	4.42	4.54	1.45	.43	5.37	1.00	YEAR'S TOTAL 31.19
*Days with or in. or more.	12	16	5	15	16	13	16	15	9	5	15	6	143
*Days with .04 in. or more.	12	13	4	12	12	12	15	12	6	4	13	6	121

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J. Appleyard

B.T.O.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932 .

Kept at Fonthelm Ragna
in the County of Dorset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 300 ft.

*Jan+Feb Estimated by sea gauge for Jan+Feb.
906 sent 2/3/32. Blunck*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.11	.80	—	—	.20	—	—	—	—	1
2	—	—	—	.32	.60	—	—	.03	.02	—	.02	.47	2
3	—	—	—	—	.01	.08	—	—	.48	.02	—	—	3
4	—	—	—	—	—	.12	—	—	—	—	.26	—	4
5	—	—	.02	—	—	—	—	—	.20	—	—	—	5
6	—	—	—	.24	—	—	—	—	.22	—	—	—	6
7	.20	—	.02	—	.04	—	—	—	.21	.63	—	—	7
8	—	—	.34	.01	.06	—	.04	—	.36	.14	—	—	8
9	.55	—	—	.13	.04	—	—	—	.22	—	—	—	9
10	1.23	—	.03	.42	.03	—	—	—	—	.35	.06	—	10
11	.02	—	—	—	—	—	.50	—	—	—	—	—	11
12	.38	—	—	—	.11	—	—	—	—	.30	—	.08	12
13	.07	—	—	.09	.03	—	.34	—	.15	.74	.01	.04	13
14	.21	—	—	.43	.05	—	—	—	—	—	—	—	14
15	.02	—	—	.03	.28	—	—	—	—	.06	.38	—	15
16	.44	—	—	.12	.03	—	.14	—	—	—	—	—	16
17	—	—	—	.06	—	—	—	.01	—	—	—	.06	17
18	—	—	—	—	.16	—	—	—	.15	—	.22	—	18
19	—	—	—	—	.04	—	—	—	—	.33	—	—	19
20	.02	—	—	.27	.60	—	—	.15	—	.53	.19	—	20
21	—	—	.16	.15	.14	—	—	.03	—	.22	—	—	21
22	—	—	—	—	.04	—	.14	.01	.47	.21	—	.04	22
23	—	—	—	—	—	—	.24	—	—	—	.09	.14	23
24	—	—	—	—	.09	—	.59	—	.17	.55	.03	—	24
25	—	—	—	—	—	—	.19	—	.04	.47	—	—	25
26	—	—	.20	.03	—	—	.19	—	—	.13	.06	—	26
27	—	—	.50	.43	.21	—	.03	—	—	.30	—	—	27
28	—	—	.15	—	.16	—	.20	—	—	—	—	.04	28
29	—	—	.30	.15	.65	.28	—	.40	.56	.35	.03	.24	29
30	—	×	—	.24	—	1.96	.06	—	.47	—	.65	.28	30
31	—	×	—	×	—	×	—	—	×	—	×	.48	31
TOTAL	3.14	(.05)	1.72	3.23	4.23	2.44	2.72	.83	3.25	5.38	2.00	1.84	YEAR'S TOTAL 31.36
Days with .01 in. or more.	10	(3)	9	17	21	4	12	7	14	16	12	10	135
Days with .04 in. or more.	7	(1)	7	14	14	4	11	3	13	16	8	10	111

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Fairfield House
in the County of Dorset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
Ground Sea Level alt 300 ft.

July 12 Low

1627

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.34	.32	.12	—	.06	—	—	—	—	—	—	.25	I
2	.78	—	.60	—	.28	—	—	—	—	—	—	—	2
3	.15	.10	.20	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	.16	—	—	—	—	—	—	—	4
5	—	.01	.44	—	.14	—	—	—	—	—	.01	—	5
6	.24	.31	—	—	.20	—	—	—	—	.27	.03	—	6
7	.10	.04	.01	—	.22	—	—	—	—	.09	—	—	7
8	—	.01	.02	—	.07	—	.41	—	—	.32	—	—	8
9	—	.01	—	—	—	—	.20	—	—	.18	.06	—	9
10	—	.16	—	—	—	—	—	—	—	.44	—	—	10
II	.28	—	—	—	—	.49	.26	.15	—	—	—	—	II
12	—	—	—	.19	.01	—	.01	—	1.10	—	—	—	12
13	.03	—	—	—	.02	.03	.24	.07	—	.13	.03	—	13
14	—	—	—	—	—	—	.06	—	—	.12	.42	—	14
15	.41	—	.20	—	—	—	.13	.10	—	.15	—	—	15
16	—	.01	.90	—	—	.08	—	—	.03	.08	—	—	16
17	.01	.19	.32	—	—	.20	—	.02	.11	—	—	—	17
18	—	—	.36	—	—	.16	—	—	—	—	—	.01	18
19	—	—	.13	—	—	—	—	—	.19	—	.22	.04	19
20	—	.09	—	—	—	—	—	—	.04	—	—	—	20
21	—	.05	—	—	.01	.25	—	.25	.01	.04	—	—	21
22	—	—	—	—	—	—	—	.35	.19	.08	.01	—	22
23	—	1.12	—	.34	—	.30	—	—	.34	.12	.01	—	23
24	—	1.31	—	.13	—	.18	—	—	.02	—	—	—	24
25	—	.41	—	.32	.01	.26	—	—	.06	—	—	.05	25
26	—	.58	—	.16	.05	—	—	—	.07	.02	—	—	26
27	—	.01	—	.01	.30	—	—	—	.01	.29	—	.68	27
28	—	—	—	.26	—	—	.24	—	.02	—	—	—	28
29	.15	—	.01	—	—	—	—	—	—	—	—	—	29
30	—	×	.23	.01	—	—	.03	—	—	—	—	—	30
31	.11	×	.04	×	—	×	—	—	×	.01	×	.05	31
TOTAL	2.90	5.03	3.58	1.45	1.56	1.95	1.61	.94	2.22	2.34	.79	1.08	YEAR'S TOTAL 25.45
*Days with or in. or more.	11	17	14	8	13	9	9	6	13	15	8	6	129
*Days with .04 in. or more.	9	12	11	6	9	8	7	5	8	13	3	5	96

40-9999

*See Instruction 2 (f) on other side.

(Signed)

James Appleyard

[P.T.]

Section

A

for the entry of Daily Observations.

Station No. 1627

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Fortmell Magna
in the County of DorsetDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft. in.
,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	—	—	—	—	—	—	.72	.34	—	.09	.53		1
2	.23	—	.06	—	—	—	—	—	.85	.04	—	.28		2
3	.04	—	—	—	—	—	—	.14	—	.53	—	.26		3
4	.07	—	.15	.01	.26	—	—	.07	—	.04	—	.39		4
5	—	—	.01	—	.04	—	—	.77	—	.12	—	.49		5
6	.04	—	.43	—	.20	—	—	.02	—	.29	.13	.58		6
7	.08	—	—	—	—	—	—	.17	—	.07	—	.74		7
8	—	—	—	—	.27	—	—	—	.09	—	.45	.23		8
9	.03	—	.27	—	—	—	—	—	—	—	.77	.20		9
10	.30	—	.25	.35	—	—	—	.06	—	—	.10	.05		10
11	.74	—	.46	.21	—	—	.28	.09	—	—	—	.35		11
12	.08	—	.01	—	—	—	—	.21	—	—	—	.21		12
13	.58	—	.01	.23	—	—	—	—	—	—	.08	.64		13
14	.21	—	.50	—	—	—	—	—	—	—	—	.37		14
15	.04	—	—	—	.14	—	—	—	—	.08	—	.13		15
16	.05	—	.34	—	—	—	.01	—	—	—	.19	.03		16
17	.04	—	—	.15	.06	—	—	—	.05	.06	—	.27		17
18	.05	—	.24	.14	—	—	—	—	—	—	—	.25		18
19	—	—	.26	.02	—	—	—	—	.21	.01	—	.13		19
20	—	—	.05	.21	—	—	.07	.01	.20	.01	—	—		20
21	—	—	.03	.05	—	.09	—	.03	—	.22	—	.01		21
22	—	—	.02	—	—	—	.25	.20	.25	—	—	.19		22
23	—	.01	—	.28	—	.22	—	.07	.05	.01	—	—		23
24	—	—	.08	.10	—	.07	—	—	.09	.01	—	—		24
25	.25	—	—	.26	—	—	—	—	—	.23	—	.81		25
26	—	—	.02	.15	—	.17	—	—	.14	—	—	.10		26
27	.01	—	—	—	—	.36	—	—	—	—	.03	.70		27
28	—	.02	—	—	—	.13	—	.53	—	.03	—	.54		28
29	—	—	—	—	—	—	—	.13	.78	.01	—	.02		29
30	.04	X	—	—	—	—	—	—	.06	.07	—	.39		30
31	—	X	—	X	—	X	—	.02	X	—	X	.02		31
TOTAL	2.92	.03	3.19	2.16	.97	1.04	.61	3.24	3.11	1.83	1.84	8.91	Year's Total	29.85
*Days with or in. or more.	19	2	18	13	6	6	4	16	12	17	8	28		148
*Days with .04 in. or more.	17	0	12	11	6	6	3	12	12	11	7	24		121

Section



for the entry of Daily Observations.

Station No. 1627

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Fortwell Magna
in the County of DorsetDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft. in.
,, Ground ,, Sea Level about 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	—	.29	—	—	.07	.38	—	.23	.13	.13	.13		1
2	—	.02	—	—	—	.07	—	—	—	.36	.08	.01		2
3	—	.13	.09	—	—	.15	—	—	.31	1.0	.36	—		3
4	—	.06	—	.17	—	.08	—	—	.08	.13	.24	.20		4
5	.05	.62	.09	.04	—	.13	—	—	.27	.01	.01	—		5
6	—	.01	—	.33	—	1.21	—	—	—	—	.07	.09		6
7	—	—	—	.26	—	.03	—	—	—	.06	.12	.11		7
8	—	—	—	.28	—	—	—	—	.02	.16	.18	.04		8
9	.02	—	—	.49	—	.22	—	—	.04	.84	.66	—		9
10	.10	—	.09	.26	—	—	—	—	—	—	.01	—		10
11	.19	—	—	.03	—	—	—	—	—	.07	.66	—		11
12	.06	.08	—	—	—	—	—	—	.01	—	.16	—		12
13	.10	.15	—	.33	.02	—	—	—	—	—	.02	—		13
14	—	—	—	.23	.05	.50	—	—	.02	.01	.76	.19		14 —.19
15	—	.19	—	.65	.27	.13	—	—	.30	—	.45	.14		15
16	—	.05	.12	.15	—	.41	—	—	.67	.02	1.37	—		16
17	—	—	.02	.09	.07	.21	—	.16	.03	†	.20	—		17
18	—	—	—	.23	—	.13	.06	—	.30	—	—	—		18
19	—	.02	—	—	.38	—	.15	—	—	.03	.16	—		19
20	—	.32	—	.16	.09	—	.06	—	.04	—	.66	—		20
21	—	.53	—	.14	—	—	—	—	.05	.02	—	—		21
22	—	.11	.07	.06	—	—	—	.14	.05	—	—	—		22
23	—	—	.13	—	.01	—	—	.22	.06	.70	—	.10		23
24	.02	.50	.03	—	.10	—	—	.81	.21	.05	—	.45		24
25	.12	.06	—	.10	.01	—	—	—	—	—	—	—		25
26	—	.84	—	—	—	—	—	.36	.03	—	.02	.94		26
27	—	.16	—	—	—	—	—	—	.09	—	.09	.77		27
28	—	.18	—	—	—	—	—	.10	.11	.02	.01	.03		28
29	—	—	—	—	.05	—	—	—	.12	—	—	.69		29
30	.01	×	—	.07	—	—	—	.67	.01	.33	.94	.53		30
31	—	×	—	×	—	×	—	—	×	.72	×	.39		31
TOTAL	.70	4.03	.93	4.07	1.05	3.34	.65	2.46	3.05	4.66	7.36	4.81	Year's Total. 37.11	
* Days with .01 in. or more.	10	18	9	19	10	13	4	7	22	18	23	16	169	
* Days with .04 in. or more.	6	15	7	18	7	12	4	7	16	12	18	14	136	

Section

A

for the entry of Daily Observations.

Station No. 1627

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Fontwell Magna

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 10 in.

,, Ground ,, Sea Level about 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.21	.07	.01	.17	—	.70	.26	—	.01	—	.03	.03		1
2	—	—	—	.03	—	.09	.10	.02	—	—	.01	—		2
3	—	—	—	.35	—	.01	.01	.07	.42	—	.56	—		3
4	.05	—	.20	—	—	.12	—	—	.35	—	.07	.01		4
5	.41	—	.05	—	.04	—	—	—	.41	—	.01	.12		5
6	.07	—	.01	—	—	—	—	—	.28	—	.61	—		6
7	.03	—	.14	—	—	—	.54	—	—	—	.29	—		7
8	.44	—	.52	—	—	—	.13	—	—	—	.09	.05		8
9	.61	—	.24	—	—	—	.20	—	.18	—	.03	—		9
10	.07	.13	—	—	—	.05	.36	—	—	—	.03	—		10
11	.16	.02	—	—	—	.06	.03	—	.08	—	.70	—		11
12	—	—	—	.05	—	.34	.29	—	.06	—	.24	.01		12
13	.02	—	—	.01	—	.01	.13	—	—	.03	.11	1.02		13
14	—	.14	—	—	—	—	.57	—	—	.05	.01	.79		14
15	—	.04	—	—	—	—	.05	—	—	—	.01	.30		15
16	.02	.16	—	.09	.21	—	.02	—	.06	—	.07	.05		16
17	.01	1.29	—	—	.06	—	.28	—	.04	.03	.19	.29		17
18	.13	.09	—	—	.01	.15	.41	—	—	.03	—	.28		18
19	.59	—	.01	—	—	.04	—	.03	—	—	—	—		19
20	.06	.30	.08	.24	—	—	.01	—	.86	—	—	—		20
21	—	.19	.02	.47	—	.20	.01	—	.04	—	—	—		21
22	.14	—	.55	—	.01	—	.21	—	—	.01	—	—		22
23	.06	—	.15	.11	.03	—	.21	—	—	.11	—	—		23
24	.08	.08	—	—	.16	—	—	—	.02	.31	—	—		24
25	.12	—	.33	.13	—	—	.18	—	.01	.12	—	—		25
26	—	.13	.27	.03	—	.17	.01	—	—	.05	—	—		26
27	.35	.11	.17	—	—	—	.10	—	.10	.21	—	.01		27
28	.96	—	.69	—	—	—	.23	—	—	—	—	.28		28
29	.01	.05	.03	—	—	—	.02	—	—	.07	.07	.09		29
30	.12	×	—	—	—	.04	.01	—	—	.12	—	.01		30
31	.15	×	.34	×	.01	×	.24	—	×	.48	×	.40		31
TOTAL	4.87	2.80	3.81	1.68	.53	1.98	4.61	.12	2.92	1.62	3.13	3.74	31.81	✓
* Days with .01 in. or more.	24	14	18	11	8	13	26	3	15	13	18	16	149	✓
* Days with .04 in. or more.	19	13	13	8	4	11	18	1	12	9	11	11	130	✓

Section

A

for the entry of Daily Observations.

Station No. 1627

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Fontmell Magna
in the County of Dorset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
Ground Sea Level about 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.18	.01	—	.14	—	—	—	—	.05	—	.15	1.56		1
2	.02	.36	.05	.05	—	—	—	—	.15	—	—	.17		2
3	.04	.27	.05	.04	—	—	.01	—	.02	—	—	.29		3
4	.19	.79	—	—	—	—	—	.02	—	—	—	—		4
5	.28	—	—	—	—	—	.28	—	—	—	—	—		5
6	.17	.24	.21	.08	.05	—	.28	—	—	.05	—	—		6
7	—	.49	—	.14	—	—	—	—	.01	—	—	—		7
8	—	.04	—	—	.27	—	.01	—	—	.03	.21	.17		8
9	—	.02	.01	.13	.14	—	.18	—	.65	—	—	.17		9
10	—	—	.99	.08	—	.36	.07	.11	—	—	—	1.71		10
11	.02	—	.17	—	.38	—	.24	—	—	—	—	—		11
12	.43	.24	.15	.02	.02	.21	—	.35	.26	—	—	.41		12
13	.11	.02	.80	.10	—	—	.01	.14	.11	—	—	—		13
14	—	.01	.33	—	—	—	—	.04	.01	—	—	—		14
15	.32	—	.02	.20	—	—	.99	—	.15	—	—	.14		15
16	.05	.18	.92	.13	—	—	—	.33	1.00	—	.02	—		16
17	1.00	.07	.51	—	—	—	—	—	1.00	—	.17	—		17
18	.16	.04	—	—	—	—	—	—	.04	—	.10	.21		18
19	.07	.07	.03	.14	.01	—	—	—	.03	—	—	.14		19
20	.72	.06	.15	.21	—	—	—	—	.02	—	—	.15		20
21	.51	.34	.11	.09	.06	—	.03	—	—	—	.16	.02		21
22	.36	.01	.09	—	.52	.03	.23	—	—	1.22	.37	.09		22
23	.30	.12	—	—	.21	—	—	—	—	.69	—	.01		23
24	.67	.47	—	—	—	—	—	—	.07	1.23	—	.02		24
25	.30	.36	.24	—	.50	—	—	—	.01	.25	—	.05		25
26	—	.42	.01	—	.40	—	—	—	—	.05	—	—		26
27	.02	.31	—	.10	—	—	—	—	—	.56	—	—		27
28	.31	—	—	—	—	—	—	—	—	.14	—	—		28
29	.54	—	—	—	—	—	—	—	—	.54	.17	—		29
30	.65	×	—	—	—	—	—	—	—	—	.17	—		30
31	.25	×	—	×	—	×	—	—	×	.57	×	—		31
TOTAL	6.82	4.94	4.84	1.65	2.56	.60	2.33	.99	3.58	5.33	1.52	4.97	40.13	
* Days with .01 in. or more.	26	24	18	15	11	3	11	6	16	11	9	16	165	
* Days with .04 in. or more.	24	19	14	14	9	2	7	5	10	10	8	13	132	

Section **A** for the entry of Daily Observations.Station No. **1627**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at **Fontwell Magno**in the County of **Dorset**Diameter of Funnel of Gauge...**5**...in.Height of top of Gauge above Ground...**10**...in.,, Ground ,, Sea Level **about 300**...ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.04	—	—	—	.13	.05	—	—	.54	—	.06		1
2	—	—	—	—	—	—	—	—	—	.15	—	.13		2
3	.01	—	—	—	.18	—	—	—	—	.41	.03	—		3
4	—	—	—	—	—	.02	—	.68	—	.02	—	.18		4
5	—	—	—	—	—	—	.13	—	—	.12	—	—		5
6	.03	—	—	—	—	.01	.25	—	.14	.02	.02	.03		6
7	.02	—	—	—	—	.01	.73	.10	.05	.19	.02	.06		7
8	.19	—	—	—	—	—	.14	.05	—	.25	—	.02		8
9	.02	.06	—	—	—	.24	.01	—	—	—	—	1.02		9
10	.08	—	—	—	—	.06	.01	.38	—	—	—	.36		10
11	.09	—	—	—	—	—	—	—	—	—	.31	.35		11
12	.22	—	—	—	.05	—	.01	.01	—	.21	.02	.02		12
13	.18	—	—	—	.01	—	—	—	—	.01	.24	.44		13
14	.78	—	—	—	.02	—	.24	—	—	—	—	.01		14
15	.10	—	—	—	.05	—	.83	—	—	.20	.04	.51		15
16	.19	—	—	—	.01	—	—	.01	—	—	.03	.04		16
17	—	.13	—	—	.06	—	—	—	.03	.14	.02	—		17
18	.12	—	—	—	.07	—	—	—	.23	—	.37	—		18
19	.01	—	—	—	—	—	—	.01	.19	—	.47	—		19
20	—	—	—	—	—	—	—	.20	.01	—	.65	—		20
21	.01	—	—	—	—	—	—	—	.04	—	.06	✓		21
22	.01	—	—	—	.01	—	—	.32	—	—	.23	✓		22
23	—	—	—	—	—	—	—	—	.23	—	.15	✓		23
24	—	—	.15	—	—	—	—	.05	.14	—	.05	✓		24
25	.13	.17	.02	—	.24	—	.07	—	—	—	1.12	✓		25
26	.22	.37	—	—	.23	—	—	—	—	.06	.01	✓		26
27	.05	.02	—	—	.02	.20	.60	.04	—	.03	.31	—		27
28	.07	.08	—	—	.46	.10	—	.60	.05	—	—	.04		28
29	.03	—	—	—	.20	.15	—	—	.25	—	.18	—		29
30	.06	✗	—	—	.28	—	—	—	.60	—	.24	.05		30
31	.19	✗	—	✗	.19	✗	—	—	✗	.36	✗	.25		31
TOTAL	2.91	.84	.17	—	2.08	.92	3.07	2.45	1.96	2.74	4.57	4.37	Year's Total	
* Days with .01 in. or more.	23	7	2	—	16	9	12	12	12	15	21	23	152	150
* Days with .04 in. or more.	17	6	1	—	11	6	9	9	10	11	14	17	113	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *J. Appleby* [P.T.O.]

Section



for the entry of Daily Observations

Station No. 1624

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Fantmell Magnain the County of DorsetDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....ft. 10.....in.,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	.09	.13	.05	—	.17	.06	—	—	.03	.10		1
2	—	—	.01	.12	—	—	.01	.47	.86	—	—	.07		2
3	.45	—	—	.36	—	—	—	.12	—	—	.30	.31		3
4	—	✓	.39	.13	.10	—	.25	.35	—	.17	.20	.13		4
5	.01	—	.01	.18	.24	—	.19	.03	—	.27	.69	—		5
6	.64	—	.06	—	.05	—	.55	.07	—	—	.58	—		6
7	.01	.27	—	—	—	—	—	.02	—	.01	.61	.32		7
8	—	.22	.16	—	—	—	.08	.45	—	.31	.50	.17		8
9	.01	.07	.03	—	—	—	—	.04	—	—	.02	.13		9
10	.21	—	.03	—	—	—	—	.20	.04	.12	.04	—		10
11	—	—	.21	—	—	—	—	—	—	.22	.01	—		11
12	—	—	—	—	—	—	—	—	—	—	.04	—		12
13	—	—	—	.06	—	—	.25	—	.05	1.25	.01	.03		13
14	.63	—	—	.06	.07	—	.03	—	—	.18	.33	.01		14
15	.42	—	—	—	.10	.07	.25	—	—	.13	.21	—		15
16	.22	—	—	.10	.01	.21	.03	—	—	—	.31	—		16
17	.38	.02	—	—	.03	—	.17	—	—	.16	.09	—		17
18	.27	—	.02	—	—	.10	.55	—	—	—	.29	—		18
19	.22	—	—	—	—	—	.12	.02	—	—	—	—		19
20	.36	—	—	—	—	.07	.71	2.64	—	—	—	—		20
21	.07	.30	.06	—	—	.11	.18	—	.01	—	—	—		21
22	.50	.37	—	.02	—	.10	.14	—	—	—	.14	—		22
23	—	—	—	.13	—	—	.03	—	—	.05	—	—		23
24	~~1.67~~	—	.05	.07	—	.55	.10	.03	—	—	.72	—		24
25	~~1.67~~	.08	.06	—	—	—	.28	—	—	.18	.37	—		25
26	—	—	—	—	—	—	—	.04	—	—	.31	.01		26
27	—	.31	.08	.04	—	—	—	.02	—	.13	.11	—		27
28	—	.18	.03	—	—	.06	.45	—	—	—	.28	.19		28
29	—	—	—	.09	—	—	.23	—	—	.11	.11	—		29
30	—	~~X~~	—	.50	—	.03	—	.06	—	.11	.07	—		30
31	—	~~X~~	—	~~X~~	—	~~X~~	.02	.06	~~X~~	1.58	~~X~~	—		31
TOTAL	6.07	1.82	1.29	1.99	.65	1.30	4.79	4.68	.96	4.98	6.37	1.47	36.37	
* Days with .01 in. or more.	17	9	15	14	8	9	22	17	4	16	25	11	167	
* Days with .04 in. or more.	14	8	9	13	6	8	17	12	3	15	21	8	133	134

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) James H. Hayward [P.E.O.]

Section



for the entry of Daily Observations

Station No. 1627

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934-40

Kept at Fortmell Magnain the County of DorsetDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 10 ft.Ground Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	↓	—	—	.06	—	—	—	—	—	.82	—		1
2	—	.40	—	.07	—	—	—	—	—	—	.38	—		2
3	—	.52	—	—	—	—	—	—	—	.16	.98	.14		3
4	—	.03	—	—	—	—	.01	—	—	.18	.17	.01		4
5	—	—	—	—	—	—	.11	—	—	—	.55	.22		5
6	.22	.41	—	—	—	—	.02	—	—	.25	.01	.17		6
7	.11	.19	—	—	—	—	—	—	—	.03	—	—		7
8	—	—	—	.02	—	—	—	—	—	.56	.21	.22		8
9	—	—	—	.03	—	—	.18	.01	—	.06	.62	.31		9
10	—	—	—	—	—	—	1.02	.11	—	—	.11	.16		10
11	—	—	—	—	—	—	.04	—	—	—	.51	—		11
12	—	—	.09	.01	—	—	.22	—	.15	.06	.11	—		12
13	—	—	.52	—	—	—	—	—	.08	.03	1.62	—		13
14	—	—	.11	.06	.19	—	.06	—	.16	.55	.03	.86		14
15	—	—	.02	—	.29	.03	.54	—	.13	.25	.53	.02		15
16	—	—	.46	—	—	—	.05	—	.13	.76	.64	.08		16
17	—	—	.53	—	—	—	—	—	—	—	.62	—		17
18	—	—	.35	.38	—	—	.06	—	—	.10	.02	.05		18
19	—	.06	.02	.12	—	—	.03	—	.43	—	.12	—		19
20	—	—	.03	—	—	—	—	.06	.05	.39	.02	—		20
21	—	—	—	—	.19	—	—	—	—	—	.62	—		21
22	—	.01	.05	—	—	.36	—	—	.06	—	—	—		22
23	—	.07	.12	.09	—	—	—	—	—	.27	.01	.01		23
24	—	—	—	—	—	—	.22	—	—	—	—	—		24
25	.03	—	.10	—	—	—	—	—	—	—	—	—		25
26	.95	.56	—	.06	.12	—	.01	—	—	—	.02	—		26
27	.37	—	—	.02	.29	—	.08	—	—	—	—	—		27
28	(1.00)	—	—	—	.01	—	—	—	—	.04	—	—		28
29	(.40)	.53	.06	.16	—	.09	—	—	—	.01	—	.36		29
30	↓	X	.05	.21	—	—	—	—	—	.31	—	.05		30
31	see top of Feb.	X	—	X	—	X	—	—	X	—	X	—		31
TOTAL	1.68	3.13	2.51	1.23	1.15	.48	2.65	.18	1.19	4.01	8.72	2.66	Year's Total 30.01	31.01
* Days with .01 in. or more.	57	11	14	12	7	3	15	3	8	17	22	14	134 ³	
* Days with .04 in. or more.	4	9	11	8	6	2	11	2	8	14	16	11	102 ⁴	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

James Appleyard

[P.T.O.]

Kept at *Stallbridge*
in the County of *Stallbridge*
Diameter of Funnel of Gauge
Height of top of Gauge above Gro
Ground Sea

1628
STALLBRIDGE SCHL
1931—35

780305 S DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.14	—	.08	—	—	.01	—	.13	.03	—	—	1
2	.25	.05	—	.51	—	—	—	—	.49	—	.04	.14	2
3	.07	—	.72	—	—	—	.03	—	.19	—	1.66	.16	3
4	—	—	.15	—	.26	—	.32	.12	.08	.02	.14	.02	4
5	—	.16	—	.37	—	.31	.01	.08	—	.01	.07	.12	5
6	—	.01	—	.08	.05	.05	.05	.04	—	.31	.31	.16	6
7	—	—	—	—	.10	.21	.26	.20	—	.11	.24	.16	7
8	.02	.19	—	.20	.06	.38	.03	.06	—	—	.14	.05	8
9	.02	.24	—	.01	—	.01	Tr.	.04	—	—	.38	—	9
10	—	—	—	—	—	.15	—	—	Tr.	—	.54	—	10
11	—	.30	—	—	—	.07	.03	.03	.05	—	.30	—	11
12	.14	.02	—	—	—	—	.12	Tr.	.08	—	—	—	12
13	—	—	—	—	—	Tr.	.16	.10	—	—	—	—	13
14	.02	.12	—	—	.01	.69	1.09	.04	.03	—	.11	—	14
15	.02	.08	—	.08	.25	—	—	.08	—	—	—	.08	15
16	—	.07	—	.17	—	.40	.01	.06	.10	—	—	—	16
17	.03	.16	—	.05	—	.12	.13	—	.12	—	—	—	17
18	.07	—	.03	.03	—	.10	.12	1.46	—	—	.40	—	18
19	.06	—	Tr.	.03	—	.25	—	.06	—	—	.12	—	19
20	—	.12	.27	—	—	—	—	.54	—	—	—	—	20
21	.15	—	.01	—	.32	—	—	—	—	—	—	—	21
22	.38	.04	—	—	.01	—	—	.03	—	—	.01	—	22
23	.20	—	—	.04	.58	.02	—	.21	—	—	.33	.04	23
24	.26	.02	—	.57	.22	.18	.26	.35	—	—	Tr.	Tr.	24
25	.21	—	—	.30	—	—	.21	—	—	—	.14	—	25
26	—	.05	—	.26	—	—	.38	—	—	—	.45	—	26
27	.14	.26	—	—	.84	—	.29	—	—	—	.01	—	27
28	.14	.08	.03	.02	.28	—	—	.02	—	—	—	.14	28
29	.21	✕	.03	—	Tr.	—	.08	.02	—	.08	.09	—	29
30	—	✕	—	.01	.03	—	.05	—	.08	—	—	—	30
31	.41	✕	—	✕	.08	✕	—	—	✕	—	✕	.15	31
TOTAL	2.80	2.11	1.25	2.81	3.09	2.94	3.64	3.54	1.65	.56	5.48	1.22	31.09
*Days with or in. or more.	19	18	7	17	14	14	20	19	10	6	19	11	174
*Days with .04 in. or more.	14	15	3	12	11	12	14	15	9	3	14	10	135

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at *Stallbridge*
in the County of *Donk*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *8* ft. *8* in.
Ground Sea Level *268* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.14	—	.08	—	—	.01	—	.13	.03	—	—	1
2	.25	.05	—	.51	—	—	—	—	.49	—	.04	.14	2
3	.07	—	.73	—	—	—	.03	—	.19	—	1.66	.16	3
4	—	—	.15	—	.26	—	.32	.12	.08	.02	.14	.02	4
5	—	.16	—	.37	—	.31	.01	.08	—	.01	.07	.12	5
6	—	.01	—	.08	.05	.05	.05	.04	—	.31	.31	.16	6
7	—	—	—	—	.10	.21	.26	.20	—	.11	.24	.16	7
8	.02	.19	—	.20	.06	.38	.03	.06	—	—	.14	.05	8
9	.02	.24	—	.01	—	.01	2r.	.04	—	—	.38	—	9
10	—	—	—	—	—	.15	—	—	2r.	—	.54	—	10
11	—	.30	—	—	—	.07	.03	.03	.05	—	.30	—	11
12	.14	.02	—	—	—	—	.12	2r.	.08	—	—	—	12
13	—	—	—	—	—	2r.	.14	.10	—	—	—	—	13
14	.02	.12	—	—	.01	.69	1.09	.04	.03	—	.11	—	14
15	.02	.08	—	.08	.25	—	—	.08	—	—	—	.08	15
16	—	.07	—	.17	—	.40	.01	.06	.10	—	—	—	16
17	.03	.16	—	.05	—	.12	.13	—	.13	—	—	—	17
18	.07	—	.03	.03	—	.10	.13	1.46	—	—	.40	—	18
19	.06	—	2r.	.03	—	.25	—	.06	—	—	.12	—	19
20	—	.12	.27	—	—	—	—	.54	—	—	—	—	20
21	.15	—	.01	—	.32	—	—	—	—	—	—	—	21
22	.38	.04	—	—	.01	—	—	.03	—	—	.01	—	22
23	.20	—	—	.04	.58	.02	—	.21	—	—	.33	.04	23
24	.26	.02	—	.57	.22	.18	.26	.35	—	—	2r.	2r.	24
25	.21	—	—	.30	—	—	.21	—	—	—	.14	—	25
26	—	.05	—	.26	—	—	.38	—	—	—	.42	—	26
27	.14	.26	—	—	.84	—	.29	—	—	—	.01	—	27
28	.14	.08	.03	.02	.28	—	—	.02	—	—	—	.14	28
29	.21	4	.03	—	2r.	—	.08	.02	—	.08	.09	—	29
30	—	×	—	.01	.03	—	.03	—	.08	—	—	—	30
31	.41	×	—	×	.08	×	—	—	×	—	×	.15	31
TOTAL	2.80	2.11	1.25	2.81	3.09	2.94	2.64	2.54	1.65	.56	5.48	1.22	31.09
*Days with ".01 in. or more.	19	18	7	17	14	14	20	19	10	6	19	11	174
*Days with ".04 in. or more.	14	15	3	12	11	12	14	15	9	3	17	10	135

40-9999

*See Instruction 2 (f) on other side.

(Signed) *15.09*

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 1628

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Stalbridgein the County of DorsetDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 8 ft. 8 in.Ground Sea Level 268 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	—	—	.14	.61	—	.01	.14	.01	—	.04	—	1
2	.04	—	—	.25	.89	—	.01	.03	.16	—	.02	.26	2
3	—	—	—	.02	.01	.05	—	.01	.46	.07	—	.03	3
4	.02	—	—	—	—	.12	—	—	—	—	.20	—	4
5	.27	—	.01	—	—	—	—	—	.19	—	—	—	5
6	.33	—	.2r	.14	—	—	.07	—	.36	.2r	—	—	6
7	.05	—	.02	.10	—	—	—	—	.11	1.09	—	—	7
8	.2r	—	.40	.2r	.06	—	.01	—	.19	.11	—	—	8
9	.77	.02	—	.13	.10	—	—	—	—	.10	—	—	9
10	.33	.02	—	.34	.03	.05	—	—	—	.44	—	—	10
11	.2r	—	—	.08	—	.2r	.15	.02	.13	.02	—	.06	11
12	.38	—	—	—	.15	—	—	.02	.16	.40	.02	.01	12
13	.05	—	—	.15	.02	—	.22	—	.02	.71	—	.07	13
14	.22	—	—	.18	.02	—	—	—	—	—	.10	.02	14
15	.02	—	—	.05	.31	—	—	—	—	.10	.05	.02	15
16	.32	—	—	.04	—	—	.34	—	—	.07	—	.01	16
17	.01	—	—	.03	—	—	.02	—	.2r	—	—	—	17
18	—	—	—	—	.14	—	—	—	.30	—	.24	—	18
19	—	—	—	.06	.14	—	—	—	.04	.29	—	—	19
20	—	—	—	—	.98	—	—	.19	—	.49	.26	—	20
21	.01	—	.13	.16	.03	—	—	.01	.02	.20	.03	—	21
22	—	—	.04	.01	.01	1.08	.02	.01	.84	.62	.40	.06	22
23	.01	—	—	—	.03	—	.24	—	.02	.52	.08	.05	23
24	—	—	—	—	.06	—	.54	—	.18	.06	.05	—	24
25	—	—	—	—	—	—	.23	—	—	.55	.06	.02	25
26	—	—	.16	.04	—	—	.03	—	—	.14	.07	—	26
27	—	—	.32	.33	.29	—	.14	—	—	.58	—	.02	27
28	—	—	.01	.06	.08	—	.22	—	—	—	—	.01	28
29	—	—	.38	.04	.53	.20	.02	.59	.50	.45	.13	.22	29
30	—	×	.02	.20	.01	1.53	.03	.2r	.57	.01	.40	.29	30
31	—	×	.08	×	—	×	.07	—	×	.01	×	.38	31
TOTAL	2.99	.04	1.57	2.55	4.50	3.03	2.37	1.02	4.26	7.03	2.15	1.53	33.04
*Days with ".01 in. or more.	16	2	11	21	21	6	18	9	18	23	16	16	176
*Days with ".04 in. or more.	11	0	7	18	13	6	10	3	14	19	13	8	122
YEAR'S TOTAL													

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1628

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Skelbridge

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 8 ft. 8 in.

Ground Sea Level 268 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.37	.33	.08	—	.08	2r.	—	—	—	—	—	.24		1
2	.61	—	.51	—	.33	—	—	—	—	—	2r.	—		2
3	.06	.10	.27	—	—	—	—	—	—	—	—	—		3
4	.16	—	.01	—	.20	—	—	—	—	—	—	—		4
5	.14	—	.28	—	.08	—	—	—	—	—	.05	—		5
6	—	.32	—	—	.20	—	.02	—	—	.31	.01	—		6
7	.04	.07	.02	—	.02	—	.01	—	—	.19	—	—		7
8	.04	.01	.02	—	.03	—	.43	—	—	.02	—	—		8
9	—	.01	—	—	.08	—	.24	—	—	.13	—	—		9
10	2r.	.06	—	—	—	.01	.16	—	—	.39	.09	—		10
11	.25	—	—	—	—	.10	.81	.29	—	.02	—	—		11
12	—	—	—	.10	.01	—	.09	—	1.17	—	—	.01		12
13	—	—	—	—	.02	.01	.20	.21	.01	.08	.03	—		13
14	.02	—	—	—	—	—	.03	.07	—	.53	.37	—		14
15	.59	—	.19	—	—	.01	.08	.02	—	.15	—	—		15
16	—	—	.81	—	—	.09	—	—	.05	.11	—	—		16
17	—	.14	.34	—	—	.37	—	.01	.09	—	—	—		17
18	.11	—	.48	—	—	.27	—	—	—	—	.02	—		18
19	—	—	.15	—	—	—	—	—	.11	—	.28	—		19
20	—	.10	2r.	—	—	.16	—	.02	.14	—	.01	—		20
21	—	—	—	—	.01	.65	—	.42	.02	.12	—	—		21
22	—	—	—	2r.	—	.02	—	.34	.14	.03	—	—		22
23	—	.60	—	.33	—	.29	—	—	.40	.12	—	—		23
24	—	1.66	—	.12	—	.03	—	—	.21	.04	.02	—		24
25	—	.42	—	.31	2r.	.40	—	—	.03	—	—	.12		25
26	—	.51	—	.12	.16	—	.02	—	.08	.12	—	.01		26
27	—	2r.	—	—	.85	—	.30	—	.01	.38	—	.31		27
28	—	—	—	.26	—	—	.02	—	—	.02	—	—		28
29	.09	—	—	—	—	—	—	—	—	—	—	.02		29
30	.02	X	.16	—	.01	—	.03	—	—	—	—	.10		30
31	.17	X	.01	X	—	X	—	—	X	.05	X	—		31
TOTAL	2.67	4.33	3.33	1.24	2.08	2.41	2.44	1.38	2.46	2.81	.88	.81	26.84	
*Days with or in. or more.	14	13	14	6	14	13	14	8	13	18	9	7	143	
*Days with .04 in. or more.	12	11	10	6	8	8	8	5	9	14	4	4	99	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Kept at Stalbridge
in the County of Dorset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 8 ft. 8 in.
Ground Sea Level 268 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	-	-	-	-	.04	-	.51	.41	-	.15	.45		1
2	.20	-	.09	-	-	-	-	.01	.80	.05	.02	.28		2
3	.04	-	-	.01	-	-	-	.01	-	.28	-	.26		3
4	.08	-	.16	.01	.18	-	-	.17	.02	.28	-	.30		4
5	-	-	.02	-	.08	-	-	.61	-	.10	.09	.59		5
6	.06	-	.42	.02	.25	-	-	-	2r.	.31	.03	.57		6
7	-	-	-	-	-	.04	-	.12	-	.07	-	.44		7
8	.10	-	-	-	.23	-	-	.02	.05	.02	.30	.32		8
9	.01	-	.20	2r.	-	-	-	-	-	-	.58	.24		9
10	.25	-	.24	.34	-	-	-	.05	-	-	.11	.07		10
11	.62	-	.18	.18	-	-	.11	.09	-	.05	-	.24		11
12	.10	2r.	.02	.02	-	-	.01	.43	-	-	-	.17		12
13	.38	-	-	.24	-	-	.08	-	-	-	.12	.61		13
14	.22	-	.35	-	-	-	-	-	-	-	.01	.32		14
15	.09	-	.05	-	.18	-	-	-	-	-	.16	.15		15
16	.05	-	.29	-	.02	-	-	-	-	.08	.03	.08		16
17	.05	-	.03	.08	.08	-	-	-	.09	.09	-	.19		17
18	.13	-	.14	.22	-	-	-	-	.03	-	-	.13		18
19	2r.	-	.21	.05	-	.05	-	-	.28	-	-	.11		19
20	-	-	.04	.27	-	-	.01	-	.07	-	-	-		20
21	-	-	.01	.02	-	.06	-	.09	.01	.32	-	.03		21
22	-	-	.05	-	-	-	.37	.50	.21	-	-	.29		22
23	-	.03	2r.	.34	-	.47	-	-	.07	.08	-	.02		23
24	-	.05	.09	.07	-	-	.02	-	.12	.01	-	-		24
25	.54	-	.01	.22	-	.02	-	-	-	.18	-	.68		25
26	.02	-	.11	.14	-	.08	-	-	.16	-	.04	.16		26
27	2r.	2r.	-	-	-	.14	-	-	-	.01	-	.43		27
28	-	-	-	-	-	.42	.03	.50	.05	.08	-	.53		28
29	-	-	-	-	-	-	-	-	.43	.05	-	.02		29
30	.03	X	-	-	-	-	.02	.20	.07	.02	-	.30		30
31	2r.	X	-	X	.67	X	-	-	X	-	X	.01		31
TOTAL	3.01	.08	2.71	2.21	1.69	1.32	.65	3.31	2.87	2.08	1.64	7.99	29.56	Year's Total
*Days with .01 in. or more.	19	2	20	15	8	9	8	14	16	18	12	29	170	
*Days with .04 in. or more.	16	1	15	11	7	8	3	10	13	14	7	25	130	

Section **A** for the entry of Daily Observations.

Station No. 1628

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Skaumbidge Schoolin the County of Dorset

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.01	.20	-										1
2	-	-	-	-										2
3	-	.07	.05	-										3
4	.02	.27	.05	-										4
5	-	.42	.14	.15										5
6	-	.07	.01	.48										6
7	-	-	-	.32										7
8	-	-	-	.34										8
9	.02	-	.05	.56										9
10	.04	-	.10	-										10
11	.21	-	-	-										11
12	.09	.15	.06	.05										12
13	.11	.05	.05	.25										13
14	-	-	-	.35										14
15	-	-	-	.65										15
16	-	.07	-	-										16
17	-	-	-	.20										17
18	-	-	-	.11										18
19	-	-	-	.19										19
20	-	.01	-	.01										20
21	-	.20	-	.21										21
22	-	.01	-	.08										22
23	-	.15	.10	.02										23
24	.04	.20	.25	-										24
25	.18	.16	.07	-										25
26	-	.15	-	.12										26
27	-	.45	-	-										27
28	-	.10	-	-										28
29	.03	-	-	-										29
30	-	X	-	.07										30
31	-	X	-	X		X			X		X			31
TOTAL	.77	2.54	1.13	4.16									Year's Total.	
* Days with .01 in. or more.	10	17	12	18										
* Days with .04 in. or more.	6	14	11	16										

REGIS

Kept at Marnhull
in the County of Dorset

Diameter of Funnel of Gauge.....
Height of top of Gauge above Grou
Ground Sea

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

COPY FOR OFFICIAL USE.
NFALL ORGANIZATION.

1628/5
932. Dorset 4
Letter sent asking
for Section C 12/5/32
W.K.U.

780305

DAY.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03			.11	.58				.02		.02		1
2				.24				.02	.18		.02	.24	2
3				.02	.02	.03			.40	.11		.02	3
4	.02					.12					.23		4
5	.26		.08						.21				5
6	.31			.20			.08		.31				6
7			.02	.03					.05	.91			7
8			.39	.12	.08				.20	.12			8
9	.80			.36	.03				.04				9
10	.22					.02				.41	.02		10
11	.02			.04	.03		.16					.06	11
12	.35				.16				.20	.28			12
13	.03			.16			.30		.02	.61		.08	13
14	.28			.20	.03						.06	.02	14
15				.02	.32					.09	.03	.03	15
16	.30			.09			.75						16
17										.10			17
18					.12				.22		.22	.02	18
19				.03	.09				.03	.30			19
20				.09	1.04			.31		.48		.06	20
21			.19	.14	.04			.03		.28	.03	.10	21
22			.04		.03		.04		.69	.50	.40	.03	22
23		.05			.02	.02	.23			.62	.06		23
24					.09		.50		.20	.06	.04		24
25							.21		.07	.53	.07		25
26			.14	.04			.05			.12	.05		26
27			.28	.31	.24		.15			.34			27
28				.06	.02		.22						28
29			.41	.04	.40	.21	.02	.53	.61	.42	.09	.30	29
30		X		.18		1.21	.03		.38		.41		30
31		X		X		X	.13		X	.02	X	.61	31
TOTAL	2.62	.05	1.55	2.48	3.34	1.61	2.87	.89	3.83	6.30	1.75	1.57	YEAR'S TOTAL
*Days with or in. or more.	11	1	8	20	12	6	14	4	17	19	15	12	28.86
*Days with .04 in. or more.	7	1	7	16	11	3	12	2	14	18	10	9	108

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Dorset 4

Kept at Marnhull
in the County of Dorset

Diameter of Funnel of Gauge..... in.
Height of top of Gauge above Ground..... ft..... in.
Ground Sea Level 220' ft.

Letter sent asking for Section C 12/5/32
Copy by D.R.O.
2-3" low.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03			.11	.58				.02		.02		1
2				.24				.02	.18		.02	.24	2
3				.02	.02	.03			.40	.11		.02	3
4	.02					.12					.23		4
5	.26		.08						.21				5
6	.31			.20			.08		.31				6
7			.02	.03					.05	.91			7
8			.39	.12	.08				.20	.12			8
9	.80			.36	.03				.04				9
10	.22					.02				.41	.02		10
11	.02			.04	.03		.16					.06	11
12	.35				.16				.20	.28			12
13	.03			.16			.30		.02	.61		.08	13
14	.28			.20	.03						.06	.02	14
15				.02	.32					.09	.03	.03	15
16	.30			.09			.75						16
17										.10			17
18					.12				.22		.22	.02	18
19				.03	.09				.03	.30			19
20				.09	1.04			.31		.48		.06	20
21			.19	.14	.04			.03		.28	.03	.10	21
22			.04		.03		.04		.69	.50	.40	.03	22
23		.05			.02	.02	.23			.62	.06		23
24					.09		.50		.20	.06	.04		24
25							.21		.07	.53	.07		25
26			.14	.04			.05			.12	.05		26
27			.28	.31	.24		.15			.34			27
28				.06	.02		.22						28
29			.41	.04	.40	.21	.02	.53	.61	.42	.09	.30	29
30		X		.18		1.21	.03		.38		.41		30
31		X		X		X	.13		X	.02	X	.61	31
TOTAL	2.62	.05	1.55	2.48	3.34	1.61	2.87	.89	3.83	6.30	1.75	1.57	YEAR'S TOTAL
*Days with or in. or more.	11	1	8	20	18	6	44	4	17	14	15	12	28.86
*Days with or in. or more.	7	7	7	16	11	3	12	2	14	18	10	5	108

(Signed) W. GAYE ESQ.
per Miss Wessie R.A. [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1628/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at

Marnhull

in the County of Dorset

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft. in.

Ground Sea Level 220 ft.

Days cald.

File No 252883/33

C. 1932 Lownd.

cf 1628, 1630/5

Dorset/4

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.34	.31	.08		.10							.17		1
2	.55		.46		hail .48									2
3	.09	.10	.28											3
4	.25		.02		.16									4
5	.10	.02	.28		.04						.03			5
6		.30			.29		hail			.24				6
7	.03	.03	.02		.22					.18				7
8	.03				.02		.50			.03				8
9					.10		.25			.11	.04			9
10		.10					.08			.41	.04			10
11	.28					.61	.63	hail .75		.02				11
12					.02		.07							12
13	.02				.02	.01	.24	.07	1.49	.12	.03			13
14							.03	.03		.41	.37			14
15	.60		.24			.16	.15	.07		.25				15
16			.79			.07			.07	.10				16
17		Show	.34			.29	.02		.09					17
18	.08	little snow	.44	.08		.18								18
19			.11	slow					.14		.18	slow snow	.02	19
20		hail .22			.07	hail .37		.03	.02		.01			20
21					.02	.05		.24	.01	.08				21
22						.03		.32	.15	.05				22
23				.31		.40			.48	.15				23
24		show 2.00				.05			.04					24
25		.47		.42	.01	.28			.03		.11			25
26		.49		.12	.20				.04	.09	.02	.02		26
27		.03		.12	1.85		.05		.02	.29	.36			27
28				.25										28
29							.02							29
30	.15	X	.14		.01		.05				.05			30
31	.24	X	.02	X		X			X	.02	X			31
TOTAL	2.46	4.08	3.22	1.30	3.55	2.50	2.09	.91	2.31	2.58	.70	.73	26.73	
*Days with .01 in. or more.	13	11	12	7	16	12	12	7	12	16	7	6	132	
*Days with .04 in. or more.	10	X	10	7	8	10	9	5	8	13	4	4	99	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

P.T.O.

Section **A** for the entry of Daily Observations.Station No. **1628/5-**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at

Marshall

in the County of

*Devon**Est Days*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft *4* in.,, Ground ,, Sea Level *250* ft.?**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	'04							'43	'30		'09	'50		1
2	'24		'09						'94	'03		'32		2
3	'04	'01						'13		'43		'22		3
4	'06		'21		'22			'34	'02	'27		'31		4
5	'01		'02		'04			'68		'14	'12	'57		5
6	'04		'44		'26					'31	'04	'48		6
7	'09					'06		'14		'07		'50		7
8					'24				'03		'31	'33		8
9	'02		'20					'02		'01	'55	'41		9
10	'20		'26	'36							'10	'02		10
11	'66		'21	'21			'28	'06				'26		11
12	'11		'03					'30				'17		12
13	'47			'26			'15				'06	'79		13
14	'21		'42							'02		'35		14
15	'10		'06		'16					'06	'14	'06		15
16	'05		'32									'05		16
17	'05			'16	'07				'12	'08	'02	'12		17
18	'11		'26	'17					'04			'21		18
19			'14			'09		'03	'25			'12		19
20			'13	'30			'11		'16	'02				20
21			'02			'05		'05		'29		'03		21
22			'03				'25	'70	'23			'24		22
23			'01	'42		'27		'11	'06	'04		'03		23
24		'10	'06	'12		'03	'02		'12	'02				24
25	'46	'01	'01	'26		'05				'22		'70		25
26	'05		'15	'13		'08			'16		'04	'28		26
27						'15						'53		27
28	'01					'50		'64	'03	'03		'60		28
29							'05	'23	'58		'02	'03		29
30	'03	X		'01					'05	'03	'02	'40		30
31		X		X		X		'05	X		X	'03		31
TOTAL	3'05	'12	3'07	2'40	'99	1'28	'86	3'91	3'09	2'07	1'29	8'73	31'06	11
* Days with .01 in. or more.	21	3	20	12	6	9	6	15	15	17	12	30	166	
* Days with .04 in. or more.	'14	1	'14	10	6	8	5	13	12	11	9	25	131	

Section



for the entry of Daily Observations.

Station No. 1628/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Marnhull*in the County of *Dorset*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.03	.01	.24	—	.01	.05	.10	—	.29	.23	~~X~~	.20		1
2	—	—	—	—	—	.25	.01	—	.02	.18	~~X~~	.04		2
3	—	.09	.09	.03	—	.11	—	—	.61	.94	~~X~~ .35	—		3
4	—	.27	.01	.17	—	.09	—	—	.06	.03	—	.35		4
5	—	.47	.05	.09	—	1.00	—	—	.27	.03	.28	.04		5
6	—	.01	—	.28	—	—	—	—	—	—	~~X~~ .2	.10		6
7	—	—	—	.27	—	.04	—	—	—	.08	~~X~~ .15	.10		7
8	—	—	—	.34	—	—	—	—	.02	.22	.18	.16		8
9	.05	—	—	.56	—	.18	—	—	.05	.73	.90	—		9
10	.05	—	.11	.12	—	.08	—	—	—	.01	—	—		10
11	.22	—	.10	.02	—	.30	—	—	—	.02	.50	—		11
12	.12	.12	—	—	—	.20	—	.02	.02	—	.23	—		12
13	.10	.10	—	.27	.03	.07	—	—	.01	—	.05	—		13
14	.01	.05	—	.30	.02	.05	—	—	.03	—	1.12	.27		14
15	—	.16	—	.50	.28	.08	—	—	.17	—	.14	.12		15
16	—	.06	.02	.27	—	.25	—	—	.74	—	1.26	—		16
17	—	—	.01	.12	.10	.12	—	.17	.04	—	—	—		17
18	—	.02	—	.21	.04	.05	.09	—	.35	.04	.25	—		18
19	—	.03	—	—	.50	.15	.09	—	.06	.08	.14	—		19
20	—	.25	—	.14	.01	.05	.05	—	.05	—	.52	—		20
21	—	.44	.04	.11	—	.01	.02	—	.06	—	.01	—		21
22	—	.09	.10	.07	—	—	—	.08	.083	—	—	—		22
23	—	.04	.17	.01	.03	—	—	.18	.09	.74	—	.09		23
24	.04	.47	.01	—	.13	—	—	.82	.24	.08	—	.26		24
25	.15	.04	—	.11	—	.03	—	—	.01	—	—	.35		25
26	—	.52	—	—	—	.01	—	.41	.05	—	—	.74		26
27	—	.16	—	—	—	—	—	.01	.05	—	.14	.67		27
28	—	—	—	—	—	—	—	.02	.10	.03	.03	.06		28
29	—	.13	—	—	—	—	—	—	.11	.02	—	.51		29
30	.02	~~X~~	—	.08	.08	—	—	.60	.04	.10	1.08	.41		30
31	—	~~X~~	—	~~X~~	—	~~X~~	—	.01	~~X~~	1.12	~~X~~	.30		31
TOTAL	0.79	3.53	0.95	4.07	1.23	3.27	0.36	2.32	3.53	4.68	7.36	4.80	Year's Total 36.89	
* Days with .01 in. or more.	10	21	12	21	11	21	6	10	26	18	21	18	192	195
* Days with .04 in. or more.	7	17	8	18	5	18	4	6	18	12	18	18	147	150

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.]

Section **A** for the entry of Daily Observations.Station No. **16285**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at **Marnhull**in the County of **Dorset**

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.24	.06	.02	.14			.24	.01	.02		.04	.06		1
2	.10	.02		.03			.28	.06			.03	.01		2
3				.35			.03	.04	.47		.64			3
4			.25						.21		.09	.11		4
5	.40		.09		.11				.49					5
6	.11		.02					.02	.22		.39	.04		6
7	.05		.17				.55		.01		.35	.04		7
8	.36		.73				.09				.19	.04		8
9	.68		.44				.23	.01	.34		.03			9
10	.09						.18		.01		.04			10
11	.20	.04				.02	.10		.06		.88			11
12	.01	.03		.09		.32	.38	.01	.13		.14			12
13	.03			.01		.03	.18	.01		.04	.15	.94		13
14						.03	.85			.08	.03	X		14
15		.07				1.12	.05		.24		.03	X		15
16		.13			.14		.04		.14		.06	1.47		16
17		1.06			.11		.34			.03	.19	X		17
18		.11					.44			.06	.01	X		18
19	.41	.11		.09		.29	.06	.05				X		19
20	.05	.20	.23	.24		.17	.01		.94			X		20
21		.18	.15	.40		.08	.02							21
22	.11	.30	.63		.07		.17							22
23	.10	.02	.19	.12	.09		.23			.12				23
24	.07	.03			.16		.02		.07	.35				24
25	.09		.26	.11			.38		.09	.15				25
26	.21	.20	.36	.03		.05	.10		.11	.09				26
27	.41	.14	.10				.05			.23				27
28	.81	.05	.84				.38			.01				28
29	.02	.04	.06				.02			.10	.07	X		29
30	.14	X			.04	.04				.18				30
31	.14	X	.41	X		X	.23		X	.15	X	1.55		31
TOTAL	5.03	2.79	4.65	1.61	.69	2.15	5.35	.21	3.55	1.57	3.36	4.26	Year's total	35.24 ✓
* Days with .01 in. or more.	23	18	17	11	7	10	27	8	16	13	18	20	184 ✓	184 ✓
* Days with .04 in. or more.	20	13	13	9	7	7	22	3	12	10	13	19	150 ✓	145 ✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

1628/5-

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Marnhull*in the County of *Dorset*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	X								1.08	.03	.09	.92		1
2	✓	1.47	.09	.10					.16			.49		2
3	X	.28	.13	.06										3
4	X	.65		.05				.04				.31		4
5	X		.02				.42							5
6	X		.23	.16	.08		.38			.05				6
7				.14										7
8		.06		.01	.28						.54	.53		8
9			.01	.20	.12		.07		.72					9
10			.87	.06	.04	.29	.08	.05				.27		10
11	✓		.30	.06	.34	.02	.35					.01		11
12	X	.32	.13		.01	.31	.02	.47	.28			.30		12
13	X	.03	.47	.14				.16						13
14			.23	.01				.07	.07			.09		14
15	X	.85	.15		.20		2.72		.11			.10		15
16	X	.06	.64	.09				.86			.02			16
17	X	.10	.61				.02	.37			.22			17
18	X	.10	.02					.13			.11	.24		18
19	X	.84	.02	.07	.24	.02	.07	.01			.03			19
20	X	.05	.19	.19								.19		20
21	X	.40	.12	.12	.20		.03			.06	.25	.07		21
22	X		.10	.01	.40	.10	.26		.03	1.16	.38	.07		22
23	X	.17	.02		.06					.43		.03		23
24	X	2.34	.55						.08	.83		.03		24
25	X	.20	.39	.25		.36			.03	.48		.07		25
26			.34	.03		.73				.04		.04		26
27	✓	.08		.06						.59				27
28	X									.18				28
29	✓	.35				.02				.53	.17			29
30	X	X				.01				.04	.24			30
31	X	1.10	X	X		X			X	.72	X	.01		31
TOTAL	1.33	4.57	4.53	1.90	2.64	.82	4.36	.79	2.92	5.14	2.05	3.49	39.04	✓
* Days with .01 in. or more.	25	18	19	20	18	12	7	11	5	12	13	10	18	163-170
* Days with .04 in. or more.	20	17	15	15	10	4	7	5	10	12	8	15	138	✓

† Spare column, no entries required

(Signed)

W. G. G. G.

[P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No. 1628/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ... *Marnham* in the County of ... *Derbyshire* Diameter of Funnel of Gauge ... *5* ... in.Height of top of Gauge above Ground ... *1* ft. *4* ... in." Ground " Sea Level ... *220* ... ft.*Copied by B.R.O.
Jue*

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	05	-	-	-	23	01							1
2	01	-	-	-	02	01	TR							2
3	-	-	-	-	14	-	08							3
4	02	-	-	-	-	-	18							4
5	-	-	-	02	-	-	29							5
6	04	-	-	-	-	05	31							6
7	09	-	-	-	-	05	74							7
8	20	-	-	-	-	13	33							8
9	14	09	02	-	-	38	01							9
10	12	-	-	-	-	01	03							10
11	14	-	-	-	-	-	01							11
12	27	09	-	-	09	-	24							12
13	19	-	-	-	-	-	44							13
14	59	TR	-	-	03	-	01							14
15	12	-	-	-	06	-	-							15
16	20	-	-	-	03	-	01							16
17	01	13	03	-	-	-	-							17
18	15	-	-	-	01	08	-							18
19	03	-	-	-	-	-	-							19
20	-	-	-	-	-	-	-							20
21	03	-	-	-	-	-	-							21
22	01	-	-	04	-	01	-							22
23	02	-	-	-	03	-	-							23
24	-	-	20	-	-	-	-							24
25	14	14	03	-	28	-	15							25
26	22	37	-	-	19	-	-							26
27	07	04	-	-	05	23	53							27
28	08	10	-	-	49	16	01							28
29	03	~~10~~	-	-	20	TR	-							29
30	05	~~10~~	-	-	18	12	-							30
31	24	~~10~~	01	~~10~~	21	~~10~~	-		~~10~~		~~10~~			31
TOTAL	3.21	1.01	.29	.06	2.07	1.46	3.41						Year's Total	
* Days with .01 in. or more.	26	8	5	2	15	18 ²	17 ¹							
* Days with .04 in. or more.	18	8	2	1	10	9	10							

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

W. Gaye (Signed) *Red Mud weeseex Rainfall*

[P.T.O.]

SHAFTSBURY (ST MARGARETS)

Section

A

for the entry of
AIR MINISTRE

FORM 1090

REGIS

Kept at St. Margarets

in the County of Dorset

Diameter of Funnel of Gauge.....

Height of top of Gauge above Ground.....

„ Ground „ Sea

THE MORNING MEASURE

Station No. 1628/8

INFALL ORGANIZATION

939.

1628/8
SHAFTSBURY
ST MARGARETS' MARSH
1439.40

780305

THE FOLLOWING DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				.13	.07	-	-	.06	.15	-	.09	.04		1
2				.14	.02	-	.02	.49	.86	-	.16	.09		2
3				.27	-	-	-	.32	-	-	.11	.32		3
4				.16	.10	-	.30	.35	-	.21	.13	.18		4
5				.17	.28	-	.19	.07	-	-	.45	.13		5
6				-	.13	-	.42	.07	-	.30	.47	.01		6
7				-	-	-	-	.02	-	.63	.45	.25		7
8				-	-	-	.09	.14	-	.27	.22	.16		8
9				-	-	-	-	.03	-	.20	.04	.10		9
10				-	-	-	-	.20	.05	.13	.05	.03		10
11				-	-	-	-	-	-	.19	.02	.02		11
12				-	-	.03	-	-	-	.01	.05	-		12
13				.05	-	.02	.37	-	.05	.83	.02	-		13
14				.04	.09	-	.19	-	-	.09	.29	-		14
15				.01	.10	.77	.27	-	.02	.19	.16	-		15
16				-	.12	.01	.21	.11	-	.01	.39	-		16
17				.03	-	-	.01	.19	-	.10	.10	.03		17
18				.04	-	-	.08	.45	-	-	.33	-		18
19				-	-	-	.07	-	-	-	-	.01		19
20				-	-	-	.32	.70	2.07	-	-	.03		20
21				.06	-	-	.08	.27	.02	.01	-	-		21
22				.04	.04	-	.17	.18	.07	-	.02	.16	-	22
23				-	.17	-	.02	.06	-	-	.03	.54	-	23
24				-	.10	-	.61	.22	.01	-	.01	-	-	24
25				.02	-	-	-	.47	.02	-	.16	.33	-	25
26				-	.04	-	-	.02	.04	-	.12	.30	-	26
27				.04	-	-	-	.02	-	-	.02	.14	-	27
28				.09	.06	-	.02	.45	-	-	.08	.32	.20	28
29				-	.09	-	-	.21	.01	-	-	.14	-	29
30				X	.47	-	.14	.01	.06	-	.03	.04	-	30
31				X	-	X	.15	.03	X	.94	X	-	-	31
TOTAL	(6.50)	(1.90)	(1.07)	2.06	.80	2.48	5.43	4.08	1.14	3.97	5.50	1.60	36.53	
* Days with .01 in. or more.				16	8	13	24	19	6	22	26	15	-	
* Days with .04 in. or more.				15	6	8	20	12	4	14	24	9	-	

G.W. PAYNE, Esq.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

G.W. Payne Esq. [P.T.O.]



REGISTER OF RAINFALL IN 1939

Kept at St. Margaret's Marsh, Shaftesbury

in the County of Dorset

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....2 ft. 2.....in.

„ Ground „ Sea Level 180.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				.13	.07	-	-	.06	.15	-	.09	.04		1
2				.14	.02	-	.02	.49	.86	-	.16	.09		2
3				.27	-	-	-	.32	-	-	.11	.32		3
4				.16	.10	-	.30	.35	-	.21	.13	.18		4
5				.17	.28	-	.19	.07	-	-	.45	.13		5
6				-	.13	-	.42	.07	-	.30	.47	.01		6
7				-	-	-	-	.02	-	.03	.45	.25		7
8				-	-	-	.09	.14	-	.27	.22	.16		8
9				-	-	-	-	.03	-	.20	.04	.10		9
10				-	-	-	-	.20	.05	.13	.05	.03		10
11				-	-	-	-	-	-	.19	.02	.02		11
12				-	-	.03	-	-	-	.01	.05	-		12
13				.05	-	.02	.37	-	.05	.83	.02	-		13
14				.04	.09	-	.19	-	-	.09	.29	-		14
15				.01	.10	.77	.27	-	.02	.19	.16	-		15
16				-	.12	.01	.21	.11	-	.01	.39	-		16
17				.03	-	-	.01	.19	-	.10	.10	.03		17
18				.04	-	-	.08	.45	-	-	.33	-		18
19				-	-	-	-	.07	-	-	-	.01		19
20				-	-	-	.32	.70	2.07	-	-	.03		20
21				.06	-	-	.08	.27	.02	.01	-	-		21
22				.04	.04	-	.17	.18	.07	-	.02	.16	-	22
23				-	.17	-	.02	.06	-	-	.03	.54	-	23
24				-	.10	-	.61	.22	.01	-	.01	-	-	24
25				.02	-	-	-	.47	.02	-	.16	.33	-	25
26				-	.04	-	-	.02	.04	-	.12	.30	-	26
27				.04	-	-	-	.02	-	-	.02	.14	-	27
28				.09	.06	-	.02	.45	-	-	.08	.32	.20	28
29				-	.09	-	-	.21	.01	-	-	.14	-	29
30		X		-	.47	-	.14	.01	.06	-	.03	.04	-	30
31		X		X	-	X	.15	.03	X	.94	X	-	-	31
TOTAL	(6.50)	(1.90)	(1.07)	2.06	.80	2.48	5.43	4.08	1.14	3.97	5.50	1.60	36.53	
* Days with .01 in. or more.				16	8	13	24	19	6	22	26	15	-	
* Days with .04 in. or more.				15	6	8	20	12	4	14	24	9	-	

G.W. PAYNE, Esq.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

G.W. Payne Esq.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1543/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1940

Kept at Marsh Farm - St. Margaret Marsh Shaftesbury

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 2 in.

Ground Sea Level 18'4 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.	.	.	.	10	.	.	.	.	.	10	.		1
2	.	13	.	14	.	.	.	.	.	.	36	.		2
3	.	31	.	.	.	.	.	.	.	08	95	24		3
4	04	10	.	.	.	.	01	.	.	22	30	02		4
5	.	02	.	.	.	.	02	.	.	.	53	25		5
6	20	28	.	.	.	.	.	.	.	21	04	19		6
7	07	18	.	.	.	.	20	.	.	02	.	09		7
8	01	.	.	.	.	.	03	.	.	28	18	10		8
9	.	.	.	.	.	.	03	.	04	20	43	33		9
10	.	.	.	.	.	.	108	18	29	.	13	21		10
11	.	.	.	.	.	.	05	.	05	05	48	03		11
12	.	.	12	.	.	.	25	.	17	10	09	.		12
13	.	.	62	.	.	.	18	.	08	02	132	.		13
14	.	.	02	07	32	.	48	.	22	46	09	69		14
15	.	snow 25	10	.	51	03	.	.	.	46	68	05		15
16	.	snow 50	42	.	.	.	08	.	.	60	60	10		16
17	.	snow 10	68	.	.	.	02	.	.	06	70	.		17
18	.	20	14	36	.	.	10	.	.	.	04	07		18
19	.	05	06	13	.	.	05	.	54	04	08	.		19
20	.	.	02	.	.	.	.	.	13	50	02	.		20
21	.	.	.	.	24	.	.	.	09	02	47	.		21
22	.	02	02	.	.	39	.	.	03	.	02	.		22
23	.	10	20	14	02	.	.	.	.	09	.	.		23
24	.	.	.	.	01	.	20	.	.	.	.	.		24
25	.	.	06	.	.	.	.	.	.	.	.	.		25
26	99	35	.	11	14	.	02	.	.	.	02	.		26
27	42	13	.	07	21	.	06	.	.	.	.	.		27
28	42	02	01	.	04	.	.	.	.	01	.	.		28
29	33	36	05	27	.	.	.	.	.	02	.	32		29
30	02	X	.	17	.	.	.	.	.	20	.	02		30
31	.	X	.	X	.	X	.	.	X	43	X	12		31
TOTAL	250	310	252	146	159	42	286	18	164	407	763	283	3080	Year's Total
* Days with .01 in. or more.	9	17	14	9	9	2	17	1	10	21	22	16	147	
* Days with .04 in. or more.	7	14	10	9	7	1	11	1	9	16	19	13	117	

† Spare column, no entries required.

(Signed) G. W. Payne

[P.T.O.]

* See Instruction 3 (f) on other side.